



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2017 – 09:29 AM EDT

PDB ID : 3ED1
Title : Crystal Structure of Rice GID1 complexed with GA3
Authors : Shimada, A.; Nakatsu, T.; Ueguchi-Tanaka, M.; Kato, H.; Matsuoka, M.
Deposited on : unknown
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>7%</div> <div>12%</div> </div> </div>
1	B	365	<div> <div>6%</div> <div> <div></div> <div>82%</div> <div>5%</div> <div>13%</div> </div> </div>
1	C	365	<div> <div>2%</div> <div> <div></div> <div>74%</div> <div>8%</div> <div>18%</div> </div> </div>
1	D	365	<div> <div>3%</div> <div> <div></div> <div>80%</div> <div>6%</div> <div>14%</div> </div> </div>
1	E	365	<div> <div>6%</div> <div> <div></div> <div>78%</div> <div>7%</div> <div>14%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	365	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MPD	A	501	-	-	-	X
2	MPD	B	501	-	-	-	X
3	NO3	A	601	-	-	-	X
3	NO3	A	602	-	-	-	X
3	NO3	B	601	-	-	-	X
3	NO3	B	602	-	-	-	X
3	NO3	B	604	-	-	-	X
3	NO3	C	602	-	-	-	X
3	NO3	F	602	-	-	-	X
5	PO4	B	701	-	-	-	X
5	PO4	E	701	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15936 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gibberellin receptor GID1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	4	0
			2510	1591	447	462	10			
1	B	316	Total	C	N	O	S	0	5	0
			2476	1572	441	453	10			
1	C	301	Total	C	N	O	S	0	3	0
			2365	1507	416	432	10			
1	D	315	Total	C	N	O	S	0	3	0
			2455	1561	429	455	10			
1	E	313	Total	C	N	O	S	0	2	0
			2390	1526	416	437	11			
1	F	305	Total	C	N	O	S	0	2	0
			2378	1518	416	434	10			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	355	GLY	-	EXPRESSION TAG	UNP Q6L545
A	356	SER	-	EXPRESSION TAG	UNP Q6L545
A	357	HIS	-	EXPRESSION TAG	UNP Q6L545
A	358	HIS	-	EXPRESSION TAG	UNP Q6L545
A	359	HIS	-	EXPRESSION TAG	UNP Q6L545
A	360	HIS	-	EXPRESSION TAG	UNP Q6L545
A	361	HIS	-	EXPRESSION TAG	UNP Q6L545
A	362	HIS	-	EXPRESSION TAG	UNP Q6L545
A	363	HIS	-	EXPRESSION TAG	UNP Q6L545
A	364	HIS	-	EXPRESSION TAG	UNP Q6L545
A	365	HIS	-	EXPRESSION TAG	UNP Q6L545
A	366	HIS	-	EXPRESSION TAG	UNP Q6L545
B	355	GLY	-	EXPRESSION TAG	UNP Q6L545
B	356	SER	-	EXPRESSION TAG	UNP Q6L545
B	357	HIS	-	EXPRESSION TAG	UNP Q6L545
B	358	HIS	-	EXPRESSION TAG	UNP Q6L545
B	359	HIS	-	EXPRESSION TAG	UNP Q6L545

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	360	HIS	-	EXPRESSION TAG	UNP Q6L545
B	361	HIS	-	EXPRESSION TAG	UNP Q6L545
B	362	HIS	-	EXPRESSION TAG	UNP Q6L545
B	363	HIS	-	EXPRESSION TAG	UNP Q6L545
B	364	HIS	-	EXPRESSION TAG	UNP Q6L545
B	365	HIS	-	EXPRESSION TAG	UNP Q6L545
B	366	HIS	-	EXPRESSION TAG	UNP Q6L545
C	355	GLY	-	EXPRESSION TAG	UNP Q6L545
C	356	SER	-	EXPRESSION TAG	UNP Q6L545
C	357	HIS	-	EXPRESSION TAG	UNP Q6L545
C	358	HIS	-	EXPRESSION TAG	UNP Q6L545
C	359	HIS	-	EXPRESSION TAG	UNP Q6L545
C	360	HIS	-	EXPRESSION TAG	UNP Q6L545
C	361	HIS	-	EXPRESSION TAG	UNP Q6L545
C	362	HIS	-	EXPRESSION TAG	UNP Q6L545
C	363	HIS	-	EXPRESSION TAG	UNP Q6L545
C	364	HIS	-	EXPRESSION TAG	UNP Q6L545
C	365	HIS	-	EXPRESSION TAG	UNP Q6L545
C	366	HIS	-	EXPRESSION TAG	UNP Q6L545
D	355	GLY	-	EXPRESSION TAG	UNP Q6L545
D	356	SER	-	EXPRESSION TAG	UNP Q6L545
D	357	HIS	-	EXPRESSION TAG	UNP Q6L545
D	358	HIS	-	EXPRESSION TAG	UNP Q6L545
D	359	HIS	-	EXPRESSION TAG	UNP Q6L545
D	360	HIS	-	EXPRESSION TAG	UNP Q6L545
D	361	HIS	-	EXPRESSION TAG	UNP Q6L545
D	362	HIS	-	EXPRESSION TAG	UNP Q6L545
D	363	HIS	-	EXPRESSION TAG	UNP Q6L545
D	364	HIS	-	EXPRESSION TAG	UNP Q6L545
D	365	HIS	-	EXPRESSION TAG	UNP Q6L545
D	366	HIS	-	EXPRESSION TAG	UNP Q6L545
E	355	GLY	-	EXPRESSION TAG	UNP Q6L545
E	356	SER	-	EXPRESSION TAG	UNP Q6L545
E	357	HIS	-	EXPRESSION TAG	UNP Q6L545
E	358	HIS	-	EXPRESSION TAG	UNP Q6L545
E	359	HIS	-	EXPRESSION TAG	UNP Q6L545
E	360	HIS	-	EXPRESSION TAG	UNP Q6L545
E	361	HIS	-	EXPRESSION TAG	UNP Q6L545
E	362	HIS	-	EXPRESSION TAG	UNP Q6L545
E	363	HIS	-	EXPRESSION TAG	UNP Q6L545
E	364	HIS	-	EXPRESSION TAG	UNP Q6L545
E	365	HIS	-	EXPRESSION TAG	UNP Q6L545

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	366	HIS	-	EXPRESSION TAG	UNP Q6L545
F	355	GLY	-	EXPRESSION TAG	UNP Q6L545
F	356	SER	-	EXPRESSION TAG	UNP Q6L545
F	357	HIS	-	EXPRESSION TAG	UNP Q6L545
F	358	HIS	-	EXPRESSION TAG	UNP Q6L545
F	359	HIS	-	EXPRESSION TAG	UNP Q6L545
F	360	HIS	-	EXPRESSION TAG	UNP Q6L545
F	361	HIS	-	EXPRESSION TAG	UNP Q6L545
F	362	HIS	-	EXPRESSION TAG	UNP Q6L545
F	363	HIS	-	EXPRESSION TAG	UNP Q6L545
F	364	HIS	-	EXPRESSION TAG	UNP Q6L545
F	365	HIS	-	EXPRESSION TAG	UNP Q6L545
F	366	HIS	-	EXPRESSION TAG	UNP Q6L545

- Molecule 2 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	6	2		
2	B	1	Total	C	O	0	0
			8	6	2		
2	C	1	Total	C	O	0	0
			8	6	2		
2	D	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	C	O	0	0
			8	6	2		
2	F	1	Total	C	O	0	0
			8	6	2		

- Molecule 3 is NITRATE ION (three-letter code: NO3) (formula: NO₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			4	1	3		
3	A	1	Total	N	O	0	0
			4	1	3		
3	A	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		
3	B	1	Total	N	O	0	0
			4	1	3		
3	C	1	Total	N	O	0	0
			4	1	3		
3	C	1	Total	N	O	0	0
			4	1	3		
3	D	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	N	O	0	0
			4	1	3		
3	F	1	Total	N	O	0	0
			4	1	3		
3	F	1	Total	N	O	0	0
			4	1	3		

- Molecule 4 is GIBBERELLIN A3 (three-letter code: GA3) (formula: $C_{19}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			25	19	6		
4	B	1	Total	C	O	0	0
			25	19	6		
4	C	1	Total	C	O	0	0
			25	19	6		
4	D	1	Total	C	O	0	0
			25	19	6		
4	E	1	Total	C	O	0	0
			25	19	6		
4	F	1	Total	C	O	0	0
			25	19	6		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	E	1	Total	O	P	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	239	Total	O	0	0
			239	239		
6	B	193	Total	O	0	0
			193	193		
6	C	173	Total	O	0	0
			173	173		
6	D	204	Total	O	0	0
			204	204		
6	E	123	Total	O	0	0
			123	123		
6	F	174	Total	O	0	0
			174	174		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gibberellin receptor GID1




- Molecule 1: Gibberellin receptor GID1



- Molecule 1: Gibberellin receptor GID1



- Molecule 1: Gibberellin receptor GID1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.72Å 134.14Å 118.87Å 90.00° 105.20° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 41.20 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.90) 97.4 (41.20-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.53 (at 1.89Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.197 , 0.239 0.198 , 0.241	Depositor DCC
R_{free} test set	9621 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.420	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15936	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GA3, MPD, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.75	0/2593	0.70	0/3524
1	B	0.69	0/2561	0.67	0/3480
1	C	0.65	0/2440	0.67	0/3313
1	D	0.67	0/2533	0.67	0/3446
1	E	0.58	0/2461	0.63	0/3352
1	F	0.64	0/2449	0.65	0/3328
All	All	0.66	0/15037	0.67	0/20443

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2510	0	2387	17	0
1	B	2476	0	2367	12	0
1	C	2365	0	2245	17	0
1	D	2455	0	2315	15	0
1	E	2390	0	2242	18	0
1	F	2378	0	2246	8	0
2	A	8	0	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	8	0	14	2	0
2	C	8	0	14	0	0
2	D	8	0	14	0	0
2	E	8	0	14	1	0
2	F	8	0	14	1	0
3	A	12	0	0	1	0
3	B	12	0	0	1	0
3	C	8	0	0	2	0
3	D	8	0	0	0	0
3	F	8	0	0	0	0
4	A	25	0	21	0	0
4	B	25	0	21	0	0
4	C	25	0	21	0	0
4	D	25	0	21	0	0
4	E	25	0	21	0	0
4	F	25	0	21	0	0
5	B	5	0	0	0	0
5	E	5	0	0	0	0
6	A	239	0	0	1	0
6	B	193	0	0	1	0
6	C	173	0	0	1	0
6	D	204	0	0	1	0
6	E	123	0	0	0	0
6	F	174	0	0	0	0
All	All	15936	0	14012	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ASN:HD22	1:B:26:ASN:HD22	1.29	0.81
1:A:15:VAL:HG12	1:A:16:VAL:H	1.52	0.73
2:E:501:MPD:H13	2:F:501:MPD:H13	1.77	0.67
1:E:290:ILE:HG13	1:E:290:ILE:O	1.93	0.67
1:A:28[A]:LYS:HE3	1:A:245:PHE:O	1.98	0.63
1:D:279:ARG:HD2	1:D:312:ASP:OD2	1.99	0.63
1:C:347:PHE:O	1:C:351:ASN:ND2	2.33	0.62
1:C:177:MET:HE1	1:C:192:VAL:HG11	1.82	0.62
1:F:232:GLU:O	1:F:301:ARG:NH2	2.34	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:109:ALA:O	1:E:110:ALA:HB3	2.02	0.59
1:C:26:ASN:HD22	1:D:26:ASN:HD22	1.49	0.58
1:B:175:TRP:O	1:B:179:GLN:HG2	2.03	0.57
1:A:231:THR:HG22	3:A:602:NO3:O3	2.06	0.56
1:C:231:THR:HG22	3:C:602:NO3:O2	2.05	0.56
1:D:279:ARG:HH12	1:D:311:GLU:HB2	1.70	0.55
1:F:283:LEU:O	1:F:314:HIS:HE1	1.90	0.55
1:E:144:LEU:HD11	1:E:344:ILE:HG22	1.89	0.55
1:C:232:GLU:O	1:C:301:ARG:NH2	2.41	0.54
1:A:177:MET:HE2	1:A:216:VAL:CG1	2.38	0.54
2:A:501:MPD:HM2	2:B:501:MPD:H13	1.90	0.53
1:E:26:ASN:HD22	1:F:26:ASN:HD22	1.57	0.53
1:E:232:GLU:O	1:E:301:ARG:NH2	2.42	0.53
1:D:330:LEU:O	1:D:331:LEU:HD23	2.09	0.53
1:F:227:MET:HG2	1:F:255:TRP:CZ2	2.44	0.52
1:B:301:ARG:HG2	1:B:301:ARG:HH11	1.75	0.51
1:D:232:GLU:O	1:D:301:ARG:NH2	2.43	0.51
1:A:177:MET:CE	1:A:216:VAL:CG1	2.89	0.51
1:F:191:ARG:NH1	1:F:352:LEU:O	2.44	0.51
1:A:287:LYS:HD2	1:A:351:ASN:OD1	2.11	0.50
1:D:279:ARG:HH12	1:D:311:GLU:CB	2.24	0.49
1:A:227:MET:HG2	1:A:255:TRP:CZ2	2.48	0.48
1:E:205:HIS:O	1:E:208:ALA:HB3	2.13	0.48
1:D:65:SER:HA	1:D:80:ILE:O	2.13	0.48
1:A:30[A]:SER:OG	3:B:604:NO3:O1	2.27	0.48
1:E:119:PHE:O	1:E:200:GLY:HA3	2.14	0.48
1:E:140:ARG:HD3	1:E:337:TYR:OH	2.14	0.47
1:E:159:GLU:CD	1:E:159:GLU:H	2.18	0.47
1:C:144:LEU:HD12	1:C:144:LEU:C	2.35	0.47
1:B:232:GLU:O	1:B:301:ARG:NH2	2.48	0.47
1:E:218:VAL:HB	1:E:286:ALA:HB2	1.96	0.46
1:E:225:ASN:HA	1:E:302:GLN:OE1	2.14	0.46
1:D:140:ARG:NH1	6:D:787:HOH:O	2.47	0.46
1:C:223:LEU:HB3	1:C:226:ALA:HB2	1.97	0.46
1:A:28[A]:LYS:NZ	6:A:733:HOH:O	2.48	0.46
1:C:65:SER:HA	1:C:80:ILE:O	2.16	0.46
1:B:227:MET:HG2	1:B:255:TRP:CZ2	2.51	0.46
1:C:71:ASP:HB3	1:C:76:LEU:HB3	1.99	0.45
1:D:36:ARG:HD2	1:D:40:THR:OG1	2.17	0.45
1:B:157:ALA:HB1	1:B:158:PRO:HA	1.99	0.45
1:B:213:ASP:CG	1:B:278:ARG:HH22	2.20	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:ASN:HB3	2:B:501:MPD:HM2	1.99	0.44
1:C:157:ALA:HB1	1:C:158:PRO:HA	1.98	0.44
1:E:109:ALA:O	1:E:110:ALA:CB	2.63	0.44
1:A:232:GLU:O	1:A:301:ARG:NH2	2.50	0.44
1:A:157:ALA:HB1	1:A:158:PRO:HA	2.00	0.44
1:A:321:CYS:HB3	1:A:336:HIS:CG	2.53	0.44
1:D:159:GLU:H	1:D:159:GLU:HG2	1.14	0.43
1:A:210:ARG:O	1:A:214:GLU:HG3	2.19	0.43
1:F:175:TRP:O	1:F:179:GLN:HG2	2.18	0.43
1:D:281:GLY:HA2	1:D:312:ASP:O	2.18	0.43
1:E:279:ARG:HD2	1:E:312:ASP:OD2	2.19	0.43
1:C:197:ASP:HA	1:C:224:LEU:O	2.19	0.43
1:C:74:VAL:HG12	1:C:76:LEU:HB2	2.00	0.43
1:A:197:ASP:HA	1:A:224:LEU:O	2.19	0.43
1:B:213:ASP:OD1	1:B:278:ARG:NH2	2.51	0.42
1:B:287:LYS:HG2	1:B:315:HIS:HB3	2.01	0.42
1:E:144:LEU:HD12	1:E:144:LEU:C	2.40	0.42
1:B:238[A]:ARG:NH2	6:B:854:HOH:O	2.52	0.42
1:A:177:MET:CE	1:A:216:VAL:HG13	2.50	0.42
1:C:179:GLN:HA	1:C:180:PRO:HD3	1.97	0.41
1:C:310:ARG:NH1	6:C:628:HOH:O	2.52	0.41
1:E:197:ASP:HA	1:E:224:LEU:O	2.19	0.41
1:B:35:ARG:HD3	1:B:254:TYR:CZ	2.56	0.41
1:A:173:LEU:O	1:A:177:MET:HG2	2.20	0.41
1:C:119:PHE:O	1:C:200:GLY:HA3	2.20	0.41
1:C:28[A]:LYS:HE3	1:C:245:PHE:O	2.21	0.41
1:D:197:ASP:HA	1:D:224:LEU:O	2.20	0.41
1:E:231:THR:OG1	1:E:266:ASP:OD1	2.35	0.41
1:F:195:SER:HA	1:F:222:ILE:O	2.21	0.40
3:C:604:NO3:O3	1:D:19:HIS:NE2	2.50	0.40
1:D:225:ASN:HA	1:D:302:GLN:OE1	2.21	0.40
1:C:227:MET:HG2	1:C:255:TRP:CZ2	2.56	0.40
1:F:28[A]:LYS:HE3	1:F:245:PHE:O	2.21	0.40
1:D:71:ASP:C	1:D:73:SER:H	2.24	0.40
1:E:321:CYS:HB3	1:E:336:HIS:CG	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/365 (88%)	310 (97%)	11 (3%)	0	100	100
1	B	315/365 (86%)	303 (96%)	12 (4%)	0	100	100
1	C	298/365 (82%)	288 (97%)	10 (3%)	0	100	100
1	D	314/365 (86%)	305 (97%)	8 (2%)	1 (0%)	44	34
1	E	309/365 (85%)	297 (96%)	11 (4%)	1 (0%)	44	34
1	F	301/365 (82%)	291 (97%)	9 (3%)	1 (0%)	44	34
All	All	1858/2190 (85%)	1794 (97%)	61 (3%)	3 (0%)	51	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	72	GLN
1	E	110	ALA
1	F	73	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/302 (86%)	258 (99%)	2 (1%)	85	85
1	B	258/302 (85%)	256 (99%)	2 (1%)	85	85
1	C	244/302 (81%)	243 (100%)	1 (0%)	93	93
1	D	251/302 (83%)	249 (99%)	2 (1%)	85	85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	239/302 (79%)	236 (99%)	3 (1%)	73	72
1	F	241/302 (80%)	238 (99%)	3 (1%)	75	75
All	All	1493/1812 (82%)	1480 (99%)	13 (1%)	82	82

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	SER
1	A	261	GLU
1	B	53	VAL
1	B	249	GLN
1	C	128	SER
1	D	140	ARG
1	D	159	GLU
1	E	144	LEU
1	E	231	THR
1	E	290	ILE
1	F	128	SER
1	F	177	MET
1	F	283	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	ASN
1	B	26	ASN
1	B	249	GLN
1	C	26	ASN
1	C	179	GLN
1	D	68	HIS
1	E	26	ASN
1	F	19	HIS
1	F	68	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GA3	A	401	-	24,29,29	1.14	1 (4%)	31,52,52	2.07	9 (29%)
2	MPD	A	501	-	7,7,7	0.39	0	9,10,10	0.55	0
3	NO3	A	601	-	1,3,3	4.26	1 (100%)	0,3,3	0.00	-
3	NO3	A	602	-	1,3,3	4.84	1 (100%)	0,3,3	0.00	-
3	NO3	A	603	-	1,3,3	4.47	1 (100%)	0,3,3	0.00	-
4	GA3	B	401	-	24,29,29	1.49	3 (12%)	31,52,52	1.97	8 (25%)
2	MPD	B	501	-	7,7,7	0.30	0	9,10,10	0.42	0
3	NO3	B	601	-	1,3,3	4.78	1 (100%)	0,3,3	0.00	-
3	NO3	B	602	-	1,3,3	4.41	1 (100%)	0,3,3	0.00	-
3	NO3	B	604	-	1,3,3	4.44	1 (100%)	0,3,3	0.00	-
5	PO4	B	701	-	4,4,4	0.74	0	6,6,6	0.41	0
4	GA3	C	401	-	24,29,29	1.14	1 (4%)	31,52,52	2.26	9 (29%)
2	MPD	C	501	-	7,7,7	0.33	0	9,10,10	0.44	0
3	NO3	C	602	-	1,3,3	4.44	1 (100%)	0,3,3	0.00	-
3	NO3	C	604	-	1,3,3	4.24	1 (100%)	0,3,3	0.00	-
4	GA3	D	401	-	24,29,29	1.29	3 (12%)	31,52,52	2.04	4 (12%)
2	MPD	D	501	-	7,7,7	0.43	0	9,10,10	0.36	0
3	NO3	D	601	-	1,3,3	4.66	1 (100%)	0,3,3	0.00	-
3	NO3	D	603	-	1,3,3	4.46	1 (100%)	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GA3	E	401	-	24,29,29	1.34	2 (8%)	31,52,52	1.84	9 (29%)
2	MPD	E	501	-	7,7,7	0.28	0	9,10,10	0.34	0
5	PO4	E	701	-	4,4,4	0.73	0	6,6,6	0.45	0
4	GA3	F	401	-	24,29,29	1.24	1 (4%)	31,52,52	1.77	6 (19%)
2	MPD	F	501	-	7,7,7	0.25	0	9,10,10	0.48	0
3	NO3	F	602	-	1,3,3	4.41	1 (100%)	0,3,3	0.00	-
3	NO3	F	603	-	1,3,3	4.41	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GA3	A	401	-	-	0/0/84/84	0/0/5/5
2	MPD	A	501	-	-	0/5/5/5	0/0/0/0
3	NO3	A	601	-	-	0/0/0/0	0/0/0/0
3	NO3	A	602	-	-	0/0/0/0	0/0/0/0
3	NO3	A	603	-	-	0/0/0/0	0/0/0/0
4	GA3	B	401	-	-	0/0/84/84	0/0/5/5
2	MPD	B	501	-	-	0/5/5/5	0/0/0/0
3	NO3	B	601	-	-	0/0/0/0	0/0/0/0
3	NO3	B	602	-	-	0/0/0/0	0/0/0/0
3	NO3	B	604	-	-	0/0/0/0	0/0/0/0
5	PO4	B	701	-	-	0/0/0/0	0/0/0/0
4	GA3	C	401	-	-	0/0/84/84	0/0/5/5
2	MPD	C	501	-	-	0/5/5/5	0/0/0/0
3	NO3	C	602	-	-	0/0/0/0	0/0/0/0
3	NO3	C	604	-	-	0/0/0/0	0/0/0/0
4	GA3	D	401	-	-	0/0/84/84	0/0/5/5
2	MPD	D	501	-	-	0/5/5/5	0/0/0/0
3	NO3	D	601	-	-	0/0/0/0	0/0/0/0
3	NO3	D	603	-	-	0/0/0/0	0/0/0/0
4	GA3	E	401	-	-	0/0/84/84	0/0/5/5
2	MPD	E	501	-	-	0/5/5/5	0/0/0/0
5	PO4	E	701	-	-	0/0/0/0	0/0/0/0
4	GA3	F	401	-	-	0/0/84/84	0/0/5/5
2	MPD	F	501	-	-	0/5/5/5	0/0/0/0
3	NO3	F	602	-	-	0/0/0/0	0/0/0/0
3	NO3	F	603	-	-	0/0/0/0	0/0/0/0

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	401	GA3	O92-C10	-3.05	1.41	1.48
4	B	401	GA3	O92-C10	-2.75	1.42	1.48
4	E	401	GA3	O92-C10	-2.70	1.42	1.48
4	D	401	GA3	C3-C2	2.10	1.53	1.49
4	A	401	GA3	O92-C19	2.98	1.42	1.36
4	B	401	GA3	C3-C2	3.03	1.55	1.49
4	C	401	GA3	O92-C19	3.29	1.43	1.36
4	D	401	GA3	O92-C19	3.88	1.44	1.36
4	F	401	GA3	O92-C19	4.24	1.44	1.36
3	C	604	NO3	O1-N	4.24	1.39	1.23
3	A	601	NO3	O1-N	4.26	1.39	1.23
3	F	602	NO3	O1-N	4.41	1.40	1.23
3	B	602	NO3	O1-N	4.41	1.40	1.23
3	F	603	NO3	O1-N	4.41	1.40	1.23
3	C	602	NO3	O1-N	4.44	1.40	1.23
3	B	604	NO3	O1-N	4.44	1.40	1.23
3	D	603	NO3	O1-N	4.46	1.40	1.23
3	A	603	NO3	O1-N	4.47	1.40	1.23
4	E	401	GA3	O92-C19	4.57	1.45	1.36
3	D	601	NO3	O1-N	4.66	1.41	1.23
4	B	401	GA3	O92-C19	4.75	1.46	1.36
3	B	601	NO3	O1-N	4.78	1.41	1.23
3	A	602	NO3	O1-N	4.84	1.42	1.23

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	401	GA3	C14-C13-C16	-7.04	98.30	102.05
4	C	401	GA3	C14-C13-C16	-6.93	98.36	102.05
4	A	401	GA3	C14-C13-C16	-5.55	99.09	102.05
4	A	401	GA3	O13-C13-C16	-4.29	106.40	113.27
4	B	401	GA3	C14-C13-C16	-4.08	99.88	102.05
4	F	401	GA3	C14-C13-C16	-4.05	99.89	102.05
4	B	401	GA3	C8-C15-C16	-2.95	98.18	103.84
4	F	401	GA3	C8-C15-C16	-2.94	98.18	103.84
4	F	401	GA3	C15-C16-C17	-2.92	122.87	126.77
4	C	401	GA3	C8-C15-C16	-2.86	98.35	103.84
4	C	401	GA3	C15-C16-C17	-2.85	122.96	126.77
4	D	401	GA3	C15-C16-C17	-2.80	123.02	126.77
4	E	401	GA3	C15-C8-C9	-2.53	105.51	110.03
4	A	401	GA3	C8-C15-C16	-2.44	99.15	103.84
4	B	401	GA3	O31-C3-C2	-2.44	104.54	109.97
4	E	401	GA3	O31-C3-C2	-2.38	104.67	109.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	401	GA3	C15-C16-C17	-2.36	123.62	126.77
4	C	401	GA3	C11-C12-C13	-2.34	109.13	112.26
4	E	401	GA3	C11-C9-C8	-2.34	110.11	112.88
4	C	401	GA3	O31-C3-C2	-2.34	104.76	109.97
4	A	401	GA3	C13-C16-C17	-2.31	122.81	125.17
4	B	401	GA3	C15-C16-C17	-2.28	123.72	126.77
4	D	401	GA3	C8-C15-C16	-2.20	99.61	103.84
4	F	401	GA3	C11-C12-C13	-2.19	109.33	112.26
4	B	401	GA3	C15-C8-C9	-2.15	106.18	110.03
4	E	401	GA3	C11-C12-C13	-2.10	109.45	112.26
4	A	401	GA3	C11-C12-C13	-2.10	109.45	112.26
4	E	401	GA3	C12-C13-C14	-2.01	106.33	108.98
4	B	401	GA3	C12-C13-C16	2.08	114.37	110.94
4	E	401	GA3	C4-C5-C6	2.13	120.68	117.08
4	C	401	GA3	C14-C8-C15	2.19	102.89	100.78
4	C	401	GA3	C12-C13-C14	2.29	112.00	108.98
4	A	401	GA3	O13-C13-C12	2.36	112.64	107.76
4	F	401	GA3	C12-C13-C14	2.40	112.15	108.98
4	A	401	GA3	C4-C5-C6	2.41	121.15	117.08
4	A	401	GA3	C12-C13-C16	2.42	114.93	110.94
4	C	401	GA3	C4-C5-C6	2.50	121.30	117.08
4	B	401	GA3	C14-C8-C15	2.65	103.34	100.78
4	E	401	GA3	C14-C8-C15	4.59	105.22	100.78
4	E	401	GA3	C15-C16-C13	5.51	112.27	107.56
4	F	401	GA3	C15-C16-C13	5.75	112.47	107.56
4	A	401	GA3	C15-C16-C13	6.02	112.70	107.56
4	B	401	GA3	C15-C16-C13	6.21	112.87	107.56
4	D	401	GA3	C15-C16-C13	6.31	112.95	107.56
4	C	401	GA3	C15-C16-C13	7.21	113.72	107.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	MPD	1	0
3	A	602	NO3	1	0
2	B	501	MPD	2	0
3	B	604	NO3	1	0
3	C	602	NO3	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	604	NO3	1	0
2	E	501	MPD	1	0
2	F	501	MPD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	321/365 (87%)	-0.21	8 (2%) 58 62	15, 24, 42, 54	0
1	B	316/365 (86%)	0.03	22 (6%) 17 19	16, 28, 49, 66	0
1	C	301/365 (82%)	-0.05	7 (2%) 61 64	18, 31, 48, 57	0
1	D	315/365 (86%)	-0.03	10 (3%) 48 51	16, 28, 48, 56	0
1	E	313/365 (85%)	0.42	23 (7%) 16 18	22, 39, 56, 68	0
1	F	305/365 (83%)	-0.19	6 (1%) 65 69	19, 31, 50, 58	0
All	All	1871/2190 (85%)	-0.01	76 (4%) 38 42	15, 30, 51, 68	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	107	ALA	6.1
1	E	110	ALA	5.8
1	B	14	THR	5.4
1	E	109	ALA	4.7
1	B	107	ALA	4.6
1	F	73	SER	4.6
1	E	181	PHE	4.4
1	B	110	ALA	4.2
1	D	15	VAL	4.0
1	B	180	PRO	3.9
1	B	105	THR	3.9
1	E	313	GLY	3.9
1	A	105	THR	3.8
1	C	181	PHE	3.8
1	D	74	VAL	3.8
1	D	274	GLY	3.6
1	F	74	VAL	3.6
1	D	275	PRO	3.6
1	A	186	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	113	PHE	3.5
1	B	104	LEU	3.3
1	B	84	ALA	3.3
1	E	74	VAL	3.3
1	E	240	LEU	3.3
1	B	106	ASP	3.3
1	E	282	GLY	3.2
1	F	66	PHE	3.2
1	B	112	PRO	3.1
1	B	108	PRO	3.1
1	F	15	VAL	3.1
1	E	352	LEU	3.0
1	E	283	LEU	3.0
1	B	109	ALA	2.9
1	E	285	PHE	2.9
1	E	108	PRO	2.8
1	B	74	VAL	2.8
1	A	84	ALA	2.7
1	B	183	ARG	2.7
1	E	113	PHE	2.7
1	D	282	GLY	2.7
1	F	352	LEU	2.7
1	A	15	VAL	2.6
1	D	280	LEU	2.6
1	E	111	GLU	2.6
1	A	353	TYR	2.6
1	C	190	ALA	2.5
1	E	189	GLN	2.5
1	B	73	SER	2.4
1	B	103	PHE	2.4
1	A	187	ASP	2.4
1	C	282	GLY	2.4
1	E	15	VAL	2.4
1	D	72	GLN	2.4
1	B	15	VAL	2.4
1	E	277	GLY	2.3
1	B	177	MET	2.3
1	E	57	ALA	2.3
1	A	110	ALA	2.3
1	B	111	GLU	2.3
1	D	73	SER	2.3
1	B	352	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	104	LEU	2.2
1	E	75	GLY	2.2
1	B	178	SER	2.2
1	E	73	SER	2.2
1	E	233	ARG	2.2
1	E	72	GLN	2.2
1	B	190	ALA	2.1
1	D	276	ASN	2.1
1	E	280	LEU	2.1
1	F	180	PRO	2.1
1	D	66	PHE	2.1
1	C	73	SER	2.1
1	B	181	PHE	2.0
1	C	283	LEU	2.0
1	C	83	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NO3	C	602	4/4	0.90	0.26	16.75	42,43,43,43	0
3	NO3	B	604	4/4	0.92	0.20	10.12	50,51,51,51	0
3	NO3	F	602	4/4	0.91	0.27	8.19	51,51,51,53	0
5	PO4	E	701	5/5	0.88	0.22	6.08	97,98,98,98	0
3	NO3	A	602	4/4	0.77	0.19	5.77	42,43,44,45	0
5	PO4	B	701	5/5	0.84	0.18	4.84	89,89,89,90	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NO3	B	601	4/4	0.87	0.20	3.71	49,50,50,51	0
3	NO3	A	601	4/4	0.86	0.18	3.67	45,45,46,46	0
2	MPD	A	501	8/8	0.93	0.11	2.35	28,31,37,37	0
3	NO3	B	602	4/4	0.94	0.18	2.30	45,46,46,46	0
2	MPD	B	501	8/8	0.93	0.12	2.05	33,36,36,37	0
3	NO3	D	601	4/4	0.83	0.13	1.78	61,61,61,61	0
3	NO3	A	603	4/4	0.92	0.14	1.70	61,61,62,62	0
2	MPD	D	501	8/8	0.92	0.15	1.39	34,38,38,40	0
2	MPD	E	501	8/8	0.95	0.09	1.27	38,41,42,43	0
2	MPD	C	501	8/8	0.95	0.13	0.49	31,33,35,35	0
4	GA3	B	401	25/25	0.97	0.10	-0.02	15,17,21,21	0
4	GA3	D	401	25/25	0.97	0.10	-0.06	19,21,23,26	0
2	MPD	F	501	8/8	0.93	0.09	-0.15	32,34,35,35	0
3	NO3	D	603	4/4	0.94	0.11	-0.21	51,51,51,52	0
4	GA3	A	401	25/25	0.98	0.07	-0.41	15,17,20,20	0
3	NO3	C	604	4/4	0.92	0.10	-0.53	44,45,45,46	0
4	GA3	C	401	25/25	0.97	0.08	-0.75	16,19,22,23	0
4	GA3	E	401	25/25	0.94	0.09	-0.79	24,28,30,32	0
3	NO3	F	603	4/4	0.93	0.09	-0.99	62,62,62,62	0
4	GA3	F	401	25/25	0.96	0.07	-1.20	20,23,26,27	0

6.5 Other polymers

There are no such residues in this entry.