



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 12:30 am GMT

PDB ID : 1EE2  
Title : THE STRUCTURE OF STEROID-ACTIVE ALCOHOL DEHYDROGE-  
NASE AT 1.54 Å RESOLUTION  
Authors : Adolph, H.W.  
Deposited on : 2000-01-30  
Resolution : 1.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 1.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1845 (1.56-1.52)
Ramachandran outliers	110173	1810 (1.56-1.52)
Sidechain outliers	110143	1808 (1.56-1.52)
RSRZ outliers	101464	1774 (1.56-1.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	 81% 17% ..
1	B	373	 85% 13% ..

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALCOHOL DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	373	2904	1854	490	535	25	7	30	0
1	B	373	2875	1832	487	529	27	0	27	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is CHOLIC ACID (three-letter code: CHD) (formula:  $C_{24}H_{40}O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			29	24	5		
4	B	1	Total	C	O	0	0
			29	24	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	505	Total	O	0	0
			505	505		
5	B	505	Total	O	0	0
			505	505		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ALCOHOL DEHYDROGENASE



#### • Molecule 1: ALCOHOL DEHYDROGENASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.03Å 73.16Å 92.49Å 90.00° 102.48° 90.00°	Depositor
Resolution (Å)	20.00 – 1.54 19.48 – 1.54	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.54) 98.2 (19.48-1.54)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	9.12 (at 1.54Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.145 , 0.183 0.143 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	12.3	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 58.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6939	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CHD, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.07	1/3067 (0.0%)	1.84	68/4138 (1.6%)
1	B	1.01	1/3034 (0.0%)	1.70	46/4093 (1.1%)
All	All	1.04	2/6101 (0.0%)	1.77	114/8231 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	2
1	B	0	1
All	All	1	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	ARG	NE-CZ	7.19	1.42	1.33
1	B	163	SER	CA-CB	5.52	1.61	1.52

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	217	ARG	NE-CZ-NH1	-26.27	107.16	120.30
1	A	217	ARG	NE-CZ-NH2	24.80	132.70	120.30
1	A	47	ARG	NE-CZ-NH2	-15.59	112.50	120.30
1	A	311	ARG	NE-CZ-NH1	15.21	127.90	120.30
1	A	362	ARG	NE-CZ-NH2	-13.05	113.78	120.30
1	B	270[A]	ARG	CB-CG-CD	13.05	145.52	111.60
1	B	270[B]	ARG	CB-CG-CD	13.05	145.52	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	134	LYS	CA-CB-CG	12.62	141.16	113.40
1	A	337	LYS	CD-CE-NZ	12.23	139.82	111.70
1	B	37	ARG	NE-CZ-NH2	-12.22	114.19	120.30
1	A	1	SER	N-CA-CB	11.29	127.43	110.50
1	B	272	ASP	CB-CG-OD1	10.69	127.92	118.30
1	B	119[A]	ARG	C-N-CA	9.46	142.16	122.30
1	B	119[B]	ARG	C-N-CA	9.46	142.16	122.30
1	A	311	ARG	NE-CZ-NH2	-9.20	115.70	120.30
1	B	342	ASP	CB-CG-OD1	9.15	126.53	118.30
1	A	255	GLU	CB-CG-CD	8.94	138.35	114.20
1	A	1	SER	CB-CA-C	8.86	126.94	110.10
1	B	134	LYS	CD-CE-NZ	8.74	131.81	111.70
1	A	359	ASP	CB-CG-OD1	8.70	126.13	118.30
1	B	368	ARG	NE-CZ-NH1	8.61	124.60	120.30
1	B	8	LYS	CB-CG-CD	8.54	133.82	111.60
1	B	368	ARG	NE-CZ-NH2	-8.53	116.04	120.30
1	A	238[A]	GLU	OE1-CD-OE2	-8.30	113.34	123.30
1	A	238[B]	GLU	OE1-CD-OE2	-8.30	113.34	123.30
1	B	217	ARG	NE-CZ-NH2	8.01	124.31	120.30
1	A	296	ASP	CB-CG-OD1	7.95	125.45	118.30
1	A	299[A]	ASN	CB-CA-C	-7.92	94.55	110.40
1	A	299[B]	ASN	CB-CA-C	-7.92	94.55	110.40
1	A	179	TYR	CB-CG-CD1	-7.82	116.31	121.00
1	A	37	ARG	NE-CZ-NH1	7.63	124.12	120.30
1	A	263	PHE	CB-CG-CD2	-7.60	115.48	120.80
1	A	50	ASP	CB-CG-OD1	-7.58	111.47	118.30
1	B	37	ARG	NE-CZ-NH1	7.57	124.08	120.30
1	B	107[A]	GLU	C-N-CA	7.46	137.96	122.30
1	B	107[B]	GLU	C-N-CA	7.46	137.96	122.30
1	A	119[A]	ARG	C-N-CA	7.26	137.54	122.30
1	A	119[B]	ARG	C-N-CA	7.26	137.54	122.30
1	B	311	ARG	NE-CZ-NH2	-7.25	116.67	120.30
1	A	40[A]	MET	CG-SD-CE	7.21	111.74	100.20
1	A	40[B]	MET	CG-SD-CE	7.21	111.74	100.20
1	B	16	GLU	OE1-CD-OE2	7.19	131.93	123.30
1	A	359	ASP	CB-CG-OD2	-7.01	111.99	118.30
1	B	222	ASP	CB-CG-OD1	6.88	124.49	118.30
1	A	238[A]	GLU	CG-CD-OE2	6.73	131.76	118.30
1	A	238[B]	GLU	CG-CD-OE2	6.73	131.76	118.30
1	A	190[A]	GLN	CA-CB-CG	6.71	128.15	113.40
1	A	190[B]	GLN	CA-CB-CG	6.71	128.15	113.40
1	B	47	ARG	NE-CZ-NH1	-6.71	116.95	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	342	ASP	CB-CG-OD1	6.65	124.29	118.30
1	B	245	TYR	CB-CG-CD2	-6.65	117.01	121.00
1	A	368	ARG	NE-CZ-NH2	-6.64	116.98	120.30
1	B	8	LYS	CA-CB-CG	6.60	127.92	113.40
1	A	318	PHE	CB-CG-CD1	6.57	125.40	120.80
1	A	228	PHE	CB-CG-CD1	6.55	125.38	120.80
1	B	272	ASP	CB-CG-OD2	-6.51	112.44	118.30
1	A	145	PHE	CB-CG-CD2	-6.47	116.27	120.80
1	A	245	TYR	CD1-CE1-CZ	-6.40	114.04	119.80
1	B	245	TYR	CD1-CE1-CZ	-6.36	114.08	119.80
1	A	358	PHE	CB-CG-CD2	-6.32	116.38	120.80
1	A	356[A]	GLU	CG-CD-OE1	-6.13	106.04	118.30
1	A	356[B]	GLU	CG-CD-OE1	-6.13	106.04	118.30
1	A	175	PHE	CB-CG-CD2	6.11	125.07	120.80
1	B	24	GLU	CB-CA-C	-6.06	98.28	110.40
1	A	298	GLN	OE1-CD-NE2	6.03	135.76	121.90
1	A	98	GLY	CA-C-O	-6.01	109.78	120.60
1	B	285	TYR	CG-CD2-CE2	-6.01	116.49	121.30
1	A	321	PHE	CB-CG-CD2	6.00	125.00	120.80
1	A	20	PRO	N-CA-CB	5.92	110.41	103.30
1	B	107[A]	GLU	O-C-N	-5.92	113.14	123.20
1	B	107[B]	GLU	O-C-N	-5.92	113.14	123.20
1	B	285	TYR	CD1-CE1-CZ	-5.89	114.50	119.80
1	A	128	ARG	CG-CD-NE	-5.88	99.45	111.80
1	B	367	ILE	N-CA-C	-5.88	95.12	111.00
1	A	299[A]	ASN	CA-CB-CG	5.83	126.24	113.40
1	A	299[B]	ASN	CA-CB-CG	5.83	126.24	113.40
1	A	321	PHE	CB-CG-CD1	-5.73	116.79	120.80
1	B	179	TYR	CB-CG-CD1	-5.73	117.56	121.00
1	B	94[A]	ILE	N-CA-CB	5.73	123.97	110.80
1	B	94[B]	ILE	N-CA-CB	5.73	123.97	110.80
1	A	255	GLU	CA-CB-CG	5.69	125.92	113.40
1	A	47	ARG	NH1-CZ-NH2	5.67	125.64	119.40
1	A	49	ASP	CB-CG-OD1	-5.60	113.26	118.30
1	B	148	TYR	CG-CD1-CE1	-5.57	116.85	121.30
1	B	134	LYS	CG-CD-CE	5.54	128.52	111.90
1	A	322	LYS	O-C-N	-5.54	113.84	122.70
1	B	342	ASP	CB-CG-OD2	-5.49	113.36	118.30
1	B	68	GLU	OE1-CD-OE2	-5.48	116.73	123.30
1	A	300	LEU	N-CA-CB	-5.46	99.49	110.40
1	A	356[A]	GLU	OE1-CD-OE2	5.45	129.84	123.30
1	A	356[B]	GLU	OE1-CD-OE2	5.45	129.84	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	179	TYR	CD1-CE1-CZ	-5.43	114.91	119.80
1	B	245	TYR	CE1-CZ-CE2	5.42	128.47	119.80
1	B	362	ARG	NE-CZ-NH1	-5.41	117.60	120.30
1	A	265	PHE	CB-CG-CD2	-5.37	117.04	120.80
1	A	352	GLU	OE1-CD-OE2	-5.31	116.93	123.30
1	A	368	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	B	285	TYR	CB-CG-CD2	-5.29	117.82	121.00
1	B	119[A]	ARG	CD-NE-CZ	5.29	131.01	123.60
1	B	119[B]	ARG	CD-NE-CZ	5.29	131.01	123.60
1	A	226	ASP	CB-CG-OD2	-5.26	113.57	118.30
1	A	248	PRO	N-CA-CB	5.26	109.61	103.30
1	B	222	ASP	OD1-CG-OD2	-5.18	113.46	123.30
1	B	119[A]	ARG	O-C-N	-5.16	114.44	123.20
1	B	119[B]	ARG	O-C-N	-5.16	114.44	123.20
1	A	135	PRO	N-CA-CB	5.11	109.43	103.30
1	B	244	ASP	CB-CG-OD1	5.08	122.88	118.30
1	A	1	SER	O-C-N	-5.07	114.59	122.70
1	A	179	TYR	CG-CD2-CE2	-5.06	117.25	121.30
1	A	245	TYR	CG-CD2-CE2	-5.06	117.25	121.30
1	A	245	TYR	CB-CG-CD1	5.02	124.01	121.00
1	A	342	ASP	CB-CG-OD2	-5.02	113.78	118.30
1	A	325	ASP	CB-CG-OD2	-5.02	113.78	118.30
1	A	304	PRO	N-CA-CB	5.02	109.32	103.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	1	SER	CA

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	SER	Mainchain
1	A	107[B]	GLU	Mainchain
1	B	107[B]	GLU	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2904	0	3002	42	0
1	B	2875	0	2966	39	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	44	0	26	1	0
3	B	44	0	26	0	0
4	A	29	0	39	1	0
4	B	29	0	39	0	0
5	A	505	0	0	16	0
5	B	505	0	0	15	0
All	All	6939	0	6098	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190[B]:GLN:HE21	1:A:214:GLY:HA3	1.21	1.00
1:A:16[A]:GLU:HG3	1:A:19:LYS:HG3	1.45	0.99
1:A:193:THR:HB	5:A:1795:HOH:O	1.62	0.97
1:A:348[A]:VAL:HG13	5:A:1461:HOH:O	1.66	0.95
1:A:372[A]:THR:HG23	5:A:1461:HOH:O	1.78	0.83
1:A:265:PHE:CD2	1:A:289[B]:VAL:CG1	2.62	0.82
1:B:151[A]:VAL:CG2	1:B:156[A]:VAL:HG12	2.09	0.82
1:B:15:TRP:HZ3	1:B:134:LYS:HE3	1.44	0.81
1:A:190[B]:GLN:NE2	1:A:214:GLY:HA3	1.96	0.80
1:B:372[A]:THR:HG22	5:B:1451:HOH:O	1.81	0.79
1:A:193:THR:HG23	5:A:1456:HOH:O	1.84	0.77
1:A:372[A]:THR:HG22	5:A:1801:HOH:O	1.84	0.77
1:B:15:TRP:CZ3	1:B:134:LYS:HE3	2.21	0.75
1:A:130[B]:THR:HG23	5:A:1359:HOH:O	1.87	0.74
1:A:16[A]:GLU:HG3	1:A:19:LYS:CG	2.17	0.73
1:B:282:GLN:NE2	1:B:284:ALA:H	1.87	0.72
1:A:16[A]:GLU:CG	1:A:19:LYS:HG3	2.20	0.71
1:A:270[A]:ARG:HH22	1:A:295:PRO:HB3	1.55	0.70
1:B:151[A]:VAL:HG21	1:B:156[A]:VAL:HG12	1.72	0.70
1:A:193:THR:HG21	5:A:1574:HOH:O	1.91	0.70
1:B:151[A]:VAL:HG23	1:B:156[A]:VAL:HG12	1.73	0.69
1:B:105:HIS:ND1	1:B:107[B]:GLU:O	2.26	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:282:GLN:HE22	1:B:284:ALA:H	1.42	0.67
1:B:372[A]:THR:HG23	5:B:1402:HOH:O	1.96	0.66
1:A:265:PHE:CD2	1:A:289[B]:VAL:HG12	2.32	0.65
1:B:151[A]:VAL:HG23	1:B:156[A]:VAL:CG1	2.27	0.65
1:A:94[B]:ILE:HD11	1:A:317:ILE:HG21	1.80	0.63
1:A:265:PHE:HD2	1:A:289[B]:VAL:CG1	2.12	0.62
1:A:270[A]:ARG:NH2	1:A:295:PRO:HG3	2.16	0.61
1:A:265:PHE:CD2	1:A:289[B]:VAL:HG11	2.38	0.58
1:A:193:THR:HG22	1:A:217:ARG:HB2	1.85	0.58
1:A:130[B]:THR:HG22	5:A:1620:HOH:O	2.03	0.58
1:B:329[A]:LYS:HD2	5:B:1658:HOH:O	2.03	0.57
1:B:350:PRO:HD2	1:B:353:LYS:HD2	1.87	0.56
1:B:151[A]:VAL:CG2	1:B:156[A]:VAL:CG1	2.81	0.55
1:B:3:ALA:O	1:B:5:LYS:HD2	2.07	0.55
1:A:32:LYS:HE3	5:A:1580:HOH:O	2.07	0.54
1:A:270[A]:ARG:NH2	1:A:295:PRO:CG	2.71	0.54
1:B:281[B]:CYS:HB3	1:B:286:GLY:HA3	1.91	0.53
1:B:104[A]:LYS:NZ	5:B:1384:HOH:O	2.37	0.52
1:A:166[B]:GLU:HG3	5:A:1801:HOH:O	2.09	0.52
1:B:43:ALA:HB1	5:B:1523:HOH:O	2.09	0.52
1:A:43:ALA:HB1	5:A:1486:HOH:O	2.10	0.51
1:A:130[B]:THR:HG21	5:A:1712:HOH:O	2.11	0.51
1:B:270[A]:ARG:NE	5:B:1432:HOH:O	2.44	0.51
1:B:84[B]:ARG:NH2	5:B:1744:HOH:O	2.44	0.49
1:B:303:ASN:HD22	1:B:303:ASN:C	2.15	0.49
1:B:117[B]:MET:CE	1:B:140:LEU:HD21	2.43	0.49
1:B:303:ASN:ND2	1:B:305:MET:H	2.11	0.48
1:B:356[B]:GLU:HG3	5:B:1435:HOH:O	2.12	0.48
1:A:270[A]:ARG:HH22	1:A:295:PRO:CB	2.23	0.48
1:B:83:VAL:HG12	1:B:158[A]:LYS:HB2	1.95	0.47
1:A:252:VAL:O	1:A:255:GLU:HG3	2.13	0.47
1:A:356[B]:GLU:HG3	5:A:1642:HOH:O	2.16	0.46
1:B:59:ALA:HB2	1:B:117[A]:MET:HE3	1.98	0.46
1:A:281[B]:CYS:HB3	1:A:286:GLY:HA3	1.97	0.46
1:B:39:LYS:HE2	5:B:1644:HOH:O	2.15	0.46
1:B:59:ALA:HB2	1:B:117[A]:MET:CE	2.46	0.46
1:B:282:GLN:HE22	1:B:284:ALA:HB3	1.81	0.45
1:B:365:LYS:HG3	5:B:1713:HOH:O	2.17	0.45
1:B:99[B]:LYS:HE3	5:B:1807:HOH:O	2.16	0.45
1:A:23[A]:ILE:HG22	5:A:1796:HOH:O	2.17	0.45
1:B:10:LYS:HG3	5:B:1626:HOH:O	2.17	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1150:CHD:H231	4:A:1150:CHD:H211	1.72	0.44
1:B:270[A]:ARG:NH2	5:B:1389:HOH:O	2.51	0.43
1:B:282:GLN:HE22	1:B:284:ALA:N	2.14	0.43
1:B:117[B]:MET:HB2	1:B:118:PRO:HD3	2.01	0.43
1:A:27:GLU:HB2	1:A:130[B]:THR:OG1	2.19	0.43
1:A:117:MET:HB2	1:A:118:PRO:HD3	2.02	0.42
1:A:291:VAL:O	3:A:1100:NAD:H2N	2.20	0.42
1:A:84[A]:ARG:NH2	5:A:1544:HOH:O	2.52	0.41
1:B:105:HIS:CE1	1:B:107[B]:GLU:O	2.73	0.41
1:A:42:ALA:HB2	5:A:1801:HOH:O	2.20	0.41
1:B:84[A]:ARG:NH2	5:B:1741:HOH:O	2.52	0.41
1:B:119[A]:ARG:HG3	5:B:1377:HOH:O	2.20	0.41
1:B:87:ASP:OD2	1:B:158[A]:LYS:HD3	2.21	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/373 (108%)	389 (97%)	11 (3%)	1 (0%)	51	24
1	B	398/373 (107%)	384 (96%)	14 (4%)	0	100	100
All	All	799/746 (107%)	773 (97%)	25 (3%)	1 (0%)	55	26

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	367	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/304 (110%)	326 (98%)	8 (2%)	54	21
1	B	331/304 (109%)	323 (98%)	8 (2%)	54	21
All	All	665/608 (109%)	649 (98%)	16 (2%)	68	21

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	SER
1	A	40[A]	MET
1	A	40[B]	MET
1	A	78	GLU
1	A	190[A]	GLN
1	A	190[B]	GLN
1	A	238[A]	GLU
1	A	238[B]	GLU
1	B	156[A]	VAL
1	B	156[B]	VAL
1	B	238[A]	GLU
1	B	238[B]	GLU
1	B	270[A]	ARG
1	B	270[B]	ARG
1	B	282	GLN
1	B	303	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	243	GLN
1	B	282	GLN
1	B	298	GLN
1	B	303	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	NAD	A	1100	-	41,48,48	1.99	9 (21%)	43,73,73	3.23	14 (32%)
4	CHD	A	1150	2	29,32,32	1.18	3 (10%)	47,51,51	1.79	10 (21%)
3	NAD	B	1200	-	41,48,48	1.80	9 (21%)	43,73,73	2.83	11 (25%)
4	CHD	B	1250	2	29,32,32	1.18	1 (3%)	47,51,51	2.15	12 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	1100	-	-	0/22/62/62	0/5/5/5
4	CHD	A	1150	2	-	0/7/74/74	0/4/4/4
3	NAD	B	1200	-	-	0/22/62/62	0/5/5/5
4	CHD	B	1250	2	-	0/7/74/74	0/4/4/4

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1100	NAD	C3N-C7N	-3.24	1.45	1.50
3	B	1200	NAD	C2N-C3N	-2.81	1.34	1.39
4	A	1150	CHD	C10-C5	-2.05	1.51	1.55
3	B	1200	NAD	PN-O1N	-2.03	1.43	1.50
3	A	1100	NAD	O4D-C4D	2.12	1.49	1.45
3	B	1200	NAD	C7N-N7N	2.13	1.37	1.33
3	A	1100	NAD	C2B-C1B	2.15	1.57	1.53
3	A	1100	NAD	C2D-C1D	2.20	1.57	1.53
4	A	1150	CHD	O12-C12	2.24	1.47	1.43
3	A	1100	NAD	C5A-C4A	2.29	1.45	1.40
4	A	1150	CHD	C16-C17	2.29	1.59	1.54
3	B	1200	NAD	O4D-C1D	2.56	1.44	1.41
3	B	1200	NAD	C2D-C1D	2.57	1.57	1.53
3	A	1100	NAD	O4D-C1D	2.77	1.45	1.41
3	B	1200	NAD	C3N-C7N	3.05	1.55	1.50
3	B	1200	NAD	O4D-C4D	3.14	1.52	1.45
4	B	1250	CHD	O12-C12	3.30	1.49	1.43
3	B	1200	NAD	C4N-C3N	3.81	1.45	1.39
3	A	1100	NAD	O7N-C7N	4.53	1.33	1.24
3	B	1200	NAD	C2A-N3A	4.68	1.40	1.32
3	A	1100	NAD	C2A-N3A	5.61	1.41	1.32
3	A	1100	NAD	C4N-C3N	5.88	1.49	1.39

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1100	NAD	N3A-C2A-N1A	-12.28	118.16	128.86
3	B	1200	NAD	N3A-C2A-N1A	-10.32	119.87	128.86
3	B	1200	NAD	C3N-C2N-N1N	-7.44	112.94	120.43
3	A	1100	NAD	C3N-C2N-N1N	-6.81	113.57	120.43
3	B	1200	NAD	C5N-C4N-C3N	-6.01	113.28	120.35
3	A	1100	NAD	O7N-C7N-N7N	-5.57	114.66	122.58
4	B	1250	CHD	C15-C14-C8	-5.26	110.89	118.32
4	A	1150	CHD	O12-C12-C13	-4.98	102.81	111.12
4	B	1250	CHD	O12-C12-C13	-4.83	103.06	111.12
4	B	1250	CHD	C18-C13-C12	-4.62	104.38	109.08
3	A	1100	NAD	C4B-O4B-C1B	-4.60	104.87	109.77
4	A	1150	CHD	C9-C8-C7	-4.10	107.11	111.92
3	A	1100	NAD	C5N-C4N-C3N	-4.03	115.61	120.35
4	B	1250	CHD	C1-C2-C3	-3.89	105.45	110.42
4	B	1250	CHD	C19-C10-C1	-3.54	102.42	108.24
4	B	1250	CHD	C9-C8-C7	-3.43	107.90	111.92

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1150	CHD	C11-C9-C10	-3.08	110.48	113.74
3	B	1200	NAD	O7N-C7N-C3N	-2.75	116.41	119.62
4	A	1150	CHD	C18-C13-C12	-2.74	106.29	109.08
4	B	1250	CHD	C14-C13-C12	-2.66	104.86	107.39
4	A	1150	CHD	C15-C14-C8	-2.58	114.67	118.32
4	A	1150	CHD	C19-C10-C1	-2.43	104.25	108.24
4	B	1250	CHD	C4-C5-C10	-2.41	110.02	112.66
3	B	1200	NAD	C2N-C3N-C7N	-2.37	112.46	119.34
4	B	1250	CHD	C6-C7-C8	-2.36	109.00	111.50
4	B	1250	CHD	C6-C5-C10	-2.28	110.16	112.66
3	B	1200	NAD	C4B-O4B-C1B	-2.22	107.40	109.77
3	A	1100	NAD	C5A-C6A-N6A	-2.19	116.00	120.47
4	A	1150	CHD	C5-C4-C3	-2.17	109.69	112.87
3	B	1200	NAD	C5N-C6N-N1N	-2.16	117.08	120.40
4	B	1250	CHD	C10-C9-C8	-2.10	109.61	111.87
3	A	1100	NAD	C2B-C3B-C4B	2.09	106.70	102.62
3	A	1100	NAD	O3B-C3B-C2B	2.16	118.75	111.83
3	A	1100	NAD	C6N-C5N-C4N	2.28	122.88	119.44
3	A	1100	NAD	C4A-C5A-N7A	2.48	111.81	109.41
3	B	1200	NAD	N6A-C6A-N1A	2.69	124.10	118.77
4	A	1150	CHD	C1-C10-C5	2.79	112.11	107.79
4	A	1150	CHD	C17-C13-C14	3.10	103.23	100.08
3	B	1200	NAD	C6N-C5N-C4N	3.34	124.48	119.44
3	A	1100	NAD	C2N-C3N-C4N	3.47	122.22	118.26
4	A	1150	CHD	C17-C13-C12	3.72	121.10	117.67
3	B	1200	NAD	C2A-N1A-C6A	4.79	127.16	118.77
4	B	1250	CHD	C23-C22-C20	4.94	121.39	114.72
3	A	1100	NAD	N6A-C6A-N1A	5.25	129.17	118.77
3	A	1100	NAD	C2A-N1A-C6A	6.67	130.43	118.77
3	A	1100	NAD	C3N-C7N-N7N	7.13	125.91	117.77
3	B	1200	NAD	C2N-C3N-C4N	7.50	126.82	118.26

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1100	NAD	1	0
4	A	1150	CHD	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	373/373 (100%)	-0.54	1 (0%) 93 94	7, 12, 21, 37	5 (1%)
1	B	373/373 (100%)	-0.43	2 (0%) 90 92	8, 14, 24, 44	0
All	All	746/746 (100%)	-0.48	3 (0%) 92 93	7, 13, 22, 44	5 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	SER	3.3
1	B	107[A]	GLU	2.9
1	A	1	SER	2.9

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CHD	B	1250	29/29	0.94	0.08	0.35	11,14,22,28	0
4	CHD	A	1150	29/29	0.94	0.08	0.22	12,15,21,28	0
3	NAD	A	1100	44/44	0.98	0.05	-0.70	7,9,14,18	0
3	NAD	B	1200	44/44	0.99	0.05	-0.81	8,10,13,20	0
2	ZN	A	1301	1/1	1.00	0.02	-1.56	12,12,12,12	0
2	ZN	B	1303	1/1	1.00	0.01	-1.76	11,11,11,11	0
2	ZN	A	1300	1/1	1.00	0.01	-4.14	10,10,10,10	0
2	ZN	B	1302	1/1	1.00	0.01	-8.63	11,11,11,11	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.