



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:02 am GMT

PDB ID : 5EGQ  
Title : Structure of tetrameric rat phenylalanine hydroxylase mutant R270K, residues 25-453  
Authors : Taylor, A.B.; Khan, C.A.; Fitzpatrick, P.F.  
Deposited on : 2015-10-27  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3846 (2.50-2.50)
Clashscore	112137	4554 (2.50-2.50)
Ramachandran outliers	110173	4463 (2.50-2.50)
Sidechain outliers	110143	4465 (2.50-2.50)
RSRZ outliers	101464	3876 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	453	<div> <div>5%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>•</div> <div>9%</div> </div> </div>
1	C	453	<div> <div>4%</div> <div> <div></div> <div>70%</div> <div>18%</div> <div>•</div> <div>10%</div> </div> </div>
1	D	453	<div> <div></div> <div> <div></div> <div>76%</div> <div>15%</div> <div></div> <div>9%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	C	502	-	-	-	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13538 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenylalanine-4-hydroxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	413	Total	C	N	O	S	0	0	0
			3353	2152	567	624	10			
1	B	411	Total	C	N	O	S	0	0	0
			3336	2140	564	622	10			
1	C	406	Total	C	N	O	S	0	0	0
			3299	2121	554	614	10			
1	D	412	Total	C	N	O	S	0	0	0
			3344	2146	565	623	10			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	270	LYS	ARG	engineered mutation	UNP P04176
B	270	LYS	ARG	engineered mutation	UNP P04176
C	270	LYS	ARG	engineered mutation	UNP P04176
D	270	LYS	ARG	engineered mutation	UNP P04176

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	45	Total	O	0	0
			45	45		
3	B	35	Total	O	0	0
			35	35		
3	C	33	Total	O	0	0
			33	33		
3	D	63	Total	O	0	0
			63	63		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Phenylalanine-4-hydroxylase




#### • Molecule 1: Phenylalanine-4-hydroxylase




#### • Molecule 1: Phenylalanine-4-hydroxylase





● Molecule 1: Phenylalanine-4-hydroxylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.14Å 96.51Å 202.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.16 – 2.50 47.15 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.7 (47.16-2.50) 98.7 (47.15-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.19 (at 2.51Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, $R_{free}$	0.211 , 0.256 0.210 , 0.255	Depositor DCC
$R_{free}$ test set	1998 reflections (3.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.6	Xtriage
Anisotropy	0.711	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 35.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13538	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/3436	0.68	0/4651
1	B	0.40	0/3419	0.65	0/4629
1	C	0.42	0/3381	0.64	0/4578
1	D	0.40	0/3427	0.63	0/4640
All	All	0.41	0/13663	0.65	0/18498

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3353	0	3301	66	0
1	B	3336	0	3277	58	0
1	C	3299	0	3243	85	0
1	D	3344	0	3288	35	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
2	C	10	0	0	1	0
2	D	10	0	0	1	0
3	A	45	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	35	0	0	0	0
3	C	33	0	0	0	0
3	D	63	0	0	0	0
All	All	13538	0	13109	238	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (238) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:278:THR:H	1:C:279:PRO:HD3	1.21	1.03
1:C:72:LEU:HD13	1:C:428:GLN:HG2	1.38	1.02
1:C:135:ILE:HG22	1:C:136:LEU:H	1.32	0.94
1:C:278:THR:N	1:C:279:PRO:CD	2.32	0.93
1:B:35:ILE:HG21	1:B:91:LEU:HD11	1.50	0.93
1:B:60:ILE:HD11	1:B:87:THR:CG2	2.03	0.88
1:A:88:LYS:CD	1:A:91:LEU:HD12	2.04	0.88
1:D:129:ASP:OD1	1:D:243:ARG:NH2	2.06	0.88
1:C:278:THR:H	1:C:279:PRO:CD	1.87	0.87
1:C:270:LYS:NZ	1:C:277:TYR:O	2.09	0.85
1:B:60:ILE:HD11	1:B:87:THR:HG23	1.60	0.82
1:B:359:SER:O	1:B:362:PRO:HD2	1.81	0.81
1:C:243:ARG:HH11	1:C:243:ARG:HG3	1.45	0.81
1:A:88:LYS:HD2	1:A:91:LEU:HD12	1.64	0.80
1:B:60:ILE:CD1	1:B:87:THR:CG2	2.63	0.77
1:A:88:LYS:HA	1:A:91:LEU:HG	1.65	0.77
1:C:111:ARG:HD3	1:C:131:PHE:CE2	2.20	0.76
1:D:204:TYR:N	1:D:336:GLU:OE2	2.18	0.76
1:B:35:ILE:HG21	1:B:91:LEU:CD1	2.17	0.75
1:C:135:ILE:HG22	1:C:136:LEU:N	2.02	0.74
1:C:129:ASP:HA	1:C:243:ARG:HH21	1.51	0.74
1:B:201:HIS:CD2	1:B:358:LEU:HD12	2.23	0.74
1:C:111:ARG:HD3	1:C:131:PHE:CZ	2.24	0.73
1:A:88:LYS:HD3	1:A:91:LEU:HD12	1.68	0.73
1:A:58:ASN:OD1	1:A:90:VAL:HG21	1.88	0.72
1:B:197:LEU:HD21	1:B:355:GLN:HG3	1.72	0.72
1:B:91:LEU:O	1:B:95:ILE:HG13	1.89	0.72
1:C:135:ILE:HG23	1:C:248:LEU:H	1.56	0.71
1:B:35:ILE:CG2	1:B:91:LEU:HD11	2.20	0.71
1:C:111:ARG:NE	1:C:131:PHE:CE2	2.58	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:111:ARG:CD	1:C:131:PHE:CE2	2.74	0.70
1:B:60:ILE:CD1	1:B:87:THR:HG23	2.21	0.70
1:C:57:GLU:HG3	1:C:57:GLU:O	1.91	0.70
1:B:97:SER:O	1:B:101:ASP:HB2	1.92	0.69
1:A:129:ASP:OD1	1:A:243:ARG:NH2	2.25	0.68
1:B:274:LYS:HE3	1:B:276:MET:HB2	1.76	0.68
1:C:278:THR:N	1:C:279:PRO:HD3	1.94	0.68
1:A:131:PHE:HB3	1:A:134:GLN:HG3	1.77	0.67
1:C:297:ARG:NH1	2:C:501:SO4:O3	2.27	0.67
1:B:60:ILE:CD1	1:B:87:THR:HG21	2.24	0.67
1:B:413:ARG:HG3	1:C:443:ILE:HD13	1.75	0.66
1:B:44:GLU:HB2	1:B:47:ALA:HB2	1.78	0.66
1:D:209:ILE:HD13	1:D:295:SER:HB2	1.78	0.66
1:A:209:ILE:HD13	1:A:295:SER:HB2	1.76	0.66
1:A:214:GLU:HA	1:A:219:PHE:HB2	1.78	0.65
1:A:32:ASN:O	1:A:85:LYS:HG3	1.98	0.64
1:A:418:THR:O	1:A:420:ARG:HG3	1.97	0.64
1:C:135:ILE:HG23	1:C:248:LEU:N	2.12	0.64
1:A:85:LYS:HE2	1:A:112:ASP:OD2	1.98	0.63
1:B:54:LEU:O	1:B:58:ASN:ND2	2.31	0.63
1:B:53:ARG:O	1:B:56:GLU:N	2.31	0.63
1:A:243:ARG:HG2	1:A:243:ARG:HH11	1.62	0.62
1:B:60:ILE:HD13	1:B:87:THR:HG21	1.81	0.62
1:C:111:ARG:NE	1:C:131:PHE:CD2	2.66	0.62
1:A:243:ARG:CG	1:A:243:ARG:HH11	2.13	0.61
1:D:365:LEU:HD12	1:D:385:LEU:HD21	1.81	0.61
1:B:208:HIS:O	1:C:77:TYR:OH	2.10	0.61
1:C:41:LEU:HD11	1:C:102:ILE:HG22	1.82	0.61
1:A:168:TYR:CG	1:A:244:PRO:HG2	2.35	0.61
1:C:243:ARG:HH11	1:C:243:ARG:CG	2.12	0.60
1:D:231:SER:HB2	1:D:242:LEU:HB2	1.84	0.60
1:B:326:TRP:CH2	1:B:379:VAL:HG12	2.37	0.59
1:B:197:LEU:HD21	1:B:355:GLN:CG	2.33	0.59
1:C:425:ASP:OD1	1:C:428:GLN:N	2.27	0.59
1:A:299:PHE:HZ	1:A:329:VAL:HG13	1.68	0.58
1:C:214:GLU:HA	1:C:219:PHE:HB2	1.85	0.58
1:A:71:ARG:NH2	2:D:501:SO4:O3	2.36	0.57
1:B:129:ASP:OD1	1:B:243:ARG:NH2	2.37	0.57
1:B:320:LYS:HB3	1:B:373:ALA:HB1	1.86	0.57
1:C:278:THR:N	1:C:279:PRO:HD2	2.18	0.57
1:A:409:PRO:HG2	1:A:410:PHE:CD2	2.39	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:290:HIS:HE1	1:C:329:VAL:HG12	1.69	0.57
1:C:111:ARG:CD	1:C:131:PHE:CZ	2.87	0.56
1:B:174:ILE:HG21	1:B:227:LEU:HB2	1.87	0.56
1:C:286:GLU:O	1:C:291:VAL:HG23	2.06	0.56
1:D:282:ASP:O	1:D:286:GLU:HG2	2.05	0.56
1:C:135:ILE:CG2	1:C:136:LEU:H	2.12	0.55
1:B:356:TYR:O	1:B:359:SER:OG	2.13	0.55
1:C:260:PHE:CZ	1:C:421:VAL:HG23	2.42	0.55
1:C:135:ILE:HG13	1:C:246:ALA:HB3	1.89	0.55
1:C:394:ASP:OD2	1:C:398:LYS:NZ	2.38	0.55
1:B:209:ILE:HD13	1:B:295:SER:HB2	1.88	0.54
1:C:194:LEU:CD2	1:C:351:PHE:HB2	2.37	0.54
1:A:72:LEU:HD12	1:A:72:LEU:H	1.71	0.54
1:A:282:ASP:O	1:A:286:GLU:HG2	2.07	0.54
1:B:201:HIS:CG	1:B:358:LEU:HD12	2.42	0.54
1:D:285:HIS:ND1	1:D:286:GLU:OE2	2.41	0.54
1:C:82:TYR:CD1	1:C:82:TYR:N	2.73	0.54
1:D:149:PHE:O	1:D:155:ARG:HD2	2.08	0.54
1:A:201:HIS:CD2	1:A:358:LEU:HD12	2.42	0.54
1:C:67:SER:O	1:C:68:ARG:NH1	2.40	0.54
1:B:83:LEU:HD13	1:B:87:THR:HG21	1.90	0.54
1:C:168:TYR:HD2	1:C:243:ARG:NH1	2.06	0.53
1:A:409:PRO:HG2	1:A:410:PHE:CE2	2.44	0.53
1:B:278:THR:H	1:B:279:PRO:CD	2.20	0.53
2:B:501:SO4:O2	1:C:71:ARG:NH2	2.41	0.53
1:C:209:ILE:HG21	1:C:295:SER:HB2	1.90	0.53
1:D:403:ALA:HA	1:D:406:ILE:HD12	1.91	0.53
1:B:282:ASP:O	1:B:286:GLU:HG2	2.08	0.52
1:B:149:PHE:O	1:B:155:ARG:NH1	2.38	0.52
1:B:94:ILE:HG22	1:B:98:LEU:HD12	1.92	0.52
1:C:282:ASP:O	1:C:285:HIS:N	2.42	0.52
1:C:88:LYS:N	1:C:89:PRO:HD2	2.25	0.52
1:D:320:LYS:HB3	1:D:373:ALA:HB1	1.92	0.52
1:B:443:ILE:HG12	1:C:400:ARG:HD3	1.92	0.51
1:B:41:LEU:HD11	1:B:102:ILE:HG21	1.92	0.51
1:C:270:LYS:HD2	1:C:275:PRO:O	2.10	0.51
1:A:54:LEU:O	1:A:58:ASN:ND2	2.43	0.51
1:C:244:PRO:HA	1:C:265:CYS:O	2.11	0.51
1:A:58:ASN:OD1	1:A:90:VAL:CG2	2.59	0.51
1:C:60:ILE:HD13	1:C:83:LEU:HD21	1.93	0.51
1:A:41:LEU:HD21	1:A:47:ALA:HB1	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:LYS:CE	1:A:112:ASP:OD2	2.58	0.50
1:A:424:LEU:CD2	1:A:432:ILE:HD11	2.41	0.50
1:A:269:ILE:HA	1:A:282:ASP:HB2	1.94	0.50
1:A:385:LEU:HD23	1:A:385:LEU:C	2.32	0.50
1:C:193:THR:HG22	1:C:351:PHE:CD1	2.47	0.50
1:A:88:LYS:HA	1:A:91:LEU:CG	2.41	0.50
1:B:39:PHE:CD2	1:B:98:LEU:HD22	2.46	0.50
1:C:135:ILE:HD13	1:C:135:ILE:N	2.27	0.50
1:A:216:TYR:CE1	1:D:66:GLU:HA	2.47	0.49
1:A:41:LEU:HD22	1:A:51:VAL:HG21	1.92	0.49
1:A:122:PRO:HG3	1:A:128:LEU:HD23	1.94	0.49
1:B:191:PHE:C	1:B:191:PHE:CD1	2.85	0.49
1:C:438:ASN:HA	1:D:441:VAL:HG11	1.95	0.49
1:C:129:ASP:HA	1:C:243:ARG:NH2	2.24	0.49
1:A:243:ARG:CG	1:A:243:ARG:NH1	2.73	0.48
1:C:41:LEU:HD13	1:C:104:ALA:HB2	1.95	0.48
1:B:38:ILE:HD13	1:B:423:VAL:HG21	1.95	0.48
1:B:243:ARG:HG2	1:B:243:ARG:HH11	1.78	0.48
1:D:152:PRO:HA	1:D:155:ARG:HD3	1.95	0.48
1:C:73:ASN:HB2	1:C:76:GLU:HG2	1.96	0.48
1:A:88:LYS:HD3	1:A:91:LEU:CD1	2.39	0.48
1:C:375:GLN:HG3	1:C:387:TYR:OH	2.14	0.48
1:D:41:LEU:HD21	1:D:47:ALA:HB1	1.95	0.47
1:B:87:THR:O	1:B:87:THR:HG22	2.14	0.47
1:B:52:LEU:HD13	1:C:215:LYS:HE2	1.95	0.47
1:C:214:GLU:HG2	1:C:219:PHE:O	2.13	0.47
1:C:425:ASP:OD1	1:C:428:GLN:HB2	2.15	0.47
1:C:293:LEU:HD23	1:C:293:LEU:HA	1.79	0.47
1:C:111:ARG:NH2	1:C:253:ASP:OD2	2.48	0.47
1:A:278:THR:H	1:A:279:PRO:HD3	1.78	0.47
1:C:55:PHE:CB	1:C:65:ILE:HD11	2.45	0.47
1:D:214:GLU:HA	1:D:219:PHE:HB2	1.97	0.47
1:C:270:LYS:CE	1:C:277:TYR:O	2.63	0.46
1:C:37:LEU:HD21	1:C:95:ILE:HD11	1.98	0.46
1:A:410:PHE:CD1	1:A:423:VAL:HG13	2.51	0.46
1:C:375:GLN:HG3	1:C:387:TYR:CE2	2.51	0.46
1:C:41:LEU:O	1:C:76:GLU:HB2	2.16	0.46
1:D:244:PRO:HA	1:D:265:CYS:O	2.16	0.46
1:D:136:LEU:HD13	1:D:248:LEU:HD12	1.98	0.46
1:D:191:PHE:C	1:D:191:PHE:CD1	2.89	0.46
1:A:169:ARG:NH1	3:A:608:HOH:O	2.47	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:ILE:HA	1:B:282:ASP:HB2	1.98	0.45
1:C:41:LEU:HD21	1:C:47:ALA:HB1	1.97	0.45
1:A:424:LEU:HB3	1:A:428:GLN:HB2	1.98	0.45
1:C:277:TYR:CZ	1:C:279:PRO:HG2	2.52	0.45
1:A:297:ARG:HD2	1:A:297:ARG:HA	1.85	0.45
1:B:201:HIS:CD2	1:B:358:LEU:CD1	2.96	0.45
1:C:243:ARG:CG	1:C:243:ARG:NH1	2.73	0.45
1:A:146:HIS:NE2	1:A:280:GLU:OE2	2.42	0.44
1:C:418:THR:O	1:C:420:ARG:HG2	2.17	0.44
1:A:80:PHE:CD1	1:A:80:PHE:N	2.84	0.44
1:C:277:TYR:CE1	1:C:279:PRO:HG2	2.51	0.44
1:D:197:LEU:HD21	1:D:355:GLN:HG3	1.99	0.44
1:D:97:SER:O	1:D:101:ASP:HB2	2.18	0.44
1:C:440:GLU:OE1	1:C:440:GLU:HA	2.17	0.43
1:A:133:ASN:OD1	1:A:166:TYR:HA	2.18	0.43
1:A:209:ILE:HG21	1:A:295:SER:HB2	2.00	0.43
1:C:320:LYS:HB3	1:C:373:ALA:HB1	2.00	0.43
1:C:98:LEU:HD23	1:C:102:ILE:HD12	2.00	0.43
1:A:424:LEU:CD2	1:A:432:ILE:CD1	2.96	0.43
1:B:60:ILE:HD13	1:B:87:THR:CG2	2.42	0.43
1:A:363:LYS:O	1:A:385:LEU:HA	2.18	0.43
1:A:424:LEU:HD21	1:A:432:ILE:CD1	2.49	0.42
1:C:111:ARG:HH22	1:C:253:ASP:CG	2.22	0.42
1:D:333:LEU:HD23	1:D:342:ALA:HA	2.00	0.42
1:A:80:PHE:HD1	1:A:80:PHE:N	2.18	0.42
1:B:278:THR:H	1:B:279:PRO:HD3	1.83	0.42
1:B:39:PHE:CE2	1:B:98:LEU:HD22	2.54	0.42
1:C:109:LEU:HD21	1:C:121:PHE:CE1	2.54	0.42
1:C:324:ILE:HD11	1:C:373:ALA:HB2	2.01	0.42
1:D:293:LEU:HB3	1:D:299:PHE:CD2	2.55	0.42
1:D:67:SER:HB2	1:D:79:PHE:CE2	2.55	0.42
1:A:131:PHE:N	1:A:131:PHE:CD1	2.88	0.42
1:A:240:PHE:HA	1:A:261:ARG:O	2.20	0.42
1:A:61:ASN:OD1	1:A:63:THR:HG22	2.20	0.42
1:C:174:ILE:HG21	1:C:227:LEU:HB2	2.02	0.42
1:A:260:PHE:CD1	1:A:260:PHE:N	2.88	0.42
1:C:297:ARG:HD3	1:C:297:ARG:HA	1.85	0.42
1:C:375:GLN:CG	1:C:387:TYR:OH	2.68	0.42
1:C:124:THR:HG22	1:C:420:ARG:CD	2.49	0.42
1:D:260:PHE:N	1:D:260:PHE:CD1	2.88	0.42
1:D:35:ILE:HD13	1:D:110:SER:HA	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:46:GLY:O	1:D:50:LYS:HG3	2.20	0.42
1:A:424:LEU:HD21	1:A:432:ILE:HD11	2.02	0.42
1:C:413:ARG:O	1:C:422:GLU:HG2	2.20	0.42
1:A:64:HIS:HB3	1:A:82:TYR:O	2.20	0.41
1:C:41:LEU:CD2	1:C:47:ALA:HB1	2.50	0.41
1:A:174:ILE:HG23	1:A:244:PRO:HG3	2.02	0.41
1:C:385:LEU:HD23	1:C:386:TYR:N	2.35	0.41
1:A:135:ILE:O	1:A:136:LEU:C	2.57	0.41
1:D:38:ILE:HB	1:D:107:HIS:HB2	2.02	0.41
1:A:448:LEU:HD23	1:A:448:LEU:HA	1.80	0.41
1:B:297:ARG:O	1:B:301:GLN:HG3	2.20	0.41
1:A:43:GLU:HG2	1:A:44:GLU:N	2.35	0.41
1:B:97:SER:O	1:B:101:ASP:N	2.53	0.41
1:D:278:THR:N	1:D:279:PRO:CD	2.84	0.41
1:C:68:ARG:HA	1:C:68:ARG:HD3	1.91	0.41
1:A:111:ARG:HD3	1:A:131:PHE:CE2	2.56	0.41
1:A:396:LYS:HB3	1:A:396:LYS:HE2	1.88	0.41
1:A:54:LEU:CD1	1:A:94:ILE:HG23	2.50	0.41
1:B:363:LYS:HA	1:B:363:LYS:HD3	1.57	0.41
1:C:293:LEU:HB3	1:C:299:PHE:CD2	2.56	0.41
1:D:190:VAL:HG12	1:D:194:LEU:HD12	2.03	0.41
1:D:376:GLU:HA	1:D:376:GLU:OE1	2.21	0.41
1:B:131:PHE:HB3	1:B:134:GLN:HB2	2.02	0.41
1:B:335:LYS:NZ	1:B:390:GLU:OE2	2.28	0.41
1:C:39:PHE:N	1:C:39:PHE:CD1	2.89	0.41
1:D:42:LYS:HE3	1:D:75:ASP:OD2	2.21	0.41
1:A:209:ILE:HD13	1:A:295:SER:CB	2.48	0.41
1:A:150:LYS:HA	1:A:150:LYS:HD3	1.81	0.41
1:B:38:ILE:HG12	1:B:123:ARG:NH1	2.35	0.40
1:D:61:ASN:HB3	1:D:64:HIS:ND1	2.36	0.40
1:B:51:VAL:HG11	1:B:79:PHE:CZ	2.56	0.40
1:D:127:GLU:HG3	1:D:130:ARG:HD3	2.03	0.40
1:B:61:ASN:OD1	1:B:62:LEU:N	2.55	0.40
1:D:176:ARG:NH2	1:D:229:ASP:OD1	2.50	0.40
1:B:230:VAL:HG21	1:B:287:LEU:HD22	2.04	0.40
1:B:381:GLU:HA	1:B:381:GLU:OE1	2.21	0.40
1:C:66:GLU:OE1	1:C:82:TYR:OH	2.36	0.40
1:A:325:TYR:C	1:A:325:TYR:CD1	2.94	0.40
1:A:32:ASN:HD21	1:A:86:ARG:NH2	2.19	0.40
1:A:424:LEU:HA	1:A:428:GLN:OE1	2.21	0.40
1:B:130:ARG:C	1:B:131:PHE:CD1	2.95	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:LYS:HA	1:B:274:LYS:HD2	1.86	0.40
1:C:287:LEU:HA	1:C:291:VAL:CG2	2.51	0.40
1:D:34:ALA:HB3	1:D:111:ARG:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/453 (90%)	389 (95%)	20 (5%)	0	100	100
1	B	407/453 (90%)	385 (95%)	21 (5%)	1 (0%)	51	73
1	C	400/453 (88%)	378 (94%)	20 (5%)	2 (0%)	32	53
1	D	408/453 (90%)	389 (95%)	18 (4%)	1 (0%)	51	73
All	All	1624/1812 (90%)	1541 (95%)	79 (5%)	4 (0%)	51	73

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	114	GLU
1	B	278	THR
1	C	89	PRO
1	C	278	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/399 (92%)	356 (98%)	9 (2%)	53	79
1	B	363/399 (91%)	354 (98%)	9 (2%)	53	79
1	C	360/399 (90%)	350 (97%)	10 (3%)	49	76
1	D	364/399 (91%)	359 (99%)	5 (1%)	71	90
All	All	1452/1596 (91%)	1419 (98%)	33 (2%)	56	81

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	LEU
1	A	80	PHE
1	A	83	LEU
1	A	131	PHE
1	A	134	GLN
1	A	179	TYR
1	A	260	PHE
1	A	297	ARG
1	A	424	LEU
1	B	56	GLU
1	B	59	ASP
1	B	91	LEU
1	B	97	SER
1	B	131	PHE
1	B	179	TYR
1	B	235	GLN
1	B	260	PHE
1	B	363	LYS
1	C	43	GLU
1	C	57	GLU
1	C	72	LEU
1	C	136	LEU
1	C	179	TYR
1	C	181	GLU
1	C	240	PHE
1	C	243	ARG
1	C	282	ASP
1	C	283	ILE
1	D	44	GLU
1	D	179	TYR
1	D	240	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	260	PHE
1	D	433	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	264	HIS
1	C	290	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	501	-	4,4,4	0.08	0	6,6,6	0.24	0
2	SO4	B	501	-	4,4,4	0.14	0	6,6,6	0.30	0
2	SO4	C	501	-	4,4,4	0.16	0	6,6,6	0.16	0
2	SO4	C	502	-	4,4,4	0.19	0	6,6,6	0.13	0
2	SO4	D	501	-	4,4,4	0.18	0	6,6,6	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	D	502	-	4,4,4	0.16	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	501	-	-	0/0/0/0	0/0/0/0
2	SO4	B	501	-	-	0/0/0/0	0/0/0/0
2	SO4	C	501	-	-	0/0/0/0	0/0/0/0
2	SO4	C	502	-	-	0/0/0/0	0/0/0/0
2	SO4	D	501	-	-	0/0/0/0	0/0/0/0
2	SO4	D	502	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	SO4	1	0
2	C	501	SO4	1	0
2	D	501	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	413/453 (91%)	0.02	10 (2%) 59 61	27, 39, 65, 85	0
1	B	411/453 (90%)	0.24	22 (5%) 26 27	30, 44, 75, 93	0
1	C	406/453 (89%)	0.14	17 (4%) 37 39	26, 41, 68, 87	0
1	D	412/453 (90%)	-0.10	2 (0%) 90 91	24, 37, 54, 72	0
All	All	1642/1812 (90%)	0.07	51 (3%) 49 52	24, 40, 68, 93	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	380	THR	5.9
1	A	91	LEU	4.6
1	B	91	LEU	4.5
1	B	57	GLU	4.4
1	A	275	PRO	4.3
1	A	149	PHE	4.3
1	B	65	ILE	3.9
1	B	149	PHE	3.7
1	C	82	TYR	3.7
1	C	149	PHE	3.7
1	C	133	ASN	3.6
1	B	379	VAL	3.6
1	B	100	ASN	3.4
1	C	278	THR	3.4
1	C	136	LEU	3.3
1	B	86	ARG	3.3
1	C	379	VAL	3.3
1	C	91	LEU	3.2
1	C	59	ASP	3.1
1	A	136	LEU	3.0
1	B	385	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	380	THR	3.0
1	A	432	ILE	2.8
1	B	55	PHE	2.8
1	C	135	ILE	2.8
1	C	145	ASP	2.8
1	B	378	SER	2.7
1	A	147	PRO	2.5
1	A	32	ASN	2.4
1	C	114	GLU	2.4
1	C	83	LEU	2.4
1	D	449	GLN	2.3
1	A	277	TYR	2.3
1	C	63	THR	2.3
1	B	148	GLY	2.3
1	B	277	TYR	2.2
1	B	276	MET	2.2
1	B	381	GLU	2.2
1	B	278	THR	2.2
1	B	273	SER	2.1
1	A	53	ARG	2.1
1	B	443	ILE	2.1
1	A	430	LEU	2.1
1	C	150	LYS	2.1
1	B	358	LEU	2.1
1	C	62	LEU	2.0
1	C	248	LEU	2.0
1	D	88	LYS	2.0
1	B	249	LEU	2.0
1	B	50	LYS	2.0
1	B	144	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	C	502	5/5	0.83	0.24	5.11	66,70,78,88	0
2	SO4	C	501	5/5	0.90	0.18	1.42	46,55,66,70	0
2	SO4	D	502	5/5	0.87	0.17	0.25	57,64,70,87	0
2	SO4	B	501	5/5	0.98	0.11	-1.83	40,40,43,50	0
2	SO4	A	501	5/5	0.98	0.11	-1.98	41,42,47,48	0
2	SO4	D	501	5/5	0.97	0.12	-5.18	40,45,51,52	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.