



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 04:30 pm GMT

PDB ID : 4EOJ  
Title : Thr 160 phosphorylated CDK2 H84S, Q85M, K89D - human cyclin A3 complex with ATP  
Authors : Echalier, A.; Cot, E.; Camasses, A.; Hodimont, E.; Hoh, F.; Sheinerman, F.; Krasinska, L.; Fisher, D.  
Deposited on : 2012-04-14  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1368 (1.66-1.66)
Clashscore	112137	1468 (1.66-1.66)
Ramachandran outliers	110173	1438 (1.66-1.66)
Sidechain outliers	110143	1438 (1.66-1.66)
RSRZ outliers	101464	1371 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	<div> <div>7%</div> <div>83%</div> <div>13%</div> <div>• •</div> </div>
1	C	302	<div> <div>13%</div> <div>76%</div> <div>15%</div> <div>• • 6%</div> </div>
2	B	258	<div> <div>5%</div> <div>93%</div> <div>6%</div> <div>•</div> </div>
2	D	258	<div> <div>7%</div> <div>91%</div> <div>7%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SGM	B	502	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9679 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	P	S	0	9	0
			2442	1580	416	435	1	10			
1	C	283	Total	C	N	O	P	S	0	4	0
			2293	1484	386	414	1	8			


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	PRO	-	EXPRESSION TAG	UNP P24941
A	-2	LEU	-	EXPRESSION TAG	UNP P24941
A	-1	GLY	-	EXPRESSION TAG	UNP P24941
A	0	SER	-	EXPRESSION TAG	UNP P24941
A	84	SER	HIS	ENGINEERED MUTATION	UNP P24941
A	85	MET	GLN	ENGINEERED MUTATION	UNP P24941
A	89	ASP	LYS	ENGINEERED MUTATION	UNP P24941
C	-3	PRO	-	EXPRESSION TAG	UNP P24941
C	-2	LEU	-	EXPRESSION TAG	UNP P24941
C	-1	GLY	-	EXPRESSION TAG	UNP P24941
C	0	SER	-	EXPRESSION TAG	UNP P24941
C	84	SER	HIS	ENGINEERED MUTATION	UNP P24941
C	85	MET	GLN	ENGINEERED MUTATION	UNP P24941
C	89	ASP	LYS	ENGINEERED MUTATION	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	257	Total	C	N	O	S		10	2	0
			2092	1354	342	385	11				
2	D	256	Total	C	N	O	S		0	4	0
			2106	1361	347	386	12				

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:


$$\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3).$$


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
3	C	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Mg 1 1	0	0
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula:  $\text{C}_3\text{H}_8\text{O}_2\text{S}$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	S	0	0
			6	3	2	1		
5	B	1	Total	C	O	S	0	0
			6	3	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	229	Total	O	0	0
			229	229		
6	B	177	Total	O	0	0
			177	177		
6	C	135	Total	O	0	0
			135	135		
6	D	129	Total	O	0	0
			129	129		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Cyclin-dependent kinase 2




#### • Molecule 1: Cyclin-dependent kinase 2



#### • Molecule 2: Cyclin-A2



#### • Molecule 2: Cyclin-A2



LEU



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.56Å 133.85Å 149.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.65 37.26 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.1 (30.00-1.65) 99.1 (37.26-1.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.46 (at 1.65Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.196 , 0.215 0.196 , 0.213	Depositor DCC
$R_{free}$ test set	8768 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.8	Xtriage
Anisotropy	0.117	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9679	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MG, SGM, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	0/2491	0.63	0/3377
1	C	0.49	0/2336	0.72	6/3168 (0.2%)
2	B	0.45	0/2143	0.56	0/2909
2	D	0.36	0/2157	0.53	0/2926
All	All	0.46	0/9127	0.62	6/12380 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	249	SER	N-CA-C	-9.09	86.45	111.00
1	C	249	SER	CB-CA-C	7.21	123.80	110.10
1	C	253	PRO	N-CA-C	-6.87	94.25	112.10
1	C	250	LYS	N-CA-C	-5.20	96.97	111.00
1	C	89	ASP	CB-CG-OD2	5.19	122.97	118.30
1	C	199	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	162	GLU	Peptide
1	C	250	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2442	0	2474	47	0
1	C	2293	0	2327	52	0
2	B	2092	0	2108	13	0
2	D	2106	0	2121	18	0
3	A	31	0	12	0	0
3	C	31	0	12	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	12	0	15	1	0
6	A	229	0	0	4	0
6	B	177	0	0	2	0
6	C	135	0	0	3	0
6	D	129	0	0	4	0
All	All	9679	0	9069	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177[A]:CYS:SG	1:A:233:MET:HE3	1.51	1.48
1:A:177[A]:CYS:SG	1:A:233:MET:CE	2.35	1.12
1:A:72:THR:HG22	1:A:73:GLU:CD	1.71	1.10
1:A:72:THR:HG22	1:A:73:GLU:OE1	1.58	1.01
1:C:36:ARG:HH21	1:C:36:ARG:HG2	1.28	0.98
1:C:71:HIS:HD2	2:D:296:HIS:CE1	1.86	0.94
1:C:71:HIS:HD2	2:D:296:HIS:HE1	1.05	0.94
1:C:252:VAL:O	1:C:253:PRO:O	1.87	0.92
1:C:252:VAL:C	1:C:253:PRO:O	2.01	0.90

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:301:ATP:O3B	3:C:301:ATP:H5'2	1.74	0.87
1:C:71:HIS:CD2	2:D:296:HIS:HE1	1.92	0.86
1:C:255:LEU:O	1:C:260:ARG:NH1	2.11	0.84
1:A:60:HIS:HD2	1:A:62:ASN:H	1.26	0.83
1:A:72:THR:CG2	1:A:73:GLU:OE1	2.29	0.81
1:A:60:HIS:CD2	1:A:62:ASN:H	1.99	0.80
1:C:250:LYS:HB3	1:C:252:VAL:H	1.48	0.79
1:A:71:HIS:HE2	2:B:304:PHE:HE2	1.30	0.77
1:A:72:THR:HG22	1:A:73:GLU:OE2	1.86	0.75
1:A:268:HIS:CE1	6:A:492:HOH:O	2.40	0.74
1:C:33:LYS:HE3	6:C:510:HOH:O	1.88	0.73
2:D:344:ALA:HB1	2:D:348:LEU:HD22	1.72	0.71
1:C:60:HIS:HD2	1:C:62:ASN:H	1.39	0.70
1:C:14:THR:C	1:C:16:GLY:H	1.97	0.68
1:A:12:GLU:OE2	1:A:17:VAL:HG22	1.94	0.68
1:A:210:ASP:OD2	6:A:539:HOH:O	2.12	0.67
1:C:250:LYS:HG2	1:C:252:VAL:HG23	1.76	0.67
1:C:250:LYS:HB3	1:C:252:VAL:HG23	1.78	0.65
2:D:346:PRO:O	2:D:349:LYS:HG2	1.96	0.65
1:C:60:HIS:CD2	1:C:62:ASN:H	2.15	0.65
2:D:281:ILE:C	2:D:283:ASP:H	2.00	0.65
1:C:268:HIS:HD2	1:C:270:ASP:H	1.44	0.65
1:A:71:HIS:NE2	2:B:304:PHE:HE2	1.95	0.64
1:C:36:ARG:NH2	1:C:36:ARG:HG2	2.04	0.63
1:C:216:PHE:HB3	1:C:221:THR:HB	1.81	0.62
2:B:374:GLU:OE2	2:B:378:ARG:HD2	2.00	0.61
1:C:250:LYS:CB	1:C:252:VAL:HG23	2.31	0.61
1:C:71:HIS:CD2	2:D:296:HIS:CE1	2.77	0.61
1:A:129:LYS:NZ	1:A:165:THR:HG21	2.16	0.60
2:B:219:VAL:HG22	2:B:232:LEU:HD11	1.85	0.59
1:C:254:PRO:O	1:C:255:LEU:C	2.36	0.59
1:C:252:VAL:O	1:C:253:PRO:C	2.41	0.59
2:D:289:LYS:O	2:D:293[B]:ARG:HG3	2.04	0.57
1:A:127:ASP:OD1	1:A:165:THR:HG23	2.04	0.57
1:C:253:PRO:O	1:C:255:LEU:N	2.39	0.56
2:D:395:HIS:HE1	2:D:427:PRO:O	1.88	0.56
1:A:73:GLU:OE2	1:A:74:ASN:N	2.30	0.55
2:B:395:HIS:HE1	2:B:427:PRO:O	1.89	0.55
1:C:14:THR:C	1:C:16:GLY:N	2.60	0.55
1:A:73:GLU:CD	1:A:73:GLU:H	2.09	0.54
1:A:14:THR:C	1:A:16:GLY:H	2.11	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:THR:O	1:A:15:TYR:CB	2.54	0.54
1:A:71:HIS:NE2	2:B:304:PHE:CE2	2.73	0.53
1:C:119:HIS:HD2	6:D:501:HOH:O	1.90	0.53
1:A:3:ASN:OD1	2:D:293[B]:ARG:NH2	2.39	0.53
1:A:60:HIS:HE1	6:A:419:HOH:O	1.92	0.52
1:C:94:SER:O	1:C:199:ARG:HD3	2.09	0.52
1:C:250:LYS:CG	1:C:252:VAL:HG23	2.38	0.52
2:B:374:GLU:CD	2:B:378:ARG:HD2	2.29	0.52
1:A:72:THR:CG2	1:A:73:GLU:OE2	2.55	0.52
1:C:15:TYR:CG	1:C:35:ILE:HG12	2.45	0.52
1:A:52:ILE:HD11	1:A:78:LEU:HD21	1.91	0.51
2:B:233:HIS:HE1	6:B:647:HOH:O	1.92	0.51
1:A:12:GLU:OE2	1:A:17:VAL:CG2	2.57	0.51
1:C:222:PRO:HB2	1:C:225:VAL:HG23	1.93	0.51
1:C:253:PRO:CB	1:C:254:PRO:CD	2.89	0.51
2:D:233:HIS:HE1	6:D:576:HOH:O	1.94	0.51
1:C:36:ARG:CG	1:C:36:ARG:NH2	2.73	0.50
2:D:233:HIS:HD2	6:D:504:HOH:O	1.95	0.50
1:A:73:GLU:N	1:A:73:GLU:CD	2.65	0.50
2:B:233:HIS:HD2	6:B:603:HOH:O	1.93	0.50
1:C:252:VAL:N	1:C:253:PRO:CD	2.74	0.50
1:C:83:LEU:HD12	1:C:136:ASN:HB3	1.94	0.50
1:C:119:HIS:HE1	1:C:185:ASP:OD2	1.95	0.49
1:A:103:LEU:HD22	6:A:569:HOH:O	2.13	0.48
1:C:137:THR:O	1:C:293:VAL:HG13	2.13	0.48
1:C:33:LYS:CE	6:C:510:HOH:O	2.53	0.48
1:C:57:GLU:OE2	2:D:307:ALA:HB3	2.14	0.48
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.95	0.48
1:A:71:HIS:O	1:A:72:THR:OG1	2.30	0.47
1:C:131:GLN:H	1:C:131:GLN:NE2	2.12	0.47
1:C:198:THR:HG22	1:C:253:PRO:HG2	1.96	0.47
1:A:14:THR:O	1:A:15:TYR:HB2	2.14	0.47
1:C:-3:PRO:HA	1:C:-2:LEU:HA	1.72	0.47
1:A:162:GLU:HG2	1:A:163:VAL:HG12	1.95	0.47
1:A:49:ILE:HG23	2:B:306:LEU:HD12	1.97	0.47
1:A:35:ILE:HB	1:A:76:LEU:HB3	1.96	0.47
1:C:221:THR:HA	1:C:222:PRO:HD3	1.53	0.47
1:A:223:ASP:H	1:A:226[A]:VAL:HG12	1.81	0.46
1:A:178:LYS:HE3	1:A:179:TYR:CZ	2.51	0.45
1:A:162:GLU:HG2	1:A:163:VAL:CG1	2.47	0.45
1:C:137:THR:HG22	1:C:296:LEU:HD13	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:250:LYS:HB3	1:C:252:VAL:N	2.22	0.44
1:A:59[B]:ASN:HD21	1:A:65:LYS:HE2	1.81	0.44
1:A:14:THR:C	1:A:16:GLY:N	2.70	0.44
1:A:177[A]:CYS:SG	1:A:233:MET:HE2	2.47	0.43
1:C:251:VAL:O	1:C:251:VAL:HG12	2.17	0.43
2:D:334[B]:MET:HE3	2:D:334[B]:MET:HB3	1.86	0.43
6:C:450:HOH:O	2:D:296:HIS:HD2	2.01	0.43
1:A:60:HIS:HD2	1:A:62:ASN:N	2.06	0.43
1:C:129:LYS:HG3	1:C:131:GLN:HG2	2.00	0.43
1:A:73:GLU:HG2	1:A:74:ASN:OD1	2.18	0.43
1:A:127:ASP:OD1	1:A:165:THR:CG2	2.67	0.43
1:C:252:VAL:N	1:C:253:PRO:HD2	2.34	0.43
1:C:88:LYS:HB2	1:C:130:PRO:HB2	2.02	0.42
1:A:91:MET:HG2	1:A:99:ILE:HD11	2.02	0.42
1:C:222:PRO:HB2	1:C:225:VAL:CG2	2.50	0.42
1:C:250:LYS:HG2	1:C:252:VAL:CG2	2.46	0.42
2:B:345:ASP:HA	2:B:346:PRO:HA	1.89	0.42
1:A:-1:GLY:HA3	1:A:68:ASP:OD2	2.20	0.42
3:C:301:ATP:O2G	3:C:301:ATP:O2B	2.38	0.42
2:B:327:CYS:SG	5:B:503:SGM:S1	3.13	0.42
1:C:105:LYS:HB2	1:C:105:LYS:HE2	1.88	0.42
1:A:71:HIS:C	1:A:72:THR:OG1	2.57	0.41
1:C:253:PRO:HB3	1:C:254:PRO:HD3	2.01	0.41
2:D:229:ASN:HD22	2:D:334[B]:MET:CE	2.34	0.41
1:A:162:GLU:HG3	1:A:163:VAL:HA	2.03	0.41
1:A:72:THR:HG22	1:A:73:GLU:H	1.86	0.41
1:C:222:PRO:CB	1:C:225:VAL:HG23	2.51	0.41
1:A:161[A]:HIS:CD2	1:A:161[A]:HIS:C	2.94	0.40
2:D:287:THR:HB	6:D:515:HOH:O	2.21	0.40
1:C:71:HIS:NE2	2:D:304:PHE:HE2	2.19	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/302 (99%)	292 (97%)	6 (2%)	2 (1%)	25	7
1	C	282/302 (93%)	266 (94%)	13 (5%)	3 (1%)	17	3
2	B	257/258 (100%)	256 (100%)	1 (0%)	0	100	100
2	D	258/258 (100%)	255 (99%)	3 (1%)	0	100	100
All	All	1097/1120 (98%)	1069 (97%)	23 (2%)	5 (0%)	32	12

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	VAL
1	C	164	VAL
1	A	162	GLU
1	C	253	PRO
1	C	254	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	268/265 (101%)	254 (95%)	14 (5%)	27	6
1	C	252/265 (95%)	237 (94%)	15 (6%)	22	4
2	B	233/232 (100%)	227 (97%)	6 (3%)	51	23
2	D	234/232 (101%)	228 (97%)	6 (3%)	51	23
All	All	987/994 (99%)	946 (96%)	41 (4%)	36	9

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	THR
1	A	55	LEU
1	A	73	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	122	ARG
1	A	150	ARG
1	A	161[A]	HIS
1	A	161[B]	HIS
1	A	165	THR
1	A	178	LYS
1	A	200	ARG
1	A	206[A]	ASP
1	A	206[B]	ASP
1	A	255	LEU
1	A	297	ARG
2	B	177	ASP
2	B	199	TYR
2	B	232	LEU
2	B	292	LEU
2	B	348	LEU
2	B	432	LEU
1	C	9	LYS
1	C	15	TYR
1	C	36	ARG
1	C	37	LEU
1	C	55	LEU
1	C	103	LEU
1	C	122	ARG
1	C	131	GLN
1	C	150	ARG
1	C	217	ARG
1	C	221	THR
1	C	248	PHE
1	C	250	LYS
1	C	253	PRO
1	C	281	LEU
2	D	199	TYR
2	D	292	LEU
2	D	296	HIS
2	D	348	LEU
2	D	384	LEU
2	D	428	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:



Mol	Chain	Res	Type
1	A	60	HIS
2	B	233	HIS
2	B	254	GLN
2	B	312	ASN
2	B	395	HIS
2	B	425	ASN
1	C	60	HIS
1	C	71	HIS
1	C	119	HIS
1	C	131	GLN
1	C	246	GLN
1	C	265	GLN
1	C	268	HIS
2	D	233	HIS
2	D	254	GLN
2	D	296	HIS
2	D	323	GLN
2	D	395	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	TPO	A	160	1	9,10,11	0.98	1 (11%)	10,14,16	1.04	1 (10%)
1	TPO	C	160	1	9,10,11	0.73	0	10,14,16	1.13	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/8/11/13	0/0/0/0
1	TPO	C	160	1	-	0/8/11/13	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	160	TPO	P-OG1	2.03	1.63	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	TPO	O-C-CA	-2.17	120.08	125.15
1	C	160	TPO	O-C-CA	-2.10	120.24	125.15

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	ATP	A	301	4	27,33,33	1.01	2 (7%)	25,52,52	1.57	2 (8%)
5	SGM	B	502	-	5,5,5	0.45	0	5,5,5	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	SGM	B	503	-	5,5,5	0.31	0	5,5,5	0.49	0
3	ATP	C	301	-	27,33,33	1.01	1 (3%)	25,52,52	1.52	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	301	4	-	0/18/38/38	0/3/3/3
5	SGM	B	502	-	-	0/4/4/4	0/0/0/0
5	SGM	B	503	-	-	0/4/4/4	0/0/0/0
3	ATP	C	301	-	-	0/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	ATP	O4'-C1'	2.16	1.44	1.41
3	A	301	ATP	C5-C4	3.12	1.47	1.40
3	C	301	ATP	C5-C4	3.25	1.47	1.40

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	ATP	N3-C2-N1	-5.85	123.76	128.86
3	C	301	ATP	N3-C2-N1	-5.62	123.96	128.86
3	A	301	ATP	C4-C5-N7	-2.96	106.55	109.41
3	C	301	ATP	C4-C5-N7	-2.91	106.60	109.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	503	SGM	1	0
3	C	301	ATP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	295/302 (97%)	0.35	21 (7%) 17 16	11, 19, 41, 53	0
1	C	282/302 (93%)	0.63	40 (14%) 3 3	16, 26, 55, 75	0
2	B	257/258 (99%)	0.26	13 (5%) 29 27	12, 22, 36, 48	0
2	D	256/258 (99%)	0.31	17 (6%) 19 18	14, 26, 44, 58	0
All	All	1090/1120 (97%)	0.39	91 (8%) 12 11	11, 24, 45, 75	0

All (91) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	246	GLN	9.6
1	C	252	VAL	9.5
2	B	432	LEU	9.3
1	C	14	THR	9.0
1	C	-3	PRO	8.8
1	C	17	VAL	8.1
1	C	295[A]	HIS	7.3
1	C	247	ASP	6.8
1	A	96	LEU	6.5
2	D	284	ASP	6.5
2	B	283	ASP	6.2
1	A	15	TYR	5.9
2	B	284	ASP	5.8
1	A	36	ARG	5.8
2	D	283	ASP	5.5
1	C	15	TYR	5.4
2	B	323	GLN	5.4
1	C	223	ASP	5.0
1	C	254	PRO	5.0
1	A	73	GLU	4.8
1	C	249	SER	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	176	PRO	4.6
2	B	285	THR	4.6
1	C	248	PHE	4.6
1	C	296	LEU	4.3
1	A	12	GLU	4.3
1	A	71	HIS	4.2
1	C	-2	LEU	4.2
2	D	176	PRO	4.2
1	C	19	TYR	4.1
2	D	431	ASN	4.0
1	C	253	PRO	4.0
1	C	12	GLU	4.0
1	A	37	LEU	3.9
2	D	323	GLN	3.9
1	A	17	VAL	3.8
1	C	9	LYS	3.7
1	A	19	TYR	3.6
1	A	72	THR	3.6
1	C	220	GLY	3.6
2	B	431	ASN	3.5
1	C	226	VAL	3.4
1	C	222	PRO	3.3
2	B	280	TYR	3.3
2	D	177	ASP	3.3
1	C	162	GLU	3.3
1	C	10	ILE	3.2
1	A	-1	GLY	3.2
1	C	36	ARG	3.2
1	C	250	LYS	3.2
2	D	324	PRO	3.1
1	C	73	GLU	3.1
1	C	0	SER	3.1
2	D	179[A]	HIS	3.0
1	A	162	GLU	3.0
1	C	224	GLU	3.0
1	C	13	GLY	3.0
2	D	285	THR	2.9
1	A	177[A]	CYS	2.8
2	B	324	PRO	2.8
1	A	74	ASN	2.8
1	A	35	ILE	2.7
2	D	428	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	97	THR	2.7
2	D	280	TYR	2.6
1	C	227	TRP	2.6
1	C	269	TYR	2.5
1	C	260	ARG	2.5
1	C	2	GLU	2.5
2	B	341	LEU	2.5
1	A	287	GLN	2.5
1	C	287	GLN	2.4
1	C	272	ASN	2.3
2	D	416	SER	2.3
2	B	234	LEU	2.3
1	A	297	ARG	2.3
1	A	14	THR	2.3
1	A	13	GLY	2.2
2	D	425	ASN	2.2
2	D	423	LEU	2.2
1	C	138	GLU	2.2
1	A	178	LYS	2.2
2	B	327	CYS	2.2
1	C	161	HIS	2.1
2	D	281	ILE	2.1
1	C	251	VAL	2.1
1	C	257	GLU	2.1
2	D	429	THR	2.0
1	C	176	GLY	2.0
2	B	177	ASP	2.0
2	D	415	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	TPO	C	160	11/12	0.99	0.06	-	17,19,22,22	0
1	TPO	A	160	11/12	0.99	0.06	-	14,17,18,19	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	SGM	B	502	6/6	0.85	0.17	3.11	36,40,41,43	0
3	ATP	C	301	31/31	0.79	0.28	1.89	46,54,55,55	14
3	ATP	A	301	31/31	0.81	0.27	1.76	30,46,47,47	13
4	MG	B	501	1/1	0.97	0.06	-0.84	30,30,30,30	0
5	SGM	B	503	6/6	0.64	0.23	-	71,71,71,71	0
4	MG	A	302	1/1	0.60	0.19	-	51,51,51,51	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.