



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 22, 2018 – 01:04 AM EST

PDB ID : 1EQG
Title : THE 2.6 ANGSTROM MODEL OF OVINE COX-1 COMPLEXED WITH IBUPROFEN
Authors : Loll, P.J.; Selinsky, B.S.; Gupta, K.; Sharkey, C.T.
Deposited on : 2000-04-04
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2983 (2.64-2.60)
Clashscore	112137	3351 (2.64-2.60)
Ramachandran outliers	110173	3298 (2.64-2.60)
Sidechain outliers	110143	3298 (2.64-2.60)
RSRZ outliers	101464	2992 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	580	
1	B	580	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	661	-	-	-	X
2	NAG	B	1661	-	-	-	X
2	NAG	B	1681	-	-	-	X
3	BOG	A	801	-	-	-	X
3	BOG	A	802	-	-	X	X
3	BOG	B	1802	-	-	X	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 9521 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROSTAGLANDIN H2 SYNTHASE-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	551	Total	C	N	O	S	0	0	0
			4477	2903	758	788	28			
1	B	551	Total	C	N	O	S	0	0	0
			4477	2903	758	788	28			

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is B-OCTYLGLUCOSIDE (three-letter code: BOG) (formula: $C_{14}H_{28}O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	14	6		
3	A	1	Total	C	O	0	0
			20	14	6		
3	B	1	Total	C	O	0	0
			20	14	6		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is IBUPROFEN (three-letter code: IBP) (formula: $\text{C}_{13}\text{H}_{18}\text{O}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 15 13 2	0	0
5	B	1	Total C O 15 13 2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	131	Total 131	O 131	0	0
6	B	120	Total 120	O 120	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	98.65Å 204.99Å 221.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.87 – 2.61 44.55 – 2.61	Depositor EDS
% Data completeness (in resolution range)	90.9 (36.87-2.61) 90.9 (44.55-2.61)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.12 (at 2.61Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.223 , 0.250 0.216 , 0.242	Depositor DCC
R_{free} test set	5106 reflections (8.91%)	DCC
Wilson B-factor (Å ²)	26.3	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9521	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IBP, HEM, NAG, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/4615	0.62	1/6264 (0.0%)
1	B	0.39	0/4615	0.62	0/6264
All	All	0.38	0/9230	0.62	1/12528 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	224	LEU	N-CA-C	-5.44	96.30	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	348	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4477	0	4386	134	0
1	B	4477	0	4386	135	0
2	A	70	0	65	9	0
2	B	70	0	65	10	0
3	A	40	0	56	16	0
3	B	20	0	28	11	0
4	A	43	0	30	4	0
4	B	43	0	30	2	0
5	A	15	0	17	0	0
5	B	15	0	17	0	0
6	A	131	0	0	2	0
6	B	120	0	0	3	0
All	All	9521	0	9080	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (263) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:VAL:HG12	3:B:1802:BOG:O2	1.47	1.12
1:A:119:VAL:HG12	3:A:802:BOG:O2	1.47	1.12
1:B:563:THR:HG22	1:B:566:LYS:H	1.26	1.01
1:A:563:THR:HG22	1:A:566:LYS:H	1.26	0.98
1:A:129:THR:HG22	1:A:130:TYR:H	1.33	0.93
1:B:129:THR:HG22	1:B:130:TYR:H	1.33	0.92
1:B:144:ASN:HD21	2:B:1671:NAG:C1	1.87	0.87
1:A:144:ASN:HD21	2:A:671:NAG:C1	1.88	0.86
1:B:462:PRO:HG2	1:B:465:GLU:HG2	1.58	0.84
1:B:294:LEU:HD22	1:B:409:PHE:CE2	2.14	0.82
1:B:410:ASN:HD21	2:B:1681:NAG:C1	1.94	0.81
1:A:462:PRO:HG2	1:A:465:GLU:HG2	1.61	0.79
1:A:129:THR:CG2	1:A:130:TYR:N	2.46	0.78
1:A:129:THR:CG2	1:A:130:TYR:H	1.96	0.78
1:B:129:THR:CG2	1:B:130:TYR:H	1.96	0.77
1:A:150:ARG:HD3	1:A:152:LEU:O	1.85	0.76
1:B:129:THR:CG2	1:B:130:TYR:N	2.48	0.76
1:A:410:ASN:HD21	2:A:681:NAG:C1	1.99	0.75
1:B:150:ARG:HD3	1:B:152:LEU:O	1.87	0.75
1:A:120:ARG:HH11	3:A:802:BOG:H3	1.52	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:ASN:ND2	2:B:1671:NAG:C1	2.52	0.73
1:A:144:ASN:ND2	2:A:671:NAG:C1	2.52	0.72
1:A:240:ARG:HG3	1:A:271:VAL:HG21	1.71	0.71
1:A:240:ARG:HG3	1:A:271:VAL:CG2	2.20	0.71
1:A:120:ARG:NH1	3:A:802:BOG:H3	2.06	0.70
1:A:276:PRO:HD2	1:A:279:ILE:HD12	1.72	0.70
1:A:208:GLN:NE2	1:A:230:LEU:H	1.89	0.70
1:B:119:VAL:CG1	3:B:1802:BOG:O2	2.34	0.69
1:B:145:VAL:HG12	1:B:224:LEU:HD22	1.74	0.69
1:B:563:THR:CG2	1:B:566:LYS:H	2.05	0.69
1:A:374:ARG:HD2	6:A:1791:HOH:O	1.93	0.69
1:B:208:GLN:NE2	1:B:230:LEU:H	1.91	0.68
1:A:294:LEU:HD22	1:A:409:PHE:CE2	2.29	0.68
1:B:410:ASN:HD21	2:B:1681:NAG:C2	2.07	0.67
1:A:277:ARG:HE	1:A:278:GLY:N	1.92	0.66
1:B:527:ALA:HB3	1:B:528:PRO:HD3	1.78	0.66
1:A:208:GLN:HE21	1:A:230:LEU:H	1.43	0.65
1:A:49:ARG:O	1:B:320:HIS:HD2	1.78	0.65
1:A:144:ASN:HD21	2:A:671:NAG:C2	2.10	0.65
1:A:410:ASN:HD21	2:A:681:NAG:C2	2.10	0.65
1:A:524:GLU:OE1	3:A:802:BOG:H5	1.97	0.65
1:B:119:VAL:HG12	3:B:1802:BOG:HO2	1.63	0.64
1:A:563:THR:CG2	1:A:566:LYS:H	2.05	0.64
1:A:504:TYR:HB3	1:A:505:PRO:HD3	1.80	0.64
1:A:119:VAL:HG12	3:A:802:BOG:C2	2.28	0.63
1:A:86:PRO:HA	3:A:802:BOG:O6	1.99	0.63
1:B:144:ASN:HD21	2:B:1671:NAG:C2	2.11	0.63
1:A:320:HIS:HD2	1:B:49:ARG:O	1.82	0.63
1:A:530:SER:O	1:A:534:LEU:HD22	1.99	0.63
1:B:86:PRO:HG3	3:B:1802:BOG:H62	1.80	0.63
1:A:277:ARG:HE	1:A:278:GLY:H	1.46	0.62
1:A:344:VAL:O	1:A:348:TYR:HB3	1.99	0.62
1:A:129:THR:HG23	1:A:130:TYR:CD2	2.35	0.62
1:A:114:ARG:HD3	1:A:365:LEU:O	1.99	0.61
1:A:129:THR:HG22	1:A:130:TYR:N	2.07	0.61
1:B:504:TYR:HB3	1:B:505:PRO:HD3	1.82	0.61
1:A:129:THR:HG23	1:A:130:TYR:CG	2.35	0.61
1:B:83:ARG:HG3	1:B:83:ARG:HH11	1.64	0.61
1:A:83:ARG:HG3	1:A:83:ARG:HH11	1.66	0.60
1:B:129:THR:HG23	1:B:130:TYR:CD2	2.36	0.60
1:B:129:THR:HG23	1:B:130:TYR:CG	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:GLN:HE21	1:B:230:LEU:H	1.48	0.60
1:B:477:SER:OG	1:B:479:GLN:HG2	2.02	0.60
1:B:280:PRO:HG2	1:B:283:SER:OG	2.01	0.60
1:A:213:SER:OG	1:A:215:LYS:HG2	2.01	0.60
1:B:119:VAL:HG12	3:B:1802:BOG:C2	2.33	0.59
1:B:183:LEU:HG	1:B:445:LEU:HD22	1.84	0.59
1:B:391:MET:HE1	1:B:395:PHE:HE2	1.67	0.58
1:B:402:TYR:OH	2:B:1681:NAG:H62	2.04	0.58
1:A:119:VAL:CG1	3:A:802:BOG:O2	2.38	0.58
1:B:213:SER:OG	1:B:215:LYS:HG2	2.04	0.58
1:A:183:LEU:HG	1:A:445:LEU:HD22	1.85	0.58
1:B:294:LEU:O	1:B:408:LEU:O	2.22	0.57
1:A:387:TRP:HB2	4:A:601:HEM:HAC	1.87	0.56
1:B:294:LEU:HD22	1:B:409:PHE:CD2	2.41	0.56
1:B:479:GLN:O	1:B:482:THR:O	2.22	0.56
1:A:582:VAL:HG13	1:A:583:PRO:HD2	1.89	0.55
1:B:530:SER:O	1:B:534:LEU:HD22	2.06	0.55
2:A:661:NAG:H61	2:A:662:NAG:H3	1.89	0.55
1:A:477:SER:OG	1:A:479:GLN:HG2	2.06	0.55
1:A:391:MET:HE1	1:A:395:PHE:HE2	1.71	0.55
1:A:479:GLN:O	1:A:482:THR:O	2.25	0.55
1:A:208:GLN:HE22	1:A:230:LEU:HD12	1.72	0.55
2:B:1661:NAG:H61	2:B:1662:NAG:H3	1.88	0.54
1:B:344:VAL:O	1:B:348:TYR:HB3	2.07	0.54
1:B:145:VAL:HG13	1:B:226:HIS:CD2	2.41	0.54
1:B:241:GLN:HE21	1:B:245:ARG:HH11	1.55	0.54
1:A:145:VAL:HG13	1:A:226:HIS:CD2	2.42	0.54
1:B:241:GLN:NE2	1:B:245:ARG:HH11	2.04	0.54
1:A:115:LEU:HD23	3:A:802:BOG:H4'2	1.88	0.54
1:B:513:HIS:HB3	1:B:514:PRO:HD2	1.90	0.54
1:A:527:ALA:HB3	1:A:528:PRO:HD3	1.90	0.54
1:B:245:ARG:HD2	1:B:329:PHE:CZ	2.42	0.54
1:A:290:GLU:H	1:A:290:GLU:CD	2.09	0.54
1:B:232:HIS:H	1:B:232:HIS:CD2	2.25	0.54
1:A:291:VAL:HG13	1:A:294:LEU:HD12	1.90	0.53
1:B:114:ARG:HD3	1:B:365:LEU:O	2.08	0.53
1:B:291:VAL:HG13	1:B:294:LEU:HD12	1.90	0.53
1:B:294:LEU:HD22	1:B:409:PHE:HE2	1.69	0.53
1:B:49:ARG:HG3	6:B:1803:HOH:O	2.08	0.53
1:B:290:GLU:CD	1:B:290:GLU:H	2.11	0.53
1:B:295:LEU:HB2	1:B:298:LEU:HD22	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:HIS:HB3	1:A:514:PRO:HD2	1.89	0.53
1:B:291:VAL:O	1:B:291:VAL:HG12	2.09	0.53
1:A:566:LYS:O	1:A:570:LEU:HB2	2.09	0.53
1:B:181:PHE:HZ	1:B:490:GLU:HG2	1.73	0.53
1:A:119:VAL:HG12	3:A:802:BOG:HO2	1.65	0.53
1:B:86:PRO:HA	3:B:1802:BOG:O6	2.09	0.53
1:A:180:ARG:HD3	1:A:490:GLU:OE2	2.08	0.52
1:B:566:LYS:O	1:B:570:LEU:HB2	2.10	0.52
1:A:49:ARG:HG3	1:A:49:ARG:HH11	1.74	0.52
1:A:91:PHE:O	1:A:95:HIS:HD2	1.92	0.52
1:A:140:GLU:OE2	1:A:144:ASN:ND2	2.41	0.52
1:A:241:GLN:HE21	1:A:245:ARG:HH11	1.57	0.52
1:A:119:VAL:CG1	3:A:802:BOG:C2	2.87	0.52
1:A:295:LEU:HB2	1:A:298:LEU:HD22	1.91	0.52
1:B:408:LEU:HB3	1:B:409:PHE:CD1	2.45	0.52
1:A:410:ASN:ND2	2:A:681:NAG:N2	2.58	0.52
1:B:49:ARG:HH11	1:B:49:ARG:HG3	1.74	0.52
1:B:582:VAL:HG13	1:B:583:PRO:HD2	1.92	0.52
1:B:208:GLN:HE22	1:B:230:LEU:HD12	1.75	0.51
1:A:86:PRO:HG3	3:A:802:BOG:H62	1.92	0.51
1:A:185:ARG:HH11	1:A:185:ARG:HG2	1.75	0.51
1:B:89:ILE:HD12	3:B:1802:BOG:O6	2.11	0.51
1:A:130:TYR:HB3	1:A:134:HIS:O	2.11	0.51
1:A:245:ARG:HD2	1:A:329:PHE:CZ	2.47	0.50
1:A:447:VAL:O	1:A:451:VAL:HG23	2.12	0.50
1:B:387:TRP:HB2	4:B:601:HEM:HAC	1.94	0.50
1:B:185:ARG:HH11	1:B:185:ARG:HG2	1.76	0.50
1:A:384:LEU:HD23	1:A:384:LEU:C	2.32	0.50
1:A:402:TYR:OH	2:A:681:NAG:H62	2.11	0.50
1:A:294:LEU:HD22	1:A:409:PHE:HE2	1.76	0.50
1:A:388:HIS:N	1:A:389:PRO:CD	2.75	0.49
1:B:130:TYR:HB3	1:B:134:HIS:O	2.12	0.49
1:A:129:THR:HG23	1:A:130:TYR:N	2.25	0.49
1:A:403:SER:OG	1:A:405:GLU:HG2	2.12	0.49
1:B:119:VAL:CG1	3:B:1802:BOG:C2	2.90	0.49
1:B:524:GLU:OE1	3:B:1802:BOG:H5	2.13	0.49
1:B:180:ARG:NH2	1:B:490:GLU:OE1	2.46	0.49
1:B:74:ILE:HG22	6:B:1877:HOH:O	2.12	0.49
1:B:470:PHE:CD2	1:B:525:MET:HG2	2.47	0.49
1:A:291:VAL:O	1:A:291:VAL:HG12	2.12	0.49
1:A:518:PHE:CD1	1:A:522:MET:HG2	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:240:ARG:NH1	1:B:271:VAL:HG13	2.28	0.48
1:A:563:THR:HG22	1:A:566:LYS:N	2.10	0.48
1:A:374:ARG:HB3	1:B:374:ARG:NH1	2.29	0.48
1:A:479:GLN:H	1:A:479:GLN:CD	2.16	0.48
1:B:388:HIS:N	1:B:389:PRO:CD	2.77	0.48
1:B:405:GLU:CD	1:B:405:GLU:H	2.16	0.48
1:B:447:VAL:O	1:B:451:VAL:HG23	2.13	0.48
1:A:119:VAL:CG1	3:A:802:BOG:H2	2.43	0.48
1:B:441:ASP:OD2	1:B:443:HIS:HB2	2.14	0.48
1:B:518:PHE:CD1	1:B:522:MET:HG2	2.48	0.48
1:A:470:PHE:CD2	1:A:525:MET:HG2	2.48	0.48
1:B:388:HIS:CE1	1:B:447:VAL:HG11	2.49	0.48
1:B:145:VAL:CG1	1:B:145:VAL:O	2.61	0.47
1:B:563:THR:HG22	1:B:566:LYS:N	2.10	0.47
1:A:294:LEU:O	1:A:408:LEU:O	2.33	0.47
1:B:140:GLU:OE2	1:B:144:ASN:ND2	2.42	0.47
1:B:554:VAL:HG13	1:B:555:GLY:N	2.29	0.47
1:A:145:VAL:HG13	1:A:226:HIS:NE2	2.30	0.47
1:B:280:PRO:HB2	1:B:282:GLN:CD	2.36	0.47
1:B:237:ASN:ND2	1:B:240:ARG:H	2.14	0.46
1:B:70:THR:O	1:B:72:PRO:HD3	2.15	0.46
1:A:388:HIS:CE1	1:A:447:VAL:HG11	2.50	0.46
1:B:156:PRO:HB2	1:B:159:CYS:SG	2.56	0.46
1:B:479:GLN:H	1:B:479:GLN:CD	2.19	0.46
1:A:223:ALA:C	1:A:224:LEU:O	2.47	0.46
1:A:441:ASP:OD2	1:A:443:HIS:HB2	2.15	0.46
1:A:389:PRO:HG3	1:A:440:ILE:HG12	1.98	0.46
1:B:246:LEU:HD13	1:B:248:LYS:HB3	1.98	0.46
1:B:382:ASN:OD1	1:B:386:HIS:HE1	1.99	0.46
1:B:410:ASN:ND2	2:B:1681:NAG:N2	2.63	0.46
1:B:91:PHE:O	1:B:95:HIS:HD2	1.99	0.46
1:B:410:ASN:ND2	2:B:1681:NAG:C1	2.72	0.46
1:A:120:ARG:CZ	3:A:802:BOG:H1	2.46	0.45
1:B:306:LEU:HD23	1:B:306:LEU:C	2.36	0.45
1:A:458:LEU:HB3	1:A:460:LEU:HD13	1.98	0.45
1:B:129:THR:HG23	1:B:130:TYR:N	2.27	0.45
1:B:142:PHE:C	1:B:376:ARG:HH22	2.19	0.45
1:B:458:LEU:HB3	1:B:460:LEU:HD13	1.98	0.45
1:B:232:HIS:N	1:B:232:HIS:CD2	2.85	0.45
1:A:306:LEU:HD23	1:A:306:LEU:C	2.37	0.45
1:A:554:VAL:HG13	1:A:555:GLY:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:LYS:HG2	1:A:562:ALA:HB3	1.99	0.45
1:B:391:MET:HE1	1:B:395:PHE:CE2	2.51	0.45
1:A:156:PRO:HB2	1:A:159:CYS:SG	2.57	0.45
1:A:145:VAL:CG1	1:A:145:VAL:O	2.65	0.45
1:A:173:ASP:OD2	1:A:175:GLU:HB3	2.17	0.45
1:A:272:LEU:HD11	1:A:274:HIS:CE1	2.52	0.45
1:B:68:ASN:OD1	2:B:1661:NAG:C1	2.65	0.45
1:A:49:ARG:CG	1:A:49:ARG:HH11	2.30	0.44
1:A:469:ARG:HA	1:A:469:ARG:HD2	1.85	0.44
1:B:389:PRO:HG3	1:B:440:ILE:CG1	2.46	0.44
1:A:374:ARG:NH1	1:B:374:ARG:HB3	2.33	0.44
1:A:68:ASN:OD1	2:A:661:NAG:C1	2.66	0.44
1:A:134:HIS:CE1	1:B:326:GLU:OE1	2.70	0.44
1:A:145:VAL:HG12	1:A:224:LEU:HD22	2.00	0.44
1:A:277:ARG:NE	1:A:278:GLY:H	2.15	0.44
1:A:134:HIS:HE1	1:B:326:GLU:OE1	1.99	0.44
1:A:171:LEU:HD12	1:A:171:LEU:HA	1.90	0.43
1:A:34:ASN:HB3	1:A:37:CYS:SG	2.59	0.43
1:B:245:ARG:HD2	1:B:329:PHE:CE1	2.54	0.43
1:A:382:ASN:OD1	1:A:386:HIS:HE1	2.02	0.43
1:B:49:ARG:HH11	1:B:49:ARG:CG	2.31	0.43
1:B:126:SER:HA	1:B:127:PRO:C	2.38	0.43
1:B:389:PRO:HG3	1:B:440:ILE:HG12	2.01	0.43
1:B:67:PRO:C	1:B:68:ASN:HD22	2.22	0.43
1:A:311:ARG:NH2	1:A:570:LEU:HD23	2.34	0.43
1:A:240:ARG:HG3	1:A:271:VAL:HG22	1.98	0.43
1:A:67:PRO:C	1:A:68:ASN:HD22	2.22	0.42
1:B:119:VAL:CG1	3:B:1802:BOG:H2	2.49	0.42
1:B:173:ASP:OD2	1:B:175:GLU:HB3	2.18	0.42
1:B:340:THR:O	1:B:344:VAL:HG23	2.19	0.42
1:A:91:PHE:O	1:A:95:HIS:CD2	2.72	0.42
1:B:513:HIS:HB2	1:B:516:SER:OG	2.20	0.42
1:A:128:PRO:HG3	1:A:376:ARG:NH1	2.35	0.42
1:A:295:LEU:HD12	1:A:298:LEU:HD22	2.02	0.42
1:B:272:LEU:HD11	1:B:274:HIS:CE1	2.54	0.42
1:B:240:ARG:HG3	1:B:271:VAL:HG22	2.01	0.42
1:B:295:LEU:HD12	1:B:298:LEU:HD22	2.00	0.42
1:B:485:LYS:HD3	1:B:485:LYS:HA	1.92	0.42
1:A:513:HIS:HB2	1:A:516:SER:OG	2.19	0.42
1:B:128:PRO:HG3	1:B:376:ARG:NH1	2.35	0.42
1:B:513:HIS:O	1:B:514:PRO:C	2.58	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:386:HIS:CE1	4:A:601:HEM:HAD2	2.54	0.42
1:B:287:VAL:HA	6:B:1889:HOH:O	2.20	0.42
1:B:233:ILE:HD13	1:B:305:TRP:HB3	2.01	0.42
1:A:261:VAL:HB	1:A:307:ARG:HD2	2.02	0.41
1:A:513:HIS:O	1:A:514:PRO:C	2.59	0.41
1:B:275:TYR:CD2	1:B:284:GLN:HG2	2.55	0.41
1:B:34:ASN:HB3	1:B:37:CYS:SG	2.59	0.41
1:B:311:ARG:NH2	1:B:570:LEU:HD23	2.34	0.41
1:B:74:ILE:HG23	1:B:75:TRP:N	2.35	0.41
1:A:391:MET:HG3	4:A:601:HEM:CBB	2.50	0.41
1:A:126:SER:HA	1:A:127:PRO:C	2.40	0.41
1:A:243:GLN:OE1	1:A:243:GLN:HA	2.19	0.41
1:B:79:ARG:O	1:B:83:ARG:HB3	2.21	0.41
1:A:70:THR:HB	3:A:801:BOG:H5	2.02	0.41
1:B:577:TYR:CE2	1:B:583:PRO:HD3	2.55	0.41
1:A:275:TYR:CE2	1:A:284:GLN:HB3	2.56	0.41
1:A:326:GLU:OE1	1:B:134:HIS:HE1	2.04	0.41
1:B:183:LEU:HD23	1:B:184:ARG:H	1.85	0.41
1:A:183:LEU:HD22	1:A:184:ARG:O	2.20	0.41
1:B:129:THR:HG22	1:B:130:TYR:N	2.09	0.41
1:A:577:TYR:CE2	1:A:583:PRO:HD3	2.56	0.41
1:B:245:ARG:NH1	1:B:326:GLU:OE2	2.48	0.41
1:B:469:ARG:HA	1:B:469:ARG:HD2	1.85	0.41
1:A:183:LEU:HD23	1:A:184:ARG:H	1.85	0.41
1:A:208:GLN:NE2	1:A:228:VAL:HA	2.36	0.41
1:B:145:VAL:HG13	1:B:226:HIS:NE2	2.36	0.41
1:A:147:TYR:HB2	6:A:1722:HOH:O	2.21	0.40
1:A:120:ARG:HH12	3:A:802:BOG:H5	1.86	0.40
1:B:203:GLN:HA	4:B:601:HEM:HBC2	2.02	0.40
1:A:145:VAL:HG13	1:A:226:HIS:HE2	1.85	0.40
1:A:444:ILE:HG21	4:A:601:HEM:HBB2	2.02	0.40
1:B:88:PHE:CZ	1:B:92:LEU:HD11	2.56	0.40
1:A:120:ARG:NH1	3:A:802:BOG:H1	2.37	0.40
1:B:145:VAL:HG12	1:B:145:VAL:O	2.21	0.40
1:B:116:VAL:HG22	3:B:1802:BOG:H2'1	2.03	0.40
1:A:400:GLN:HE21	1:A:400:GLN:CA	2.33	0.40
1:A:326:GLU:OE1	1:B:134:HIS:CE1	2.74	0.40
1:A:88:PHE:CZ	1:A:92:LEU:HD11	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	549/580 (95%)	523 (95%)	24 (4%)	2 (0%)	38	61
1	B	549/580 (95%)	524 (95%)	23 (4%)	2 (0%)	38	61
All	All	1098/1160 (95%)	1047 (95%)	47 (4%)	4 (0%)	38	61

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	514	PRO
1	B	514	PRO
1	A	270	PRO
1	B	270	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	486/510 (95%)	451 (93%)	35 (7%)	17	32
1	B	486/510 (95%)	450 (93%)	36 (7%)	16	31
All	All	972/1020 (95%)	901 (93%)	71 (7%)	16	32

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	ARG
1	A	83	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	ARG
1	A	117	LEU
1	A	123	LEU
1	A	129	THR
1	A	171	LEU
1	A	183	LEU
1	A	215	LYS
1	A	232	HIS
1	A	238	LEU
1	A	244	LEU
1	A	246	LEU
1	A	252	LEU
1	A	271	VAL
1	A	289	GLN
1	A	298	LEU
1	A	300	LEU
1	A	316	LEU
1	A	376	ARG
1	A	385	TYR
1	A	405	GLU
1	A	433	ARG
1	A	458	LEU
1	A	460	LEU
1	A	469	ARG
1	A	479	GLN
1	A	484	GLU
1	A	514	PRO
1	A	518	PHE
1	A	534	LEU
1	A	556	PHE
1	A	563	THR
1	A	564	LEU
1	A	570	LEU
1	B	49	ARG
1	B	83	ARG
1	B	97	ARG
1	B	117	LEU
1	B	123	LEU
1	B	129	THR
1	B	171	LEU
1	B	180	ARG
1	B	183	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	215	LYS
1	B	232	HIS
1	B	238	LEU
1	B	244	LEU
1	B	246	LEU
1	B	252	LEU
1	B	277	ARG
1	B	289	GLN
1	B	298	LEU
1	B	300	LEU
1	B	316	LEU
1	B	376	ARG
1	B	385	TYR
1	B	405	GLU
1	B	433	ARG
1	B	458	LEU
1	B	460	LEU
1	B	469	ARG
1	B	479	GLN
1	B	484	GLU
1	B	514	PRO
1	B	518	PHE
1	B	534	LEU
1	B	556	PHE
1	B	563	THR
1	B	564	LEU
1	B	570	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	43	HIS
1	A	56	GLN
1	A	68	ASN
1	A	95	HIS
1	A	134	HIS
1	A	170	GLN
1	A	208	GLN
1	A	237	ASN
1	A	241	GLN
1	A	274	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	320	HIS
1	A	358	GLN
1	A	375	ASN
1	A	386	HIS
1	A	400	GLN
1	A	443	HIS
1	B	43	HIS
1	B	56	GLN
1	B	68	ASN
1	B	95	HIS
1	B	134	HIS
1	B	170	GLN
1	B	204	HIS
1	B	208	GLN
1	B	232	HIS
1	B	237	ASN
1	B	241	GLN
1	B	274	HIS
1	B	320	HIS
1	B	358	GLN
1	B	375	ASN
1	B	400	GLN
1	B	410	ASN
1	B	443	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	1672	-	14,14,15	1.28	2 (14%)	15,19,21	0.92	2 (13%)
4	HEM	A	601	1	28,50,50	1.80	7 (25%)	17,82,82	1.96	5 (29%)
2	NAG	A	661	-	14,14,15	0.93	0	15,19,21	0.93	1 (6%)
2	NAG	A	662	-	14,14,15	1.19	3 (21%)	15,19,21	0.74	0
2	NAG	A	671	-	14,14,15	0.68	0	15,19,21	0.71	0
2	NAG	A	681	-	14,14,15	1.28	2 (14%)	15,19,21	0.87	0
5	IBP	A	701	-	12,15,15	1.35	2 (16%)	16,20,20	0.61	0
3	BOG	A	801	-	20,20,20	1.53	5 (25%)	25,25,25	0.74	0
3	BOG	A	802	-	20,20,20	1.45	4 (20%)	25,25,25	0.93	2 (8%)
2	NAG	B	1661	-	14,14,15	0.91	0	15,19,21	0.95	1 (6%)
2	NAG	B	1662	-	14,14,15	1.25	2 (14%)	15,19,21	0.78	0
2	NAG	B	1671	-	14,14,15	0.60	0	15,19,21	0.71	0
2	NAG	B	1681	-	14,14,15	1.35	3 (21%)	15,19,21	0.89	1 (6%)
5	IBP	B	1701	-	12,15,15	1.30	1 (8%)	16,20,20	0.58	0
3	BOG	B	1802	-	20,20,20	1.48	4 (20%)	25,25,25	0.91	2 (8%)
4	HEM	B	601	1	28,50,50	1.83	7 (25%)	17,82,82	1.94	5 (29%)
2	NAG	B	672	-	14,14,15	1.18	1 (7%)	15,19,21	0.86	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1672	-	-	0/6/23/26	0/1/1/1
4	HEM	A	601	1	-	0/6/54/54	0/0/8/8
2	NAG	A	661	-	-	0/6/23/26	0/1/1/1
2	NAG	A	662	-	-	0/6/23/26	0/1/1/1
2	NAG	A	671	-	-	0/6/23/26	0/1/1/1
2	NAG	A	681	-	-	0/6/23/26	0/1/1/1
5	IBP	A	701	-	-	0/8/12/12	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BOG	A	801	-	-	0/11/31/31	0/1/1/1
3	BOG	A	802	-	-	0/11/31/31	0/1/1/1
2	NAG	B	1661	-	-	0/6/23/26	0/1/1/1
2	NAG	B	1662	-	-	0/6/23/26	0/1/1/1
2	NAG	B	1671	-	-	0/6/23/26	0/1/1/1
2	NAG	B	1681	-	-	0/6/23/26	0/1/1/1
5	IBP	B	1701	-	-	0/8/12/12	0/1/1/1
3	BOG	B	1802	-	-	0/11/31/31	0/1/1/1
4	HEM	B	601	1	-	0/6/54/54	0/0/8/8
2	NAG	B	672	-	-	0/6/23/26	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	601	HEM	C3C-C2C	-3.70	1.35	1.40
4	B	601	HEM	C3C-C2C	-3.60	1.35	1.40
3	A	801	BOG	C4-C5	-2.96	1.46	1.53
3	B	1802	BOG	C4-C5	-2.69	1.47	1.53
3	A	801	BOG	C3'-C2'	-2.59	1.36	1.51
3	A	802	BOG	C4-C5	-2.55	1.47	1.53
3	B	1802	BOG	C3'-C2'	-2.40	1.37	1.51
3	A	802	BOG	C3'-C2'	-2.35	1.38	1.51
3	A	801	BOG	C7'-C6'	-2.14	1.36	1.51
5	A	701	IBP	C13-C8	2.00	1.42	1.39
2	A	1672	NAG	O5-C5	2.00	1.47	1.43
4	B	601	HEM	CMB-C2B	2.02	1.55	1.51
2	A	662	NAG	O5-C1	2.02	1.47	1.43
2	B	1681	NAG	O5-C1	2.04	1.47	1.43
2	B	672	NAG	O5-C5	2.04	1.47	1.43
5	A	701	IBP	C13-C12	2.06	1.42	1.38
2	B	1681	NAG	O5-C5	2.09	1.47	1.43
5	B	1701	IBP	C13-C8	2.11	1.42	1.39
2	A	662	NAG	C1-C2	2.12	1.55	1.52
2	B	1662	NAG	C1-C2	2.12	1.55	1.52
4	A	601	HEM	CMB-C2B	2.18	1.56	1.51
2	A	662	NAG	O5-C5	2.22	1.48	1.43
2	A	681	NAG	O5-C5	2.25	1.48	1.43
2	A	1672	NAG	C1-C2	2.30	1.55	1.52
3	A	802	BOG	O5-C5	2.34	1.50	1.44
3	B	1802	BOG	O5-C5	2.42	1.50	1.44
2	B	1662	NAG	O5-C5	2.42	1.48	1.43
3	A	801	BOG	O5-C5	2.43	1.50	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	681	NAG	C1-C2	2.59	1.56	1.52
4	A	601	HEM	C1B-NB	2.70	1.40	1.36
4	B	601	HEM	C1B-NB	2.84	1.40	1.36
3	B	1802	BOG	O5-C1	2.89	1.49	1.41
3	A	802	BOG	O5-C1	2.90	1.49	1.41
2	B	1681	NAG	C1-C2	2.97	1.56	1.52
4	B	601	HEM	C3B-CAB	3.19	1.54	1.47
4	A	601	HEM	C3B-CAB	3.23	1.54	1.47
4	A	601	HEM	C3C-CAC	3.23	1.54	1.47
3	A	801	BOG	O5-C1	3.25	1.49	1.41
4	B	601	HEM	C3C-CAC	3.26	1.54	1.47
4	A	601	HEM	CBC-CAC	3.29	1.52	1.28
4	B	601	HEM	CBC-CAC	3.31	1.52	1.28
4	A	601	HEM	CBB-CAB	3.43	1.53	1.28
4	B	601	HEM	CBB-CAB	3.46	1.53	1.28

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	601	HEM	CBA-CAA-C2A	-4.13	104.59	112.48
4	A	601	HEM	CBA-CAA-C2A	-4.10	104.64	112.48
4	A	601	HEM	C1D-C2D-C3D	-3.36	104.66	107.00
4	B	601	HEM	C1D-C2D-C3D	-3.24	104.74	107.00
2	A	1672	NAG	O7-C7-C8	-2.14	118.17	122.06
2	B	1681	NAG	O7-C7-C8	-2.07	118.30	122.06
2	B	672	NAG	C1-O5-C5	2.04	114.98	112.17
2	A	1672	NAG	C1-O5-C5	2.06	115.00	112.17
2	A	661	NAG	C1-O5-C5	2.16	115.14	112.17
4	A	601	HEM	CAD-CBD-CGD	2.20	116.43	112.66
4	B	601	HEM	CMB-C2B-C3B	2.29	129.13	124.89
2	B	1661	NAG	C1-O5-C5	2.31	115.35	112.17
4	A	601	HEM	CMB-C2B-C3B	2.34	129.23	124.89
4	B	601	HEM	CAD-CBD-CGD	2.41	116.78	112.66
3	B	1802	BOG	C1'-O1-C1	2.58	118.30	113.87
3	A	802	BOG	C1'-O1-C1	2.75	118.58	113.87
3	A	802	BOG	O1-C1-C2	2.79	112.78	108.23
3	B	1802	BOG	O1-C1-C2	2.79	112.79	108.23
4	B	601	HEM	CAA-CBA-CGA	3.30	118.30	112.66
4	A	601	HEM	CAA-CBA-CGA	3.47	118.59	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 52 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	HEM	4	0
2	A	661	NAG	2	0
2	A	662	NAG	1	0
2	A	671	NAG	3	0
2	A	681	NAG	4	0
3	A	801	BOG	1	0
3	A	802	BOG	15	0
2	B	1661	NAG	2	0
2	B	1662	NAG	1	0
2	B	1671	NAG	3	0
2	B	1681	NAG	5	0
3	B	1802	BOG	11	0
4	B	601	HEM	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	551/580 (95%)	-0.36	4 (0%) 87 85	11, 23, 38, 52	0
1	B	551/580 (95%)	-0.42	4 (0%) 87 85	10, 22, 38, 52	0
All	All	1102/1160 (95%)	-0.39	8 (0%) 87 85	10, 23, 38, 52	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	107	PHE	3.8
1	B	82	LEU	3.3
1	A	75	TRP	2.9
1	B	281	PRO	2.8
1	A	98	TRP	2.6
1	A	91	PHE	2.2
1	B	33	VAL	2.1
1	B	79	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	B	1681	14/15	0.76	0.27	6.77	32,36,39,40	0
2	NAG	A	661	14/15	0.77	0.35	4.94	55,57,59,60	0
3	BOG	A	801	20/20	0.63	0.41	4.39	54,66,69,70	0
3	BOG	A	802	20/20	0.66	0.34	4.05	45,64,65,67	0
2	NAG	B	1661	14/15	0.74	0.34	4.02	55,57,58,58	0
3	BOG	B	1802	20/20	0.73	0.36	3.71	45,64,66,66	0
2	NAG	A	681	14/15	0.76	0.25	1.34	32,37,40,41	0
5	IBP	A	701	15/15	0.90	0.23	1.26	27,27,29,29	0
2	NAG	B	1671	14/15	0.90	0.17	1.20	9,16,19,19	0
2	NAG	A	671	14/15	0.94	0.14	0.94	10,16,19,20	0
5	IBP	B	1701	15/15	0.93	0.18	0.88	26,28,30,31	0
4	HEM	B	601	43/43	0.94	0.17	0.72	21,25,38,43	0
4	HEM	A	601	43/43	0.93	0.17	0.41	20,23,37,43	0
2	NAG	B	672	14/15	0.72	0.32	-	34,38,44,45	0
2	NAG	B	1662	14/15	0.59	0.60	-	74,76,78,78	0
2	NAG	A	1672	14/15	0.66	0.35	-	36,39,44,47	0
2	NAG	A	662	14/15	0.66	0.49	-	75,77,77,77	0

6.5 Other polymers

There are no such residues in this entry.