



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2018 – 12:02 AM EST

PDB ID : 6EVF  
Title : Structure of E285D *S. cerevisiae* Fdc1 with prFMN in the hydroxylated form  
Authors : Bailey, S.S.; David, L.; Payne, K.A.P.  
Deposited on : 2017-11-01  
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030736  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030736


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2028 (2.08-2.04)
Clashscore	112137	2143 (2.08-2.04)
Ramachandran outliers	110173	2126 (2.08-2.04)
Sidechain outliers	110143	2126 (2.08-2.04)
RSRZ outliers	101464	2035 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	509	<div> <div>0.1%</div> <div>91%</div> <div>8%</div> <div>0.1%</div> </div>
1	B	509	<div> <div>0.1%</div> <div>91%</div> <div>7%</div> <div>0.2%</div> </div>
1	C	509	<div> <div>0.1%</div> <div>91%</div> <div>7%</div> <div>0.1%</div> </div>
1	D	509	<div> <div>2%</div> <div>89%</div> <div>9%</div> <div>0.1%</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 17325 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferulic acid decarboxylase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	503	Total	C	N	O	S	0	7	0
			3987	2565	656	742	24			
1	B	502	Total	C	N	O	S	0	8	0
			3973	2557	647	746	23			
1	C	500	Total	C	N	O	S	0	7	0
			3948	2540	644	741	23			
1	D	501	Total	C	N	O	S	0	6	0
			3957	2548	646	740	23			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	285	ASP	GLU	conflict	UNP Q03034
A	504	HIS	-	expression tag	UNP Q03034
A	505	HIS	-	expression tag	UNP Q03034
A	506	HIS	-	expression tag	UNP Q03034
A	507	HIS	-	expression tag	UNP Q03034
A	508	HIS	-	expression tag	UNP Q03034
A	509	HIS	-	expression tag	UNP Q03034
B	285	ASP	GLU	conflict	UNP Q03034
B	504	HIS	-	expression tag	UNP Q03034
B	505	HIS	-	expression tag	UNP Q03034
B	506	HIS	-	expression tag	UNP Q03034
B	507	HIS	-	expression tag	UNP Q03034
B	508	HIS	-	expression tag	UNP Q03034
B	509	HIS	-	expression tag	UNP Q03034
C	285	ASP	GLU	conflict	UNP Q03034
C	504	HIS	-	expression tag	UNP Q03034
C	505	HIS	-	expression tag	UNP Q03034
C	506	HIS	-	expression tag	UNP Q03034
C	507	HIS	-	expression tag	UNP Q03034
C	508	HIS	-	expression tag	UNP Q03034
C	509	HIS	-	expression tag	UNP Q03034

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	285	ASP	GLU	conflict	UNP Q03034
D	504	HIS	-	expression tag	UNP Q03034
D	505	HIS	-	expression tag	UNP Q03034
D	506	HIS	-	expression tag	UNP Q03034
D	507	HIS	-	expression tag	UNP Q03034
D	508	HIS	-	expression tag	UNP Q03034
D	509	HIS	-	expression tag	UNP Q03034

- Molecule 2 is 1-deoxy-5-O-phosphono-1-(3,3,4,5-tetramethyl-9,11-dioxo-2,3,8,9,10,11-hexahydro-7H-quinolino[1,8-fg]pteridin-12-ium-7-yl)-D-ribitol (three-letter code: 4LU) (formula:  $C_{22}H_{30}N_4O_9P$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mn 1 1	0	0
3	A	1	Total Mn 1 1	0	0
3	D	1	Total Mn 1 1	0	0
3	C	1	Total Mn 1 1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total K 1 1	0	0
4	A	1	Total K 1 1	0	0
4	D	1	Total K 1 1	0	0
4	C	1	Total K 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	370	Total O 370 370	0	0
5	B	339	Total O 339 339	0	0
5	C	348	Total O 348 348	0	0
5	D	251	Total O 251 251	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Ferulic acid decarboxylase 1




#### • Molecule 1: Ferulic acid decarboxylase 1



#### • Molecule 1: Ferulic acid decarboxylase 1



#### • Molecule 1: Ferulic acid decarboxylase 1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.10Å 96.82Å 116.78Å 90.00° 96.61° 90.00°	Depositor
Resolution (Å)	34.35 – 2.06 34.35 – 2.06	Depositor EDS
% Data completeness (in resolution range)	98.8 (34.35-2.06) 98.9 (34.35-2.06)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.72 (at 2.06Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.167 , 0.213 0.176 , 0.219	Depositor DCC
$R_{free}$ test set	7522 reflections (5.13%)	DCC
Wilson B-factor (Å <sup>2</sup> )	26.0	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 36.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.017 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	17325	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, MN, 4LU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.84	0/4087	0.90	9/5552 (0.2%)
1	B	0.82	1/4073 (0.0%)	0.89	7/5536 (0.1%)
1	C	0.82	0/4048	0.91	9/5504 (0.2%)
1	D	0.81	0/4057	0.88	9/5515 (0.2%)
All	All	0.82	1/16265 (0.0%)	0.89	34/22107 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	482	GLU	CD-OE1	5.40	1.31	1.25

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	195	ARG	NE-CZ-NH2	-12.81	113.90	120.30
1	B	195	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	D	309	ARG	NE-CZ-NH1	7.77	124.19	120.30
1	A	309	ARG	NE-CZ-NH1	7.73	124.16	120.30
1	A	83	ARG	NE-CZ-NH2	-7.60	116.50	120.30
1	A	195	ARG	NE-CZ-NH1	7.45	124.03	120.30
1	D	309	ARG	NE-CZ-NH2	-7.13	116.74	120.30
1	D	199	ASP	CB-CG-OD1	6.84	124.45	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	96	ILE	CB-CA-C	-6.64	98.33	111.60
1	A	180	ASP	CB-CG-OD1	6.51	124.16	118.30
1	C	175	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	C	309	ARG	NE-CZ-NH2	-6.35	117.13	120.30
1	C	309	ARG	NE-CZ-NH1	6.25	123.43	120.30
1	D	165	ASP	CB-CG-OD1	6.11	123.80	118.30
1	C	180	ASP	CB-CG-OD1	6.11	123.80	118.30
1	A	309	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	C	175	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	C	388	ASP	CB-CG-OD1	6.06	123.75	118.30
1	D	148	ASP	CB-CG-OD1	5.88	123.60	118.30
1	B	101	ASP	CB-CG-OD1	5.77	123.49	118.30
1	B	309	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	B	199	ASP	CB-CG-OD1	5.70	123.43	118.30
1	A	19	ASP	CB-CG-OD1	5.48	123.23	118.30
1	B	309	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	C	181	ASP	CB-CG-OD1	5.37	123.13	118.30
1	C	346	GLY	N-CA-C	-5.35	99.72	113.10
1	A	83	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	D	181	ASP	CB-CG-OD1	5.30	123.07	118.30
1	D	436	ASP	CB-CG-OD1	5.21	122.99	118.30
1	B	145	HIS	CB-CA-C	-5.10	100.20	110.40
1	D	83	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	D	41	ARG	NE-CZ-NH1	-5.05	117.78	120.30
1	A	424	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	C	181	ASP	CB-CG-OD2	-5.00	113.80	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	345[A]	SER	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3987	0	3979	22	0
1	B	3973	0	3947	27	0
1	C	3948	0	3922	19	0
1	D	3957	0	3939	23	0
2	A	36	0	28	2	0
2	B	36	0	28	2	0
2	C	36	0	28	2	0
2	D	36	0	28	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	370	0	0	5	0
5	B	339	0	0	2	0
5	C	348	0	0	1	0
5	D	251	0	0	2	0
All	All	17325	0	15899	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:601:4LU:H14	2:D:601:4LU:H5	1.31	1.06
1:B:96[B]:ILE:H	1:B:96[B]:ILE:CD1	1.62	1.05
1:B:96[B]:ILE:H	1:B:96[B]:ILE:HD12	0.94	1.05
2:B:601:4LU:H14	2:B:601:4LU:H5	1.40	1.00
1:B:96[B]:ILE:HD12	1:B:96[B]:ILE:N	1.79	0.96
1:A:208[A]:ASN:ND2	1:A:276:ASP:OD2	2.03	0.90
2:C:601:4LU:H5	2:C:601:4LU:H14	1.52	0.90
1:C:294:GLN:HE22	1:C:448:GLN:HE22	1.18	0.86
1:D:428:VAL:H	1:D:431:GLN:HE21	1.25	0.84
2:D:601:4LU:H14	2:D:601:4LU:C13	2.07	0.84
2:A:601:4LU:H14	2:A:601:4LU:H5	1.58	0.83
2:B:601:4LU:H14	2:B:601:4LU:C13	2.13	0.78
1:B:428:VAL:H	1:B:431:GLN:HE21	1.31	0.78
1:C:428:VAL:H	1:C:431:GLN:HE21	1.32	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:601:4LU:C13	2:C:601:4LU:H14	2.15	0.75
1:D:294:GLN:HE22	1:D:448:GLN:HE22	1.36	0.74
1:D:4:LEU:HD13	1:D:16[B]:VAL:HG12	1.71	0.71
1:C:380:GLU:HB2	5:C:975:HOH:O	1.90	0.70
1:C:294:GLN:HE22	1:C:448:GLN:NE2	1.90	0.70
1:B:81:HIS:HE1	1:B:356:TYR:OH	1.74	0.70
1:D:81:HIS:HE1	1:D:356:TYR:OH	1.75	0.69
1:B:71:ALA:HB3	1:B:325:GLU:HG3	1.76	0.66
1:B:322:CYS:H	1:B:359:GLN:HE22	1.44	0.66
1:B:96[B]:ILE:CD1	1:B:96[B]:ILE:N	2.44	0.65
1:B:294:GLN:HE22	1:B:448:GLN:HE22	1.44	0.64
1:C:81:HIS:HE1	1:C:356:TYR:OH	1.84	0.60
1:A:145:HIS:HE1	1:A:319:PRO:O	1.84	0.59
1:A:81:HIS:NE2	1:A:96:ILE:CD1	2.65	0.59
1:A:81:HIS:HE1	1:A:356:TYR:OH	1.86	0.58
1:C:145:HIS:HE1	1:C:319:PRO:O	1.88	0.57
1:B:96[B]:ILE:HD13	5:B:960:HOH:O	2.05	0.57
1:D:322:CYS:H	1:D:359:GLN:HE22	1.53	0.57
1:D:467:ARG:NH2	1:D:471:GLU:OE2	2.37	0.57
1:D:428:VAL:H	1:D:431:GLN:NE2	1.99	0.57
1:B:145:HIS:HE1	1:B:319:PRO:O	1.89	0.56
2:A:601:4LU:H14	2:A:601:4LU:C13	2.31	0.56
1:C:322:CYS:H	1:C:359:GLN:HE22	1.55	0.55
1:B:188:VAL:HG12	1:B:195:ARG:HD2	1.89	0.54
1:D:145:HIS:HE1	1:D:319:PRO:O	1.89	0.54
1:D:4:LEU:CD1	1:D:16[B]:VAL:HG12	2.37	0.54
1:A:4:LEU:HD13	1:A:16[B]:VAL:HG12	1.90	0.54
1:B:12:ASP:O	1:B:16[A]:VAL:HG12	2.08	0.54
1:C:145:HIS:HD2	1:C:148:ASP:OD2	1.91	0.54
1:D:387:GLY:HA3	1:D:434:PHE:CZ	2.44	0.52
1:A:81:HIS:CE1	1:A:96:ILE:HD12	2.45	0.52
1:A:12:ASP:O	1:A:16[B]:VAL:HG13	2.10	0.52
1:D:127:HIS:HE1	1:D:310:ASP:OD1	1.93	0.51
1:A:322:CYS:H	1:A:359:GLN:HE22	1.59	0.50
1:C:342:ALA:O	1:C:346:GLY:HA2	2.11	0.50
1:C:12:ASP:O	1:C:16[B]:VAL:HG13	2.12	0.50
1:B:137:GLN:HA	1:B:137:GLN:HE21	1.77	0.50
1:B:322:CYS:N	1:B:359:GLN:HE22	2.10	0.49
1:B:80:ASP:OD1	1:B:81:HIS:HD2	1.95	0.49
1:A:294:GLN:HE22	1:A:448:GLN:HE22	1.61	0.48
1:D:130:SER:OG	1:D:132:GLU:OE1	2.29	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:467:ARG:NH2	1:C:471:GLU:OE2	2.47	0.48
1:A:428:VAL:H	1:A:431:GLN:HE21	1.63	0.47
1:B:428:VAL:H	1:B:431:GLN:NE2	2.06	0.46
1:C:84:ILE:HD12	1:C:84:ILE:H	1.80	0.46
1:C:294:GLN:NE2	1:C:448:GLN:HE22	1.99	0.46
1:C:80:ASP:OD1	1:C:81:HIS:HD2	1.99	0.46
1:D:114:PRO:HG3	1:D:237:SER:HB2	1.98	0.46
1:D:228:MET:HE2	1:D:333:LEU:HD22	1.98	0.46
1:A:287:HIS:HE1	5:A:790:HOH:O	1.97	0.45
1:A:71:ALA:HB3	1:A:325:GLU:HG3	1.98	0.45
1:B:294:GLN:HE22	1:B:448:GLN:NE2	2.12	0.45
1:A:477:ILE:HB	1:B:290:VAL:HB	1.98	0.45
5:A:986:HOH:O	1:C:133:LYS:HE3	2.17	0.45
1:B:16[A]:VAL:O	1:B:16[A]:VAL:CG2	2.66	0.44
1:A:81:HIS:CE1	1:A:96:ILE:CD1	3.01	0.44
1:B:223:ILE:HA	1:B:223:ILE:HD12	1.95	0.44
1:A:287:HIS:CD2	5:A:998:HOH:O	2.70	0.43
1:D:145:HIS:HD2	1:D:148:ASP:OD2	2.01	0.43
1:A:81:HIS:CD2	1:A:96:ILE:HD13	2.54	0.43
1:C:428:VAL:H	1:C:431:GLN:NE2	2.08	0.43
1:A:387:GLY:HA3	1:A:434:PHE:CZ	2.54	0.43
1:A:480:ASN:ND2	5:A:715:HOH:O	2.50	0.43
1:B:145:HIS:HD2	1:B:148:ASP:OD2	2.02	0.43
1:D:12:ASP:O	1:D:16[B]:VAL:HG13	2.17	0.43
1:D:270:GLY:HA3	1:D:302:THR:O	2.19	0.42
1:B:387:GLY:HA3	1:B:434:PHE:CZ	2.54	0.42
1:B:172:SER:HA	1:B:226:SER:O	2.19	0.42
1:D:160:ILE:HD12	1:D:260:VAL:HG12	2.01	0.42
1:C:69:CYS:N	1:C:70:PRO:CD	2.83	0.42
1:D:287:HIS:HE1	5:D:775:HOH:O	2.02	0.42
1:A:428:VAL:H	1:A:431:GLN:NE2	2.18	0.42
1:C:387:GLY:HA3	1:C:434:PHE:CZ	2.54	0.42
1:C:287:HIS:CD2	1:C:444:PRO:HD3	2.54	0.41
1:A:483:LYS:HE3	5:A:789:HOH:O	2.19	0.41
1:B:483:LYS:CE	5:B:702:HOH:O	2.67	0.41
1:B:69:CYS:N	1:B:70:PRO:CD	2.83	0.41
2:D:601:4LU:C7M	2:D:601:4LU:C13	2.86	0.41
1:A:392[A]:ARG:HG3	1:A:392[A]:ARG:HH11	1.85	0.41
1:D:69:CYS:N	1:D:70:PRO:CD	2.83	0.41
1:D:190:LYS:HG3	1:D:195:ARG:HG2	2.03	0.41
1:B:114:PRO:HG3	1:B:237:SER:HB2	2.04	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:CYS:N	1:A:70:PRO:CD	2.85	0.40
1:D:275:THR:HG21	5:D:872:HOH:O	2.22	0.40
1:D:145:HIS:CE1	1:D:318:ASN:OD1	2.74	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	508/509 (100%)	494 (97%)	14 (3%)	0	100	100
1	B	508/509 (100%)	493 (97%)	15 (3%)	0	100	100
1	C	505/509 (99%)	488 (97%)	17 (3%)	0	100	100
1	D	505/509 (99%)	491 (97%)	14 (3%)	0	100	100
All	All	2026/2036 (100%)	1966 (97%)	60 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/444 (99%)	431 (98%)	10 (2%)	56	50
1	B	440/444 (99%)	431 (98%)	9 (2%)	60	56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	438/444 (99%)	429 (98%)	9 (2%)	59	54
1	D	438/444 (99%)	433 (99%)	5 (1%)	78	76
All	All	1757/1776 (99%)	1724 (98%)	33 (2%)	66	58

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	PHE
1	A	96	ILE
1	A	132	GLU
1	A	137	GLN
1	A	166	LYS
1	A	181	ASP
1	A	436	ASP
1	A	453	LYS
1	A	460[A]	CYS
1	A	460[B]	CYS
1	B	16[A]	VAL
1	B	16[B]	VAL
1	B	57	LYS
1	B	77	GLU
1	B	132	GLU
1	B	137	GLN
1	B	209	GLU
1	B	455	MET
1	B	460	CYS
1	C	57	LYS
1	C	137	GLN
1	C	181	ASP
1	C	269	GLU
1	C	453	LYS
1	C	460[A]	CYS
1	C	460[B]	CYS
1	C	473[A]	SER
1	C	473[B]	SER
1	D	57	LYS
1	D	64	PHE
1	D	132	GLU
1	D	147	SER
1	D	219	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	HIS
1	A	127	HIS
1	A	145	HIS
1	A	287	HIS
1	A	359	GLN
1	A	431	GLN
1	A	448	GLN
1	B	81	HIS
1	B	127	HIS
1	B	137	GLN
1	B	145	HIS
1	B	278	HIS
1	B	287	HIS
1	B	359	GLN
1	B	431	GLN
1	B	448	GLN
1	C	81	HIS
1	C	127	HIS
1	C	137	GLN
1	C	145	HIS
1	C	278	HIS
1	C	287	HIS
1	C	359	GLN
1	C	431	GLN
1	C	448	GLN
1	D	81	HIS
1	D	127	HIS
1	D	145	HIS
1	D	278	HIS
1	D	287	HIS
1	D	359	GLN
1	D	431	GLN
1	D	448	GLN
1	D	496	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	4LU	A	601	3,4	33,39,39	1.88	5 (15%)	36,62,62	2.92	15 (41%)
2	4LU	B	601	3,4	33,39,39	1.63	7 (21%)	36,62,62	2.52	10 (27%)
2	4LU	C	601	3,4	33,39,39	2.15	8 (24%)	36,62,62	2.99	14 (38%)
2	4LU	D	601	3,4	33,39,39	2.22	7 (21%)	36,62,62	2.50	12 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4LU	A	601	3,4	-	0/16/30/30	0/3/4/4
2	4LU	B	601	3,4	-	0/16/30/30	0/3/4/4
2	4LU	C	601	3,4	-	0/16/30/30	0/3/4/4
2	4LU	D	601	3,4	-	0/16/30/30	0/3/4/4

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	4LU	C5-C6	-8.64	1.47	1.54
2	C	601	4LU	C5-C6	-7.79	1.48	1.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	4LU	C5-C6	-6.61	1.49	1.54
2	D	601	4LU	C3-C5	-5.19	1.46	1.54
2	C	601	4LU	C3-C5	-4.97	1.47	1.54
2	A	601	4LU	C3-C5	-4.80	1.47	1.54
2	B	601	4LU	C3-C5	-4.65	1.47	1.54
2	B	601	4LU	C5-C6	-4.57	1.50	1.54
2	A	601	4LU	C2-N3	-3.14	1.31	1.38
2	C	601	4LU	C2-N3	-2.86	1.32	1.38
2	D	601	4LU	C2-N1	-2.72	1.32	1.38
2	D	601	4LU	C2-N3	-2.70	1.32	1.38
2	C	601	4LU	P-O1P	-2.60	1.44	1.54
2	B	601	4LU	C2-N3	-2.52	1.33	1.38
2	C	601	4LU	C2-N1	-2.24	1.33	1.38
2	A	601	4LU	C4-C4A	-2.15	1.37	1.41
2	B	601	4LU	C1'-N10	-2.13	1.46	1.48
2	B	601	4LU	C4-N3	2.04	1.36	1.33
2	A	601	4LU	C5A-C9A	2.07	1.43	1.40
2	B	601	4LU	C10-N1	2.10	1.36	1.33
2	B	601	4LU	C9A-N10	2.19	1.41	1.38
2	C	601	4LU	C10-N1	2.22	1.36	1.33
2	D	601	4LU	C4-N3	2.47	1.37	1.33
2	D	601	4LU	C9A-N10	2.52	1.42	1.38
2	D	601	4LU	C10-N1	2.83	1.37	1.33
2	C	601	4LU	C9A-N10	3.00	1.42	1.38
2	C	601	4LU	C4-N3	3.79	1.39	1.33

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	4LU	C4-C4A-C10	-8.96	112.71	119.96
2	B	601	4LU	C4-C4A-C10	-7.31	114.05	119.96
2	D	601	4LU	C4-C4A-C10	-5.97	115.14	119.96
2	A	601	4LU	C4-C4A-C10	-4.70	116.16	119.96
2	D	601	4LU	C4A-C10-N10	-4.20	117.60	120.52
2	A	601	4LU	C1'-N10-C10	-4.03	114.37	118.50
2	B	601	4LU	C12-C5-C3	-3.96	102.58	109.15
2	C	601	4LU	C12-C5-C3	-3.54	103.27	109.15
2	C	601	4LU	C12-C5-C6	-3.42	104.60	111.85
2	D	601	4LU	C1'-N10-C10	-3.38	115.03	118.50
2	A	601	4LU	C7M-C7-C8	-3.30	113.48	119.73
2	C	601	4LU	C1'-N10-C10	-3.29	115.13	118.50
2	D	601	4LU	C12-C5-C6	-3.27	104.91	111.85

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	4LU	C13-C5-C3	-3.11	103.98	109.15
2	C	601	4LU	C7M-C7-C8	-2.86	114.31	119.73
2	D	601	4LU	C5A-C9A-N10	-2.83	118.34	120.48
2	C	601	4LU	C4A-C10-N10	-2.80	118.58	120.52
2	A	601	4LU	C7-C6-C5A	-2.69	116.45	119.10
2	A	601	4LU	C13-C5-C12	-2.60	102.50	108.56
2	A	601	4LU	C8M-C8-C9	-2.44	114.22	120.34
2	A	601	4LU	O5'-P-O2P	-2.24	100.19	106.47
2	A	601	4LU	C12-C5-C3	-2.21	105.47	109.15
2	C	601	4LU	C8M-C8-C9	-2.20	114.82	120.34
2	B	601	4LU	O5'-P-O2P	-2.20	100.30	106.47
2	A	601	4LU	C4A-C4-N3	-2.15	120.43	123.48
2	B	601	4LU	C1'-N10-C10	-2.11	116.34	118.50
2	B	601	4LU	C13-C5-C3	-2.10	105.66	109.15
2	D	601	4LU	O2'-C2'-C1'	-2.04	105.08	109.79
2	C	601	4LU	O4'-C4'-C3'	2.06	114.20	109.09
2	C	601	4LU	C8M-C8-C7	2.08	124.64	121.18
2	C	601	4LU	O1P-P-O3P	2.20	116.51	107.61
2	A	601	4LU	O1P-P-O3P	2.29	116.87	107.61
2	A	601	4LU	O2'-C2'-C3'	2.33	114.88	109.09
2	B	601	4LU	P-O5'-C5'	2.59	125.43	118.30
2	B	601	4LU	C13-C5-C6	2.66	117.48	111.85
2	A	601	4LU	C13-C5-C6	2.79	117.76	111.85
2	D	601	4LU	P-O5'-C5'	2.86	126.16	118.30
2	D	601	4LU	C13-C5-C6	3.11	118.44	111.85
2	C	601	4LU	C13-C5-C6	3.81	119.91	111.85
2	B	601	4LU	C5-C3-C1	3.93	118.59	111.94
2	C	601	4LU	C5-C3-C1	4.43	119.45	111.94
2	D	601	4LU	C5-C3-C1	4.67	119.86	111.94
2	D	601	4LU	C4-N3-C2	5.88	120.30	115.16
2	B	601	4LU	C1'-N10-C9A	5.91	123.76	118.35
2	D	601	4LU	C1'-N10-C9A	6.14	123.97	118.35
2	C	601	4LU	C4-N3-C2	6.43	120.79	115.16
2	A	601	4LU	C5-C3-C1	6.45	122.88	111.94
2	B	601	4LU	C4-N3-C2	7.18	121.44	115.16
2	A	601	4LU	C4-N3-C2	7.54	121.75	115.16
2	C	601	4LU	C1'-N10-C9A	8.94	126.54	118.35
2	A	601	4LU	C1'-N10-C9A	9.26	126.83	118.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	4LU	2	0
2	B	601	4LU	2	0
2	C	601	4LU	2	0
2	D	601	4LU	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	503/509 (98%)	-0.40	4 (0%) 86 87	16, 24, 40, 60	0
1	B	502/509 (98%)	-0.35	6 (1%) 79 80	19, 27, 42, 63	0
1	C	500/509 (98%)	-0.35	4 (0%) 86 87	17, 26, 45, 59	0
1	D	501/509 (98%)	-0.19	11 (2%) 62 65	21, 31, 47, 64	0
All	All	2006/2036 (98%)	-0.32	25 (1%) 79 80	16, 27, 45, 64	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	156	TYR	3.7
1	D	173	ILE	3.6
1	D	223	ILE	3.5
1	D	316	VAL	3.4
1	D	155	THR	3.3
1	D	329	LEU	3.0
1	B	2	ARG	2.7
1	D	314	LEU	2.7
1	A	223	ILE	2.6
1	C	316	VAL	2.5
1	B	156	TYR	2.5
1	C	488	GLY	2.4
1	B	223	ILE	2.4
1	C	173	ILE	2.4
1	C	487	LYS	2.3
1	D	330	ILE	2.3
1	D	157	GLY	2.3
1	D	317	SER	2.3
1	A	157	GLY	2.3
1	A	156	TYR	2.1
1	B	77	GLU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	315	PRO	2.1
1	B	155	THR	2.1
1	B	173	ILE	2.0
1	A	173	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	4LU	C	601	36/36	0.97	0.15	0.23	17,20,26,33	0
2	4LU	A	601	36/36	0.97	0.15	0.19	14,20,29,30	0
2	4LU	D	601	36/36	0.97	0.18	0.08	20,24,32,40	0
2	4LU	B	601	36/36	0.97	0.15	-0.05	16,22,30,36	0
4	K	B	603	1/1	0.99	0.11	-0.75	21,21,21,21	0
4	K	A	603	1/1	1.00	0.08	-0.96	20,20,20,20	0
4	K	C	603	1/1	1.00	0.07	-1.43	21,21,21,21	0
4	K	D	603	1/1	0.99	0.06	-1.99	24,24,24,24	0
3	MN	C	602	1/1	0.99	0.04	-2.26	32,32,32,32	0
3	MN	A	602	1/1	0.99	0.03	-2.55	32,32,32,32	0
3	MN	D	602	1/1	1.00	0.03	-2.56	36,36,36,36	0
3	MN	B	602	1/1	0.99	0.04	-2.90	36,36,36,36	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.