



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 07:22 pm GMT

PDB ID : 2EWN
Title : Ecoli Biotin Repressor with co-repressor analog
Authors : Wood, Z.A.; Weaver, L.H.; Matthews, B.W.
Deposited on : 2005-11-04
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	<div> <div>2%</div> <div> <div></div> <div>70%</div> <div>25%</div> <div>• •</div> </div> </div>
1	B	321	<div> <div>2%</div> <div> <div></div> <div>51%</div> <div>40%</div> <div>8%</div> <div>•</div> </div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BirA bifunctional protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	0	0	0
			2455	1565	434	448	8			
1	B	317	Total	C	N	O	S	0	0	0
			2454	1565	434	447	8			

- Molecule 2 is ((2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-3,4-DIHYDROXY-TETRAHYDROFURAN-2-YL)METHYL 5-((3AS,4S,6AR)-2-OXO-HEXAHYDRO-1H-THIENO[3,4-D]IMIDAZOL-4-YL)PENTYL HYDROGEN PHOSPHATE (three-letter code: BTX) (formula: C₂₀H₃₀N₇O₈PS).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	42	Total 42	O 42	0	0
3	B	11	Total 11	O 11	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BirA bifunctional protein



• Molecule 1: BirA bifunctional protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	152.19Å 152.19Å 93.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.85 – 2.80 29.85 – 2.70	Depositor EDS
% Data completeness (in resolution range)	94.2 (29.85-2.80) 92.9 (29.85-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 2.68Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.213 , 0.264 0.212 , 0.265	Depositor DCC
R_{free} test set	1272 reflections (4.91%)	DCC
Wilson B-factor (Å ²)	58.1	Xtriage
Anisotropy	0.001	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5036	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BTX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/2495	0.81	0/3371
1	B	0.49	0/2494	0.83	0/3368
All	All	0.49	0/4989	0.82	0/6739

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2455	0	2524	65	0
1	B	2454	0	2530	132	0
2	A	37	0	29	8	0
2	B	37	0	29	4	0
3	A	42	0	0	1	0
3	B	11	0	0	0	0
All	All	5036	0	5112	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:ASN:HD21	1:A:70:LYS:HG3	1.10	1.11
1:B:231:ILE:CD1	1:B:233:LEU:HD22	1.84	1.07
1:B:138:ARG:HG2	1:B:138:ARG:HH11	1.23	1.00
1:B:231:ILE:HD13	1:B:233:LEU:HD22	1.48	0.93
1:A:25:LEU:HB3	1:A:36:ILE:HD11	1.54	0.90
1:A:68:ASN:ND2	1:A:70:LYS:HG3	1.89	0.88
1:B:231:ILE:HD11	1:B:233:LEU:HD22	1.55	0.88
1:B:170:ARG:HB2	1:B:270:ASN:HB2	1.59	0.85
1:B:124:PHE:CD2	1:B:211:MET:HE2	2.15	0.82
1:A:25:LEU:HB3	1:A:36:ILE:CD1	2.08	0.81
1:B:306:ILE:HG22	1:B:306:ILE:O	1.80	0.79
1:B:138:ARG:HG2	1:B:138:ARG:NH1	1.98	0.78
1:A:33:ARG:HA	1:A:36:ILE:HG22	1.66	0.76
1:A:192:THR:HG22	1:B:192:THR:HG22	1.68	0.75
1:A:118:ARG:NH2	2:A:501:BTX:H112	2.01	0.75
1:B:262:LEU:HD11	1:B:294:LYS:HA	1.68	0.74
1:B:119:ARG:HG3	1:B:119:ARG:HH11	1.54	0.73
1:B:135:MET:CE	1:B:243:ILE:HG23	2.18	0.73
1:B:68:ASN:H	1:B:236:ASN:HD21	1.34	0.73
1:B:162:ARG:HG2	1:B:169:VAL:HG13	1.72	0.72
1:B:2:LYS:NZ	1:B:2:LYS:HB3	2.03	0.71
1:A:124:PHE:CD2	1:A:211:MET:HE2	2.26	0.71
1:A:68:ASN:HD22	1:A:68:ASN:C	1.94	0.71
1:A:121:ARG:HD2	2:A:501:BTX:H5'2	1.74	0.69
1:B:164:LEU:HD13	1:B:233:LEU:HD21	1.74	0.68
1:B:221:GLN:HG3	2:B:500:BTX:O2'	1.96	0.66
1:B:170:ARG:HB3	1:B:268:LEU:O	1.95	0.66
1:B:138:ARG:HH11	1:B:138:ARG:CG	2.03	0.64
1:B:170:ARG:HD2	1:B:270:ASN:HA	1.81	0.63
1:B:259:ALA:HB3	1:B:260:PRO:HD3	1.82	0.62
1:B:170:ARG:CB	1:B:270:ASN:HB2	2.29	0.62
1:A:49:ASP:O	1:A:61:PRO:HD3	1.99	0.62
1:B:51:PHE:HD2	1:B:51:PHE:H	1.45	0.62
1:A:175:ASN:O	1:A:176:ASP:HB2	1.99	0.62
1:B:119:ARG:CG	1:B:119:ARG:HH11	2.11	0.61
1:B:124:PHE:CE2	1:B:211:MET:HE2	2.35	0.61
1:B:19:PHE:CD2	1:B:56:LYS:HB3	2.35	0.61
1:A:40:ILE:HG21	1:A:58:TYR:CE2	2.36	0.60
1:B:162:ARG:HG2	1:B:169:VAL:CG1	2.30	0.60
1:A:276:VAL:HG21	1:A:314:ILE:HD11	1.83	0.60
1:A:230:GLY:C	1:A:231:ILE:HD13	2.23	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:231:ILE:HD13	1:B:233:LEU:CD2	2.29	0.59
1:B:68:ASN:HD21	1:B:70:LYS:HG2	1.68	0.59
1:B:17:GLY:HA3	1:B:63:PRO:HG3	1.84	0.59
1:A:130:ASN:HD21	1:A:211:MET:HE3	1.69	0.58
1:B:173:TRP:O	1:B:314:ILE:HG22	2.03	0.58
1:A:208:ASN:HB3	1:A:225:THR:HG22	1.86	0.58
1:B:209:MET:O	1:B:227:GLN:HB2	2.04	0.58
1:B:121:ARG:HD2	2:B:500:BTX:H5'2	1.86	0.58
1:A:21:SER:HA	1:A:57:GLY:HA3	1.86	0.57
1:A:33:ARG:HA	1:A:36:ILE:CG2	2.34	0.57
1:B:302:GLN:O	1:B:303:ASP:HB2	2.04	0.56
1:A:10:LEU:HD21	1:A:40:ILE:CD1	2.35	0.56
1:B:126:PRO:CG	1:B:211:MET:HE3	2.35	0.56
1:B:223:TRP:CD1	1:B:223:TRP:N	2.74	0.56
1:A:68:ASN:HD21	1:A:70:LYS:CG	2.00	0.56
1:B:162:ARG:HA	1:B:166:ALA:O	2.07	0.55
1:B:301:GLU:HB2	1:B:306:ILE:HG12	1.88	0.55
1:B:147:ILE:CG2	1:B:148:GLY:N	2.69	0.55
1:B:274:ARG:O	1:B:276:VAL:HG13	2.06	0.55
1:B:119:ARG:CG	1:B:119:ARG:NH1	2.69	0.54
1:A:124:PHE:CE2	1:A:211:MET:HE2	2.43	0.54
1:A:259:ALA:HB3	1:A:260:PRO:HD3	1.89	0.54
1:B:314:ILE:HG12	1:B:315:SER:N	2.22	0.54
1:B:164:LEU:CD1	1:B:233:LEU:HD21	2.38	0.54
1:B:226:LEU:HB3	1:B:231:ILE:HG13	1.89	0.53
1:A:16:ASN:H	1:A:16:ASN:HD22	1.56	0.53
1:B:277:LYS:HE3	1:B:279:ILE:HD11	1.89	0.53
1:B:108:ILE:CD1	1:B:131:LEU:CD2	2.87	0.52
1:A:25:LEU:CB	1:A:36:ILE:CD1	2.85	0.52
1:B:72:ILE:HD11	1:B:236:ASN:HD22	1.74	0.52
1:B:108:ILE:HD11	1:B:131:LEU:CD2	2.39	0.52
1:A:121:ARG:CD	2:A:501:BTX:H5'2	2.40	0.52
1:B:135:MET:HE2	1:B:243:ILE:HG23	1.91	0.52
1:B:231:ILE:HD12	1:B:231:ILE:C	2.30	0.52
1:B:178:TYR:OH	1:B:183:LYS:HE3	2.10	0.51
1:B:127:PHE:C	1:B:127:PHE:CD1	2.83	0.51
1:A:139:LEU:HD13	1:A:145:ALA:HB3	1.93	0.51
1:A:170:ARG:HB3	1:A:268:LEU:O	2.10	0.51
1:B:160:VAL:O	1:B:163:LYS:HG2	2.11	0.51
1:B:72:ILE:CD1	1:B:236:ASN:HD22	2.24	0.51
1:A:130:ASN:HD21	1:A:211:MET:CE	2.23	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:GLU:O	1:B:285:ILE:HG13	2.11	0.51
1:B:118:ARG:NH2	2:B:500:BTX:H112	2.26	0.50
1:B:130:ASN:HB3	1:B:207:ILE:O	2.10	0.50
1:B:175:ASN:O	1:B:176:ASP:HB2	2.12	0.50
1:B:19:PHE:CE2	1:B:53:VAL:HB	2.46	0.50
1:B:68:ASN:C	1:B:68:ASN:HD22	2.16	0.50
1:B:288:ILE:O	1:B:300:LEU:HD12	2.11	0.49
1:B:166:ALA:HB1	1:B:169:VAL:CG1	2.42	0.49
1:B:31:MET:HG3	1:B:36:ILE:HD13	1.95	0.49
1:B:172:LYS:HD3	1:B:178:TYR:CE1	2.47	0.49
1:B:186:GLY:HA3	2:B:500:BTX:H102	1.95	0.48
1:A:186:GLY:HA3	2:A:501:BTX:H102	1.94	0.48
1:B:44:ARG:HA	1:B:48:VAL:O	2.12	0.48
1:B:9:LYS:HB2	1:B:9:LYS:NZ	2.28	0.48
1:A:6:VAL:HB	1:A:7:PRO:HD3	1.96	0.48
1:B:72:ILE:HD11	1:B:236:ASN:HA	1.95	0.48
1:B:52:THR:HA	1:B:57:GLY:O	2.13	0.48
1:A:250:LEU:O	1:A:254:GLU:HB2	2.13	0.47
1:B:138:ARG:NH1	1:B:138:ARG:CG	2.65	0.47
1:B:172:LYS:HD3	1:B:178:TYR:HE1	1.79	0.47
1:A:16:ASN:HD22	1:A:16:ASN:N	2.12	0.47
1:B:166:ALA:CB	1:B:169:VAL:HG11	2.45	0.47
1:B:31:MET:CG	1:B:36:ILE:HD13	2.45	0.47
1:B:139:LEU:HD13	1:B:145:ALA:HB3	1.97	0.47
1:B:214:VAL:HG11	1:B:219:VAL:HB	1.97	0.47
1:A:221:GLN:HE21	1:A:221:GLN:HB2	1.48	0.47
1:B:214:VAL:CG1	1:B:219:VAL:HB	2.44	0.47
1:B:134:SER:HA	1:B:203:ILE:O	2.15	0.46
1:A:10:LEU:HD21	1:A:40:ILE:HD13	1.97	0.46
1:B:8:LEU:O	1:B:11:ILE:HG22	2.15	0.46
1:A:317:ARG:HA	3:A:528:HOH:O	2.15	0.46
1:B:293:ASP:OD2	1:B:297:ALA:HB3	2.16	0.46
1:A:186:GLY:CA	2:A:501:BTX:H102	2.45	0.46
1:B:51:PHE:CD2	1:B:51:PHE:N	2.82	0.46
1:B:52:THR:HG22	1:B:58:TYR:CD2	2.50	0.46
1:B:31:MET:CG	1:B:36:ILE:CD1	2.93	0.46
1:A:140:GLU:OE1	1:B:281:GLY:HA2	2.14	0.46
1:B:231:ILE:HD12	1:B:232:ASN:N	2.31	0.46
1:A:301:GLU:HB2	1:A:306:ILE:HG12	1.97	0.45
1:A:33:ARG:CA	1:A:36:ILE:HG22	2.39	0.45
1:A:285:ILE:HD11	1:A:300:LEU:CD2	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:68:ASN:HB3	1:B:71:GLN:HB2	1.98	0.45
1:A:118:ARG:HH22	2:A:501:BTX:H112	1.80	0.45
1:B:208:ASN:HB3	1:B:225:THR:HG22	1.98	0.45
1:B:172:LYS:HG3	1:B:271:PHE:CE1	2.52	0.45
1:A:231:ILE:HD13	1:A:231:ILE:N	2.32	0.45
1:A:247:ARG:O	1:A:251:GLU:HG2	2.17	0.45
1:B:269:ASP:O	1:B:272:ILE:HG22	2.17	0.45
1:A:286:PHE:HD2	1:A:317:ARG:HD2	1.82	0.45
1:B:267:LYS:H	1:B:267:LYS:HG2	1.58	0.45
1:A:209:MET:HG2	1:A:226:LEU:HD12	2.00	0.44
1:B:124:PHE:HD2	1:B:211:MET:HE2	1.74	0.44
1:A:209:MET:SD	1:A:235:ARG:HG2	2.57	0.44
1:A:285:ILE:HG13	1:A:302:GLN:NE2	2.32	0.44
1:B:157:MET:HE2	1:B:177:LEU:HD11	1.99	0.44
1:B:175:ASN:O	1:B:176:ASP:CB	2.65	0.44
1:B:130:ASN:HD21	1:B:211:MET:HE3	1.82	0.44
1:A:123:TRP:CE3	2:A:501:BTX:H9B1	2.53	0.44
1:A:27:GLU:C	1:A:29:LEU:H	2.21	0.44
1:A:33:ARG:O	1:A:33:ARG:HG2	2.17	0.44
1:A:262:LEU:HD11	1:A:294:LYS:HA	1.98	0.44
1:A:68:ASN:ND2	1:A:68:ASN:C	2.66	0.44
1:B:173:TRP:HA	1:B:174:PRO:HA	1.89	0.44
1:B:19:PHE:HE2	1:B:53:VAL:HB	1.83	0.44
1:B:176:ASP:OD2	1:B:183:LYS:HE2	2.17	0.44
1:B:67:LEU:HD13	1:B:108:ILE:HG12	2.00	0.44
1:B:8:LEU:HD23	1:B:8:LEU:HA	1.87	0.44
1:B:68:ASN:HD22	1:B:69:ALA:N	2.16	0.44
1:A:158:ALA:O	1:A:162:ARG:HG3	2.18	0.43
1:B:301:GLU:HA	1:B:305:ILE:O	2.18	0.43
1:A:134:SER:HA	1:A:203:ILE:O	2.17	0.43
1:B:147:ILE:HG22	1:B:148:GLY:N	2.32	0.43
1:B:306:ILE:CG2	1:B:306:ILE:O	2.53	0.43
1:B:98:ILE:HD13	1:B:200:GLN:HB3	2.01	0.43
1:B:126:PRO:CD	1:B:211:MET:CE	2.97	0.43
1:B:157:MET:HB3	1:B:157:MET:HE3	1.86	0.43
1:B:162:ARG:CZ	1:B:167:ASP:O	2.67	0.42
1:A:175:ASN:O	1:A:176:ASP:CB	2.64	0.42
1:B:238:LEU:HG	1:B:238:LEU:O	2.17	0.42
1:B:68:ASN:HB3	1:B:71:GLN:CB	2.49	0.42
1:B:286:PHE:N	1:B:286:PHE:CD1	2.87	0.42
1:A:121:ARG:HD3	2:A:501:BTX:O3'	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:126:PRO:HG3	1:B:211:MET:CE	2.50	0.42
1:B:68:ASN:ND2	1:B:70:LYS:HG2	2.33	0.42
1:B:288:ILE:HG22	1:B:289:SER:N	2.35	0.42
1:A:157:MET:CE	1:A:207:ILE:HD11	2.50	0.41
1:A:173:TRP:HA	1:A:174:PRO:HA	1.83	0.41
1:B:68:ASN:H	1:B:236:ASN:ND2	2.10	0.41
1:A:131:LEU:HD12	1:A:131:LEU:HA	1.78	0.41
1:B:11:ILE:HD12	1:B:11:ILE:HA	1.93	0.41
1:B:86:VAL:HG22	1:B:111:TYR:HD2	1.85	0.41
1:B:233:LEU:HD12	1:B:233:LEU:HA	1.82	0.41
1:B:131:LEU:HA	1:B:131:LEU:HD23	1.84	0.41
1:B:275:PRO:O	1:B:316:LEU:HD13	2.21	0.41
1:B:40:ILE:HG13	1:B:58:TYR:CE2	2.55	0.41
1:B:73:LEU:HD23	1:B:73:LEU:HA	1.89	0.41
1:A:68:ASN:HD22	1:A:69:ALA:N	2.17	0.41
1:B:81:VAL:HG22	1:B:106:ALA:HB3	2.03	0.41
1:A:21:SER:HA	1:A:57:GLY:CA	2.50	0.41
1:B:13:LEU:HA	1:B:13:LEU:HD23	1.80	0.41
1:B:299:LEU:HA	1:B:299:LEU:HD23	1.80	0.41
1:B:126:PRO:HG3	1:B:211:MET:HE3	2.01	0.41
1:B:112:GLN:HB2	1:B:125:SER:CB	2.51	0.40
1:B:162:ARG:CG	1:B:169:VAL:HG13	2.47	0.40
1:B:29:LEU:HA	1:B:29:LEU:HD13	1.75	0.40
1:A:118:ARG:O	1:A:121:ARG:HG3	2.21	0.40
1:A:289:SER:O	1:A:290:ARG:HD3	2.21	0.40
1:B:227:GLN:HE21	1:B:227:GLN:HB3	1.61	0.40
1:B:231:ILE:HD13	1:B:233:LEU:HD13	2.04	0.40
1:B:85:PRO:O	1:B:110:GLU:HB2	2.22	0.40
1:B:19:PHE:CG	1:B:56:LYS:HB3	2.57	0.40
1:A:278:LEU:HD23	1:A:285:ILE:HD13	2.03	0.40
1:B:126:PRO:CG	1:B:211:MET:CE	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	316/321 (98%)	293 (93%)	20 (6%)	3 (1%)	20	52
1	B	315/321 (98%)	284 (90%)	29 (9%)	2 (1%)	28	62
All	All	631/642 (98%)	577 (91%)	49 (8%)	5 (1%)	22	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	176	ASP
1	A	29	LEU
1	A	176	ASP
1	B	275	PRO
1	A	128	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/258 (98%)	219 (86%)	35 (14%)	4	12
1	B	255/258 (99%)	200 (78%)	55 (22%)	1	3
All	All	509/516 (99%)	419 (82%)	90 (18%)	2	6

All (90) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASN
1	A	6	VAL
1	A	16	ASN
1	A	23	GLU
1	A	24	GLN
1	A	29	LEU
1	A	31	MET
1	A	33	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	38	LYS
1	A	52	THR
1	A	54	PRO
1	A	56	LYS
1	A	68	ASN
1	A	70	LYS
1	A	76	LEU
1	A	85	PRO
1	A	87	ILE
1	A	103	SER
1	A	125	SER
1	A	141	GLN
1	A	174	PRO
1	A	183	LYS
1	A	194	LYS
1	A	207	ILE
1	A	216	GLU
1	A	220	ASN
1	A	221	GLN
1	A	231	ILE
1	A	241	MET
1	A	258	LEU
1	A	266	GLU
1	A	283	LYS
1	A	284	GLU
1	A	285	ILE
1	A	294	LYS
1	B	2	LYS
1	B	5	THR
1	B	9	LYS
1	B	23	GLU
1	B	29	LEU
1	B	33	ARG
1	B	38	LYS
1	B	51	PHE
1	B	59	SER
1	B	68	ASN
1	B	70	LYS
1	B	71	GLN
1	B	76	LEU
1	B	77	ASP
1	B	80	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	97	ARG
1	B	98	ILE
1	B	100	GLU
1	B	107	CYS
1	B	108	ILE
1	B	119	ARG
1	B	122	LYS
1	B	131	LEU
1	B	133	LEU
1	B	138	ARG
1	B	141	GLN
1	B	147	ILE
1	B	150	SER
1	B	153	ILE
1	B	168	LYS
1	B	169	VAL
1	B	174	PRO
1	B	181	ASP
1	B	191	LEU
1	B	212	ARG
1	B	216	GLU
1	B	227	GLN
1	B	231	ILE
1	B	233	LEU
1	B	241	MET
1	B	251	GLU
1	B	256	GLU
1	B	262	LEU
1	B	266	GLU
1	B	267	LYS
1	B	282	ASP
1	B	289	SER
1	B	295	GLN
1	B	298	LEU
1	B	302	GLN
1	B	303	ASP
1	B	307	LYS
1	B	313	GLU
1	B	316	LEU
1	B	318	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	20	HIS
1	A	37	ASN
1	A	68	ASN
1	A	130	ASN
1	A	221	GLN
1	A	302	GLN
1	B	4	ASN
1	B	68	ASN
1	B	227	GLN
1	B	236	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BTX	A	501	-	38,41,41	1.93	9 (23%)	44,60,60	2.59	13 (29%)
2	BTX	B	500	-	38,41,41	2.08	12 (31%)	44,60,60	2.91	17 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BTX	A	501	-	-	0/16/57/57	0/5/5/5
2	BTX	B	500	-	-	0/16/57/57	0/5/5/5

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	BTX	OBB-CBB	-5.51	1.23	1.44
2	A	501	BTX	C3'-C4'	-3.53	1.43	1.53
2	A	501	BTX	OBB-CBB	-3.48	1.31	1.44
2	B	500	BTX	P-OBB	-2.58	1.48	1.59
2	A	501	BTX	P-OBB	-2.45	1.48	1.59
2	B	500	BTX	C2B-S1B	-2.43	1.78	1.82
2	A	501	BTX	C5'-C4'	-2.22	1.44	1.51
2	B	500	BTX	C2'-C3'	-2.16	1.47	1.53
2	A	501	BTX	C3B-N2B	2.13	1.38	1.35
2	B	500	BTX	O3B-C3B	2.17	1.28	1.23
2	B	500	BTX	C2B-C4B	2.22	1.57	1.53
2	B	500	BTX	C5B-N1B	2.23	1.49	1.45
2	B	500	BTX	C3B-N2B	2.24	1.38	1.35
2	B	500	BTX	O4'-C1'	2.97	1.45	1.41
2	A	501	BTX	C2-N1	3.49	1.40	1.33
2	A	501	BTX	C4-N3	3.71	1.41	1.35
2	B	500	BTX	C4-N3	4.23	1.41	1.35
2	A	501	BTX	O4'-C1'	4.35	1.47	1.41
2	B	500	BTX	C2-N1	4.69	1.42	1.33
2	B	500	BTX	C2-N3	5.15	1.40	1.32
2	A	501	BTX	C2-N3	5.55	1.41	1.32

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	BTX	N3-C2-N1	-11.44	118.90	128.86
2	B	500	BTX	N3-C2-N1	-10.89	119.38	128.86
2	B	500	BTX	C5B-C6B-S1B	-6.50	101.57	106.24
2	A	501	BTX	C5B-C6B-S1B	-6.17	101.80	106.24
2	B	500	BTX	C2B-C4B-C5B	-5.71	104.05	108.78
2	A	501	BTX	C2B-C4B-C5B	-4.33	105.20	108.78
2	B	500	BTX	O4'-C4'-C3'	-3.67	97.87	105.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	BTX	C1'-N9-C4	-3.23	121.06	126.64
2	B	500	BTX	C4'-O4'-C1'	-2.94	106.64	109.77
2	A	501	BTX	C4B-N2B-C3B	-2.57	110.41	112.68
2	B	500	BTX	C2'-C3'-C4'	-2.56	97.63	102.62
2	A	501	BTX	C4'-O4'-C1'	-2.22	107.40	109.77
2	B	500	BTX	C5B-N1B-C3B	-2.15	110.11	112.45
2	A	501	BTX	C1'-N9-C4	-2.13	122.95	126.64
2	B	500	BTX	C2-N1-C6	2.21	122.64	118.77
2	A	501	BTX	C2-N1-C6	2.32	122.82	118.77
2	A	501	BTX	C5B-C4B-N2B	2.33	104.59	102.51
2	B	500	BTX	C5B-C4B-N2B	2.53	104.77	102.51
2	A	501	BTX	O4'-C4'-C5'	2.56	118.05	109.40
2	B	500	BTX	N2B-C3B-N1B	2.73	110.96	108.85
2	A	501	BTX	P-OBb-CBB	2.82	136.36	121.60
2	B	500	BTX	C9B-C8B-C7B	2.87	123.82	113.63
2	A	501	BTX	N2B-C3B-N1B	3.08	111.23	108.85
2	A	501	BTX	O3'-C3'-C4'	3.13	120.23	111.09
2	B	500	BTX	C2B-C4B-N2B	3.21	116.11	113.13
2	B	500	BTX	C6B-C5B-C4B	3.47	111.60	108.70
2	A	501	BTX	C6B-C5B-C4B	3.56	111.68	108.70
2	B	500	BTX	OBb-CBB-CAB	3.79	121.88	109.00
2	B	500	BTX	O3'-C3'-C4'	4.07	122.97	111.09
2	B	500	BTX	P-OBb-CBB	4.13	143.21	121.60

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	BTX	8	0
2	B	500	BTX	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	318/321 (99%)	-0.40	6 (1%) 67 58	27, 53, 121, 140	0
1	B	317/321 (98%)	-0.09	8 (2%) 58 47	35, 68, 117, 150	0
All	All	635/642 (98%)	-0.24	14 (2%) 62 52	27, 60, 118, 150	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	282	ASP	4.5
1	B	303	ASP	3.9
1	A	56	LYS	3.2
1	B	318	SER	3.0
1	B	305	ILE	3.0
1	A	27	GLU	2.8
1	B	317	ARG	2.6
1	B	266	GLU	2.5
1	B	286	PHE	2.5
1	A	54	PRO	2.3
1	A	55	GLY	2.3
1	B	284	GLU	2.3
1	A	33	ARG	2.2
1	A	25	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BTX	B	500	37/37	0.93	0.17	-0.38	29,45,53,57	0
2	BTX	A	501	37/37	0.96	0.14	-0.43	26,35,42,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.