



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2017 – 11:27 AM EDT

PDB ID : 2EXH
Title : Structure of the family43 beta-Xylosidase from geobacillus stearothermophilus
Authors : Brux, C.; Niefind, K.; Shallom-Shezifi, D.; Yuval, S.; Schomburg, D.
Deposited on : unknown
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	7505 (1.90-1.86)
Clashscore	112137	8369 (1.90-1.86)
Ramachandran outliers	110173	8279 (1.90-1.86)
Sidechain outliers	110143	8280 (1.90-1.86)
RSRZ outliers	101464	7571 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	535	<div> <div>3%</div> <div>88%</div> <div>11%</div> <div>.</div> </div>
1	B	535	<div> <div>3%</div> <div>89%</div> <div>9%</div> <div>.</div> </div>
1	C	535	<div> <div>31%</div> <div>82%</div> <div>17%</div> <div>.</div> </div>
1	D	535	<div> <div>4%</div> <div>88%</div> <div>11%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MES	B	2006	-	-	-	X
3	MES	D	2007	-	-	-	X
4	GOL	B	2009	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19399 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called beta-D-xylosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	533	Total	C	N	O	S	0	0	0
			4376	2814	748	804	10			
1	B	533	Total	C	N	O	S	0	0	0
			4376	2814	748	804	10			
1	C	533	Total	C	N	O	S	0	0	0
			4376	2814	748	804	10			
1	D	533	Total	C	N	O	S	0	0	0
			4376	2814	748	804	10			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	498	Total	O	0	0
			498	498		
5	B	529	Total	O	0	0
			529	529		
5	C	346	Total	O	0	0
			346	346		
5	D	458	Total	O	0	0
			458	458		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: beta-D-xylosidase




• Molecule 1: beta-D-xylosidase





• Molecule 1: beta-D-xylosidase





● Molecule 1: beta-D-xylosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	140.03 Å 140.03 Å 231.60 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.88 38.63 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.00-1.88) 99.6 (38.63-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.90 (at 1.88 Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.233 , 0.286 0.237 , 0.237	Depositor DCC
R_{free} test set	9132 reflections (5.17%)	DCC
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.232	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	19399	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/4520	0.58	1/6160 (0.0%)
1	B	0.42	0/4520	0.60	3/6160 (0.0%)
1	C	0.38	0/4520	0.54	0/6160
1	D	0.40	0/4520	0.58	1/6160 (0.0%)
All	All	0.40	0/18080	0.57	5/24640 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	531	LEU	CA-CB-CG	7.90	133.48	115.30
1	A	531	LEU	CA-CB-CG	7.28	132.05	115.30
1	B	268	ARG	NE-CZ-NH2	-6.06	117.27	120.30
1	D	149	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	B	268	ARG	NE-CZ-NH1	5.08	122.84	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4376	0	4163	38	0
1	B	4376	0	4163	42	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	4376	0	4163	64	0
1	D	4376	0	4163	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	12	0	12	0	0
3	B	12	0	12	2	0
3	D	12	0	12	1	0
4	A	6	0	8	0	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
4	D	6	0	8	0	0
5	A	498	0	0	8	0
5	B	529	0	0	4	0
5	C	346	0	0	16	0
5	D	458	0	0	2	0
All	All	19399	0	16720	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:ARG:HH22	1:A:522:ASN:ND2	1.47	1.11
1:B:50:ARG:HH11	1:B:50:ARG:HG2	1.23	1.02
1:C:30:SER:HB3	5:C:2160:HOH:O	1.58	1.02
1:C:16:PRO:HA	5:C:2115:HOH:O	1.70	0.91
1:C:195:ASN:HD22	1:C:196:GLY:H	0.93	0.90
1:A:90:THR:HB	5:A:2248:HOH:O	1.73	0.88
1:C:195:ASN:HD22	1:C:196:GLY:N	1.72	0.87
1:A:369:ARG:NH2	1:A:522:ASN:ND2	2.21	0.87
1:C:195:ASN:ND2	1:C:196:GLY:H	1.73	0.85
1:A:369:ARG:NH2	1:A:522:ASN:HD22	1.73	0.85
1:D:90:THR:HB	5:D:2419:HOH:O	1.75	0.85
1:C:58:ARG:NH2	1:C:116:TRP:O	2.13	0.82
1:C:362:GLY:HA2	5:C:2085:HOH:O	1.80	0.81
1:A:147:ASP:OD1	1:A:149:ARG:HD2	1.81	0.80
1:C:29:VAL:HG12	5:C:2115:HOH:O	1.82	0.79
1:C:384:ARG:HG3	1:C:384:ARG:HH11	1.48	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:147:ASP:OD1	1:D:149:ARG:HD3	1.83	0.78
1:A:369:ARG:HH22	1:A:522:ASN:HD21	1.30	0.76
1:B:3:LYS:N	5:B:2524:HOH:O	2.19	0.76
1:B:268:ARG:HD3	1:B:289:GLU:OE2	1.86	0.76
1:B:50:ARG:HG2	1:B:50:ARG:NH1	2.01	0.73
1:C:41:TYR:HD1	5:C:2344:HOH:O	1.71	0.72
1:C:75:ALA:HA	5:C:2160:HOH:O	1.93	0.69
1:D:25:TYR:OH	1:D:256:HIS:HD2	1.76	0.68
1:D:255:THR:HB	5:D:2211:HOH:O	1.96	0.65
1:B:10:THR:HG23	1:B:386:GLN:O	1.96	0.65
1:A:533:LYS:HE2	5:A:2444:HOH:O	1.98	0.63
1:C:473:LYS:HA	5:C:2270:HOH:O	1.99	0.63
1:D:294:ARG:NH1	1:D:315:ASP:O	2.26	0.62
1:C:147:ASP:OD1	1:C:149:ARG:HD3	2.00	0.61
1:A:178:PHE:CE2	1:A:180:GLY:HA2	2.36	0.61
1:C:53:ALA:HB2	5:C:2025:HOH:O	1.99	0.61
1:D:433:LEU:HB2	1:D:452:ILE:HB	1.82	0.61
1:A:502:SER:O	1:A:503:ARG:HB2	2.02	0.60
1:B:268:ARG:CD	1:B:289:GLU:OE2	2.49	0.60
1:C:30:SER:CB	5:C:2160:HOH:O	2.32	0.59
1:A:96:GLU:OE2	1:A:502:SER:HB2	2.04	0.58
1:B:421:LEU:HD13	1:B:486:LEU:CD1	2.34	0.58
1:A:46:LEU:HD12	1:A:317:PRO:HG3	1.85	0.57
1:B:77:HIS:CD2	1:B:131:LEU:H	2.23	0.57
1:D:280:HIS:HD2	1:D:282:GLY:H	1.52	0.57
1:D:53:ALA:HA	3:D:2007:MES:H71	1.88	0.56
1:C:495:LEU:HG	5:C:2263:HOH:O	2.06	0.56
1:C:393:GLU:HB3	1:C:531:LEU:HB3	1.86	0.56
1:A:39:ARG:NH2	1:A:51:LEU:HD22	2.22	0.55
1:D:440:HIS:NE2	1:D:501:LYS:HG2	2.22	0.55
1:A:431:ARG:HD3	1:A:454:VAL:HB	1.89	0.54
1:C:140:TYR:HD2	5:C:2208:HOH:O	1.90	0.54
1:C:295:LEU:HG	5:C:2210:HOH:O	2.07	0.54
1:B:259:GLU:OE1	1:B:294:ARG:NH2	2.37	0.54
1:B:128:ASP:OD2	1:B:187:GLU:HG2	2.08	0.54
1:A:389:HIS:HB3	5:A:2187:HOH:O	2.08	0.54
1:B:421:LEU:HD13	1:B:486:LEU:HD11	1.90	0.54
1:D:4:ILE:HG12	1:D:47:LYS:HB2	1.88	0.54
1:A:111:THR:HG22	5:A:2289:HOH:O	2.08	0.54
1:B:330:GLU:OE1	1:B:533:LYS:HE2	2.07	0.54
1:A:269:PRO:HB3	1:A:282:GLY:HA3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:PRO:HA	1:B:201:LEU:O	2.09	0.53
1:C:21:VAL:HG23	1:C:26:TYR:HE2	1.73	0.53
1:C:371:SER:HA	1:C:516:ARG:HD2	1.89	0.53
1:D:77:HIS:CD2	1:D:131:LEU:H	2.27	0.53
1:A:433:LEU:HB2	1:A:452:ILE:HB	1.91	0.52
1:B:126:GLY:C	5:B:2274:HOH:O	2.48	0.52
1:A:501:LYS:HE2	5:A:2205:HOH:O	2.08	0.52
1:C:261:PHE:HB3	1:C:292:ILE:HD11	1.92	0.52
1:D:147:ASP:OD1	1:D:149:ARG:CD	2.56	0.51
1:C:12:PHE:CD1	1:C:14:PRO:HD3	2.45	0.51
1:D:445:GLN:O	1:D:448:ARG:HB2	2.10	0.51
1:B:431:ARG:HD3	5:B:2533:HOH:O	2.10	0.51
1:C:43:SER:HB2	1:C:49:TRP:CD2	2.46	0.51
1:A:421:LEU:HD13	1:A:486:LEU:HD11	1.94	0.50
1:B:54:ARG:H	3:B:2006:MES:H51	1.76	0.50
1:C:26:TYR:HA	1:C:41:TYR:O	2.12	0.49
1:D:51:LEU:HD23	1:D:341:HIS:CD2	2.47	0.49
1:C:77:HIS:CD2	1:C:131:LEU:H	2.29	0.49
1:A:111:THR:HG21	5:A:2074:HOH:O	2.11	0.49
1:A:421:LEU:HD13	1:A:486:LEU:CD1	2.43	0.49
1:C:384:ARG:NH1	1:C:384:ARG:HG3	2.22	0.48
1:C:493:TYR:O	1:C:496:SER:OG	2.26	0.48
1:D:447:LEU:HD21	1:D:486:LEU:HD22	1.94	0.48
1:C:335:ASP:HB2	5:C:2195:HOH:O	2.14	0.47
1:A:440:HIS:NE2	1:A:501:LYS:HG2	2.29	0.47
1:B:147:ASP:OD1	1:B:149:ARG:HD3	2.15	0.47
1:B:50:ARG:HH11	1:B:50:ARG:CG	2.06	0.47
1:C:389:HIS:HA	1:C:467:VAL:O	2.14	0.47
1:A:147:ASP:O	1:A:154:PRO:HA	2.14	0.47
1:B:69:ASP:CG	1:B:414:ASN:HB2	2.35	0.46
1:D:435:LEU:HD12	1:D:447:LEU:HD13	1.97	0.46
1:D:330:GLU:O	1:D:531:LEU:HA	2.16	0.46
1:B:9:LEU:HB2	1:B:290:THR:HB	1.98	0.46
1:B:10:THR:CG2	1:B:386:GLN:O	2.62	0.46
1:C:359:ALA:HB3	1:C:365:ARG:HD2	1.98	0.46
1:A:288:ARG:NH2	1:A:506:PHE:HB3	2.31	0.46
1:A:520:GLY:HA3	1:D:121:TYR:OH	2.16	0.46
1:C:9:LEU:HB2	1:C:290:THR:HB	1.98	0.45
1:B:375:ARG:HH12	1:C:375:ARG:HH12	1.63	0.45
1:D:462:TYR:HB3	1:D:483:TRP:CH2	2.51	0.45
1:C:462:TYR:HB2	1:C:477:SER:HB3	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:TYR:OH	1:A:256:HIS:HD2	2.00	0.45
1:D:231:ASN:CG	1:D:232:PRO:HA	2.37	0.45
1:B:111:THR:HG22	5:B:2209:HOH:O	2.17	0.45
1:B:269:PRO:HB3	1:B:282:GLY:HA3	1.98	0.45
1:C:126:GLY:HA3	1:C:144:MET:O	2.17	0.45
1:D:129:PRO:HA	1:D:143:ASN:HB3	1.99	0.45
1:D:250:ALA:HA	1:D:263:VAL:O	2.16	0.45
1:B:452:ILE:HD12	1:B:452:ILE:H	1.82	0.44
1:C:288:ARG:NH2	1:C:506:PHE:HB3	2.32	0.44
1:D:130:SER:HB3	1:D:142:VAL:HG23	1.99	0.44
1:D:147:ASP:O	1:D:154:PRO:HA	2.17	0.44
1:A:431:ARG:NH2	5:A:2242:HOH:O	2.49	0.44
1:C:455:PRO:HB2	1:C:458:ILE:HG12	1.99	0.44
1:A:40:ILE:HB	1:A:53:ALA:HB3	1.98	0.44
1:A:43:SER:HB2	1:A:49:TRP:CE3	2.51	0.44
1:A:231:ASN:CG	1:A:232:PRO:HA	2.38	0.44
1:C:147:ASP:O	1:C:154:PRO:HA	2.17	0.44
1:C:61:GLN:HE22	1:C:116:TRP:HB2	1.82	0.44
1:A:383:ARG:HD2	5:A:2082:HOH:O	2.17	0.44
1:D:44:LYS:HB2	1:D:322:VAL:HB	1.98	0.44
1:C:231:ASN:CG	1:C:232:PRO:HA	2.38	0.44
1:C:435:LEU:HD12	1:C:447:LEU:HD13	1.99	0.44
1:A:74:TRP:CH2	1:A:100:LYS:HD3	2.53	0.44
1:C:128:ASP:OD2	1:C:187:GLU:HB2	2.18	0.44
1:C:69:ASP:CG	1:C:414:ASN:HB2	2.38	0.44
1:B:121:TYR:OH	1:C:520:GLY:HA3	2.18	0.44
1:B:54:ARG:HE	3:B:2006:MES:H82	1.83	0.43
1:B:330:GLU:O	1:B:531:LEU:HA	2.17	0.43
1:D:280:HIS:CD2	1:D:282:GLY:H	2.32	0.43
1:C:283:TYR:CB	1:C:493:TYR:HB2	2.47	0.43
1:D:288:ARG:NH2	1:D:506:PHE:HB3	2.33	0.43
1:B:10:THR:CG2	1:B:386:GLN:HB3	2.48	0.43
1:C:297:TRP:HB3	5:C:2175:HOH:O	2.19	0.43
1:A:238:PRO:HG2	1:A:239:TYR:CE2	2.53	0.43
1:C:201:LEU:HD12	1:C:214:THR:O	2.17	0.43
1:C:218:SER:HB2	1:C:225:TYR:HA	2.00	0.43
1:D:265:LEU:HA	1:D:289:GLU:O	2.19	0.43
1:D:418:TRP:CE2	1:D:438:CYS:HB2	2.53	0.43
1:C:269:PRO:HB3	1:C:282:GLY:HA3	2.01	0.43
1:C:4:ILE:HG12	1:C:47:LYS:HB2	2.01	0.43
1:D:25:TYR:OH	1:D:256:HIS:CD2	2.64	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:ASP:O	1:B:154:PRO:HA	2.18	0.43
1:C:30:SER:HG	1:C:32:PHE:HE1	1.66	0.43
1:C:40:ILE:HB	1:C:53:ALA:HB3	1.99	0.43
1:D:69:ASP:CG	1:D:414:ASN:HB2	2.39	0.42
1:B:421:LEU:CD1	1:B:486:LEU:HD11	2.48	0.42
1:D:264:HIS:CE1	1:D:291:ALA:HB3	2.55	0.42
1:B:150:VAL:CG2	1:C:443:VAL:HG12	2.50	0.42
1:B:45:ASP:HA	1:B:319:VAL:HG21	2.02	0.42
1:C:371:SER:HA	1:C:516:ARG:CD	2.50	0.42
1:C:517:ASP:OD1	1:C:519:SER:OG	2.22	0.42
1:A:403:PHE:O	1:D:148:HIS:HE1	2.03	0.42
1:B:153:HIS:HA	1:B:154:PRO:HD3	1.87	0.42
1:C:130:SER:HB3	1:C:142:VAL:HG23	2.01	0.41
1:B:50:ARG:NH1	1:B:50:ARG:CG	2.71	0.41
1:A:121:TYR:OH	1:D:520:GLY:HA3	2.21	0.41
1:A:437:THR:HG21	1:A:490:PHE:HE1	1.85	0.41
1:B:433:LEU:HB3	1:B:452:ILE:HB	2.01	0.41
1:B:138:ARG:HD2	1:B:162:GLU:OE2	2.20	0.41
1:B:392:ALA:HA	1:B:531:LEU:O	2.20	0.41
1:C:228:HIS:HB3	1:C:231:ASN:HB2	2.03	0.41
1:C:365:ARG:HG2	1:C:526:ASP:OD1	2.19	0.41
1:B:265:LEU:HA	1:B:289:GLU:O	2.20	0.41
1:B:417:ASN:HA	1:B:438:CYS:O	2.21	0.41
1:C:43:SER:HB2	1:C:49:TRP:CE3	2.56	0.41
1:C:76:PRO:HD3	5:C:2160:HOH:O	2.21	0.41
1:C:15:ASP:HB2	5:C:2160:HOH:O	2.20	0.41
1:B:3:LYS:HB3	1:B:3:LYS:HE3	1.85	0.41
1:B:440:HIS:NE2	1:B:501:LYS:HD3	2.36	0.41
1:D:418:TRP:CZ2	1:D:438:CYS:HB2	2.56	0.41
1:C:283:TYR:HB2	1:C:493:TYR:HB2	2.03	0.40
1:A:69:ASP:CG	1:A:414:ASN:HB2	2.41	0.40
1:C:445:GLN:O	1:C:448:ARG:HG3	2.21	0.40
1:A:90:THR:HA	1:A:103:HIS:O	2.22	0.40
1:C:405:GLN:HA	1:C:516:ARG:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	531/535 (99%)	502 (94%)	26 (5%)	3 (1%)	28	15
1	B	531/535 (99%)	506 (95%)	23 (4%)	2 (0%)	38	25
1	C	531/535 (99%)	495 (93%)	32 (6%)	4 (1%)	22	10
1	D	531/535 (99%)	503 (95%)	25 (5%)	3 (1%)	28	15
All	All	2124/2140 (99%)	2006 (94%)	106 (5%)	12 (1%)	28	15

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	12	PHE
1	A	12	PHE
1	A	38	VAL
1	B	12	PHE
1	B	38	VAL
1	C	12	PHE
1	C	38	VAL
1	C	273	GLU
1	D	38	VAL
1	A	195	ASN
1	C	207	THR
1	D	469	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	469/471 (100%)	455 (97%)	14 (3%)	46	34
1	B	469/471 (100%)	457 (97%)	12 (3%)	51	40
1	C	469/471 (100%)	459 (98%)	10 (2%)	59	50
1	D	469/471 (100%)	463 (99%)	6 (1%)	73	70
All	All	1876/1884 (100%)	1834 (98%)	42 (2%)	57	48

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	LEU
1	A	100	LYS
1	A	135	GLU
1	A	139	LYS
1	A	268	ARG
1	A	333	ASP
1	A	338	THR
1	A	341	HIS
1	A	383	ARG
1	A	431	ARG
1	A	495	LEU
1	A	503	ARG
1	A	522	ASN
1	A	531	LEU
1	B	3	LYS
1	B	10	THR
1	B	50	ARG
1	B	149	ARG
1	B	183	LEU
1	B	226	GLU
1	B	273	GLU
1	B	341	HIS
1	B	360	ARG
1	B	383	ARG
1	B	501	LYS
1	B	531	LEU
1	C	26	TYR
1	C	84	LYS
1	C	110	ASP
1	C	173	GLU
1	C	195	ASN
1	C	341	HIS
1	C	383	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	386	GLN
1	C	433	LEU
1	C	473	LYS
1	D	184	ARG
1	D	333	ASP
1	D	341	HIS
1	D	366	LEU
1	D	383	ARG
1	D	495	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	HIS
1	A	210	ASN
1	A	256	HIS
1	A	422	GLN
1	A	522	ASN
1	B	77	HIS
1	C	61	GLN
1	C	77	HIS
1	C	195	ASN
1	C	249	HIS
1	C	280	HIS
1	C	468	GLN
1	D	77	HIS
1	D	256	HIS
1	D	280	HIS
1	D	422	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MES	A	2005	-	12,12,12	1.61	3 (25%)	14,16,16	7.95	8 (57%)
4	GOL	A	2008	-	5,5,5	0.29	0	5,5,5	0.67	0
3	MES	B	2006	-	12,12,12	2.48	4 (33%)	14,16,16	8.70	8 (57%)
4	GOL	B	2009	-	5,5,5	0.33	0	5,5,5	0.47	0
4	GOL	C	2010	-	5,5,5	0.37	0	5,5,5	0.28	0
3	MES	D	2007	-	12,12,12	1.67	2 (16%)	14,16,16	13.16	9 (64%)
4	GOL	D	2011	-	5,5,5	0.39	0	5,5,5	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MES	A	2005	-	-	0/6/14/14	0/1/1/1
4	GOL	A	2008	-	-	0/4/4/4	0/0/0/0
3	MES	B	2006	-	-	0/6/14/14	0/1/1/1
4	GOL	B	2009	-	-	0/4/4/4	0/0/0/0
4	GOL	C	2010	-	-	0/4/4/4	0/0/0/0
3	MES	D	2007	-	-	0/6/14/14	0/1/1/1
4	GOL	D	2011	-	-	0/4/4/4	0/0/0/0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	2007	MES	O1S-S	2.03	1.51	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2005	MES	O1S-S	2.10	1.51	1.45
3	A	2005	MES	O2S-S	2.29	1.51	1.45
3	B	2006	MES	O3S-S	2.81	1.56	1.47
3	B	2006	MES	O2S-S	3.00	1.53	1.45
3	A	2005	MES	C8-S	4.27	1.83	1.77
3	B	2006	MES	O1S-S	4.63	1.58	1.45
3	D	2007	MES	C8-S	4.67	1.84	1.77
3	B	2006	MES	C8-S	5.62	1.85	1.77

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	2007	MES	O1S-S-C8	-27.57	83.11	106.79
3	D	2007	MES	O2S-S-C8	-26.80	83.77	106.79
3	B	2006	MES	O3S-S-C8	-18.97	82.72	106.06
3	A	2005	MES	O3S-S-C8	-15.38	87.14	106.06
3	D	2007	MES	O3S-S-O2S	-15.29	76.32	111.37
3	D	2007	MES	O3S-S-O1S	-14.44	78.26	111.37
3	A	2005	MES	O3S-S-O2S	-12.46	82.81	111.37
3	B	2006	MES	O3S-S-O1S	-12.39	82.98	111.37
3	B	2006	MES	O3S-S-O2S	-12.06	83.71	111.37
3	A	2005	MES	O3S-S-O1S	-12.00	83.86	111.37
3	A	2005	MES	O2S-S-O1S	2.85	123.73	113.86
3	D	2007	MES	C7-N4-C5	2.95	118.83	111.26
3	A	2005	MES	C7-N4-C5	3.05	119.08	111.26
3	B	2006	MES	C7-N4-C5	3.09	119.18	111.26
3	D	2007	MES	C7-N4-C3	3.34	119.83	111.26
3	B	2006	MES	C7-N4-C3	3.41	119.99	111.26
3	D	2007	MES	O2S-S-O1S	5.09	131.50	113.86
3	B	2006	MES	C5-N4-C3	5.27	120.81	108.87
3	D	2007	MES	C5-N4-C3	5.51	121.34	108.87
3	A	2005	MES	C5-N4-C3	7.04	124.81	108.87
3	A	2005	MES	O2S-S-C8	11.04	116.27	106.79
3	B	2006	MES	O2S-S-C8	12.08	117.17	106.79
3	A	2005	MES	O1S-S-C8	12.25	117.31	106.79
3	B	2006	MES	O1S-S-C8	14.21	118.99	106.79
3	D	2007	MES	O3S-S-C8	20.67	131.47	106.06

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2006	MES	2	0
3	D	2007	MES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	533/535 (99%)	0.32	14 (2%) 56 59	16, 29, 43, 49	0
1	B	533/535 (99%)	0.32	17 (3%) 48 50	16, 29, 43, 48	0
1	C	533/535 (99%)	1.60	166 (31%) 0 0	26, 46, 59, 66	0
1	D	533/535 (99%)	0.47	20 (3%) 41 43	17, 32, 46, 51	0
All	All	2132/2140 (99%)	0.68	217 (10%) 7 8	16, 34, 54, 66	0

All (217) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	261	PHE	6.4
1	C	255	THR	5.4
1	C	4	ILE	5.4
1	C	85	PHE	5.1
1	C	306	GLY	5.1
1	C	21	VAL	4.9
1	C	199	TYR	4.6
1	C	363	HIS	4.6
1	C	343	PHE	4.5
1	C	361	PRO	4.5
1	C	305	VAL	4.5
1	C	484	ILE	4.5
1	B	224	PRO	4.4
1	C	364	LEU	4.4
1	C	300	GLY	4.3
1	C	314	ILE	4.3
1	C	137	GLY	4.3
1	C	222	TYR	4.2
1	C	256	HIS	4.1
1	C	483	TRP	4.1
1	C	460	TYR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	529	TYR	4.0
1	C	312	LEU	4.0
1	D	314	ILE	3.9
1	C	219	THR	3.9
1	C	32	PHE	3.9
1	C	40	ILE	3.8
1	C	197	TYR	3.8
1	C	508	GLY	3.8
1	D	320	GLU	3.7
1	A	195	ASN	3.6
1	A	151	ASP	3.6
1	C	262	LEU	3.6
1	C	233	LEU	3.6
1	C	531	LEU	3.5
1	C	468	GLN	3.5
1	C	385	TRP	3.5
1	C	25	TYR	3.5
1	C	26	TYR	3.5
1	C	339	LEU	3.4
1	C	38	VAL	3.4
1	B	173	GLU	3.4
1	C	257	THR	3.3
1	B	197	TYR	3.3
1	C	319	VAL	3.3
1	C	481	MET	3.3
1	C	18	ILE	3.3
1	C	86	TRP	3.3
1	C	360	ARG	3.3
1	C	50	ARG	3.2
1	C	334	PHE	3.2
1	C	455	PRO	3.2
1	C	8	ILE	3.2
1	B	219	THR	3.2
1	C	12	PHE	3.2
1	C	324	TRP	3.1
1	D	219	THR	3.1
1	C	318	SER	3.1
1	C	41	TYR	3.1
1	C	527	PHE	3.1
1	C	447	LEU	3.1
1	C	9	LEU	3.1
1	C	74	TRP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	478	PHE	3.0
1	C	461	VAL	3.0
1	A	503	ARG	3.0
1	B	151	ASP	3.0
1	C	198	TYR	3.0
1	D	299	ASP	3.0
1	C	338	THR	2.9
1	C	213	ALA	2.9
1	C	290	THR	2.9
1	C	421	LEU	2.9
1	C	328	TYR	2.9
1	C	220	SER	2.9
1	C	132	PHE	2.9
1	C	524	TYR	2.9
1	C	283	TYR	2.9
1	D	197	TYR	2.9
1	C	322	VAL	2.9
1	C	448	ARG	2.8
1	C	3	LYS	2.8
1	C	381	VAL	2.8
1	A	224	PRO	2.8
1	C	292	ILE	2.8
1	C	487	PRO	2.8
1	A	73	VAL	2.8
1	C	359	ALA	2.8
1	C	317	PRO	2.8
1	B	175	LYS	2.8
1	C	194	ILE	2.8
1	D	318	SER	2.8
1	C	78	LEU	2.7
1	A	32	PHE	2.7
1	C	510	PHE	2.7
1	C	250	ALA	2.7
1	C	396	VAL	2.7
1	C	400	PRO	2.7
1	C	20	ARG	2.7
1	C	476	TYR	2.7
1	C	458	ILE	2.7
1	C	457	ASP	2.7
1	D	525	ALA	2.7
1	C	456	ASP	2.7
1	D	298	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	234	LEU	2.7
1	C	350	LEU	2.7
1	C	469	ALA	2.6
1	C	506	PHE	2.6
1	A	222	TYR	2.6
1	C	202	THR	2.6
1	C	394	THR	2.6
1	C	260	TRP	2.6
1	D	433	LEU	2.6
1	C	112	ILE	2.6
1	C	335	ASP	2.6
1	C	14	PRO	2.6
1	C	30	SER	2.6
1	C	55	PRO	2.6
1	C	92	VAL	2.6
1	B	198	TYR	2.6
1	C	463	LEU	2.6
1	C	116	TRP	2.6
1	C	195	ASN	2.6
1	C	28	ALA	2.6
1	C	382	ALA	2.6
1	A	197	TYR	2.6
1	C	39	ARG	2.6
1	D	76	PRO	2.6
1	C	507	THR	2.6
1	C	482	ASN	2.5
1	D	337	ASP	2.5
1	C	357	LEU	2.5
1	C	259	GLU	2.5
1	A	29	VAL	2.5
1	C	48	ASN	2.5
1	B	74	TRP	2.5
1	B	166	GLU	2.4
1	C	49	TRP	2.4
1	C	251	SER	2.4
1	C	519	SER	2.4
1	C	295	LEU	2.4
1	C	346	LEU	2.4
1	C	229	PRO	2.4
1	C	466	THR	2.4
1	C	201	LEU	2.4
1	C	392	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	239	TYR	2.4
1	C	53	ALA	2.4
1	C	166	GLU	2.4
1	C	165	VAL	2.4
1	B	218	SER	2.3
1	C	59	LEU	2.3
1	B	73	VAL	2.3
1	C	252	ILE	2.3
1	D	319	VAL	2.3
1	A	273	GLU	2.3
1	C	115	ALA	2.3
1	C	316	GLY	2.3
1	C	331	LYS	2.3
1	D	484	ILE	2.3
1	C	77	HIS	2.3
1	C	75	ALA	2.3
1	C	528	ASP	2.3
1	A	300	GLY	2.3
1	C	298	LYS	2.3
1	C	467	VAL	2.3
1	D	338	THR	2.3
1	C	13	HIS	2.3
1	C	228	HIS	2.3
1	C	399	ARG	2.3
1	D	322	VAL	2.3
1	B	195	ASN	2.3
1	C	225	TYR	2.2
1	C	365	ARG	2.3
1	B	481	MET	2.2
1	B	92	VAL	2.2
1	C	31	THR	2.2
1	D	29	VAL	2.2
1	C	433	LEU	2.2
1	B	196	GLY	2.2
1	C	303	TYR	2.2
1	D	481	MET	2.2
1	C	34	TRP	2.2
1	C	297	TRP	2.2
1	C	80	TYR	2.2
1	D	14	PRO	2.2
1	C	264	HIS	2.2
1	C	395	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	320	GLU	2.2
1	C	43	SER	2.2
1	C	503	ARG	2.2
1	A	226	GLU	2.2
1	C	380	PHE	2.2
1	C	266	THR	2.1
1	B	32	PHE	2.1
1	B	136	ASP	2.1
1	C	337	ASP	2.1
1	C	120	ILE	2.1
1	C	265	LEU	2.1
1	C	42	HIS	2.1
1	A	25	TYR	2.1
1	C	367	TYR	2.1
1	C	401	THR	2.1
1	C	465	VAL	2.1
1	C	284	CYS	2.1
1	C	315	ASP	2.1
1	C	323	SER	2.1
1	D	273	GLU	2.1
1	C	83	GLY	2.1
1	C	326	LYS	2.1
1	D	166	GLU	2.0
1	C	340	ASN	2.0
1	C	530	PHE	2.0
1	C	36	PRO	2.0
1	C	168	LYS	2.0
1	C	111	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MES	B	2006	12/12	0.62	0.30	10.62	76,77,78,78	0
3	MES	D	2007	12/12	0.71	0.39	9.29	96,97,97,98	0
4	GOL	B	2009	6/6	0.83	0.22	4.40	38,38,39,39	0
4	GOL	A	2008	6/6	0.91	0.13	0.59	24,26,27,27	0
3	MES	A	2005	12/12	0.96	0.11	-0.33	29,33,34,34	0
4	GOL	D	2011	6/6	0.96	0.09	-0.64	24,26,28,29	0
2	CA	D	2004	1/1	0.94	0.09	-1.27	35,35,35,35	0
2	CA	C	2003	1/1	0.80	0.11	-2.53	61,61,61,61	0
4	GOL	C	2010	6/6	0.89	0.11	-3.03	33,36,36,37	0
2	CA	A	2001	1/1	0.97	0.03	-3.11	27,27,27,27	0
2	CA	B	2002	1/1	0.99	0.05	-4.87	30,30,30,30	0

6.5 Other polymers ⓘ

There are no such residues in this entry.