



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 06:27 am GMT

PDB ID : 3EYB
Title : Structural and functional insights into the ligand binding domain of a non-duplicated RXR from the invertebrate chordate amphioxus
Authors : Tocchini-Valentini, G.D.; Rochel, N.; Moras, D.; Structural Proteomics in Europe (SPINE)
Deposited on : 2008-10-20
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	 2% 66% 20% 5% 9%
1	B	219	 6% 59% 27% 5% 9%
1	C	219	 11% 61% 26% 5% 9%
1	D	219	 5% 67% 21% 5% 9%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear hormone receptor RXR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	199	1537	989	266	273	9	0	0	0
1	B	199	1537	989	266	273	9	0	0	0
1	C	199	1537	989	266	273	9	0	0	0
1	D	199	1536	989	266	272	9	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	12	Total 12	O 12	0	0
2	B	13	Total 13	O 13	0	0
2	C	10	Total 10	O 10	0	0
2	D	14	Total 14	O 14	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Nuclear hormone receptor RXR



• Molecule 1: Nuclear hormone receptor RXR




• Molecule 1: Nuclear hormone receptor RXR





● Molecule 1: Nuclear hormone receptor RXR



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.72Å 96.12Å 131.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.79 14.97 – 2.79	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-2.79) 90.3 (14.97-2.79)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.56 (at 2.77Å)	Xtrriage
Refinement program	REFMAC 5.1	Depositor
R, R_{free}	0.202 , 0.257 0.251 , 0.306	Depositor DCC
R_{free} test set	1171 reflections (5.12%)	DCC
Wilson B-factor (Å ²)	50.7	Xtrriage
Anisotropy	1.085	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6196	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.76	0/1566	0.88	2/2116 (0.1%)
1	B	0.70	0/1566	0.82	2/2116 (0.1%)
1	C	0.76	2/1566 (0.1%)	0.82	4/2116 (0.2%)
1	D	0.74	0/1565	0.85	0/2116
All	All	0.74	2/6263 (0.0%)	0.85	8/8464 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	303	LYS	CE-NZ	14.87	1.86	1.49
1	C	303	LYS	CD-CE	5.48	1.65	1.51

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	303	LYS	CD-CE-NZ	-7.70	93.99	111.70
1	B	281	PRO	N-CA-CB	6.27	110.82	103.30
1	C	281	PRO	N-CA-CB	6.10	110.62	103.30
1	A	281	PRO	N-CA-CB	5.85	110.32	103.30
1	A	392	ASP	CB-CA-C	-5.46	99.49	110.40
1	C	455	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	377	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	C	450	ARG	NE-CZ-NH1	5.12	122.86	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1537	0	1543	36	0
1	B	1537	0	1543	50	0
1	C	1537	0	1543	47	0
1	D	1536	0	1543	33	0
2	A	12	0	0	4	0
2	B	13	0	0	3	0
2	C	10	0	0	2	0
2	D	14	0	0	4	0
All	All	6196	0	6172	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:303:LYS:CE	1:C:303:LYS:NZ	1.86	1.37
1:C:476:ILE:H	1:C:476:ILE:HD13	1.05	1.14
1:B:476:ILE:HD13	1:B:476:ILE:H	1.15	1.06
1:B:422:ARG:HG3	1:B:422:ARG:HH11	1.15	1.04
1:C:407:PRO:HD2	1:C:422:ARG:NH1	1.74	1.03
1:B:450:ARG:HH11	1:B:450:ARG:HG3	1.29	0.96
1:D:347:ILE:HD11	1:D:386:MET:HB3	1.46	0.96
1:A:422:ARG:HG3	1:A:422:ARG:HH11	1.27	0.94
1:C:361:VAL:O	1:C:362:HIS:HB2	1.69	0.92
1:A:361:VAL:O	1:A:362:HIS:HB2	1.70	0.91
1:D:361:VAL:O	1:D:362:HIS:HB2	1.69	0.90
1:C:476:ILE:H	1:C:476:ILE:CD1	1.85	0.90
1:C:476:ILE:N	1:C:476:ILE:HD13	1.87	0.88
1:C:407:PRO:CD	1:C:422:ARG:HH11	1.92	0.82
1:A:377:ARG:HH11	1:A:377:ARG:HG2	1.44	0.81
1:B:476:ILE:CD1	1:B:476:ILE:H	1.93	0.81
1:A:392:ASP:OD2	1:A:432:TYR:OH	1.99	0.80
1:B:476:ILE:HD13	1:B:476:ILE:N	1.95	0.80
1:C:407:PRO:CD	1:C:422:ARG:NH1	2.45	0.79
1:C:361:VAL:HG21	1:C:470:LEU:HD21	1.66	0.77
1:A:482:GLU:N	2:A:34:HOH:O	2.16	0.76
1:A:273:GLN:CB	2:A:48:HOH:O	2.34	0.76
1:B:450:ARG:HG3	1:B:450:ARG:NH1	1.97	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:402:ILE:O	1:B:422:ARG:NH1	2.17	0.75
1:B:360:HIS:HE1	2:B:6:HOH:O	1.68	0.75
1:B:266:ASP:N	1:B:424:LYS:HZ1	1.85	0.74
1:D:360:HIS:CE1	2:D:59:HOH:O	2.41	0.73
1:B:422:ARG:HG3	1:B:422:ARG:NH1	1.95	0.72
1:D:360:HIS:HE1	2:D:59:HOH:O	1.73	0.72
1:B:305:LEU:HD11	1:B:475:PRO:HB3	1.72	0.71
1:B:336:GLU:HG2	1:B:454:LEU:HG	1.73	0.71
1:A:422:ARG:HG3	1:A:422:ARG:NH1	2.04	0.70
1:B:361:VAL:HG21	1:B:470:LEU:HD21	1.72	0.69
1:C:303:LYS:NZ	1:C:303:LYS:CD	2.57	0.68
1:A:402:ILE:O	1:A:422:ARG:NH1	2.29	0.65
1:C:407:PRO:HD2	1:C:422:ARG:HH12	1.60	0.64
1:B:345:ARG:HG2	1:B:354:LEU:HD23	1.81	0.63
1:C:312:ALA:HA	1:C:315:ILE:HD13	1.79	0.63
1:B:429:LEU:HD13	1:B:444:PHE:CD1	2.34	0.63
1:B:302:ASP:HB3	2:B:25:HOH:O	1.98	0.63
1:D:392:ASP:HB2	1:D:395:GLU:H	1.64	0.62
1:A:391:MET:HE3	1:A:396:LEU:HA	1.82	0.62
1:C:407:PRO:HD3	1:C:422:ARG:HH11	1.63	0.62
1:D:349:VAL:HG12	1:D:350:LYS:O	1.99	0.61
1:A:361:VAL:O	1:A:362:HIS:CB	2.43	0.61
1:D:318:PHE:O	1:D:321:LEU:HB2	2.00	0.61
1:B:374:ILE:CD1	1:B:464:HIS:CD2	2.84	0.61
1:B:391:MET:HE3	1:B:396:LEU:HD13	1.84	0.60
1:B:381:GLU:O	1:B:450:ARG:NH1	2.35	0.60
1:C:406:ASN:HA	1:C:422:ARG:HH12	1.67	0.60
1:C:361:VAL:O	1:C:362:HIS:CB	2.44	0.59
1:C:347:ILE:HG22	1:C:348:ASP:OD2	2.01	0.59
1:C:311:TRP:CE2	1:C:315:ILE:HD11	2.38	0.59
1:C:349:VAL:HG12	1:C:350:LYS:O	2.03	0.59
1:B:424:LYS:NZ	2:B:10:HOH:O	2.35	0.58
1:D:405:PHE:O	1:D:422:ARG:NH1	2.36	0.58
1:C:349:VAL:HG21	1:C:354:LEU:HB2	1.85	0.58
1:C:308:LEU:HD12	1:C:330:LEU:HD22	1.85	0.58
1:A:377:ARG:NH1	1:A:377:ARG:HG2	2.08	0.57
1:B:450:ARG:HH11	1:B:450:ARG:CG	2.07	0.57
1:C:406:ASN:HA	1:C:422:ARG:NH1	2.20	0.57
1:D:392:ASP:HB2	1:D:395:GLU:HG3	1.86	0.56
1:B:429:LEU:HD13	1:B:444:PHE:CE1	2.40	0.56
1:D:392:ASP:OD1	1:D:437:TYR:OH	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:LEU:HD13	1:A:330:LEU:HD22	1.88	0.56
1:B:421:LEU:N	1:B:421:LEU:HD23	2.21	0.55
1:A:363:ARG:O	1:A:367:HIS:HD2	1.89	0.55
1:A:308:LEU:HD13	1:A:330:LEU:CD2	2.37	0.55
1:A:377:ARG:HH11	1:A:377:ARG:CG	2.16	0.55
1:B:349:VAL:HG12	1:B:350:LYS:O	2.07	0.55
1:C:449:LEU:HA	2:C:9:HOH:O	2.05	0.55
1:C:476:ILE:N	1:C:476:ILE:CD1	2.56	0.55
1:A:349:VAL:HG12	1:A:350:LYS:O	2.06	0.54
1:D:360:HIS:CE1	1:D:362:HIS:CE1	2.95	0.54
1:B:353:ILE:HD12	1:B:353:ILE:C	2.28	0.54
1:D:347:ILE:CD1	1:D:386:MET:HB3	2.30	0.53
1:B:324:ASP:O	1:B:328:ILE:HG13	2.09	0.52
1:D:303:LYS:O	1:D:307:THR:HG23	2.09	0.52
1:A:349:VAL:HG21	1:A:354:LEU:HB2	1.92	0.52
1:A:413:THR:HG23	2:A:60:HOH:O	2.10	0.52
1:C:399:LEU:HD11	1:C:447:LEU:HB3	1.91	0.51
1:C:385:LYS:O	1:C:389:MET:HG2	2.11	0.51
1:C:269:VAL:HG23	1:C:428:SER:OG	2.10	0.51
1:B:361:VAL:O	1:B:362:HIS:HB2	2.11	0.51
1:B:422:ARG:CG	1:B:422:ARG:HH11	2.04	0.51
1:D:361:VAL:O	1:D:362:HIS:CB	2.47	0.50
1:B:440:GLN:OE1	1:B:443:ARG:HD2	2.11	0.50
1:D:381:GLU:O	1:D:450:ARG:NH1	2.44	0.50
1:C:311:TRP:O	1:C:315:ILE:HD12	2.12	0.50
1:D:438:PRO:HD2	1:D:439:GLU:OE1	2.11	0.50
1:A:391:MET:HE3	1:A:396:LEU:CA	2.41	0.50
1:A:325:ASP:OD2	2:A:57:HOH:O	2.18	0.50
1:B:361:VAL:O	1:B:362:HIS:CB	2.59	0.49
1:C:308:LEU:CD1	1:C:330:LEU:HD22	2.42	0.49
1:A:360:HIS:CE1	1:A:362:HIS:CE1	3.00	0.49
1:B:392:ASP:HB2	1:B:395:GLU:H	1.76	0.49
1:A:318:PHE:O	1:A:321:LEU:HB2	2.12	0.49
1:B:374:ILE:HD11	1:B:464:HIS:CD2	2.46	0.49
1:B:476:ILE:CD1	1:B:476:ILE:N	2.63	0.49
1:C:347:ILE:O	1:C:387:ARG:NE	2.46	0.48
1:D:398:CYS:CB	1:D:429:LEU:HG	2.43	0.48
1:B:305:LEU:O	1:B:309:VAL:HG23	2.13	0.48
1:B:421:LEU:O	1:B:425:VAL:HG23	2.13	0.48
1:B:347:ILE:HD11	1:B:386:MET:C	2.34	0.48
1:C:276:GLU:HB3	1:C:393:LYS:HE3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:423:GLU:HG3	1:D:426:TYR:OH	2.14	0.48
1:B:429:LEU:HD13	1:B:444:PHE:HD1	1.79	0.47
1:B:276:GLU:OE1	1:B:400:ARG:HD3	2.14	0.47
1:D:270:GLU:CD	1:D:270:GLU:H	2.18	0.47
1:D:273:GLN:CB	2:D:14:HOH:O	2.63	0.47
1:B:276:GLU:OE1	1:B:397:GLY:HA2	2.15	0.47
1:C:429:LEU:HD13	1:C:444:PHE:CD1	2.49	0.46
1:D:339:ILE:HA	1:D:342:PHE:CE2	2.50	0.46
1:A:477:ASP:O	1:A:478:THR:C	2.54	0.46
1:B:374:ILE:HD12	1:B:464:HIS:CD2	2.51	0.46
1:C:395:GLU:HG2	1:C:447:LEU:HD11	1.96	0.46
1:D:269:VAL:HG13	1:D:428:SER:OG	2.16	0.46
1:A:266:ASP:N	1:A:424:LYS:HZ1	2.14	0.46
1:C:318:PHE:O	1:C:321:LEU:HB2	2.16	0.46
1:B:377:ARG:HG2	1:B:381:GLU:OE2	2.15	0.45
1:A:392:ASP:OD1	1:A:437:TYR:OH	2.30	0.45
1:B:319:SER:HA	1:B:326:GLN:NE2	2.31	0.45
1:C:399:LEU:HA	1:C:399:LEU:HD23	1.79	0.45
1:C:424:LYS:O	1:C:428:SER:HB3	2.17	0.45
1:A:377:ARG:HG2	1:A:381:GLU:OE2	2.16	0.45
1:B:311:TRP:CE2	1:B:315:ILE:HD11	2.51	0.45
1:A:344:HIS:CG	1:A:396:LEU:HD22	2.53	0.44
1:C:429:LEU:HD13	1:C:444:PHE:HD1	1.82	0.44
1:A:456:SER:HG	1:B:455:ARG:HH11	1.64	0.44
1:C:398:CYS:CB	1:C:429:LEU:HG	2.47	0.44
1:C:324:ASP:O	1:C:328:ILE:HG13	2.18	0.44
1:B:319:SER:HA	1:B:326:GLN:HE22	1.83	0.43
1:D:276:GLU:HB3	1:D:393:LYS:HE2	2.00	0.43
1:B:344:HIS:CG	1:B:396:LEU:HD22	2.53	0.43
1:B:371:VAL:HG21	1:B:466:PHE:CD2	2.53	0.43
1:C:266:ASP:N	1:C:424:LYS:HZ1	2.16	0.43
1:C:423:GLU:HG2	1:C:426:TYR:OH	2.19	0.43
1:A:374:ILE:HG12	1:A:460:LYS:HB3	2.00	0.43
1:D:423:GLU:CG	1:D:426:TYR:OH	2.66	0.43
1:A:417:LEU:O	1:A:417:LEU:HD12	2.18	0.43
1:D:351:ASP:HB3	2:D:59:HOH:O	2.19	0.43
1:B:270:GLU:H	1:B:270:GLU:CD	2.21	0.42
1:A:351:ASP:OD2	1:A:363:ARG:N	2.40	0.42
1:C:347:ILE:HD11	1:C:386:MET:C	2.39	0.42
1:D:420:SER:O	1:D:424:LYS:HG3	2.18	0.42
1:D:371:VAL:HG21	1:D:466:PHE:CD2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:303:LYS:O	1:C:307:THR:HG23	2.20	0.42
1:B:480:LEU:HD23	1:B:480:LEU:HA	1.89	0.42
1:D:353:ILE:C	1:D:353:ILE:HD12	2.40	0.42
1:D:392:ASP:OD2	1:D:432:TYR:OH	2.16	0.42
1:D:474:THR:HA	1:D:475:PRO:HD3	1.97	0.42
1:A:391:MET:HE1	1:A:396:LEU:HD13	2.02	0.41
1:A:392:ASP:OD2	1:A:432:TYR:CZ	2.71	0.41
1:C:302:ASP:HB3	2:C:19:HOH:O	2.19	0.41
1:D:363:ARG:O	1:D:367:HIS:HD2	2.04	0.41
1:A:276:GLU:HB3	1:A:393:LYS:HE2	2.02	0.41
1:C:367:HIS:CE1	1:C:372:GLY:HA3	2.55	0.41
1:A:392:ASP:CB	1:A:395:GLU:H	2.32	0.41
1:C:336:GLU:HG2	1:C:454:LEU:HG	2.02	0.41
1:C:371:VAL:HG21	1:C:466:PHE:CD2	2.55	0.41
1:D:402:ILE:O	1:D:422:ARG:NH1	2.53	0.41
1:B:355:LEU:HD11	1:B:470:LEU:HD22	2.02	0.41
1:A:429:LEU:HD13	1:A:444:PHE:HD1	1.85	0.41
1:C:398:CYS:HB3	1:C:429:LEU:HG	2.03	0.41
1:D:392:ASP:HB3	1:D:394:THR:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/219 (89%)	181 (93%)	12 (6%)	2 (1%)	18	50
1	B	195/219 (89%)	181 (93%)	11 (6%)	3 (2%)	12	37
1	C	195/219 (89%)	180 (92%)	12 (6%)	3 (2%)	12	37
1	D	195/219 (89%)	175 (90%)	19 (10%)	1 (0%)	32	67
All	All	780/876 (89%)	717 (92%)	54 (7%)	9 (1%)	15	44

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	362	HIS
1	C	362	HIS
1	C	477	ASP
1	D	362	HIS
1	B	351	ASP
1	B	362	HIS
1	B	477	ASP
1	A	351	ASP
1	C	481	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/191 (84%)	137 (86%)	23 (14%)	4	11
1	B	160/191 (84%)	137 (86%)	23 (14%)	4	11
1	C	160/191 (84%)	142 (89%)	18 (11%)	7	20
1	D	160/191 (84%)	145 (91%)	15 (9%)	10	29
All	All	640/764 (84%)	561 (88%)	79 (12%)	5	17

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	270	GLU
1	A	303	LYS
1	A	307	THR
1	A	308	LEU
1	A	321	LEU
1	A	334	TRP
1	A	347	ILE
1	A	350	LYS
1	A	368	GLN
1	A	377	ARG
1	A	391	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	393	LYS
1	A	422	ARG
1	A	429	LEU
1	A	439	GLU
1	A	446	LYS
1	A	450	ARG
1	A	456	SER
1	A	457	ILE
1	A	465	LEU
1	A	474	THR
1	A	476	ILE
1	A	481	MET
1	B	269	VAL
1	B	303	LYS
1	B	305	LEU
1	B	307	THR
1	B	308	LEU
1	B	319	SER
1	B	321	LEU
1	B	334	TRP
1	B	342	PHE
1	B	347	ILE
1	B	354	LEU
1	B	380	THR
1	B	422	ARG
1	B	429	LEU
1	B	439	GLU
1	B	448	LEU
1	B	450	ARG
1	B	457	ILE
1	B	460	LYS
1	B	465	LEU
1	B	474	THR
1	B	476	ILE
1	B	477	ASP
1	C	270	GLU
1	C	308	LEU
1	C	319	SER
1	C	324	ASP
1	C	334	TRP
1	C	342	PHE
1	C	347	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	365	SER
1	C	394	THR
1	C	420	SER
1	C	428	SER
1	C	429	LEU
1	C	439	GLU
1	C	450	ARG
1	C	456	SER
1	C	465	LEU
1	C	474	THR
1	C	476	ILE
1	D	307	THR
1	D	308	LEU
1	D	321	LEU
1	D	334	TRP
1	D	350	LYS
1	D	365	SER
1	D	422	ARG
1	D	429	LEU
1	D	448	LEU
1	D	450	ARG
1	D	456	SER
1	D	463	GLU
1	D	465	LEU
1	D	474	THR
1	D	476	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	304	GLN
1	A	317	HIS
1	A	367	HIS
1	B	304	GLN
1	B	326	GLN
1	B	436	GLN
1	B	464	HIS
1	C	317	HIS
1	C	326	GLN
1	C	344	HIS
1	C	436	GLN
1	C	464	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	304	GLN
1	D	317	HIS
1	D	344	HIS
1	D	360	HIS
1	D	436	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/219 (90%)	0.18	4 (2%) 65 56	49, 56, 62, 66	0
1	B	199/219 (90%)	0.29	13 (6%) 20 12	50, 57, 61, 65	0
1	C	199/219 (90%)	0.49	24 (12%) 5 2	50, 57, 61, 65	0
1	D	199/219 (90%)	0.26	11 (5%) 26 17	49, 57, 62, 65	0
All	All	796/876 (90%)	0.30	52 (6%) 20 12	49, 57, 61, 66	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	281	PRO	5.5
1	C	281	PRO	4.9
1	C	348	ASP	4.5
1	C	314	ARG	4.4
1	B	358	GLY	4.2
1	C	441	PRO	3.9
1	C	484	LEU	3.8
1	C	364	SER	3.7
1	B	303	LYS	3.7
1	D	348	ASP	3.6
1	D	317	HIS	3.6
1	A	281	PRO	3.5
1	C	303	LYS	3.2
1	B	435	GLN	3.2
1	B	484	LEU	3.2
1	C	357	SER	3.2
1	C	435	GLN	3.1
1	C	319	SER	3.1
1	C	356	ALA	3.1
1	C	306	VAL	3.0
1	B	278	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	348	ASP	3.0
1	C	481	MET	2.9
1	D	270	GLU	2.8
1	B	314	ARG	2.7
1	D	413	THR	2.7
1	B	279	VAL	2.7
1	C	362	HIS	2.5
1	C	277	MET	2.5
1	C	320	ASP	2.5
1	D	483	MET	2.5
1	C	354	LEU	2.5
1	A	357	SER	2.5
1	B	350	LYS	2.4
1	C	350	LYS	2.4
1	D	281	PRO	2.4
1	D	441	PRO	2.2
1	C	437	TYR	2.2
1	B	357	SER	2.2
1	D	358	GLY	2.2
1	C	432	TYR	2.2
1	D	484	LEU	2.1
1	A	414	ASP	2.1
1	C	266	ASP	2.1
1	A	320	ASP	2.1
1	C	483	MET	2.1
1	D	320	ASP	2.1
1	C	390	LYS	2.1
1	B	351	ASP	2.0
1	D	435	GLN	2.0
1	B	356	ALA	2.0
1	C	358	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.