



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 01:18 am GMT

PDB ID : 2F25  
Title : Crystal Structure of the Human Sialidase Neu2 E111Q Mutant in Complex with DANA Inhibitor  
Authors : Chavas, L.M.G.; Kato, R.; Fusi, P.; Tringali, C.; Venerando, B.; Tettamanti, G.; Monti, E.; Wakatsuki, S.  
Deposited on : 2005-11-15  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2004 (1.96-1.96)
Clashscore	112137	2136 (1.96-1.96)
Ramachandran outliers	110173	2117 (1.96-1.96)
Sidechain outliers	110143	2117 (1.96-1.96)
RSRZ outliers	101464	2018 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	
1	B	382	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EPE	A	1003	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Sialidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
			2935	1855	526	542	12			
1	B	370	Total	C	N	O	S	0	0	0
			2915	1844	523	536	12			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	UNP Q9Y3R4
A	0	SER	-	CLONING ARTIFACT	UNP Q9Y3R4
A	111	GLN	GLU	ENGINEERED	UNP Q9Y3R4
B	-1	GLY	-	CLONING ARTIFACT	UNP Q9Y3R4
B	0	SER	-	CLONING ARTIFACT	UNP Q9Y3R4
B	111	GLN	GLU	ENGINEERED	UNP Q9Y3R4

- Molecule 2 is 2-DEOXY-2,3-DEHYDRO-N-ACETYL-NEURAMINIC ACID (three-letter code: DAN) (formula:  $C_{11}H_{17}NO_8$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			20	11	1	8		
2	B	1	Total	C	N	O	0	0
			20	11	1	8		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	245	Total	O	0	0
			245	245		
4	B	215	Total	O	0	0
			215	215		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Sialidase 2



#### • Molecule 1: Sialidase 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	157.37Å 73.64Å 78.95Å 90.00° 90.31° 90.00°	Depositor
Resolution (Å)	79.06 – 1.95 36.82 – 1.92	Depositor EDS
% Data completeness (in resolution range)	96.6 (79.06-1.95) 93.1 (36.82-1.92)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.02 (at 1.92Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.192 , 0.222 0.192 , 0.222	Depositor DCC
$R_{free}$ test set	3209 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.1	Xtriage
Anisotropy	0.361	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 63.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.040 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6410	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.90% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DAN, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/3017	0.65	0/4114
1	B	0.36	0/2996	0.64	0/4084
All	All	0.36	0/6013	0.64	0/8198

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2935	0	2846	31	0
1	B	2915	0	2829	60	0
2	A	20	0	16	0	0
2	B	20	0	16	0	0
3	A	30	0	36	2	0
3	B	30	0	36	3	0
4	A	245	0	0	5	0
4	B	215	0	0	10	0
All	All	6410	0	5779	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.



All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:TYR:H	1:B:338:GLN:HE21	1.15	0.91
1:A:27:TYR:H	1:A:338:GLN:HE21	1.30	0.78
3:A:1003:EPE:H52	1:B:6:VAL:O	1.85	0.76
1:A:6:VAL:O	3:B:1004:EPE:H52	1.85	0.75
1:B:263:LYS:HG2	4:B:1146:HOH:O	1.87	0.74
1:A:273:GLN:HE22	1:A:335:SER:H	1.33	0.74
1:B:90:LEU:HB2	1:B:164:CYS:HB2	1.73	0.69
1:B:210:HIS:HD2	1:B:254:ASP:OD1	1.76	0.69
1:A:152:ARG:HB2	1:A:152:ARG:HH21	1.58	0.69
1:B:152:ARG:HH21	1:B:152:ARG:HB2	1.61	0.66
1:B:112:GLN:HE22	1:B:116:GLN:HG3	1.61	0.66
1:B:98:LEU:HD23	1:B:99:PHE:N	2.13	0.64
1:B:27:TYR:H	1:B:338:GLN:NE2	1.92	0.63
1:B:43:SER:OG	1:B:48:HIS:HD2	1.82	0.63
1:B:309:ALA:HB2	1:B:327:LEU:HD11	1.82	0.62
1:A:5:PRO:HG2	4:A:1085:HOH:O	2.00	0.61
1:B:168:ASN:ND2	1:B:172:ARG:HH12	1.99	0.61
1:B:241:ARG:NH1	1:B:268:PRO:HB3	2.15	0.61
1:B:13:PHE:HB2	1:B:362:ILE:HB	1.83	0.61
1:A:319:GLU:CD	1:A:319:GLU:H	2.05	0.60
1:B:1:MET:HE2	4:B:1170:HOH:O	2.03	0.59
1:B:110:THR:OG1	1:B:113:GLN:HG3	2.02	0.58
1:A:210:HIS:HD2	1:A:254:ASP:OD1	1.87	0.58
1:A:170:ARG:NH1	1:A:170:ARG:HB2	2.19	0.57
1:B:111:GLN:NE2	4:B:1155:HOH:O	2.37	0.57
1:B:214:GLN:HG2	1:B:244:VAL:HG21	1.87	0.57
1:A:56:ARG:HD3	1:A:58:ASP:OD1	2.06	0.56
1:B:306:ASP:HA	1:B:328:ALA:O	2.06	0.56
1:B:112:GLN:NE2	1:B:116:GLN:HG3	2.20	0.55
1:B:168:ASN:HA	1:B:172:ARG:NH1	2.20	0.55
1:A:185:HIS:HB3	1:A:188:GLN:HB2	1.88	0.55
1:B:123:ARG:NH2	1:B:143:THR:HG21	2.22	0.55
1:A:300:HIS:HB3	1:A:303:GLN:O	2.07	0.55
1:B:27:TYR:N	1:B:338:GLN:HE21	1.96	0.54
1:A:212:VAL:O	1:A:214:GLN:N	2.38	0.53
1:A:288:SER:N	1:A:289:PRO:HD2	2.23	0.53
1:A:241:ARG:HG3	4:A:1102:HOH:O	2.09	0.52
1:B:201:ASP:CG	1:B:204:ARG:HB3	2.28	0.52
1:A:257:GLU:O	1:A:257:GLU:HG3	2.11	0.51
1:B:51:LEU:HD13	1:B:73:VAL:HG11	1.91	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:SER:N	1:B:289:PRO:HD2	2.25	0.51
1:A:43:SER:OG	1:A:48:HIS:HD2	1.93	0.50
1:B:112:GLN:HE22	1:B:116:GLN:CG	2.23	0.50
3:A:1003:EPE:H91	4:A:1126:HOH:O	2.11	0.50
1:B:289:PRO:HG2	4:B:1104:HOH:O	2.12	0.50
1:B:265:VAL:HG22	1:B:266:GLU:N	2.26	0.50
1:B:241:ARG:HH11	1:B:268:PRO:HB3	1.76	0.49
1:B:120:ASN:HB2	1:B:154:TRP:O	2.12	0.49
1:B:180:ALA:O	1:B:192:PRO:HA	2.13	0.49
1:B:210:HIS:CD2	1:B:254:ASP:OD1	2.62	0.49
1:B:24:ALA:HB3	1:B:37:PHE:HB2	1.94	0.48
1:B:310:TYR:CZ	1:B:324:PRO:HB3	2.49	0.48
1:A:256:GLN:NE2	4:A:1228:HOH:O	2.48	0.47
1:B:168:ASN:HA	1:B:172:ARG:HH11	1.79	0.47
1:B:1:MET:HE3	4:B:1084:HOH:O	2.15	0.47
1:B:98:LEU:HD22	1:B:136:TRP:CH2	2.50	0.46
1:B:185:HIS:HB3	1:B:188:GLN:HB2	1.97	0.46
1:B:250:ASN:ND2	1:B:253:LEU:HB3	2.31	0.46
1:B:64:HIS:HE1	4:B:1097:HOH:O	1.99	0.46
1:B:47:GLU:HB3	1:B:110:THR:HG22	1.98	0.46
1:B:152:ARG:NH2	1:B:152:ARG:HB2	2.30	0.46
1:A:63:THR:O	1:A:65:GLN:HG2	2.15	0.46
1:B:44:LYS:HB3	3:B:1006:EPE:H82	1.98	0.46
1:A:131:ASP:CG	1:A:134:ARG:HB3	2.37	0.45
1:B:268:PRO:HD3	1:B:301:SER:O	2.17	0.45
1:B:61:ALA:HB3	1:B:62:PRO:HD3	1.99	0.45
1:B:331:SER:HB3	1:B:357:ASN:HA	1.98	0.45
1:B:310:TYR:CE2	1:B:324:PRO:HB3	2.51	0.45
1:A:283:ARG:NH1	1:A:376:GLU:OE2	2.50	0.44
1:B:182:ARG:HG2	1:B:182:ARG:H	1.54	0.44
1:B:291:GLN:NE2	4:B:1144:HOH:O	2.50	0.43
1:B:335:SER:HA	1:B:353:LEU:O	2.17	0.43
1:A:347:SER:OG	1:A:368:THR:HB	2.18	0.43
1:A:298:PRO:HB2	4:A:1107:HOH:O	2.18	0.43
1:B:270:GLN:HG2	1:B:270:GLN:O	2.19	0.43
1:A:152:ARG:NH2	1:A:152:ARG:HB2	2.31	0.43
1:A:78:ARG:HH21	1:A:78:ARG:HG2	1.84	0.42
1:B:240:LEU:O	1:B:241:ARG:HB2	2.20	0.42
1:A:54:LEU:HD12	1:A:55:ARG:H	1.84	0.42
1:A:118:ARG:NH1	1:A:190:PRO:HD3	2.35	0.42
3:B:1004:EPE:H21	4:B:1007:HOH:O	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:326:LEU:HD21	1:B:329:LYS:HG2	2.01	0.42
1:B:5:PRO:HG2	4:B:1038:HOH:O	2.19	0.42
1:A:168:ASN:OD1	1:A:172:ARG:NH1	2.53	0.42
1:B:20:TYR:HB2	4:B:1078:HOH:O	2.18	0.42
1:A:26:LEU:HD22	1:A:89:PRO:HB2	2.02	0.41
1:A:237:ARG:HA	1:A:266:GLU:OE1	2.20	0.41
1:B:63:THR:O	1:B:65:GLN:HG2	2.21	0.41
1:A:281:SER:HA	1:A:282:PRO:HD3	1.90	0.41
1:B:55:ARG:HG2	1:B:71:GLN:HA	2.02	0.41
1:B:300:HIS:HB3	1:B:303:GLN:O	2.21	0.40
1:A:296:THR:HA	1:A:308:GLY:O	2.20	0.40
1:B:147:ILE:HA	1:B:208:ARG:HD3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/382 (97%)	349 (95%)	19 (5%)	1 (0%)	44	33
1	B	364/382 (95%)	347 (95%)	16 (4%)	1 (0%)	44	33
All	All	733/764 (96%)	696 (95%)	35 (5%)	2 (0%)	44	33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	213	ALA
1	B	107	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/318 (98%)	303 (97%)	9 (3%)	48	35
1	B	310/318 (98%)	305 (98%)	5 (2%)	68	63
All	All	622/636 (98%)	608 (98%)	14 (2%)	56	47

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	123	ARG
1	A	152	ARG
1	A	182	ARG
1	A	225	GLU
1	A	241	ARG
1	A	273	GLN
1	A	291	GLN
1	A	326	LEU
1	B	112	GLN
1	B	123	ARG
1	B	152	ARG
1	B	182	ARG
1	B	247	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	48	HIS
1	A	82	HIS
1	A	86	ASN
1	A	116	GLN
1	A	132	HIS
1	A	210	HIS
1	A	256	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	259	GLN
1	A	273	GLN
1	A	291	GLN
1	A	338	GLN
1	B	31	GLN
1	B	48	HIS
1	B	64	HIS
1	B	69	GLN
1	B	86	ASN
1	B	108	GLN
1	B	111	GLN
1	B	112	GLN
1	B	132	HIS
1	B	168	ASN
1	B	210	HIS
1	B	247	GLN
1	B	259	GLN
1	B	270	GLN
1	B	303	GLN
1	B	338	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DAN	A	1001	-	17,20,20	4.35	5 (29%)	18,28,28	1.72	2 (11%)
3	EPE	A	1003	-	15,15,15	1.99	3 (20%)	18,20,20	1.53	3 (16%)
3	EPE	A	1005	-	15,15,15	2.19	3 (20%)	18,20,20	1.38	2 (11%)
2	DAN	B	1002	-	17,20,20	4.21	4 (23%)	18,28,28	1.64	2 (11%)
3	EPE	B	1004	-	15,15,15	1.96	3 (20%)	18,20,20	1.54	3 (16%)
3	EPE	B	1006	-	15,15,15	2.08	3 (20%)	18,20,20	1.34	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAN	A	1001	-	-	0/14/34/34	0/1/1/1
3	EPE	A	1003	-	-	0/9/19/19	0/1/1/1
3	EPE	A	1005	-	-	0/9/19/19	0/1/1/1
2	DAN	B	1002	-	-	0/14/34/34	0/1/1/1
3	EPE	B	1004	-	-	0/9/19/19	0/1/1/1
3	EPE	B	1006	-	-	0/9/19/19	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	DAN	O6-C2	-4.56	1.30	1.37
2	B	1002	DAN	O6-C2	-4.33	1.30	1.37
2	A	1001	DAN	C7-C6	2.67	1.56	1.52
3	B	1004	EPE	C7-N4	2.72	1.53	1.47
3	B	1006	EPE	C7-N4	2.81	1.53	1.47
3	A	1005	EPE	C7-N4	2.83	1.54	1.47
3	A	1003	EPE	C7-N4	3.00	1.54	1.47
3	A	1003	EPE	C10-S	3.31	1.82	1.77
3	B	1004	EPE	C10-S	3.48	1.82	1.77
3	B	1006	EPE	C10-S	3.51	1.82	1.77
2	B	1002	DAN	C4-C3	3.57	1.54	1.50
2	A	1001	DAN	C4-C3	4.19	1.55	1.50
3	A	1005	EPE	C10-S	4.19	1.83	1.77
3	B	1004	EPE	O3S-S	5.30	1.65	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1003	EPE	O3S-S	5.44	1.65	1.47
3	B	1006	EPE	O3S-S	5.77	1.66	1.47
3	A	1005	EPE	O3S-S	5.82	1.67	1.47
2	A	1001	DAN	O10-C10	5.94	1.37	1.23
2	B	1002	DAN	O10-C10	6.08	1.37	1.23
2	B	1002	DAN	C3-C2	15.09	1.51	1.32
2	A	1001	DAN	C3-C2	15.27	1.51	1.32

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	DAN	C4-C3-C2	-5.71	111.94	121.60
2	B	1002	DAN	C4-C3-C2	-5.70	111.97	121.60
3	B	1004	EPE	O3S-S-O1S	-4.19	101.77	111.37
3	A	1003	EPE	O3S-S-O1S	-4.00	102.19	111.37
3	A	1005	EPE	O3S-S-O1S	-3.43	103.51	111.37
3	B	1006	EPE	O3S-S-O1S	-3.31	103.79	111.37
2	A	1001	DAN	O10-C10-C11	-2.26	117.94	122.06
2	B	1002	DAN	O10-C10-C11	-2.05	118.32	122.06
3	B	1004	EPE	O1S-S-C10	2.66	109.08	106.79
3	B	1004	EPE	C6-N1-C2	2.72	115.03	108.87
3	A	1003	EPE	O1S-S-C10	2.84	109.23	106.79
3	A	1003	EPE	C6-N1-C2	2.89	115.41	108.87
3	B	1006	EPE	O1S-S-C10	3.54	109.83	106.79
3	A	1005	EPE	O1S-S-C10	3.68	109.95	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1003	EPE	2	0
3	B	1004	EPE	2	0
3	B	1006	EPE	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	373/382 (97%)	0.43	27 (7%) 16 25	10, 20, 36, 50	0
1	B	370/382 (96%)	0.52	27 (7%) 16 25	11, 22, 38, 50	0
All	All	743/764 (97%)	0.48	54 (7%) 16 25	10, 21, 38, 50	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	288	SER	5.5
1	A	288	SER	5.3
1	B	289	PRO	5.1
1	A	227	GLY	4.2
1	A	188	GLN	4.1
1	B	188	GLN	3.7
1	B	283	ARG	3.7
1	B	94	GLN	3.7
1	B	170	ARG	3.6
1	A	289	PRO	3.6
1	A	170	ARG	3.4
1	B	204	ARG	3.4
1	A	257	GLU	3.4
1	A	213	ALA	3.3
1	B	108	GLN	3.0
1	A	186	PRO	2.8
1	A	214	GLN	2.8
1	B	377	TYR	2.7
1	B	25	LEU	2.7
1	B	184	LEU	2.7
1	B	185	HIS	2.7
1	A	228	GLU	2.7
1	B	168	ASN	2.5
1	B	189	ARG	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	375	ALA	2.5
1	B	159	VAL	2.4
1	A	189	ARG	2.4
1	A	94	GLN	2.4
1	A	185	HIS	2.4
1	B	239	HIS	2.4
1	A	159	VAL	2.4
1	A	176	VAL	2.4
1	A	108	GLN	2.4
1	B	314	ARG	2.3
1	B	353	LEU	2.3
1	A	24	ALA	2.3
1	B	96	GLY	2.3
1	B	112	GLN	2.3
1	B	161	PRO	2.3
1	A	337	LEU	2.3
1	A	78	ARG	2.2
1	B	80	ASP	2.2
1	B	337	LEU	2.2
1	A	377	TYR	2.2
1	A	375	ALA	2.2
1	B	301	SER	2.2
1	A	80	ASP	2.2
1	A	161	PRO	2.1
1	A	152	ARG	2.1
1	A	282	PRO	2.1
1	B	319	GLU	2.1
1	A	276	VAL	2.0
1	A	162	GLY	2.0
1	B	225	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	EPE	A	1003	15/15	0.94	0.15	2.33	15,20,21,24	0
3	EPE	B	1004	15/15	0.94	0.14	1.74	18,21,23,25	0
3	EPE	A	1005	15/15	0.91	0.14	0.79	29,36,46,47	0
3	EPE	B	1006	15/15	0.90	0.15	0.60	25,30,42,43	0
2	DAN	A	1001	20/20	0.95	0.13	0.04	13,16,22,23	0
2	DAN	B	1002	20/20	0.95	0.12	-0.36	15,18,21,22	0

## 6.5 Other polymers

There are no such residues in this entry.