



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 11:20 pm GMT

PDB ID : 3F8N  
Title : Crystal structure of PerR-Zn-Mn  
Authors : Traore, D.A.K.; Ferrer, J.-L.; Jacquamet, L.; Duarte, V.; Latour, J.-M.  
Deposited on : 2008-11-13  
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1259 (3.20-3.12)
Clashscore	112137	1397 (3.20-3.12)
Ramachandran outliers	110173	1368 (3.20-3.12)
Sidechain outliers	110143	1367 (3.20-3.12)
RSRZ outliers	101464	1264 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	145	
1	B	145	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZN	B	204	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2166 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxide operon regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	137	Total	C	N	O	S	37	0	0
			1086	686	187	207	6			
1	B	136	Total	C	N	O	S	7	0	0
			1075	680	187	202	6			

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mn	0	0
			1	1		
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxide operon regulator



- Molecule 1: Peroxide operon regulator



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	49.30Å 63.34Å 66.73Å 90.00° 80.41° 90.00°	Depositor
Resolution (Å)	45.64 – 3.15 45.63 – 3.15	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.64-3.15) 99.2 (45.63-3.15)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.35 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.275 , 0.315 0.266 , 0.311	Depositor DCC
$R_{free}$ test set	354 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	70.0	Xtriage
Anisotropy	0.838	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 38.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	2166	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.04	6/1111 (0.5%)	0.93	4/1506 (0.3%)
1	B	0.97	3/1100 (0.3%)	0.91	4/1490 (0.3%)
All	All	1.00	9/2211 (0.4%)	0.92	8/2996 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	1	4
All	All	1	7

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	19	ARG	CD-NE	24.41	1.88	1.46
1	A	7	LYS	CA-CB	23.97	2.06	1.53
1	B	73	LYS	CB-CG	13.00	1.87	1.52
1	A	45	LYS	CB-CG	-11.24	1.22	1.52
1	A	112	GLU	CA-CB	8.66	1.73	1.53
1	A	45	LYS	CE-NZ	-6.65	1.32	1.49
1	B	19	ARG	CA-CB	-6.22	1.40	1.53
1	A	5	GLU	CB-CG	5.86	1.63	1.52
1	A	73	LYS	CB-CG	-5.03	1.39	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	19	ARG	CG-CD-NE	16.68	146.82	111.80
1	A	45	LYS	CD-CE-NZ	14.70	145.51	111.70
1	B	19	ARG	N-CA-CB	10.94	130.29	110.60
1	A	112	GLU	N-CA-CB	8.46	125.83	110.60
1	A	7	LYS	CB-CA-C	-7.97	94.45	110.40
1	B	19	ARG	CA-CB-CG	7.71	130.37	113.40
1	A	5	GLU	CA-CB-CG	6.23	127.11	113.40
1	B	79	ASP	C-N-CA	5.66	135.85	121.70

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	19	ARG	CA

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	136	CYS	Peptide
1	A	137	GLN	Peptide
1	A	138	GLU	Peptide
1	B	136	CYS	Peptide
1	B	137	GLN	Peptide
1	B	19	ARG	Sidechain
1	B	79	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1086	0	1032	63	0
1	B	1075	0	1027	102	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	2	0
4	A	1	0	0	0	0
All	All	2166	0	2059	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:GLY:HA2	1:B:110:LEU:CB	1.76	1.14
1:B:109:GLY:CA	1:B:110:LEU:HB2	1.77	1.14
1:B:49:GLY:HA3	1:B:50:LYS:CB	1.78	1.12
1:A:49:GLY:HA3	1:A:50:LYS:CB	1.78	1.12
1:B:90:ASP:CA	1:B:91:HIS:HB2	1.80	1.11
1:B:92:TYR:OH	1:B:110:LEU:HD21	1.55	1.05
1:A:49:GLY:HA3	1:A:50:LYS:HB3	1.11	1.05
1:A:113:VAL:HG23	1:A:117:ALA:H	1.17	1.05
1:B:49:GLY:HA3	1:B:50:LYS:HB2	1.37	1.05
1:B:90:ASP:HA	1:B:91:HIS:HB2	1.05	1.02
1:B:89:SER:HA	1:B:90:ASP:HB3	1.42	1.01
1:B:136:CYS:HB2	1:B:138:GLU:H	1.23	1.00
1:B:90:ASP:HA	1:B:91:HIS:CB	1.94	0.97
1:A:136:CYS:HB3	1:A:137:GLN:HB2	1.47	0.94
1:B:136:CYS:HB3	1:B:137:GLN:HB2	1.48	0.94
1:B:79:ASP:HB2	1:B:80:ALA:CB	1.98	0.93
1:B:113:VAL:HA	1:B:114:GLU:C	1.88	0.92
1:B:79:ASP:CB	1:B:80:ALA:HB2	1.99	0.91
1:B:136:CYS:HB2	1:B:139:CYS:HA	1.51	0.91
1:B:79:ASP:CB	1:B:80:ALA:CB	2.49	0.90
1:B:113:VAL:HG13	1:B:117:ALA:HB3	1.54	0.90
1:B:113:VAL:CG1	1:B:117:ALA:HB3	2.01	0.90
1:B:113:VAL:CG1	1:B:117:ALA:CB	2.49	0.89
1:B:79:ASP:HB3	1:B:80:ALA:HB2	1.54	0.89
1:A:113:VAL:CG2	1:A:117:ALA:H	1.85	0.88
1:B:79:ASP:HB2	1:B:80:ALA:HB3	1.55	0.87
1:A:111:ASP:HA	1:A:112:GLU:C	1.93	0.87
1:A:89:SER:HA	1:A:90:ASP:HB2	1.56	0.87
1:A:136:CYS:HB2	1:A:138:GLU:H	1.39	0.86
1:B:109:GLY:CA	1:B:110:LEU:CB	2.41	0.86
1:B:113:VAL:HG11	1:B:117:ALA:HB2	1.56	0.86
1:B:92:TYR:O	1:B:104:ASP:O	1.94	0.86
1:B:92:TYR:OH	1:B:110:LEU:CD2	2.22	0.86
1:B:109:GLY:HA2	1:B:110:LEU:HB2	0.90	0.86
1:A:136:CYS:HB2	1:A:139:CYS:HA	1.58	0.85
1:B:113:VAL:HG22	1:B:116:LEU:HB3	1.59	0.84
1:B:49:GLY:CA	1:B:50:LYS:HB2	2.08	0.84

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:VAL:HG13	1:B:117:ALA:CB	2.08	0.83
1:A:136:CYS:CB	1:A:138:GLU:H	1.91	0.82
1:A:110:LEU:HB3	1:A:111:ASP:CG	2.01	0.81
1:B:113:VAL:HG11	1:B:117:ALA:CB	2.11	0.80
1:A:113:VAL:HG23	1:A:117:ALA:N	1.98	0.77
1:B:136:CYS:CB	1:B:138:GLU:H	1.96	0.76
1:B:136:CYS:HB2	1:B:138:GLU:N	1.99	0.76
1:A:136:CYS:HB3	1:A:137:GLN:CB	2.15	0.76
1:B:49:GLY:HA3	1:B:50:LYS:HB3	1.65	0.76
1:A:136:CYS:CB	1:A:137:GLN:HB2	2.17	0.75
1:A:95:ILE:HD11	1:A:131:GLU:HG2	1.69	0.74
1:B:113:VAL:CG2	1:B:116:LEU:HB3	2.20	0.71
1:A:103:VAL:O	1:A:104:ASP:HB2	1.90	0.70
1:B:136:CYS:SG	3:B:204:ZN:ZN	1.83	0.68
1:B:113:VAL:HG22	1:B:117:ALA:H	1.59	0.67
1:A:116:LEU:HD23	1:B:107:TYR:HD1	1.60	0.67
1:B:72:VAL:HG23	1:B:86:PHE:HA	1.77	0.66
1:A:136:CYS:CB	1:A:139:CYS:HA	2.24	0.66
1:A:89:SER:CA	1:A:90:ASP:HB2	2.24	0.66
1:A:113:VAL:HA	1:A:115:GLN:N	2.10	0.66
1:A:49:GLY:CA	1:A:50:LYS:CB	2.63	0.65
1:B:138:GLU:N	1:B:139:CYS:HA	2.10	0.64
1:A:136:CYS:HB2	1:A:138:GLU:N	2.13	0.64
1:B:113:VAL:HG13	1:B:117:ALA:H	1.63	0.62
1:B:49:GLY:CA	1:B:50:LYS:CB	2.63	0.62
1:B:136:CYS:HB3	1:B:137:GLN:CB	2.24	0.62
1:B:41:ASP:O	1:B:45:LYS:HG2	1.98	0.62
1:A:113:VAL:HA	1:A:114:GLU:C	2.19	0.62
1:A:136:CYS:CB	1:A:138:GLU:N	2.61	0.62
1:B:79:ASP:HB3	1:B:80:ALA:CB	2.25	0.61
1:A:103:VAL:HG11	1:B:121:THR:HG22	1.83	0.60
1:B:111:ASP:CA	1:B:112:GLU:HG3	2.32	0.60
1:A:105:PHE:O	1:A:106:HIS:HB2	2.01	0.60
1:B:111:ASP:HA	1:B:112:GLU:O	2.01	0.60
1:B:113:VAL:CG1	1:B:117:ALA:HB2	2.22	0.60
1:B:111:ASP:HA	1:B:112:GLU:C	2.22	0.59
1:B:102:ILE:O	1:B:102:ILE:HG22	2.02	0.59
1:B:23:GLN:NE2	1:B:54:MET:HG3	2.18	0.59
1:A:110:LEU:HB3	1:A:111:ASP:OD1	2.03	0.58
1:B:117:ALA:HA	1:B:120:VAL:HG22	1.85	0.58
1:B:113:VAL:CA	1:B:114:GLU:C	2.69	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:ASP:HB2	1:B:80:ALA:HB2	1.70	0.58
1:B:89:SER:CA	1:B:90:ASP:HB3	2.26	0.57
1:B:79:ASP:CB	1:B:80:ALA:HB3	2.26	0.57
1:A:113:VAL:HB	1:A:116:LEU:HB3	1.87	0.57
1:B:113:VAL:HG22	1:B:117:ALA:N	2.19	0.57
1:A:49:GLY:CA	1:A:50:LYS:HB3	2.07	0.57
1:B:92:TYR:HH	1:B:110:LEU:HD21	1.64	0.56
1:B:111:ASP:CA	1:B:112:GLU:O	2.54	0.55
1:A:113:VAL:HG21	1:A:117:ALA:HB2	1.88	0.55
1:B:113:VAL:HG22	1:B:116:LEU:CB	2.35	0.55
1:B:112:GLU:O	1:B:115:GLN:N	2.38	0.55
1:A:44:TYR:CD1	1:A:44:TYR:C	2.80	0.54
1:B:89:SER:HA	1:B:90:ASP:CB	2.19	0.54
1:B:90:ASP:CB	1:B:91:HIS:HB2	2.36	0.54
1:A:137:GLN:HB3	1:A:140:SER:O	2.07	0.54
1:A:83:ARG:CZ	1:A:102:ILE:HD11	2.37	0.54
1:A:92:TYR:HB3	1:A:105:PHE:CE2	2.44	0.54
1:B:111:ASP:CB	1:B:112:GLU:O	2.57	0.54
1:A:116:LEU:CD2	1:B:107:TYR:HD1	2.20	0.53
1:A:92:TYR:HB3	1:A:105:PHE:CZ	2.45	0.52
1:B:109:GLY:CA	1:B:110:LEU:HB3	2.39	0.51
1:A:133:TYR:HE1	1:B:129:ARG:HB2	1.75	0.51
1:B:136:CYS:C	1:B:138:GLU:N	2.64	0.51
1:A:23:GLN:NE2	1:A:54:MET:HG3	2.27	0.50
1:B:6:LEU:HD22	1:B:32:VAL:HG21	1.93	0.50
1:B:113:VAL:HG13	1:B:117:ALA:N	2.27	0.50
1:A:110:LEU:N	1:A:111:ASP:O	2.45	0.49
1:B:37:HIS:HB2	1:B:83:ARG:HH11	1.77	0.49
1:B:136:CYS:HG	3:B:204:ZN:ZN	1.25	0.49
1:A:136:CYS:HB3	1:A:137:GLN:CA	2.43	0.49
1:B:4:HIS:HD2	1:B:5:GLU:H	1.61	0.48
1:B:110:LEU:HD21	1:B:128:HIS:CE1	2.48	0.48
1:B:90:ASP:CA	1:B:91:HIS:CB	2.66	0.48
1:A:136:CYS:CA	1:A:137:GLN:HB2	2.44	0.47
1:B:110:LEU:HD21	1:B:128:HIS:NE2	2.29	0.47
1:B:37:HIS:HB2	1:B:83:ARG:NH1	2.29	0.47
1:A:103:VAL:O	1:A:104:ASP:CB	2.60	0.47
1:A:111:ASP:HA	1:A:112:GLU:O	2.13	0.46
1:B:138:GLU:O	1:B:138:GLU:HG2	2.15	0.46
1:A:117:ALA:HA	1:A:120:VAL:HG22	1.96	0.46
1:A:62:ASN:O	1:A:65:VAL:HB	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:PHE:CG	1:B:86:PHE:O	2.69	0.46
1:A:136:CYS:C	1:A:138:GLU:H	2.19	0.45
1:B:136:CYS:CB	1:B:137:GLN:HB2	2.33	0.45
1:B:33:ASN:N	1:B:33:ASN:ND2	2.65	0.45
1:B:85:ASP:O	1:B:86:PHE:HB2	2.16	0.45
1:B:110:LEU:CD2	1:B:128:HIS:CE1	2.99	0.45
1:B:136:CYS:CB	1:B:139:CYS:HA	2.36	0.45
1:B:92:TYR:OH	1:B:110:LEU:HD23	2.14	0.44
1:B:138:GLU:N	1:B:139:CYS:CA	2.79	0.44
1:B:111:ASP:HA	1:B:112:GLU:HG3	1.99	0.44
1:A:113:VAL:CG1	1:A:113:VAL:O	2.65	0.43
1:A:90:ASP:CG	1:A:90:ASP:O	2.56	0.43
1:B:136:CYS:CB	1:B:138:GLU:N	2.71	0.43
1:A:92:TYR:OH	1:A:128:HIS:NE2	2.42	0.43
1:A:89:SER:HA	1:A:90:ASP:CB	2.31	0.43
1:B:108:PRO:HA	1:B:109:GLY:HA2	1.83	0.43
1:A:34:SER:C	1:A:36:ALA:H	2.21	0.43
1:B:113:VAL:HA	1:B:115:GLN:N	2.31	0.43
1:A:44:TYR:HD1	1:A:44:TYR:C	2.21	0.43
1:B:136:CYS:C	1:B:138:GLU:H	2.21	0.43
1:B:98:ASN:HB3	1:B:139:CYS:SG	2.59	0.42
1:B:35:MET:HG2	1:B:35:MET:H	1.62	0.42
1:A:136:CYS:HB3	1:A:138:GLU:N	2.35	0.42
1:B:113:VAL:CG1	1:B:117:ALA:H	2.32	0.42
1:A:136:CYS:C	1:A:138:GLU:N	2.73	0.42
1:A:93:HIS:CD2	1:A:102:ILE:HG22	2.54	0.42
1:A:113:VAL:CG2	1:A:117:ALA:CB	2.98	0.42
1:A:110:LEU:H	1:A:111:ASP:C	2.23	0.42
1:B:105:PHE:HZ	1:B:132:ILE:HD13	1.84	0.42
1:B:138:GLU:H	1:B:139:CYS:HA	1.82	0.42
1:B:23:GLN:HE22	1:B:54:MET:HG3	1.84	0.41
1:B:112:GLU:CD	1:B:113:VAL:O	2.58	0.41
1:B:113:VAL:CG2	1:B:117:ALA:H	2.30	0.41
1:A:135:VAL:C	1:A:136:CYS:O	2.59	0.41
1:A:102:ILE:N	1:A:102:ILE:HD12	2.36	0.41
1:B:110:LEU:HD13	1:B:111:ASP:OD2	2.20	0.41
1:B:111:ASP:HB3	1:B:114:GLU:HG2	2.03	0.41
1:A:113:VAL:HG21	1:A:117:ALA:CB	2.50	0.41
1:A:138:GLU:N	1:A:139:CYS:HA	2.36	0.41
1:A:136:CYS:HB3	1:A:137:GLN:C	2.41	0.40
1:A:90:ASP:HA	1:A:91:HIS:HB2	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:ASP:N	1:B:112:GLU:HG3	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	135/145 (93%)	99 (73%)	22 (16%)	14 (10%)	0	3
1	B	134/145 (92%)	101 (75%)	20 (15%)	13 (10%)	1	4
All	All	269/290 (93%)	200 (74%)	42 (16%)	27 (10%)	1	3

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	LYS
1	A	90	ASP
1	A	103	VAL
1	A	104	ASP
1	A	111	ASP
1	A	136	CYS
1	B	50	LYS
1	B	80	ALA
1	B	86	PHE
1	B	91	HIS
1	A	18	VAL
1	A	112	GLU
1	A	114	GLU
1	A	138	GLU
1	B	18	VAL
1	B	105	PHE
1	B	110	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	112	GLU
1	B	136	CYS
1	B	137	GLN
1	A	5	GLU
1	B	49	GLY
1	A	49	GLY
1	A	79	ASP
1	A	106	HIS
1	B	138	GLU
1	B	89	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/125 (94%)	100 (86%)	17 (14%)	4	17
1	B	115/125 (92%)	97 (84%)	18 (16%)	3	13
All	All	232/250 (93%)	197 (85%)	35 (15%)	3	15

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	13	LEU
1	A	35	MET
1	A	42	ASP
1	A	44	TYR
1	A	60	TYR
1	A	67	ARG
1	A	81	SER
1	A	82	SER
1	A	88	THR
1	A	89	SER
1	A	102	ILE
1	A	110	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	111	ASP
1	A	131	GLU
1	A	132	ILE
1	A	138	GLU
1	B	4	HIS
1	B	13	LEU
1	B	16	THR
1	B	19	ARG
1	B	34	SER
1	B	35	MET
1	B	41	ASP
1	B	42	ASP
1	B	54	MET
1	B	60	TYR
1	B	77	TYR
1	B	95	ILE
1	B	105	PHE
1	B	110	LEU
1	B	111	ASP
1	B	114	GLU
1	B	124	LYS
1	B	129	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	106	HIS
1	B	4	HIS
1	B	23	GLN
1	B	33	ASN
1	B	137	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	137/145 (94%)	0.14	0 <a href="#">100</a> <a href="#">100</a>	59, 71, 91, 100	10 (7%)
1	B	136/145 (93%)	0.21	0 <a href="#">100</a> <a href="#">100</a>	47, 68, 88, 100	3 (2%)
All	All	273/290 (94%)	0.17	0 <a href="#">100</a> <a href="#">100</a>	47, 70, 91, 100	13 (4%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MN	B	203	1/1	0.93	0.20	-0.50	59,59,59,59	0
3	ZN	A	202	1/1	0.99	0.19	-0.94	65,65,65,65	0
3	ZN	B	204	1/1	0.97	0.15	-1.08	81,81,81,81	0
2	MN	A	201	1/1	0.97	0.14	-3.15	70,70,70,70	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.