



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 08:50 pm GMT

PDB ID : 1FBZ
Title : Structure-based design of a novel, osteoclast-selective, nonpeptide Src SH2 inhibitor with in vivo anti-resorptive activity
Authors : Shakespeare, W.; Yang, M.; Bohacek, R.; Cerasoli, F.; Stebbis, K.; Sundaramoorthi, R.; Vu, C.; Pradeepan, S.; Metcalf, C.; Haraldson, C.; Merry, T.; Dalgarno, D.; Narula, S.; Hatada, M.; Lu, X.; Van Schravendijk, M.R.; Adams, S.; Violette, S.; Smith, J.; Guan, W.; Bartlett, C.; Herson, J.; Iuliucci, J.; Weigele, M.; Sawyer, T.
Deposited on : 2000-07-17
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	104	 68% 25% 6% •
1	B	104	 53% 38% 9%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2286 atoms, of which 488 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTO-ONCOGENE TYROSINE-PROTEIN KINASE LCK.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	104	Total	C	H	N	O	S	0	0	0
			1038	522	204	154	155	3			
1	B	104	Total	C	H	N	O	S	0	0	0
			1038	522	204	154	155	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	42	CYS	SER	CONFLICT	UNP P06239
B	242	CYS	SER	CONFLICT	UNP P06239

- Molecule 2 is {4-[2-ACETYLAMINO-2-(3-CARBAMOYL-2-CYCLOHEXYLMETHOXY-6,7,8,9-TETRAHYDRO-5H-BENZOCYCLOHEPTEN-5YLCARBAMOYL)-ETHYL]-2-PHOSPHONO-PHENYL}-PHOSPHONIC ACID (three-letter code: CC1) (formula: C₃₀H₄₁N₃O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			45	30	3	10	2		
2	B	1	Total	C	N	O	P	0	0
			45	30	3	10	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	23	Total	H	O	0	0
			69	46	23		
3	B	17	Total	H	O	0	0
			51	34	17		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTO-ONCOGENE TYROSINE-PROTEIN KINASE LCK



• Molecule 1: PROTO-ONCOGENE TYROSINE-PROTEIN KINASE LCK



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	44.87 Å 56.26 Å 102.77 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.40	Depositor
% Data completeness (in resolution range)	88.3 (15.00-2.40)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.230 , 0.360	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2286	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CC1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/855	0.65	0/1154
1	B	0.40	0/855	0.63	0/1154
All	All	0.40	0/1710	0.64	0/2308

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	834	204	803	30	1
1	B	834	204	800	46	1
2	A	45	0	37	9	0
2	B	45	0	37	5	0
3	A	23	46	0	2	0
3	B	17	34	0	2	0
All	All	1798	488	1677	77	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:SER:HB2	2:A:150:CC1:H252	1.40	1.04
1:B:272:SER:HB2	2:B:350:CC1:H252	1.62	0.79
1:A:26:HIS:CD2	1:A:48:PHE:HB2	2.20	0.77
1:B:264:LEU:HD22	1:B:266:ASN:HD21	1.55	0.72
1:A:74:ARG:HG3	1:A:75:ILE:HG13	1.72	0.71
1:B:220:LEU:HA	1:B:246:ARG:NH1	2.07	0.70
1:B:278:PRO:HG2	1:B:282:GLU:HG3	1.75	0.69
1:B:249:ASP:HB3	1:B:252:GLN:HG2	1.75	0.69
1:A:26:HIS:NE2	1:A:48:PHE:HB2	2.09	0.68
1:B:228:SER:HA	1:B:300:ARG:O	1.97	0.65
1:A:29:PHE:HD1	1:A:43:LEU:HD11	1.64	0.62
1:B:272:SER:HB2	2:B:350:CC1:C25	2.30	0.61
1:B:215:ALA:O	1:B:219:LEU:HD12	1.99	0.61
1:B:203:GLU:HG2	1:B:206:PHE:HB2	1.82	0.61
1:B:225:THR:HG22	1:B:226:HIS:H	1.66	0.61
1:A:50:GLN:HA	3:A:159:HOH:O	2.00	0.59
1:A:93:GLY:HA3	2:A:150:CC1:H231	1.85	0.59
1:B:237:THR:HG22	1:B:238:ALA:H	1.66	0.59
1:B:264:LEU:HD22	1:B:266:ASN:ND2	2.17	0.58
1:A:29:PHE:HD1	1:A:43:LEU:CD1	2.16	0.57
1:B:251:ASN:HB2	3:B:79:HOH:O	2.03	0.57
1:B:264:LEU:CD1	1:B:276:THR:HG23	2.34	0.57
1:B:291:SER:O	1:B:294:LEU:HB2	2.05	0.56
1:B:205:TRP:CZ3	1:B:231:ILE:HD12	2.41	0.55
1:B:216:GLU:O	1:B:220:LEU:HG	2.07	0.55
1:A:74:ARG:HG3	1:A:75:ILE:N	2.22	0.54
1:A:58:HIS:HB2	2:A:150:CC1:HC71	1.89	0.54
1:A:29:PHE:CD1	1:A:43:LEU:HD11	2.42	0.53
1:B:281:HIS:CD2	1:B:285:ARG:HD2	2.43	0.53
1:B:219:LEU:O	1:B:246:ARG:HD2	2.09	0.53
1:A:29:PHE:HE1	1:A:84:VAL:HG22	1.75	0.52
1:B:262:ARG:HH11	1:B:262:ARG:HG3	1.74	0.51
1:A:74:ARG:HG3	1:A:75:ILE:H	1.75	0.51
1:A:33:GLU:HG3	1:A:41:PHE:CE2	2.46	0.51
1:B:252:GLN:HE21	1:B:255:VAL:HG21	1.76	0.50
1:B:281:HIS:O	1:B:285:ARG:HG3	2.12	0.50
1:B:300:ARG:HG3	1:B:300:ARG:HH11	1.77	0.50
1:B:281:HIS:HB2	3:B:32:HOH:O	2.11	0.50
1:A:59:TYR:OH	2:A:150:CC1:H301	2.12	0.50
1:A:2:PRO:HB2	1:A:3:GLU:OE1	2.12	0.49
1:B:300:ARG:H	1:B:300:ARG:HD3	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:GLU:H	1:B:203:GLU:CD	2.16	0.49
1:B:264:LEU:HD13	1:B:276:THR:HG23	1.94	0.48
1:A:25:THR:O	1:A:28:SER:HB2	2.13	0.48
1:B:252:GLN:HG3	1:B:255:VAL:CG2	2.44	0.47
1:A:24:ASN:O	1:A:46:ARG:NH1	2.47	0.47
1:A:24:ASN:C	1:A:46:ARG:NH1	2.68	0.47
1:B:248:PHE:HA	1:B:253:GLY:O	2.15	0.47
1:B:211:SER:OG	1:B:214:ASP:HB2	2.15	0.47
1:B:277:PHE:CD1	1:B:283:LEU:HG	2.49	0.47
1:B:231:ILE:HG21	1:B:280:LEU:HD13	1.97	0.46
1:B:258:HIS:HB2	2:B:350:CC1:HC71	1.98	0.46
1:A:58:HIS:CB	2:A:150:CC1:HC71	2.46	0.46
1:A:28:SER:HA	1:A:100:ARG:O	2.15	0.45
1:A:12:ARG:NH2	2:A:150:CC1:O4	2.49	0.45
1:A:12:ARG:NH2	2:A:150:CC1:H131	2.33	0.44
1:A:81:HIS:HD2	3:A:172:HOH:O	2.01	0.44
1:B:203:GLU:N	1:B:203:GLU:CD	2.72	0.43
1:A:18:GLN:OE1	1:A:104:THR:HG23	2.19	0.43
1:B:220:LEU:HA	1:B:246:ARG:HH11	1.80	0.43
1:B:212:ARG:HD2	2:B:350:CC1:OR4	2.19	0.42
1:B:275:ILE:HD12	1:B:277:PHE:CZ	2.54	0.42
1:B:281:HIS:NE2	1:B:285:ARG:HD2	2.34	0.42
1:B:287:TYR:HA	1:B:290:ALA:O	2.19	0.42
2:A:150:CC1:H201	2:A:150:CC1:H181	1.92	0.42
1:A:59:TYR:CZ	2:A:150:CC1:H301	2.55	0.41
1:A:77:PHE:HD2	1:A:82:GLU:HG3	1.86	0.41
1:B:277:PHE:HE1	1:B:287:TYR:CE1	2.38	0.41
1:B:247:ASP:O	1:B:254:GLU:HA	2.19	0.41
1:B:300:ARG:HG3	1:B:300:ARG:NH1	2.34	0.41
1:B:216:GLU:HG2	1:B:216:GLU:H	1.73	0.41
1:B:212:ARG:O	1:B:216:GLU:HG2	2.20	0.41
1:B:258:HIS:CB	2:B:350:CC1:HC71	2.51	0.41
1:A:46:ARG:HA	1:A:55:VAL:O	2.20	0.40
1:A:91:SER:O	1:A:94:LEU:HB2	2.21	0.40
1:B:275:ILE:HD12	1:B:277:PHE:HZ	1.86	0.40
1:A:77:PHE:CD2	1:A:82:GLU:HG3	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:GLN:HE22	1:B:265:ASP:H[4_566]	1.22	0.38

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	102/104 (98%)	90 (88%)	11 (11%)	1 (1%)	18	26
1	B	102/104 (98%)	86 (84%)	13 (13%)	3 (3%)	5	5
All	All	204/208 (98%)	176 (86%)	24 (12%)	4 (2%)	9	10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	208	LYS
1	B	299	SER
1	A	50	GLN
1	B	252	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	91/92 (99%)	81 (89%)	10 (11%)	7	10
1	B	91/92 (99%)	81 (89%)	10 (11%)	7	10
All	All	182/184 (99%)	162 (89%)	20 (11%)	7	10

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ARG
1	A	22	PRO
1	A	25	THR
1	A	28	SER
1	A	29	PHE
1	A	36	SER
1	A	50	GLN
1	A	52	GLN
1	A	74	ARG
1	A	75	ILE
1	B	203	GLU
1	B	206	PHE
1	B	213	LYS
1	B	219	LEU
1	B	248	PHE
1	B	251	ASN
1	B	260	LYS
1	B	264	LEU
1	B	282	GLU
1	B	300	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	81	HIS
1	B	226	HIS
1	B	251	ASN
1	B	266	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CC1	A	150	-	48,48,48	1.37	8 (16%)	63,70,70	1.41	7 (11%)
2	CC1	B	350	-	48,48,48	1.49	8 (16%)	63,70,70	1.44	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CC1	A	150	-	-	0/37/56/56	0/4/4/4
2	CC1	B	350	-	-	0/37/56/56	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	150	CC1	P1-OR4	-2.74	1.48	1.54
2	B	350	CC1	P1-OR4	-2.47	1.49	1.54
2	A	150	CC1	P2-OR3	-2.45	1.49	1.54
2	A	150	CC1	P2-OR1	-2.39	1.49	1.54
2	A	150	CC1	P1-OR5	-2.34	1.49	1.54
2	B	350	CC1	P2-OR1	-2.19	1.49	1.54
2	A	150	CC1	C1-N1	-2.14	1.43	1.46
2	B	350	CC1	P1-OR5	-2.13	1.49	1.54
2	B	350	CC1	P2-OR3	-2.11	1.49	1.54
2	B	350	CC1	C6-C8	2.02	1.43	1.40
2	A	150	CC1	C19-C14	2.05	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	350	CC1	C16-C27	2.51	1.53	1.50
2	A	150	CC1	P2-C8	2.79	1.83	1.80
2	A	150	CC1	P1-C10	3.62	1.84	1.80
2	B	350	CC1	P1-C10	4.10	1.85	1.80
2	B	350	CC1	P2-C8	4.48	1.86	1.80

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	150	CC1	C17-C16-C27	-5.85	120.71	125.04
2	B	350	CC1	C17-C16-C27	-5.76	120.78	125.04
2	A	150	CC1	C5-C4-CO	-3.74	102.94	113.41
2	B	350	CC1	C19-C14-C1	-3.73	120.02	124.84
2	B	350	CC1	C11-C1-N1	-2.98	104.49	110.05
2	A	150	CC1	C11-C1-N1	-2.74	104.94	110.05
2	A	150	CC1	C19-C14-C1	-2.51	121.59	124.84
2	B	350	CC1	C5-C4-CO	-2.30	106.98	113.41
2	B	350	CC1	O6-C27-C16	-2.22	117.64	120.28
2	A	150	CC1	OR4-P1-C10	2.01	110.12	106.73
2	B	350	CC1	C28-C31-C19	2.02	117.73	113.83
2	B	350	CC1	OR4-P1-C10	2.08	110.24	106.73
2	B	350	CC1	C16-C27-N3	2.20	121.52	118.16
2	A	150	CC1	O5-C20-C21	2.91	114.46	107.81
2	A	150	CC1	C20-O5-C17	2.99	124.04	118.04
2	B	350	CC1	O5-C20-C21	3.25	115.25	107.81

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	150	CC1	9	0
2	B	350	CC1	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.