



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 01:48 pm GMT

PDB ID : 3FB5
Title : KcsA potassium channel in the partially open state with 14.5 Å opening at T112
Authors : Cuello, L.G.; Jogini, V.; Cortes, D.M.; Perozo, E.
Deposited on : 2008-11-18
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	
2	B	212	
3	C	104	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called antibody Fab fragment heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1648	1042	275	325	6			

- Molecule 2 is a protein called antibody Fab fragment light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	0	0
			1649	1023	283	338	5			

- Molecule 3 is a protein called Voltage-gated potassium channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	90	Total	C	N	O	S	0	0	0
			652	433	104	113	2			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	25	GLN	HIS	ENGINEERED	UNP P0A334
C	90	CYS	LEU	ENGINEERED	UNP P0A334
C	117	GLN	ARG	ENGINEERED	UNP P0A334
C	120	GLN	GLU	ENGINEERED	UNP P0A334
C	121	GLN	ARG	ENGINEERED	UNP P0A334
C	122	GLN	ARG	ENGINEERED	UNP P0A334
C	124	GLN	HIS	ENGINEERED	UNP P0A334

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	6	Total	K	0	0
			6	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	2	Total	O	0	0
			2	2		

4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	157.48Å 157.48Å 74.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.80 35.44 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.80) 88.0 (35.44-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.80 (at 2.81Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.243 , 0.252 0.246 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	72.5	Xtriage
Anisotropy	0.219	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 71.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.028 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3957	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	1/1692 (0.1%)	0.67	0/2312
2	B	0.39	0/1686	0.66	0/2287
3	C	0.47	1/668 (0.1%)	0.66	1/923 (0.1%)
All	All	0.42	2/4046 (0.0%)	0.66	1/5522 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	118	SER	C-N	7.92	1.52	1.34
3	C	100	ILE	C-N	7.06	1.50	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	60	ILE	N-CA-C	5.18	124.98	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	62	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1648	0	1616	84	0
2	B	1649	0	1576	91	0
3	C	652	0	664	21	0
4	C	6	0	0	0	0
5	C	2	0	0	0	0
All	All	3957	0	3856	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:136:LEU:HD11	2:B:196:ALA:HB2	1.60	0.82
2:B:92:ASN:HD21	3:C:58:GLN:HE21	1.28	0.80
1:A:148:LYS:HB3	1:A:181:THR:HG23	1.63	0.79
2:B:150:ILE:HD13	2:B:155:ARG:HB2	1.64	0.78
2:B:120:PRO:HD3	2:B:132:VAL:HG22	1.65	0.77
1:A:38:LYS:HB3	1:A:48:ILE:HD11	1.67	0.76
1:A:124:PRO:HB3	1:A:150:TYR:HB3	1.72	0.71
1:A:150:TYR:OH	1:A:182:LEU:HD23	1.91	0.70
1:A:17:SER:HB2	1:A:84:SER:HA	1.74	0.70
2:B:84:ALA:O	2:B:103:LYS:HD2	1.92	0.70
2:B:78:VAL:HG11	2:B:106:ILE:HD11	1.73	0.69
1:A:104:TYR:CE2	2:B:49:LYS:HD2	2.27	0.69
1:A:193:TRP:CD1	1:A:194:PRO:HA	2.27	0.68
2:B:61:ARG:HG3	2:B:76:ASN:O	1.94	0.68
1:A:6:GLN:NE2	1:A:111:GLY:H	1.91	0.68
2:B:183:LYS:O	2:B:187:GLU:HG2	1.94	0.68
2:B:33:ILE:HD13	2:B:71:PHE:CD1	2.29	0.68
1:A:102:ASP:O	2:B:50:TYR:OH	2.12	0.67
2:B:18:ARG:NH1	2:B:76:ASN:OD1	2.28	0.67
3:C:32:ALA:HB2	3:C:105:LEU:HD23	1.75	0.67
2:B:193:THR:HG22	2:B:208:SER:OG	1.96	0.66
2:B:33:ILE:HG21	2:B:71:PHE:CD2	2.30	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:76:ASN:O	2:B:77:SER:HB3	1.94	0.65
1:A:38:LYS:CB	1:A:48:ILE:HD11	2.27	0.65
2:B:115:VAL:HG22	2:B:136:LEU:HD13	1.78	0.64
1:A:6:GLN:HE21	1:A:109:GLY:HA3	1.63	0.64
3:C:110:LEU:HD23	3:C:110:LEU:O	1.99	0.63
1:A:5:GLN:NE2	1:A:23:LYS:HD2	2.14	0.63
1:A:119:ALA:HB3	1:A:151:PHE:CE2	2.34	0.62
2:B:92:ASN:ND2	3:C:58:GLN:HE21	1.94	0.62
3:C:91:VAL:O	3:C:95:VAL:HG23	1.99	0.62
2:B:115:VAL:HA	2:B:135:PHE:O	2.00	0.62
2:B:117:ILE:HG22	2:B:207:LYS:HB3	1.82	0.62
2:B:150:ILE:HD13	2:B:155:ARG:CB	2.31	0.61
2:B:78:VAL:HG12	2:B:79:GLU:N	2.16	0.61
3:C:30:GLY:O	3:C:34:VAL:HG23	2.01	0.61
2:B:115:VAL:HG22	2:B:136:LEU:CD1	2.30	0.60
2:B:85:ASN:ND2	2:B:103:LYS:HD3	2.17	0.60
1:A:52:ILE:O	1:A:52:ILE:HG23	2.01	0.60
2:B:78:VAL:HG11	2:B:106:ILE:CD1	2.31	0.59
1:A:207:SER:O	1:A:209:THR:HG23	2.03	0.59
2:B:175:MET:HG2	2:B:176:SER:N	2.18	0.59
3:C:34:VAL:O	3:C:38:ILE:HG12	2.03	0.59
2:B:19:VAL:HG12	2:B:75:ILE:HB	1.85	0.58
1:A:182:LEU:HD12	1:A:183:SER:N	2.17	0.58
1:A:157:VAL:HG22	1:A:202:VAL:HG22	1.85	0.58
2:B:92:ASN:HD21	3:C:58:GLN:NE2	1.99	0.58
1:A:182:LEU:HD12	1:A:182:LEU:C	2.24	0.57
1:A:159:TRP:CZ3	1:A:200:CYS:HB3	2.39	0.57
1:A:160:ASN:ND2	1:A:164:LEU:HD22	2.19	0.57
3:C:92:ALA:O	3:C:96:MET:HG3	2.05	0.57
2:B:78:VAL:CG1	2:B:106:ILE:HD11	2.34	0.56
2:B:93:ARG:HG3	3:C:58:GLN:HG2	1.88	0.56
1:A:40:ARG:NH2	1:A:89:GLU:HB3	2.21	0.56
1:A:5:GLN:HB2	1:A:23:LYS:HG2	1.88	0.55
1:A:175:LEU:HB2	1:A:180:TYR:CE2	2.42	0.55
2:B:149:LYS:HB2	2:B:193:THR:OG1	2.07	0.55
1:A:33:TRP:CE3	1:A:50:GLU:HG3	2.42	0.54
2:B:54:SER:O	2:B:55:ILE:HD13	2.08	0.54
2:B:187:GLU:HA	2:B:187:GLU:OE2	2.07	0.54
1:A:68:ALA:HA	1:A:82:GLN:O	2.09	0.54
1:A:12:VAL:O	1:A:116:VAL:HA	2.08	0.53
2:B:13:VAL:CG2	2:B:17:GLU:HB3	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:40:LEU:HD13	3:C:70:VAL:HG22	1.90	0.53
1:A:55:TYR:CE2	3:C:49:LEU:HD21	2.44	0.53
2:B:122:SER:HA	2:B:125:LEU:HD12	1.91	0.53
2:B:179:LEU:HD11	2:B:181:LEU:HD21	1.91	0.53
2:B:149:LYS:C	2:B:150:ILE:HD12	2.29	0.52
1:A:74:LYS:HA	1:A:74:LYS:NZ	2.24	0.52
2:B:192:TYR:HB2	2:B:209:PHE:CE2	2.44	0.52
3:C:89:ARG:O	3:C:93:VAL:HG23	2.09	0.52
1:A:199:THR:HG23	1:A:213:LYS:C	2.29	0.52
1:A:86:LEU:HA	1:A:90:ASP:OD2	2.10	0.52
2:B:198:HIS:O	2:B:200:THR:N	2.43	0.52
1:A:98:ARG:HD3	1:A:100:ARG:CZ	2.40	0.52
1:A:9:ALA:O	1:A:10:GLU:HG2	2.10	0.51
3:C:51:GLU:HG3	3:C:59:LEU:HB3	1.91	0.51
2:B:167:ASP:OD2	2:B:169:LYS:HB2	2.11	0.51
1:A:185:SER:HB2	2:B:135:PHE:CE2	2.45	0.51
3:C:62:TYR:HB2	3:C:63:PRO:HD3	1.91	0.51
2:B:205:ILE:HD12	2:B:205:ILE:N	2.25	0.51
1:A:6:GLN:HE22	1:A:95:TYR:HA	1.76	0.51
1:A:193:TRP:CG	1:A:194:PRO:HA	2.45	0.51
1:A:169:HIS:NE2	2:B:138:ASN:ND2	2.58	0.50
1:A:140:MET:CE	1:A:187:THR:HG22	2.41	0.50
1:A:67:LYS:O	1:A:83:LEU:HA	2.12	0.50
1:A:101:GLY:HA3	3:C:62:TYR:CE1	2.47	0.50
2:B:13:VAL:HG22	2:B:14:SER:N	2.26	0.49
3:C:44:SER:OG	3:C:66:LEU:HA	2.12	0.49
2:B:78:VAL:HG12	2:B:79:GLU:H	1.78	0.49
1:A:98:ARG:HD3	1:A:100:ARG:NH1	2.28	0.49
2:B:35:TRP:CE2	2:B:73:LEU:HB2	2.48	0.49
2:B:9:ALA:C	2:B:10:ILE:HD12	2.32	0.48
2:B:12:SER:HB3	2:B:107:LYS:HE2	1.95	0.48
2:B:136:LEU:HD11	2:B:196:ALA:CB	2.37	0.48
2:B:142:LYS:HB3	2:B:173:TYR:CG	2.48	0.48
2:B:181:LEU:HD13	2:B:185:GLU:HG3	1.95	0.48
1:A:32:ASP:OD1	1:A:100:ARG:HD3	2.14	0.48
2:B:155:ARG:HE	2:B:157:ASN:HB2	1.78	0.48
2:B:16:GLY:O	2:B:77:SER:HA	2.13	0.48
1:A:108:TRP:CE2	2:B:44:PRO:HB2	2.48	0.47
2:B:198:HIS:CE1	2:B:200:THR:HG23	2.48	0.47
1:A:136:GLN:O	1:A:136:GLN:HG2	2.13	0.47
2:B:133:VAL:HG12	2:B:134:CYS:N	2.28	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:199:LYS:O	2:B:199:LYS:HG2	2.15	0.47
2:B:2:ILE:HD13	2:B:29:ILE:CG2	2.44	0.47
1:A:7:PRO:O	1:A:112:THR:HG23	2.15	0.47
1:A:143:LEU:HB3	1:A:215:ILE:HG21	1.95	0.47
2:B:10:ILE:N	2:B:10:ILE:HD12	2.29	0.47
2:B:37:GLN:HB2	2:B:47:LEU:HD11	1.96	0.47
2:B:16:GLY:C	2:B:77:SER:HA	2.34	0.47
2:B:161:ASN:HB3	2:B:175:MET:HE2	1.97	0.47
1:A:17:SER:CB	1:A:84:SER:HA	2.41	0.47
2:B:110:ASP:OD1	2:B:141:PRO:HD3	2.15	0.47
1:A:128:PRO:HB3	1:A:215:ILE:CD1	2.45	0.47
1:A:1:GLN:OE1	1:A:1:GLN:N	2.43	0.46
2:B:140:TYR:HA	2:B:141:PRO:C	2.36	0.46
1:A:6:GLN:NE2	1:A:111:GLY:N	2.61	0.46
3:C:33:THR:O	3:C:37:VAL:HG23	2.16	0.46
1:A:55:TYR:CZ	3:C:49:LEU:HD21	2.51	0.46
1:A:53:PRO:C	1:A:55:TYR:H	2.19	0.46
2:B:8:PRO:HG2	2:B:11:LEU:HD13	1.98	0.46
2:B:29:ILE:HD11	2:B:33:ILE:HD12	1.98	0.46
1:A:144:GLY:O	1:A:145:CYS:HB3	2.14	0.46
1:A:148:LYS:HB3	1:A:181:THR:CG2	2.40	0.46
1:A:155:VAL:CG2	1:A:182:LEU:HD21	2.47	0.45
2:B:47:LEU:O	2:B:48:ILE:HD13	2.17	0.45
1:A:35:HIS:CG	1:A:105:PHE:HE2	2.34	0.45
2:B:126:THR:HG22	2:B:126:THR:O	2.16	0.45
2:B:61:ARG:NH1	2:B:82:ASP:OD1	2.49	0.45
1:A:86:LEU:HB3	1:A:116:VAL:HG21	1.97	0.45
1:A:47:TRP:HZ2	1:A:50:GLU:HB3	1.82	0.45
1:A:167:GLY:O	1:A:186:VAL:HA	2.17	0.45
1:A:204:HIS:CE1	1:A:206:ALA:HB3	2.52	0.45
1:A:128:PRO:HB3	1:A:215:ILE:HD13	1.98	0.44
2:B:161:ASN:HB2	2:B:163:TRP:CH2	2.51	0.44
2:B:59:PRO:C	2:B:61:ARG:H	2.18	0.44
1:A:168:VAL:HA	1:A:185:SER:O	2.17	0.44
1:A:6:GLN:HE21	1:A:109:GLY:CA	2.29	0.44
1:A:216:VAL:HB	1:A:217:PRO:HD2	2.00	0.44
1:A:32:ASP:CG	1:A:100:ARG:HH11	2.21	0.44
1:A:86:LEU:HD22	1:A:90:ASP:CB	2.48	0.44
2:B:78:VAL:CG1	2:B:79:GLU:N	2.81	0.44
2:B:24:ARG:HA	2:B:69:THR:O	2.17	0.44
2:B:61:ARG:NH1	2:B:82:ASP:OD2	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:MET:HE3	1:A:187:THR:HG22	1.99	0.44
1:A:153:GLU:HG2	1:A:180:TYR:CD1	2.53	0.44
1:A:171:PHE:CG	2:B:176:SER:HB3	2.52	0.44
2:B:61:ARG:HD3	2:B:77:SER:O	2.18	0.44
2:B:23:CYS:SG	2:B:33:ILE:HD11	2.58	0.43
2:B:50:TYR:O	2:B:51:ALA:HB3	2.18	0.43
3:C:72:THR:O	3:C:75:THR:HA	2.18	0.43
2:B:162:SER:HB3	2:B:176:SER:OG	2.17	0.43
1:A:124:PRO:CB	1:A:150:TYR:HB3	2.44	0.43
1:A:128:PRO:HG3	1:A:213:LYS:CG	2.48	0.43
2:B:195:GLU:HG2	2:B:206:VAL:HG12	2.00	0.43
2:B:35:TRP:CE3	2:B:73:LEU:HD22	2.54	0.43
2:B:61:ARG:HH11	2:B:82:ASP:CG	2.21	0.42
1:A:126:VAL:HG21	1:A:211:VAL:CG2	2.49	0.42
2:B:151:ASP:OD1	2:B:190:ASN:HB3	2.19	0.42
1:A:35:HIS:CD2	1:A:105:PHE:HE2	2.38	0.42
1:A:40:ARG:HH22	1:A:89:GLU:HB3	1.84	0.42
1:A:35:HIS:O	1:A:96:CYS:HA	2.20	0.42
2:B:142:LYS:HB3	2:B:173:TYR:CD1	2.55	0.42
1:A:129:LEU:HB3	2:B:118:PHE:CD2	2.55	0.42
1:A:33:TRP:HE3	1:A:50:GLU:HG3	1.83	0.41
1:A:39:GLN:O	1:A:92:ALA:HB1	2.20	0.41
1:A:193:TRP:HZ2	1:A:215:ILE:O	2.03	0.41
1:A:171:PHE:HA	1:A:172:PRO:HD3	1.90	0.41
1:A:91:SER:O	1:A:92:ALA:HB2	2.20	0.41
1:A:12:VAL:HG11	1:A:86:LEU:HD12	2.03	0.41
2:B:115:VAL:O	2:B:207:LYS:HE3	2.21	0.41
1:A:127:TYR:HB3	2:B:121:SER:OG	2.21	0.41
1:A:6:GLN:NE2	1:A:109:GLY:HA3	2.32	0.41
2:B:15:PRO:HD3	2:B:107:LYS:O	2.21	0.40
2:B:118:PHE:HA	2:B:119:PRO:HD3	1.90	0.40
3:C:51:GLU:O	3:C:54:ALA:HB3	2.21	0.40
2:B:183:LYS:HB3	2:B:183:LYS:NZ	2.36	0.40
1:A:158:THR:OG1	1:A:201:ASN:HB2	2.22	0.40
2:B:78:VAL:HG11	2:B:104:LEU:HD21	2.03	0.40
2:B:191:SER:HB3	2:B:210:ASN:OD1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/219 (99%)	199 (92%)	15 (7%)	3 (1%)	13	39
2	B	210/212 (99%)	188 (90%)	18 (9%)	4 (2%)	9	30
3	C	88/104 (85%)	85 (97%)	2 (2%)	1 (1%)	17	47
All	All	515/535 (96%)	472 (92%)	35 (7%)	8 (2%)	11	36

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	199	LYS
3	C	77	GLY
1	A	55	TYR
1	A	192	SER
2	B	190	ASN
2	B	16	GLY
2	B	80	SER
1	A	139	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/185 (100%)	174 (94%)	11 (6%)	23	54
2	B	190/190 (100%)	182 (96%)	8 (4%)	34	68
3	C	62/75 (83%)	62 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	437/450 (97%)	418 (96%)	19 (4%)	33	67

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	GLU
1	A	74	LYS
1	A	120	LYS
1	A	136	GLN
1	A	137	THR
1	A	148	LYS
1	A	154	PRO
1	A	185	SER
1	A	200	CYS
1	A	201	ASN
1	A	219	ASP
2	B	4	LEU
2	B	33	ILE
2	B	74	SER
2	B	76	ASN
2	B	100	SER
2	B	165	ASP
2	B	190	ASN
2	B	212	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	5	GLN
1	A	6	GLN
1	A	136	GLN
2	B	85	ASN
2	B	92	ASN
2	B	137	ASN
2	B	138	ASN
2	B	190	ASN
2	B	212	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	219/219 (100%)	0.34	6 (2%)	55	44	59, 89, 109, 124	0
2	B	212/212 (100%)	0.31	9 (4%)	37	26	40, 84, 114, 125	0
3	C	90/104 (86%)	0.19	4 (4%)	35	25	42, 56, 114, 126	0
All	All	521/535 (97%)	0.31	19 (3%)	43	32	40, 84, 114, 126	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	114	PHE	4.4
3	C	113	TRP	4.0
2	B	157	ASN	3.6
1	A	1	GLN	3.0
1	A	120	LYS	2.9
2	B	187	GLU	2.9
1	A	80	PHE	2.8
2	B	141	PRO	2.7
2	B	145	ASN	2.7
1	A	178	ASP	2.6
2	B	199	LYS	2.6
3	C	28	ALA	2.6
2	B	143	ASP	2.6
2	B	209	PHE	2.3
2	B	121	SER	2.3
2	B	181	LEU	2.3
1	A	219	ASP	2.3
3	C	77	GLY	2.2
1	A	132	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	K	C	1	1/1	0.98	0.16	-	35,35,35,35	1
4	K	C	6	1/1	0.99	0.10	-	6,6,6,6	1
4	K	C	2	1/1	0.90	0.17	-	79,79,79,79	1
4	K	C	5	1/1	0.96	0.12	-	2,2,2,2	1
4	K	C	4	1/1	0.97	0.15	-	20,20,20,20	1
4	K	C	3	1/1	0.99	0.05	-	5,5,5,5	1

6.5 Other polymers [i](#)

There are no such residues in this entry.