



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2018 – 08:27 AM EST

PDB ID : 6FD2
Title : Radical SAM 1,2-diol dehydratase AprD4 in complex with its substrate para-mamine
Authors : Liu, W.Q.; Amara, P.; Mouesca, J.M.; Ji, X.; Renoux, O.; Martin, L.; Zhang, C.; Zhang, Q.; Nicolet, Y.
Deposited on : 2017-12-21
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4993 (2.58-2.50)
Clashscore	112137	5755 (2.58-2.50)
Ramachandran outliers	110173	5652 (2.58-2.50)
Sidechain outliers	110143	5654 (2.58-2.50)
RSRZ outliers	101464	5026 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	<div> <div>9%</div> <div>65%</div> <div>28%</div> <div>6%</div> </div>
1	B	457	<div> <div>3%</div> <div>76%</div> <div>20%</div> <div>..</div> </div>

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 7161 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative apramycin biosynthetic oxidoreductase 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	453	Total	C	N	O	S	0	0	0
			3502	2213	618	654	17			
1	A	454	Total	C	N	O	S	0	0	0
			3508	2218	619	653	18			

- Molecule 2 is paromamine (three-letter code: D5E) (formula: $C_{12}H_{25}N_3O_7$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			22	12	3	7		
2	A	1	Total	C	N	O	0	0
			22	12	3	7		

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	A	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is METHIONINE (three-letter code: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			6	3	1	2		
4	A	1	Total	C	N	O	0	0
			6	3	1	2		

- Molecule 5 is 5'-DEOXYADENOSINE (three-letter code: 5AD) (formula: $C_{10}H_{13}N_5O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			18	10	5	3		
5	A	1	Total	C	N	O	0	0
			18	10	5	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	24	Total	O	0	0
			24	24		
6	A	19	Total	O	0	0
			19	19		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative apramycin biosynthetic oxidoreductase 4



- Molecule 1: Putative apramycin biosynthetic oxidoreductase 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	121.82Å 121.82Å 233.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.08 – 2.55 48.08 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.08-2.55) 99.2 (48.08-2.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.54Å)	Xtriage
Refinement program	PHENIX (1.11rc3 _2542: ???)	Depositor
R, R_{free}	0.228 , 0.263 0.225 , 0.261	Depositor DCC
R_{free} test set	3204 reflections (4.88%)	DCC
Wilson B-factor (Å ²)	66.5	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 57.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7161	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, D5E, 5AD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/3589	0.58	1/4883 (0.0%)
1	B	0.33	0/3583	0.57	2/4876 (0.0%)
All	All	0.33	0/7172	0.58	3/9759 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	159	LEU	CA-CB-CG	5.94	128.96	115.30
1	B	74	VAL	C-N-CA	-5.82	107.16	121.70
1	B	11	LEU	CA-CB-CG	5.74	128.50	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3508	0	3462	109	0
1	B	3502	0	3453	63	0
2	A	22	0	0	0	0
2	B	22	0	0	1	0
3	A	8	0	0	0	0
3	B	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	6	0	1	0	0
4	B	6	0	1	0	0
5	A	18	0	13	0	0
5	B	18	0	13	0	0
6	A	19	0	0	0	0
6	B	24	0	0	0	0
All	All	7161	0	6943	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:GLU:OE2	1:A:448:ARG:NH2	2.06	0.87
1:B:354:ARG:HH21	1:B:456:ASP:HA	1.41	0.84
1:A:23:GLN:HE22	1:A:41:LEU:H	1.26	0.83
1:A:312:ASP:OD1	1:A:351:ARG:NH1	2.17	0.78
1:A:23:GLN:NE2	1:A:39:PHE:O	2.18	0.77
1:B:280:GLU:HG3	1:B:303:GLU:HB2	1.70	0.74
1:B:405:THR:HG22	1:B:407:HIS:H	1.51	0.74
1:A:394:LYS:NZ	1:A:414:ASP:OD1	2.21	0.74
1:A:113:ARG:HH22	1:A:166:PRO:HB3	1.56	0.70
1:A:76:PRO:HB3	1:A:103:GLY:HA3	1.75	0.69
1:A:227:TYR:O	1:A:260:ARG:NH2	2.24	0.68
1:B:25:THR:OG1	1:B:250:ARG:NH2	2.27	0.68
1:A:207:PRO:HD3	1:A:224:ILE:HD12	1.76	0.67
1:B:354:ARG:NH1	1:B:420:ASP:OD1	2.27	0.67
1:A:456:ASP:N	1:A:456:ASP:OD2	2.28	0.66
1:A:115:PRO:HB3	1:A:158:LEU:HD21	1.78	0.65
1:B:94:GLU:HG2	1:B:124:ARG:HH21	1.63	0.64
1:B:149:VAL:O	1:B:162:ARG:NH2	2.31	0.63
1:B:312:ASP:OD2	1:B:351:ARG:NH1	2.28	0.63
1:A:113:ARG:NH1	1:A:218:LEU:O	2.32	0.63
1:B:52:VAL:HG12	1:B:175:PRO:HD2	1.81	0.62
1:A:225:ARG:HA	1:A:225:ARG:HH11	1.65	0.61
1:B:227:TYR:O	1:B:260:ARG:NH2	2.28	0.61
1:A:350:PRO:O	1:A:351:ARG:HB2	2.01	0.59
1:A:79:THR:HG21	1:A:143:LEU:HD21	1.83	0.59
1:A:365:LEU:HD13	1:A:442:ARG:HD3	1.84	0.59
1:A:84:VAL:HG11	1:A:89:LEU:HD13	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:ASN:N	1:A:402:ASN:OD1	2.30	0.58
1:A:117:GLN:OE1	1:A:401:GLN:NE2	2.37	0.58
1:A:94:GLU:HA	1:A:124:ARG:HH21	1.69	0.57
1:A:382:TYR:OH	1:A:406:SER:OG	2.20	0.57
1:A:416:LEU:HD23	1:A:421:LEU:HG	1.85	0.57
1:A:427:PHE:CE2	1:A:449:VAL:HG22	2.39	0.57
1:A:14:PRO:O	1:A:24:ARG:NH2	2.38	0.57
1:A:9:VAL:HB	1:A:60:ILE:HD13	1.87	0.57
1:B:441:GLU:N	1:B:441:GLU:OE1	2.36	0.57
1:A:160:ASP:HB3	1:A:162:ARG:HD2	1.87	0.57
1:A:18:PHE:CD1	1:A:33:VAL:HG11	2.40	0.57
1:B:335:ARG:NH1	1:B:373:GLU:OE1	2.38	0.56
1:A:365:LEU:HD21	1:A:431:LEU:HD11	1.86	0.56
1:A:225:ARG:HA	1:A:225:ARG:NH1	2.20	0.56
1:A:225:ARG:NH1	1:A:226:THR:H	2.03	0.56
1:A:423:ARG:O	1:A:427:PHE:HD1	1.88	0.56
1:A:160:ASP:C	1:A:162:ARG:H	2.10	0.55
1:A:108:ALA:O	1:A:131:LEU:N	2.32	0.55
1:A:423:ARG:HG3	1:A:427:PHE:HE1	1.71	0.55
1:A:434:VAL:HG11	1:A:442:ARG:HA	1.89	0.55
1:B:181:LEU:HD22	1:A:223:LYS:HE2	1.87	0.55
1:B:418:ILE:O	1:B:422:GLU:HB2	2.07	0.55
1:A:399:GLY:HA3	1:A:410:VAL:HG13	1.87	0.55
1:A:86:LEU:HA	1:A:112:ILE:HD11	1.88	0.55
1:A:138:PHE:CD2	1:A:150:PRO:HD2	2.41	0.55
1:B:50:ALA:O	1:B:54:ARG:HB2	2.07	0.55
1:A:445:PHE:O	1:A:449:VAL:HG23	2.07	0.55
1:B:425:SER:O	1:B:428:VAL:HG22	2.07	0.54
1:B:20:ARG:NH2	1:B:186:PRO:O	2.37	0.54
1:B:369:LEU:HD23	1:B:374:PHE:HB3	1.90	0.54
1:A:305:GLY:HA2	1:A:344:LEU:HB2	1.90	0.54
1:B:328:ARG:NH2	1:B:366:GLU:OE1	2.41	0.54
1:B:174:GLU:O	1:B:231:ARG:NH1	2.40	0.54
1:A:22:LEU:HA	1:A:33:VAL:HG13	1.91	0.53
1:A:442:ARG:HB3	1:A:442:ARG:HH11	1.73	0.53
1:B:113:ARG:HH22	1:B:134:GLU:CD	2.11	0.53
1:A:34:CYS:SG	1:A:35:LYS:N	2.82	0.53
1:B:412:HIS:HB2	1:B:416:LEU:O	2.07	0.53
1:A:113:ARG:NH2	1:A:166:PRO:HB3	2.24	0.53
1:B:334:ALA:HB3	1:B:341:LEU:HD11	1.90	0.53
1:A:23:GLN:HE22	1:A:41:LEU:N	2.02	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:GLY:O	1:B:379:ILE:HG21	2.10	0.52
1:A:119:ARG:HA	1:A:122:PHE:HD1	1.73	0.52
1:B:94:GLU:HG2	1:B:124:ARG:NH2	2.25	0.52
1:B:33:VAL:HB	1:B:405:THR:OG1	2.10	0.52
1:A:154:THR:HG1	1:A:156:ASP:H	1.53	0.51
1:B:403:ALA:C	1:B:405:THR:H	2.13	0.51
1:B:189:PHE:CE1	1:B:191:PRO:HG2	2.46	0.51
1:A:146:ASP:OD1	1:A:147:HIS:N	2.44	0.51
1:A:403:ALA:HB1	1:A:408:ASN:HD22	1.76	0.50
1:B:416:LEU:HD23	1:B:421:LEU:HG	1.94	0.50
1:B:9:VAL:O	1:B:60:ILE:HA	2.11	0.50
1:A:291:VAL:HG13	1:A:339:LEU:HD22	1.93	0.50
1:A:423:ARG:HG3	1:A:427:PHE:CE1	2.46	0.49
1:A:44:LEU:O	1:A:48:ARG:HG3	2.12	0.49
1:A:6:LEU:HB2	1:A:56:ASP:O	2.12	0.49
1:A:248:VAL:HG13	1:A:278:TRP:HB3	1.94	0.49
1:B:434:VAL:HG12	1:B:442:ARG:HG2	1.93	0.49
1:A:399:GLY:CA	1:A:410:VAL:HG13	2.42	0.49
1:B:444:GLU:O	1:B:448:ARG:HG3	2.12	0.49
1:A:23:GLN:NE2	1:A:40:LEU:HA	2.28	0.49
1:B:48:ARG:NH1	1:B:227:TYR:OH	2.46	0.49
1:B:378:VAL:O	1:B:380:THR:HG23	2.13	0.49
1:A:154:THR:OG1	1:A:156:ASP:N	2.32	0.48
1:A:24:ARG:NH1	1:A:83:HIS:O	2.46	0.48
1:B:184:HIS:O	1:B:196:GLY:HA2	2.14	0.48
1:A:5:ARG:NH2	1:A:5:ARG:O	2.43	0.48
1:A:207:PRO:HD3	1:A:224:ILE:CD1	2.43	0.48
1:A:256:PHE:HA	1:A:285:ARG:HD3	1.95	0.48
1:A:94:GLU:OE2	1:A:124:ARG:NH2	2.47	0.48
1:A:162:ARG:HD3	1:A:163:HIS:CE1	2.49	0.47
1:A:427:PHE:CD2	1:A:449:VAL:HG22	2.49	0.47
1:A:119:ARG:HA	1:A:122:PHE:CD1	2.49	0.47
1:B:236:PHE:HB3	1:B:273:THR:HG21	1.95	0.47
1:B:86:LEU:HB3	1:B:87:PRO:HD3	1.97	0.47
1:A:309:GLY:HA3	1:A:360:THR:HA	1.97	0.47
1:A:190:PRO:HB3	1:A:194:ARG:NH2	2.29	0.47
1:A:412:HIS:HB2	1:A:416:LEU:O	2.15	0.47
1:A:105:ARG:HD3	1:A:107:TYR:HE1	1.79	0.47
1:A:425:SER:O	1:A:428:VAL:HG22	2.15	0.47
1:A:14:PRO:HB3	1:A:95:ARG:HG2	1.97	0.47
1:B:119:ARG:O	1:B:123:GLU:HG2	2.16	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:LEU:HD13	1:A:188:MET:HE3	1.97	0.46
1:A:440:ALA:O	1:A:444:GLU:HB2	2.15	0.46
1:A:176:LEU:HD22	1:A:235:GLU:HG3	1.97	0.46
1:A:52:VAL:HG22	1:A:175:PRO:HD2	1.96	0.46
1:B:48:ARG:NH1	1:B:174:GLU:OE2	2.48	0.46
1:B:320:LYS:NZ	3:B:502:SF4:S2	2.89	0.46
1:A:354:ARG:NH1	1:A:457:ALA:HB2	2.31	0.46
1:B:335:ARG:HH12	1:B:373:GLU:CD	2.18	0.46
1:A:381:PRO:HG3	1:A:411:MET:SD	2.56	0.46
1:A:405:THR:O	1:A:406:SER:HB2	2.16	0.45
1:A:5:ARG:HD3	1:A:5:ARG:O	2.17	0.45
1:B:23:GLN:OE1	1:B:40:LEU:HA	2.17	0.45
1:A:160:ASP:O	1:A:162:ARG:N	2.50	0.45
1:A:97:ALA:O	1:A:100:ARG:HB3	2.17	0.45
1:A:21:ASP:O	1:A:33:VAL:HA	2.16	0.45
1:A:206:CYS:O	1:A:222:ARG:HA	2.16	0.45
1:A:84:VAL:CG1	1:A:89:LEU:HD13	2.47	0.45
1:A:354:ARG:HH12	1:A:457:ALA:HB2	1.82	0.45
1:B:128:GLU:OE1	1:B:128:GLU:N	2.50	0.45
1:B:153:VAL:HG22	1:B:163:HIS:CD2	2.52	0.45
1:B:405:THR:C	1:B:407:HIS:H	2.20	0.44
1:A:135:SER:HB3	1:A:151:GLY:HA3	1.99	0.44
1:A:20:ARG:NH2	1:A:186:PRO:O	2.50	0.44
1:B:421:LEU:HA	1:B:421:LEU:HD23	1.87	0.44
1:B:58:ASP:O	1:A:225:ARG:NH2	2.51	0.44
1:A:354:ARG:NH1	1:A:452:TRP:O	2.44	0.43
1:B:189:PHE:HB2	1:B:197:ILE:HG13	2.00	0.43
1:B:33:VAL:O	1:B:405:THR:HG23	2.18	0.43
1:A:188:MET:HG3	1:A:194:ARG:HA	2.00	0.43
1:B:279:CYS:SG	1:B:302:VAL:HG12	2.58	0.43
1:A:370:ALA:HB3	1:A:373:GLU:HG3	2.01	0.42
1:A:118:TRP:CZ3	1:A:153:VAL:HG11	2.55	0.42
1:B:22:LEU:HD13	1:B:24:ARG:HG2	2.02	0.42
1:B:11:LEU:HB3	1:B:46:LEU:HD22	2.01	0.42
1:A:433:ALA:HA	1:A:436:LYS:HD3	2.00	0.42
1:A:171:LEU:HD23	1:A:171:LEU:HA	1.84	0.42
1:A:48:ARG:O	1:A:52:VAL:HG23	2.19	0.42
1:B:169:GLY:O	1:B:225:ARG:NH2	2.53	0.42
1:A:182:VAL:HG22	1:A:184:HIS:CE1	2.55	0.41
1:A:262:LEU:HD21	1:A:290:VAL:HG22	2.01	0.41
1:B:288:GLU:HG2	1:B:333:VAL:CG1	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:GLU:HG2	1:B:333:VAL:HG11	2.02	0.41
1:B:278:TRP:HE1	1:B:303:GLU:HG3	1.85	0.41
1:A:365:LEU:HB3	1:A:442:ARG:HE	1.86	0.41
1:A:109:TYR:HA	1:A:131:LEU:O	2.21	0.41
1:A:154:THR:OG1	1:A:156:ASP:HB2	2.21	0.41
1:A:309:GLY:HA2	1:A:324:LEU:HD21	2.03	0.41
1:A:89:LEU:O	1:A:89:LEU:HD12	2.21	0.41
1:B:283:ILE:HG13	1:B:304:VAL:HB	2.03	0.41
1:A:119:ARG:O	1:A:123:GLU:HG2	2.20	0.41
1:A:138:PHE:HB2	1:A:149:VAL:HG23	2.03	0.41
1:B:40:LEU:HD13	1:B:188:MET:HE3	2.03	0.41
1:B:256:PHE:HA	1:B:285:ARG:HD3	2.03	0.41
1:B:153:VAL:HG22	1:B:163:HIS:NE2	2.37	0.40
1:A:412:HIS:HB3	1:A:418:ILE:HG22	2.02	0.40
1:A:4:MET:SD	1:A:5:ARG:HG3	2.62	0.40
1:A:168:PHE:HA	1:A:168:PHE:HD1	1.75	0.40
1:A:434:VAL:CG1	1:A:442:ARG:HA	2.50	0.40
1:B:197:ILE:HB	1:B:246:ALA:HB3	2.03	0.40
1:B:280:GLU:OE1	2:B:501:D5E:N2'	2.54	0.40
1:B:427:PHE:CE2	1:B:449:VAL:HG22	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/457 (99%)	423 (94%)	26 (6%)	3 (1%)	25	42
1	B	451/457 (99%)	420 (93%)	30 (7%)	1 (0%)	51	71
All	All	903/914 (99%)	843 (93%)	56 (6%)	4 (0%)	38	57

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	351	ARG
1	B	455	GLY
1	A	350	PRO
1	A	161	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/376 (99%)	328 (88%)	44 (12%)	6	10
1	B	372/376 (99%)	351 (94%)	21 (6%)	25	42
All	All	744/752 (99%)	679 (91%)	65 (9%)	12	21

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	5	ARG
1	B	11	LEU
1	B	12	VAL
1	B	22	LEU
1	B	30	LEU
1	B	54	ARG
1	B	132	LEU
1	B	137	SER
1	B	159	LEU
1	B	162	ARG
1	B	197	ILE
1	B	210	CYS
1	B	250	ARG
1	B	260	ARG
1	B	280	GLU
1	B	354	ARG
1	B	358	ARG
1	B	369	LEU
1	B	373	GLU
1	B	401	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	405	THR
1	A	4	MET
1	A	5	ARG
1	A	6	LEU
1	A	12	VAL
1	A	33	VAL
1	A	34	CYS
1	A	71	VAL
1	A	82	CYS
1	A	127	CYS
1	A	128	GLU
1	A	137	SER
1	A	140	ARG
1	A	149	VAL
1	A	153	VAL
1	A	154	THR
1	A	156	ASP
1	A	159	LEU
1	A	162	ARG
1	A	168	PHE
1	A	182	VAL
1	A	194	ARG
1	A	210	CYS
1	A	224	ILE
1	A	225	ARG
1	A	245	THR
1	A	259	ASP
1	A	269	LYS
1	A	344	LEU
1	A	347	ILE
1	A	352	GLU
1	A	358	ARG
1	A	389	GLN
1	A	392	VAL
1	A	394	LYS
1	A	402	ASN
1	A	418	ILE
1	A	425	SER
1	A	429	ASP
1	A	436	LYS
1	A	441	GLU
1	A	442	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	444	GLU
1	A	448	ARG
1	A	456	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	408	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	D5E	A	501	-	23,23,23	0.78	0	30,34,34	0.86	2 (6%)
3	SF4	A	502	1,4	0,12,12	0.00	-	0,24,24	0.00	-
4	MET	A	503	3	2,5,8	0.38	0	2,6,9	0.73	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	5AD	A	504	-	17,20,20	1.27	2 (11%)	13,30,30	2.99	2 (15%)
2	D5E	B	501	-	23,23,23	0.83	0	30,34,34	0.93	1 (3%)
3	SF4	B	502	1,4	0,12,12	0.00	-	0,24,24	0.00	-
4	MET	B	503	3	2,5,8	0.42	0	2,6,9	0.63	0
5	5AD	B	504	-	17,20,20	1.35	2 (11%)	13,30,30	2.76	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D5E	A	501	-	-	0/6/46/46	0/2/2/2
3	SF4	A	502	1,4	-	0/0/48/48	0/6/5/5
4	MET	A	503	3	-	0/0/4/8	0/0/0/0
5	5AD	A	504	-	-	0/0/20/20	0/3/3/3
2	D5E	B	501	-	-	0/6/46/46	0/2/2/2
3	SF4	B	502	1,4	-	0/0/48/48	0/6/5/5
4	MET	B	503	3	-	0/0/4/8	0/0/0/0
5	5AD	B	504	-	-	0/0/20/20	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	504	5AD	C2-N1	2.30	1.38	1.33
5	B	504	5AD	C2-N1	2.41	1.38	1.33
5	A	504	5AD	C2-N3	3.71	1.38	1.32
5	B	504	5AD	C2-N3	4.03	1.38	1.32

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	504	5AD	N3-C2-N1	-10.03	120.12	128.86
5	B	504	5AD	N3-C2-N1	-8.81	121.18	128.86
5	B	504	5AD	C5'-C4'-C3'	-3.93	111.57	115.70
5	A	504	5AD	C5'-C4'-C3'	-3.05	112.49	115.70
2	A	501	D5E	O4-C4-C5	2.02	112.06	107.19
2	A	501	D5E	O5'-C5'-C6'	2.07	111.36	106.41
2	B	501	D5E	O5'-C5'-C6'	2.72	112.92	106.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	D5E	1	0
3	B	502	SF4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	454/457 (99%)	0.49	40 (8%)	11 11	55, 95, 161, 195	0
1	B	453/457 (99%)	0.23	13 (2%)	52 56	53, 85, 130, 173	0
All	All	907/914 (99%)	0.36	53 (5%)	24 25	53, 88, 151, 195	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	121	LEU	7.0
1	A	142	ALA	6.5
1	A	149	VAL	6.1
1	A	152	LEU	5.5
1	A	155	PRO	5.3
1	A	80	VAL	5.3
1	A	58	ASP	4.6
1	A	153	VAL	4.4
1	B	6	LEU	4.1
1	A	439	PRO	4.0
1	A	143	LEU	3.9
1	A	107	TYR	3.8
1	A	125	GLY	3.8
1	A	156	ASP	3.7
1	A	124	ARG	3.7
1	A	129	GLY	3.6
1	A	94	GLU	3.5
1	A	164	HIS	3.3
1	B	123	GLU	3.3
1	A	120	THR	3.2
1	B	416	LEU	3.2
1	B	147	HIS	3.1
1	A	106	CYS	3.0
1	A	442	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	PRO	2.9
1	A	127	CYS	2.8
1	A	435	CYS	2.7
1	A	98	THR	2.7
1	A	90	LEU	2.6
1	A	139	ALA	2.5
1	A	131	LEU	2.5
1	A	76	PRO	2.4
1	A	117	GLN	2.4
1	B	125	GLY	2.4
1	B	144	ALA	2.3
1	B	58	ASP	2.3
1	A	6	LEU	2.3
1	A	101	ALA	2.3
1	A	421	LEU	2.3
1	B	149	VAL	2.3
1	B	455	GLY	2.3
1	A	122	PHE	2.3
1	A	154	THR	2.2
1	A	123	GLU	2.2
1	A	457	ALA	2.2
1	B	365	LEU	2.2
1	B	421	LEU	2.1
1	A	367	LEU	2.1
1	A	163	HIS	2.1
1	A	102	GLN	2.1
1	B	336	LYS	2.1
1	B	339	LEU	2.1
1	A	81	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SF4	A	502	8/8	1.00	0.21	1.68	58,65,79,90	0
4	MET	B	503	6/9	0.97	0.24	1.45	63,76,89,96	0
3	SF4	B	502	8/8	0.99	0.24	1.26	58,67,89,95	0
4	MET	A	503	6/9	0.99	0.18	0.59	49,55,59,62	0
5	5AD	B	504	18/18	0.98	0.20	0.57	52,86,99,103	0
5	5AD	A	504	18/18	0.98	0.18	0.55	74,86,98,99	0
2	D5E	A	501	22/22	0.97	0.17	0.26	63,77,95,114	0
2	D5E	B	501	22/22	0.95	0.15	-0.13	65,75,83,88	0

6.5 Other polymers [i](#)

There are no such residues in this entry.