



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 27, 2017 – 06:33 AM EDT

PDB ID : 1FMU  
Title : STRUCTURE OF NATIVE PROTEINASE A IN P3221 SPACE GROUP.  
Authors : Gustchina, A.; Li, M.; Phylip, L.H.; Lees, W.E.; Kay, J.; Wlodawer, A.  
Deposited on : unknown  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---


The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345

i

## X-RAY DIFFRACTION

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



<b>Metric</b>	<b>Whole archive (#Entries)</b>	<b>Similar resolution (#Entries, resolution range(Å))</b>
$R_{free}$	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	<div> <div></div> <div>47%</div> <div>42%</div> <div>8%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	A	329	-	-	X	-
2	MAN	A	330	X	-	-	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	A	331	X	-	X	-
2	MAN	A	332	-	-	X	-
2	MAN	A	335	X	-	X	-
3	NAG	A	333	-	-	X	-
4	NDG	A	334	-	-	X	X
4	NDG	A	336	-	-	X	-

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 2763 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SACCHAROPEPSIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	322	2475	1586	387	496	6	12	0	0

- Molecule 2 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	3	0
			12	6	6		
2	A	1	Total	C	O	7	0
			12	6	6		
2	A	1	Total	C	O	1	0
			12	6	6		
2	A	1	Total	C	O	0	0
			12	6	6		
2	A	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 4 is 2-(ACETYLAMINO)-2-DEOXY-A-D-GLUCOPYRANOSE (three-letter code: NDG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			15	8	1	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			15	8	1	6		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	183	Total	O	0	0
			183	183		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: SACCHAROPEPSIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.61Å 84.61Å 108.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.71 – 2.70 19.71 – 2.60	Depositor EDS
% Data completeness (in resolution range)	87.1 (19.71-2.70) 84.8 (19.71-2.60)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.32 (at 2.59Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.208 , 0.271 0.202 , 0.266	Depositor DCC
$R_{free}$ test set	554 reflections (5.24%)	DCC
Wilson B-factor (Å <sup>2</sup> )	53.7	Xtriage
Anisotropy	0.388	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 53.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.025 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2763	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, NDG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.72	2/2535 (0.1%)	0.92	3/3444 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	166	GLY	N-CA	8.43	1.58	1.46
1	A	205	GLU	CG-CD	5.37	1.60	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	300	LEU	CA-CB-CG	5.56	128.09	115.30
1	A	278	LEU	CA-CB-CG	5.35	127.61	115.30
1	A	68	GLY	N-CA-C	5.14	125.95	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2475	0	2359	167	0
2	A	60	0	60	35	0
3	A	15	0	15	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	30	0	30	27	0
5	A	183	0	0	50	0
All	All	2763	0	2464	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 42.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ASN:HD21	4:A:336:NDG:C1	1.29	1.45
1:A:268:ASN:ND2	4:A:336:NDG:H1	1.12	1.42
2:A:332:MAN:H1	3:A:333:NAG:C4	1.58	1.31
2:A:329:MAN:H1	2:A:331:MAN:O2	1.35	1.24
2:A:331:MAN:H1	2:A:332:MAN:O3	1.42	1.16
2:A:332:MAN:H1	3:A:333:NAG:H4	1.24	1.13
1:A:317:LEU:HD12	5:A:402:HOH:O	1.53	1.07
2:A:332:MAN:H1	3:A:333:NAG:O4	1.54	1.06
2:A:335:MAN:HO1	2:A:335:MAN:HO6	1.07	1.00
1:A:199:GLY:HA3	5:A:346:HOH:O	1.67	0.95
1:A:223:ILE:HB	5:A:431:HOH:O	1.71	0.91
1:A:317:LEU:CD1	5:A:402:HOH:O	2.16	0.89
1:A:47:SER:HB2	5:A:467:HOH:O	1.72	0.89
2:A:331:MAN:H1	2:A:332:MAN:C3	2.06	0.85
2:A:332:MAN:C1	3:A:333:NAG:O4	2.24	0.85
1:A:150:ARG:HB2	5:A:502:HOH:O	1.76	0.85
2:A:331:MAN:C1	2:A:332:MAN:O3	2.23	0.85
1:A:220:THR:HB	5:A:468:HOH:O	1.76	0.84
1:A:288:ILE:HA	5:A:431:HOH:O	1.81	0.81
1:A:217:ASP:HB3	5:A:446:HOH:O	1.81	0.79
1:A:21:GLY:HA2	1:A:87:ASP:OD1	1.83	0.78
1:A:67:ASN:CG	4:A:334:NDG:H1	2.04	0.77
1:A:268:ASN:CG	4:A:336:NDG:H1	2.01	0.77
4:A:336:NDG:H2	5:A:374:HOH:O	1.83	0.77
2:A:330:MAN:O1	2:A:331:MAN:H61	1.84	0.77
1:A:239:ALA:HB3	5:A:436:HOH:O	1.86	0.76
2:A:332:MAN:C1	3:A:333:NAG:H4	2.10	0.75
1:A:97:PRO:HD2	1:A:143:GLN:OE1	1.86	0.75
1:A:89:LEU:HD12	5:A:518:HOH:O	1.85	0.74
1:A:125:TYR:CE2	1:A:190:LYS:HG2	2.22	0.74
1:A:55:LYS:HD2	5:A:438:HOH:O	1.87	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:ASN:CG	4:A:334:NDG:C1	2.56	0.73
1:A:55:LYS:HB2	5:A:448:HOH:O	1.88	0.73
1:A:58:HIS:CD2	1:A:59:GLU:H	2.06	0.73
2:A:329:MAN:O6	2:A:331:MAN:H2	1.87	0.73
1:A:67:ASN:ND2	4:A:334:NDG:C1	2.52	0.72
1:A:268:ASN:HD21	4:A:336:NDG:C2	2.02	0.71
2:A:332:MAN:C2	3:A:333:NAG:O4	2.39	0.71
2:A:330:MAN:O1	2:A:331:MAN:C6	2.41	0.69
1:A:67:ASN:OD1	4:A:334:NDG:C1	2.41	0.69
3:A:333:NAG:HO1	4:A:334:NDG:C4	2.05	0.69
1:A:285:ILE:HD12	1:A:285:ILE:O	1.94	0.68
2:A:329:MAN:H1	2:A:331:MAN:C2	2.23	0.67
1:A:275:ASP:OD2	1:A:310:LYS:HE3	1.95	0.66
1:A:38:LEU:C	1:A:38:LEU:HD22	2.14	0.65
1:A:59:GLU:O	1:A:60:ALA:HB2	1.97	0.65
1:A:90:SER:HA	5:A:516:HOH:O	1.97	0.65
1:A:106:SER:C	1:A:108:PRO:HD3	2.18	0.64
1:A:43:ASN:HB3	5:A:448:HOH:O	1.95	0.64
1:A:107:GLU:N	1:A:108:PRO:HD3	2.13	0.64
1:A:234:ASN:ND2	5:A:436:HOH:O	2.31	0.64
1:A:79:SER:HB3	1:A:112:PHE:HE2	1.63	0.64
3:A:333:NAG:O1	4:A:334:NDG:C4	2.46	0.64
1:A:151:PHE:HA	5:A:443:HOH:O	1.96	0.64
1:A:48:LEU:HG	1:A:52:LEU:HD12	1.80	0.63
1:A:13:GLN:HB2	5:A:417:HOH:O	1.98	0.63
1:A:279:GLU:HG3	1:A:284:CYS:SG	2.38	0.63
2:A:331:MAN:C1	2:A:332:MAN:C3	2.77	0.63
1:A:221:SER:HA	1:A:305:ASP:HB2	1.81	0.63
1:A:38:LEU:HA	1:A:120:ILE:O	2.00	0.62
1:A:58:HIS:CD2	1:A:59:GLU:HG2	2.34	0.62
1:A:82:GLY:HA2	1:A:105:THR:HG23	1.83	0.61
1:A:237:ILE:HD11	5:A:436:HOH:O	1.99	0.60
1:A:41:PRO:HA	1:A:104:ALA:HB3	1.83	0.60
1:A:15:TYR:CE2	1:A:28:LYS:HD3	2.36	0.60
2:A:329:MAN:H2	5:A:488:HOH:O	2.01	0.60
1:A:38:LEU:HD13	1:A:101:PHE:CB	2.32	0.60
1:A:78:GLY:O	1:A:79:SER:HB2	2.02	0.60
1:A:67:ASN:CG	4:A:334:NDG:O1L	2.40	0.59
1:A:132:LYS:O	3:A:333:NAG:H3	2.02	0.59
3:A:333:NAG:C1	4:A:334:NDG:HC	2.10	0.59
1:A:32:ASP:OD1	1:A:219:GLY:HA3	2.02	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:ALA:HB1	5:A:421:HOH:O	2.03	0.59
1:A:9:TYR:CE2	1:A:116:LYS:HD3	2.38	0.59
1:A:194:GLU:OE2	1:A:213:GLY:HA3	2.04	0.58
1:A:293:PHE:O	1:A:298:GLY:HA3	2.03	0.58
1:A:57:ASP:OD1	1:A:59:GLU:HG3	2.03	0.58
1:A:288:ILE:HD13	5:A:431:HOH:O	2.03	0.58
1:A:9:TYR:CZ	1:A:116:LYS:HD3	2.39	0.58
1:A:53:HIS:HB3	1:A:118:ASP:OD1	2.05	0.56
1:A:59:GLU:O	1:A:60:ALA:CB	2.52	0.56
1:A:135:PRO:HG2	1:A:138:TYR:CD1	2.40	0.56
1:A:67:ASN:OD1	4:A:334:NDG:O1L	2.22	0.56
1:A:295:GLU:HB3	1:A:296:PRO:HA	1.88	0.56
1:A:19:THR:N	5:A:518:HOH:O	2.31	0.56
2:A:331:MAN:H4	5:A:390:HOH:O	2.06	0.56
1:A:68:GLY:O	1:A:69:THR:C	2.44	0.55
1:A:202:LEU:HD23	1:A:202:LEU:O	2.07	0.55
1:A:58:HIS:HD2	1:A:59:GLU:HG2	1.72	0.54
1:A:50:CYS:HB3	5:A:438:HOH:O	2.06	0.54
1:A:167:GLU:HG2	1:A:168:ALA:N	2.23	0.54
1:A:11:ASN:HD21	1:A:157:ASP:HA	1.72	0.54
1:A:38:LEU:HD13	1:A:101:PHE:HB2	1.91	0.53
2:A:335:MAN:O2	4:A:336:NDG:O4	2.25	0.53
1:A:90:SER:O	5:A:518:HOH:O	2.19	0.53
1:A:172:GLY:O	5:A:443:HOH:O	2.17	0.53
2:A:332:MAN:O2	3:A:333:NAG:O4	2.22	0.53
1:A:67:ASN:O	1:A:84:ILE:O	2.25	0.53
1:A:86:GLN:HG2	5:A:435:HOH:O	2.07	0.53
1:A:153:PHE:HB2	5:A:455:HOH:O	2.08	0.52
1:A:79:SER:HB2	5:A:452:HOH:O	2.09	0.52
1:A:38:LEU:CD2	1:A:38:LEU:C	2.77	0.52
1:A:11:ASN:O	1:A:309:ARG:NH1	2.41	0.52
1:A:328:ILE:OXT	1:A:328:ILE:CG2	2.58	0.52
1:A:286:SER:HB2	5:A:436:HOH:O	2.10	0.51
1:A:99:GLN:OE1	1:A:136:PRO:HA	2.10	0.51
1:A:148:GLU:O	1:A:171:GLY:HA2	2.11	0.51
1:A:223:ILE:N	5:A:421:HOH:O	2.44	0.51
1:A:302:ILE:HG22	5:A:446:HOH:O	2.11	0.50
1:A:248:THR:HA	1:A:285:ILE:HG22	1.93	0.50
2:A:329:MAN:H1	2:A:331:MAN:HO2	1.64	0.50
1:A:224:THR:HG23	5:A:441:HOH:O	2.12	0.49
1:A:74:GLN:HB3	1:A:78:GLY:HA2	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:ASP:O	5:A:461:HOH:O	2.19	0.49
2:A:335:MAN:H1	4:A:336:NDG:H4	1.94	0.49
1:A:227:SER:HB3	1:A:290:PRO:HB2	1.95	0.49
1:A:67:ASN:OD1	1:A:84:ILE:HB	2.13	0.49
1:A:151:PHE:N	5:A:502:HOH:O	2.44	0.49
1:A:27:PHE:CZ	1:A:56:TYR:HB2	2.48	0.49
1:A:19:THR:HA	1:A:25:GLN:O	2.12	0.49
1:A:50:CYS:N	5:A:467:HOH:O	2.36	0.48
1:A:250:ASP:OD2	1:A:252:ASN:OD1	2.30	0.48
1:A:15:TYR:HB2	1:A:29:VAL:O	2.13	0.48
1:A:50:CYS:O	1:A:55:LYS:HE3	2.14	0.48
1:A:22:THR:O	1:A:61:SER:HA	2.14	0.48
2:A:335:MAN:H1	4:A:336:NDG:C4	2.44	0.47
1:A:38:LEU:O	1:A:101:PHE:HB2	2.13	0.47
1:A:130:VAL:O	1:A:131:ASP:HB2	2.14	0.47
1:A:53:HIS:NE2	1:A:115:GLY:O	2.47	0.47
1:A:107:GLU:N	1:A:108:PRO:CD	2.78	0.47
1:A:31:LEU:HD12	1:A:121:LEU:HB3	1.97	0.47
1:A:38:LEU:HD13	1:A:101:PHE:HB3	1.97	0.47
1:A:150:ARG:HB3	1:A:316:ASP:HA	1.96	0.47
1:A:219:GLY:O	1:A:220:THR:HG23	2.15	0.47
1:A:246:GLN:HE21	1:A:246:GLN:HA	1.80	0.47
1:A:295:GLU:OE1	1:A:296:PRO:HA	2.15	0.47
1:A:78:GLY:O	1:A:79:SER:CB	2.63	0.47
1:A:239:ALA:HA	1:A:248:THR:O	2.15	0.46
1:A:279:GLU:OE2	1:A:282:GLY:HA2	2.15	0.46
1:A:246:GLN:NE2	1:A:246:GLN:HA	2.31	0.46
1:A:234:ASN:HD21	1:A:288:ILE:HB	1.81	0.46
2:A:335:MAN:C1	4:A:336:NDG:H4	2.45	0.46
3:A:333:NAG:C1	4:A:334:NDG:H4	2.46	0.46
1:A:59:GLU:HG3	1:A:59:GLU:O	2.16	0.46
2:A:335:MAN:O1	4:A:336:NDG:H4	2.16	0.46
3:A:333:NAG:C1	4:A:334:NDG:O4	2.60	0.45
1:A:61:SER:HB3	1:A:64:TYR:HB2	1.98	0.45
1:A:227:SER:HA	1:A:290:PRO:CB	2.47	0.45
1:A:261:ILE:HG12	1:A:270:THR:CG2	2.46	0.45
1:A:86:GLN:NE2	1:A:98:LYS:HG2	2.31	0.45
1:A:42:SER:HB2	1:A:103:GLU:HB3	1.98	0.45
1:A:278:LEU:HG	1:A:285:ILE:HD11	1.98	0.45
1:A:274:TYR:HB2	5:A:344:HOH:O	2.16	0.45
1:A:288:ILE:HG23	5:A:431:HOH:O	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:SER:HA	1:A:290:PRO:HB3	1.99	0.45
2:A:330:MAN:O1	2:A:331:MAN:O6	2.33	0.44
2:A:331:MAN:H61	5:A:337:HOH:O	2.17	0.44
1:A:45:CYS:HB2	1:A:104:ALA:O	2.17	0.44
2:A:335:MAN:C1	4:A:336:NDG:O4	2.66	0.44
1:A:261:ILE:HG12	1:A:270:THR:HG22	1.99	0.44
3:A:333:NAG:C1	4:A:334:NDG:C4	2.95	0.44
1:A:253:THR:O	1:A:257:LEU:HG	2.17	0.44
2:A:335:MAN:C1	4:A:336:NDG:HC	2.29	0.44
1:A:315:TYR:HE1	5:A:455:HOH:O	2.00	0.44
2:A:335:MAN:O1	4:A:336:NDG:C4	2.65	0.44
1:A:13:GLN:NE2	1:A:117:PHE:HD2	2.16	0.44
1:A:49:ALA:HB2	1:A:113:ALA:N	2.33	0.44
1:A:67:ASN:ND2	4:A:334:NDG:H1	2.27	0.43
1:A:18:ILE:HB	5:A:518:HOH:O	2.18	0.43
1:A:22:THR:HA	1:A:23:PRO:C	2.38	0.43
1:A:70:GLU:HB3	5:A:496:HOH:O	2.18	0.43
1:A:13:GLN:NE2	1:A:117:PHE:CD2	2.87	0.43
2:A:331:MAN:C5	2:A:332:MAN:O3	2.66	0.43
1:A:132:LYS:HB3	3:A:333:NAG:H3	2.00	0.43
1:A:223:ILE:HA	1:A:302:ILE:O	2.19	0.43
1:A:257:LEU:HA	1:A:258:PRO:HD3	1.68	0.43
1:A:30:ILE:HB	1:A:120:ILE:HD12	2.01	0.42
1:A:201:GLY:HA3	1:A:206:TYR:CD2	2.55	0.42
1:A:153:PHE:N	5:A:455:HOH:O	2.49	0.42
1:A:227:SER:O	1:A:231:GLU:HB2	2.19	0.42
1:A:285:ILE:HD12	1:A:285:ILE:C	2.40	0.42
1:A:12:ALA:HA	1:A:221:SER:HB3	2.02	0.42
1:A:71:PHE:CD1	1:A:84:ILE:HD11	2.54	0.42
1:A:328:ILE:HD12	1:A:328:ILE:HA	1.73	0.42
1:A:328:ILE:OXT	1:A:328:ILE:HG23	2.20	0.42
2:A:330:MAN:C1	2:A:331:MAN:H61	2.50	0.42
1:A:59:GLU:H	1:A:59:GLU:HG2	1.43	0.42
1:A:133:VAL:O	1:A:135:PRO:HD3	2.20	0.41
2:A:335:MAN:C1	4:A:336:NDG:C4	2.98	0.41
1:A:257:LEU:HB2	1:A:273:PRO:HB3	2.02	0.41
1:A:8:ASN:OD1	1:A:11:ASN:N	2.46	0.41
1:A:200:ILE:HG23	5:A:490:HOH:O	2.20	0.41
2:A:335:MAN:O2	5:A:497:HOH:O	2.22	0.41
1:A:95:THR:HA	5:A:516:HOH:O	2.19	0.41
1:A:3:ASP:N	1:A:3:ASP:OD1	2.52	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LEU:HA	1:A:80:LEU:HD12	1.91	0.41
1:A:135:PRO:HG2	1:A:138:TYR:HD1	1.85	0.41
1:A:3:ASP:OD2	1:A:167:GLU:OE1	2.39	0.41
1:A:314:ILE:HG23	5:A:502:HOH:O	2.21	0.41
1:A:68:GLY:O	1:A:83:TYR:HB2	2.20	0.41
1:A:57:ASP:OD1	1:A:59:GLU:CG	2.69	0.41
1:A:216:ILE:HG22	1:A:315:TYR:OH	2.21	0.41
1:A:217:ASP:O	1:A:304:GLY:HA2	2.21	0.41
1:A:4:VAL:HA	1:A:5:PRO:HD3	1.88	0.40
1:A:260:LEU:CD2	1:A:288:ILE:HD11	2.51	0.40
2:A:329:MAN:O6	2:A:331:MAN:C2	2.65	0.40
1:A:49:ALA:HA	1:A:113:ALA:HA	2.04	0.40
1:A:43:ASN:HA	1:A:55:LYS:HG3	2.04	0.40
1:A:232:MET:HE1	5:A:490:HOH:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	316/329 (96%)	288 (91%)	19 (6%)	9 (3%)	<b>6</b> <b>14</b>

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	60	ALA
1	A	79	SER
1	A	80	LEU
1	A	251	CYS
1	A	69	THR
1	A	67	ASN
1	A	108	PRO

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	219	GLY
1	A	136	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	263/268 (98%)	230 (88%)	33 (12%)	<b>5</b> <b>12</b>

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	THR
1	A	31	LEU
1	A	38	LEU
1	A	42	SER
1	A	47	SER
1	A	55	LYS
1	A	58	HIS
1	A	69	THR
1	A	79	SER
1	A	106	SER
1	A	111	THR
1	A	114	PHE
1	A	116	LYS
1	A	132	LYS
1	A	136	PRO
1	A	142	GLN
1	A	150	ARG
1	A	161	ASP
1	A	185	LEU
1	A	202	LEU
1	A	205	GLU
1	A	226	PRO
1	A	227	SER
1	A	231	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	249	LEU
1	A	250	ASP
1	A	254	ARG
1	A	256	ASN
1	A	278	LEU
1	A	288	ILE
1	A	300	LEU
1	A	317	LEU
1	A	326	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	58	HIS
1	A	74	GLN
1	A	86	GLN
1	A	142	GLN
1	A	234	ASN
1	A	246	GLN
1	A	268	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	MAN	A	329	-	12,12,12	0.64	0	17,17,17	1.16	2 (11%)
2	MAN	A	330	-	12,12,12	0.45	0	17,17,17	1.12	2 (11%)
2	MAN	A	331	-	12,12,12	0.89	0	17,17,17	1.57	3 (17%)
2	MAN	A	332	-	12,12,12	1.32	2 (16%)	17,17,17	1.48	2 (11%)
3	NAG	A	333	4	15,15,15	0.91	1 (6%)	21,21,21	1.73	4 (19%)
4	NDG	A	334	1,3	15,15,15	0.85	0	21,21,21	1.31	3 (14%)
2	MAN	A	335	-	12,12,12	0.76	0	17,17,17	0.70	0
4	NDG	A	336	1	15,15,15	0.55	0	21,21,21	0.99	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	A	329	-	-	0/2/22/22	0/1/1/1
2	MAN	A	330	-	1/1/5/5	0/2/22/22	0/1/1/1
2	MAN	A	331	-	1/1/5/5	0/2/22/22	0/1/1/1
2	MAN	A	332	-	-	0/2/22/22	0/1/1/1
3	NAG	A	333	4	-	0/6/26/26	0/1/1/1
4	NDG	A	334	1,3	-	0/6/26/26	0/1/1/1
2	MAN	A	335	-	1/1/5/5	0/2/22/22	0/1/1/1
4	NDG	A	336	1	-	0/6/26/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	333	NAG	C4-C3	-2.20	1.46	1.52
2	A	332	MAN	C4-C3	2.45	1.58	1.52
2	A	332	MAN	C4-C5	2.91	1.59	1.53

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	333	NAG	C6-C5-C4	-2.84	106.34	113.00
2	A	330	MAN	C1-C2-C3	-2.80	105.59	110.65
4	A	334	NDG	O1L-C1-O	-2.45	102.95	110.20
3	A	333	NAG	O1-C1-O5	-2.32	103.33	110.20
2	A	330	MAN	C6-C5-C4	-2.10	108.09	113.00
4	A	334	NDG	C1-O-C5	-2.05	109.70	113.39
4	A	336	NDG	O-C1-C2	2.08	111.61	109.52
2	A	329	MAN	O5-C5-C4	2.12	113.56	109.66
2	A	329	MAN	O5-C1-C2	2.35	113.94	110.04
2	A	332	MAN	C4-C3-C2	2.42	115.10	110.84
2	A	331	MAN	C1-O5-C5	2.52	117.94	113.39
4	A	334	NDG	C4-C3-C2	2.88	114.61	110.33
2	A	331	MAN	O5-C5-C4	3.11	115.39	109.66
3	A	333	NAG	C1-C2-C3	3.59	115.44	110.54
2	A	331	MAN	C3-C4-C5	3.81	116.93	110.22
3	A	333	NAG	O5-C1-C2	3.89	113.43	109.52
2	A	332	MAN	C6-C5-C4	4.02	122.41	113.00

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	331	MAN	C1
2	A	335	MAN	C1
2	A	330	MAN	C1

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 55 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	329	MAN	6	0
2	A	330	MAN	4	0
2	A	331	MAN	16	0
2	A	332	MAN	12	0
3	A	333	NAG	15	0
4	A	334	NDG	13	0
2	A	335	MAN	11	0
4	A	336	NDG	14	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	322/329 (97%)	-0.36	4 (1%) 79 80	20, 44, 70, 115	5 (1%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	40	VAL	3.2
1	A	161	ASP	2.9
1	A	159	SER	2.2
1	A	76	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	NDG	A	334	15/15	0.86	0.24	2.37	47,58,74,79	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAG	A	333	15/15	0.86	0.22	-	47,55,64,68	0
2	MAN	A	332	12/12	0.90	0.20	-	47,51,54,55	0
4	NDG	A	336	15/15	0.90	0.18	-	47,62,70,70	0
2	MAN	A	331	12/12	0.67	0.32	-	36,42,46,47	11
2	MAN	A	335	12/12	0.90	0.19	-	20,43,48,50	8
2	MAN	A	330	12/12	0.67	0.30	-	30,33,34,47	11
2	MAN	A	329	12/12	0.69	0.33	-	41,42,48,49	7

## 6.5 Other polymers [i](#)

There are no such residues in this entry.