



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 03:36 pm GMT

PDB ID : 4FP4  
Title : Crystal structure of isoprenoid synthase a3mx09 (target efi-501993) from pyrobaculum calidifontis  
Authors : Patskovsky, Y.; Toro, R.; Bhosle, R.; Hillerich, B.; Seidel, R.D.; Washington, E.; Scott Glenn, A.; Chowdhury, S.; Evans, B.; Hammonds, J.; Zencheck, W.D.; Imker, H.J.; Poulter, C.D.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)  
Deposited on : 2012-06-21  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	285	<div> <div>5%</div> <div> <div></div> <div>69%</div> <div>15%</div> <div>•</div> <div>15%</div> </div> </div>
1	B	285	<div> <div>8%</div> <div> <div></div> <div>59%</div> <div>21%</div> <div>•</div> <div>18%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GER	A	301	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3887 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyprenyl synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	243	Total	C	N	O	S	0	1	0
			1913	1227	334	346	6			
1	B	234	Total	C	N	O	S	0	1	0
			1840	1181	322	332	5			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	EXPRESSION TAG	UNP A3MX09
A	0	VAL	-	EXPRESSION TAG	UNP A3MX09
A	262	ALA	-	EXPRESSION TAG	UNP A3MX09
A	263	GLU	-	EXPRESSION TAG	UNP A3MX09
A	264	ASN	-	EXPRESSION TAG	UNP A3MX09
A	265	LEU	-	EXPRESSION TAG	UNP A3MX09
A	266	TYR	-	EXPRESSION TAG	UNP A3MX09
A	267	PHE	-	EXPRESSION TAG	UNP A3MX09
A	268	GLN	-	EXPRESSION TAG	UNP A3MX09
A	269	SER	-	EXPRESSION TAG	UNP A3MX09
A	270	HIS	-	EXPRESSION TAG	UNP A3MX09
A	271	HIS	-	EXPRESSION TAG	UNP A3MX09
A	272	HIS	-	EXPRESSION TAG	UNP A3MX09
A	273	HIS	-	EXPRESSION TAG	UNP A3MX09
A	274	HIS	-	EXPRESSION TAG	UNP A3MX09
A	275	HIS	-	EXPRESSION TAG	UNP A3MX09
A	276	TRP	-	EXPRESSION TAG	UNP A3MX09
A	277	SER	-	EXPRESSION TAG	UNP A3MX09
A	278	HIS	-	EXPRESSION TAG	UNP A3MX09
A	279	PRO	-	EXPRESSION TAG	UNP A3MX09
A	280	GLN	-	EXPRESSION TAG	UNP A3MX09
A	281	PHE	-	EXPRESSION TAG	UNP A3MX09
A	282	GLU	-	EXPRESSION TAG	UNP A3MX09
A	283	LYS	-	EXPRESSION TAG	UNP A3MX09
B	-1	MET	-	EXPRESSION TAG	UNP A3MX09

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	VAL	-	EXPRESSION TAG	UNP A3MX09
B	262	ALA	-	EXPRESSION TAG	UNP A3MX09
B	263	GLU	-	EXPRESSION TAG	UNP A3MX09
B	264	ASN	-	EXPRESSION TAG	UNP A3MX09
B	265	LEU	-	EXPRESSION TAG	UNP A3MX09
B	266	TYR	-	EXPRESSION TAG	UNP A3MX09
B	267	PHE	-	EXPRESSION TAG	UNP A3MX09
B	268	GLN	-	EXPRESSION TAG	UNP A3MX09
B	269	SER	-	EXPRESSION TAG	UNP A3MX09
B	270	HIS	-	EXPRESSION TAG	UNP A3MX09
B	271	HIS	-	EXPRESSION TAG	UNP A3MX09
B	272	HIS	-	EXPRESSION TAG	UNP A3MX09
B	273	HIS	-	EXPRESSION TAG	UNP A3MX09
B	274	HIS	-	EXPRESSION TAG	UNP A3MX09
B	275	HIS	-	EXPRESSION TAG	UNP A3MX09
B	276	TRP	-	EXPRESSION TAG	UNP A3MX09
B	277	SER	-	EXPRESSION TAG	UNP A3MX09
B	278	HIS	-	EXPRESSION TAG	UNP A3MX09
B	279	PRO	-	EXPRESSION TAG	UNP A3MX09
B	280	GLN	-	EXPRESSION TAG	UNP A3MX09
B	281	PHE	-	EXPRESSION TAG	UNP A3MX09
B	282	GLU	-	EXPRESSION TAG	UNP A3MX09
B	283	LYS	-	EXPRESSION TAG	UNP A3MX09

- Molecule 2 is GERAN-8-YL GERAN (three-letter code: GER) (formula:  $C_{20}H_{34}$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 20 20	0	0

- Molecule 3 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total X 1 1	0	0
3	A	1	Total X 1 1	0	0

- Molecule 4 is UNKNOWN LIGAND (three-letter code: UNL) (formula: ).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O P 13 4 7 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	62	Total O 62 62	0	0
5	B	37	Total O 37 37	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Polyprenyl synthetase



#### • Molecule 1: Polyprenyl synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	46.96Å 115.42Å 53.14Å 90.00° 110.84° 90.00°	Depositor
Resolution (Å)	38.57 – 2.00 38.54 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.2 (38.57-2.00) 99.3 (38.54-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.49 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.7.0025	Depositor
R, $R_{free}$	0.185 , 0.228 0.190 , 0.225	Depositor DCC
$R_{free}$ test set	1115 reflections (3.25%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.2	Xtriage
Anisotropy	0.630	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 62.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	3887	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UNX, GER, UNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.49	0/1943	0.66	0/2624
1	B	0.47	0/1868	0.63	0/2523
All	All	0.48	0/3811	0.65	0/5147

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1913	0	2027	57	0
1	B	1840	0	1955	66	0
2	A	20	0	34	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	13	0	0	0	0
5	A	62	0	0	4	0
5	B	37	0	0	1	0
All	All	3887	0	4016	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:ARG:HD2	1:B:155:ARG:H	1.05	1.08
1:A:4:LEU:CD1	1:A:9:LEU:HD21	1.96	0.96
1:B:155:ARG:N	1:B:155:ARG:HD2	1.81	0.95
1:A:197:LEU:HD21	1:A:250:ALA:CB	1.96	0.94
1:A:211:ARG:N	1:A:212:PRO:CD	2.33	0.91
1:A:211:ARG:N	1:A:212:PRO:HD2	1.88	0.89
1:A:4:LEU:HD11	1:A:9:LEU:HD21	1.56	0.87
1:A:198:TYR:CD2	1:A:198:TYR:O	2.30	0.85
1:A:214:THR:HG22	1:A:251:LEU:HD11	1.63	0.81
1:B:237:ALA:HB3	1:B:238:PRO:HD3	1.63	0.79
1:A:122:ILE:HD11	1:B:122:ILE:HD11	1.64	0.78
1:B:30:SER:HB2	1:B:109:ARG:HE	1.50	0.77
1:B:220:GLU:HG2	1:B:223:ARG:HH12	1.52	0.74
1:B:223:ARG:O	1:B:226:LEU:HB3	1.88	0.73
1:A:115:ASP:CG	1:B:85:GLN:HE22	1.93	0.71
1:B:7:GLU:OE1	1:B:56:TYR:HE1	1.73	0.70
1:B:27:GLU:HG3	1:B:28:PRO:HA	1.74	0.70
1:A:122:ILE:CD1	1:B:122:ILE:HD11	2.22	0.70
1:A:8:VAL:HA	1:A:63:ILE:HD11	1.75	0.69
1:B:85:GLN:O	1:B:89:MET:HG2	1.91	0.69
1:A:40:GLU:O	1:A:42:PRO:HD3	1.92	0.69
1:B:192:THR:O	1:B:196:ILE:HG12	1.92	0.68
1:B:61:ARG:HE	1:B:61:ARG:HA	1.56	0.68
1:A:182:GLU:HG3	1:A:231:HIS:CE1	2.29	0.67
1:A:216:SER:O	1:A:220:GLU:HG3	1.95	0.66
1:B:220:GLU:HG2	1:B:223:ARG:NH1	2.13	0.63
1:B:4:LEU:HB3	1:B:5:PRO:HD2	1.81	0.63
1:A:200:TYR:N	1:A:200:TYR:CD1	2.63	0.62
1:B:30:SER:CB	1:B:109:ARG:HE	2.11	0.61
1:B:37:HIS:O	1:B:41:THR:HG23	2.00	0.61
1:A:4:LEU:CD1	1:A:9:LEU:CD2	2.75	0.61
1:A:182:GLU:HG3	1:A:231:HIS:HE1	1.65	0.60
1:A:197:LEU:C	1:A:197:LEU:HD23	2.22	0.59
1:A:214:THR:CG2	1:A:251:LEU:HD11	2.32	0.59
1:B:218:ALA:HB1	1:B:247:ILE:HD12	1.84	0.58
1:A:192:THR:O	1:A:196:ILE:HG12	2.03	0.58
1:B:4:LEU:HB3	1:B:5:PRO:CD	2.35	0.56
1:A:197:LEU:HD21	1:A:250:ALA:HB2	1.82	0.56
1:B:233:GLY:O	1:B:236:ILE:HG22	2.05	0.56
1:B:239:PHE:O	1:B:243:ILE:HG12	2.04	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:PRO:HG3	1:B:76:GLU:HB2	1.85	0.56
1:B:189:LYS:HG2	1:B:224:TYR:CE1	2.41	0.56
1:B:236:ILE:O	1:B:236:ILE:HG12	2.07	0.55
1:B:56:TYR:HB2	1:B:63:ILE:HD13	1.88	0.54
1:A:70:GLU:HG2	5:A:436:HOH:O	2.06	0.54
1:B:153:GLY:HA2	1:B:155:ARG:NH2	2.23	0.53
1:B:58:ILE:HG22	1:B:232:VAL:HG11	1.91	0.53
1:A:211:ARG:N	1:A:212:PRO:HD3	2.22	0.53
1:B:70:GLU:HG2	5:B:422:HOH:O	2.09	0.53
1:B:30:SER:HB2	1:B:109:ARG:NE	2.20	0.52
1:B:164:ALA:N	1:B:165:PRO:CD	2.73	0.52
1:A:197:LEU:O	1:A:197:LEU:HD23	2.11	0.51
1:B:244:LYS:O	1:B:247:ILE:HB	2.11	0.51
1:B:7:GLU:OE1	1:B:56:TYR:CE1	2.60	0.51
1:A:197:LEU:HD21	1:A:250:ALA:HB1	1.88	0.51
1:A:57:SER:HB3	1:A:236:ILE:HA	1.93	0.50
1:B:200:TYR:CE1	1:B:214:THR:CG2	2.94	0.50
1:A:198:TYR:O	1:A:198:TYR:HD2	1.89	0.50
1:A:212:PRO:HG2	1:A:213:GLU:H	1.76	0.50
1:A:25:GLU:HB3	5:A:407:HOH:O	2.12	0.49
1:A:152:GLU:OE1	1:B:109:ARG:NH2	2.45	0.49
1:A:102[A]:ARG:HD2	1:A:107:ASP:OD1	2.13	0.49
1:B:105:TYR:O	1:B:109:ARG:HD2	2.13	0.49
1:A:190:LEU:HD13	1:A:221:ILE:HG23	1.95	0.48
1:B:141:GLN:O	1:B:145:VAL:HG23	2.14	0.48
1:A:214:THR:CG2	1:A:251:LEU:CD1	2.90	0.48
1:A:197:LEU:CD2	1:A:250:ALA:CB	2.81	0.48
1:B:218:ALA:CB	1:B:247:ILE:HD12	2.43	0.48
1:A:212:PRO:CG	1:A:213:GLU:H	2.27	0.48
1:A:4:LEU:HD13	1:A:9:LEU:CD2	2.44	0.47
1:A:102[A]:ARG:HG3	1:A:103:ALA:N	2.29	0.47
1:B:149:LEU:O	1:B:154:GLU:HG3	2.14	0.47
1:A:197:LEU:HD21	1:A:250:ALA:HB3	1.93	0.47
1:B:61:ARG:NE	1:B:61:ARG:HA	2.28	0.47
1:B:217:ILE:O	1:B:221:ILE:HG13	2.14	0.47
1:B:155:ARG:H	1:B:155:ARG:CD	1.97	0.46
1:B:190:LEU:CD1	1:B:221:ILE:HG23	2.46	0.46
1:A:115:ASP:OD1	1:B:85:GLN:NE2	2.47	0.46
1:B:5:PRO:O	1:B:9:LEU:HG	2.15	0.46
1:A:143:LEU:HB3	2:A:301:GER:H52	1.98	0.46
1:B:87:ASP:O	1:B:102:ARG:HD3	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:ASP:O	1:A:153:GLY:N	2.43	0.45
1:A:4:LEU:HB3	5:A:445:HOH:O	2.16	0.45
1:A:122:ILE:CD1	1:B:122:ILE:CD1	2.92	0.45
1:B:200:TYR:HD2	1:B:200:TYR:H	1.64	0.45
1:B:220:GLU:O	1:B:223:ARG:N	2.51	0.44
1:B:4:LEU:HB2	1:B:9:LEU:HD21	2.00	0.44
1:B:87:ASP:HB3	1:B:102:ARG:HG2	2.00	0.43
1:B:153:GLY:HA2	1:B:155:ARG:CZ	2.48	0.43
1:A:173:MET:N	1:A:174:PRO:HD2	2.34	0.43
1:B:96:ARG:HA	1:B:96:ARG:HD2	1.74	0.43
1:A:109:ARG:HD3	5:A:437:HOH:O	2.18	0.43
1:B:166:LEU:HD23	1:B:166:LEU:HA	1.71	0.43
1:B:29:ILE:HD11	1:B:33:LYS:HE3	2.01	0.43
1:A:29:ILE:HA	1:A:29:ILE:HD13	1.76	0.42
1:B:63:ILE:HG23	1:B:64:MET:N	2.34	0.42
1:A:29:ILE:HG23	1:A:29:ILE:HD12	1.85	0.42
1:B:237:ALA:CB	1:B:238:PRO:HD3	2.44	0.42
1:A:108:GLY:O	1:A:112:VAL:HG23	2.20	0.41
1:A:115:ASP:OD2	1:B:85:GLN:NE2	2.41	0.41
1:B:189:LYS:O	1:B:193:LYS:HG2	2.20	0.41
1:A:122:ILE:HD11	1:B:122:ILE:CD1	2.42	0.41
1:A:102[B]:ARG:HG3	1:A:103:ALA:N	2.33	0.41
1:B:215:LYS:HB3	1:B:215:LYS:HE2	1.78	0.41
1:A:214:THR:HG21	1:A:251:LEU:HD12	2.03	0.41
1:A:51:LEU:C	1:A:51:LEU:HD23	2.40	0.41
1:B:193:LYS:HE3	1:B:220:GLU:OE1	2.20	0.41
1:B:189:LYS:HG2	1:B:224:TYR:CZ	2.56	0.41
1:A:225:LEU:HD23	1:A:225:LEU:HA	1.94	0.40
1:B:160:GLU:O	1:B:164:ALA:HB3	2.20	0.40
1:A:136:LEU:HB2	2:A:301:GER:H193	2.03	0.40
1:B:87:ASP:O	1:B:102:ARG:CD	2.69	0.40
1:B:21:LYS:O	1:B:24:GLU:HG2	2.21	0.40
1:A:160:GLU:HA	1:A:196:ILE:HD11	2.03	0.40
1:A:197:LEU:CD2	1:A:250:ALA:HB2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	240/285 (84%)	230 (96%)	10 (4%)	0	100	100
1	B	231/285 (81%)	228 (99%)	3 (1%)	0	100	100
All	All	471/570 (83%)	458 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/243 (84%)	198 (98%)	5 (2%)	53	54
1	B	195/243 (80%)	189 (97%)	6 (3%)	45	44
All	All	398/486 (82%)	387 (97%)	11 (3%)	53	49

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	102[A]	ARG
1	A	102[B]	ARG
1	A	200	TYR
1	A	238	PRO
1	B	61	ARG
1	B	154	GLU
1	B	155	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	163	THR
1	B	198	TYR
1	B	247	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	91	GLN
1	A	94	GLN
1	A	231	HIS
1	B	85	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are unknown - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GER	A	301	-	19,19,19	0.51	0	22,22,22	1.76	5 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GER	A	301	-	-	0/20/20/20	0/0/0/0

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	GER	C6-C7-C8	-2.91	120.38	127.68
2	A	301	GER	C11-C12-C13	-2.63	121.07	127.68
2	A	301	GER	C1-C2-C3	-2.29	121.28	126.64
2	A	301	GER	C9-C8-C10	3.39	121.16	115.29
2	A	301	GER	C14-C13-C15	3.83	121.94	115.29

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	GER	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	243/285 (85%)	-0.14	13 (5%) 27 27	29, 47, 108, 157	0
1	B	234/285 (82%)	0.35	23 (9%) 8 8	33, 60, 113, 133	0
All	All	477/570 (83%)	0.10	36 (7%) 15 15	29, 53, 112, 157	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	212	PRO	6.2
1	B	245	TYR	5.9
1	B	198	TYR	5.8
1	A	214	THR	5.7
1	B	200	TYR	5.5
1	B	214	THR	4.9
1	B	216	SER	4.8
1	A	211	ARG	4.6
1	B	6	PRO	4.5
1	B	217	ILE	4.5
1	B	247	ILE	4.3
1	B	248	GLY	3.8
1	B	215	LYS	3.8
1	A	215	LYS	3.8
1	B	250	ALA	3.8
1	A	213	GLU	3.6
1	B	197	LEU	3.4
1	B	61	ARG	3.3
1	B	157	LYS	3.2
1	B	96	ARG	3.0
1	B	9	LEU	2.9
1	B	196	ILE	2.9
1	A	217	ILE	2.8
1	B	249	LYS	2.8

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	201	SER	2.6
1	A	251	LEU	2.6
1	A	200	TYR	2.6
1	B	56	TYR	2.6
1	B	199	GLN	2.5
1	A	250	ALA	2.4
1	A	2	TYR	2.3
1	A	156	ASP	2.3
1	B	155	ARG	2.3
1	B	219	ASN	2.3
1	B	244	LYS	2.1
1	A	96	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	GER	A	301	20/20	0.91	0.21	2.03	33,52,88,121	0
4	UNL	A	303	13/-	0.81	0.17	0.49	57,85,127,130	0
3	UNX	A	302	1/1	0.95	0.38	-	47,47,47,47	0
3	UNX	B	301	1/1	0.79	0.35	-	28,28,28,28	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.