



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 05:36 am GMT

PDB ID : 1FQV
Title : Insights into scf ubiquitin ligases from the structure of the skp1-skp2 complex
Authors : Schulman, B.A.; Carrano, A.C.; Jeffrey, P.D.; Bowen, Z.; Kinnucan, E.R.; Finnin, M.S.; Elledge, S.J.; Harper, J.W.; Pagano, M.; Pavletich, N.P.
Deposited on : 2000-09-06
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	336	
1	C	336	
1	E	336	
1	G	336	
1	I	336	
1	K	336	
1	M	336	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	O	336	
2	B	149	
2	D	149	
2	F	149	
2	H	149	
2	J	149	
2	L	149	
2	N	149	
2	P	149	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 29256 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SKP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	C	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	E	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	G	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	I	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	K	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	M	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			
1	O	325	Total	C	N	O	S	4	0	0
			2563	1630	441	476	16			

- Molecule 2 is a protein called SKP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	D	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	F	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	H	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	J	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	L	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	N	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			
2	P	137	Total	C	N	O	S	0	0	0
			1094	697	178	213	6			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ASP	DELETION	UNP P63208
B	?	-	ASP	DELETION	UNP P63208
B	?	-	GLU	DELETION	UNP P63208
B	?	-	GLY	DELETION	UNP P63208
B	?	-	ASP	DELETION	UNP P63208
B	?	-	ASP	DELETION	UNP P63208
B	?	-	PRO	DELETION	UNP P63208
B	?	-	PRO	DELETION	UNP P63208
B	?	-	PRO	DELETION	UNP P63208
B	?	-	GLU	DELETION	UNP P63208
B	?	-	ASP	DELETION	UNP P63208
B	?	-	ASP	DELETION	UNP P63208
B	?	-	GLU	DELETION	UNP P63208
B	?	-	ASN	DELETION	UNP P63208
B	?	-	LYS	DELETION	UNP P63208
B	?	-	GLU	DELETION	UNP P63208
B	?	-	LYS	DELETION	UNP P63208
B	?	-	ARG	DELETION	UNP P63208
B	?	-	THR	DELETION	UNP P63208
B	78	GLY	-	SEE REMARK 999	UNP P63208
B	79	GLY	-	SEE REMARK 999	UNP P63208
B	80	SER	-	SEE REMARK 999	UNP P63208
B	81	GLY	-	SEE REMARK 999	UNP P63208
B	82	THR	-	SEE REMARK 999	UNP P63208
D	?	-	ASP	DELETION	UNP P63208
D	?	-	ASP	DELETION	UNP P63208
D	?	-	GLU	DELETION	UNP P63208
D	?	-	GLY	DELETION	UNP P63208
D	?	-	ASP	DELETION	UNP P63208
D	?	-	ASP	DELETION	UNP P63208
D	?	-	PRO	DELETION	UNP P63208
D	?	-	PRO	DELETION	UNP P63208
D	?	-	PRO	DELETION	UNP P63208
D	?	-	GLU	DELETION	UNP P63208

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	ASP	DELETION	UNP P63208
D	?	-	ASP	DELETION	UNP P63208
D	?	-	GLU	DELETION	UNP P63208
D	?	-	ASN	DELETION	UNP P63208
D	?	-	LYS	DELETION	UNP P63208
D	?	-	GLU	DELETION	UNP P63208
D	?	-	LYS	DELETION	UNP P63208
D	?	-	ARG	DELETION	UNP P63208
D	?	-	THR	DELETION	UNP P63208
D	78	GLY	-	SEE REMARK 999	UNP P63208
D	79	GLY	-	SEE REMARK 999	UNP P63208
D	80	SER	-	SEE REMARK 999	UNP P63208
D	81	GLY	-	SEE REMARK 999	UNP P63208
D	82	THR	-	SEE REMARK 999	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	GLU	DELETION	UNP P63208
F	?	-	GLY	DELETION	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	PRO	DELETION	UNP P63208
F	?	-	PRO	DELETION	UNP P63208
F	?	-	PRO	DELETION	UNP P63208
F	?	-	GLU	DELETION	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	ASP	DELETION	UNP P63208
F	?	-	GLU	DELETION	UNP P63208
F	?	-	ASN	DELETION	UNP P63208
F	?	-	LYS	DELETION	UNP P63208
F	?	-	GLU	DELETION	UNP P63208
F	?	-	LYS	DELETION	UNP P63208
F	?	-	ARG	DELETION	UNP P63208
F	?	-	THR	DELETION	UNP P63208
F	78	GLY	-	SEE REMARK 999	UNP P63208
F	79	GLY	-	SEE REMARK 999	UNP P63208
F	80	SER	-	SEE REMARK 999	UNP P63208
F	81	GLY	-	SEE REMARK 999	UNP P63208
F	82	THR	-	SEE REMARK 999	UNP P63208
H	?	-	ASP	DELETION	UNP P63208
H	?	-	ASP	DELETION	UNP P63208
H	?	-	GLU	DELETION	UNP P63208
H	?	-	GLY	DELETION	UNP P63208

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	?	-	ASP	DELETION	UNP P63208
H	?	-	ASP	DELETION	UNP P63208
H	?	-	PRO	DELETION	UNP P63208
H	?	-	PRO	DELETION	UNP P63208
H	?	-	PRO	DELETION	UNP P63208
H	?	-	GLU	DELETION	UNP P63208
H	?	-	ASP	DELETION	UNP P63208
H	?	-	ASP	DELETION	UNP P63208
H	?	-	GLU	DELETION	UNP P63208
H	?	-	ASN	DELETION	UNP P63208
H	?	-	LYS	DELETION	UNP P63208
H	?	-	GLU	DELETION	UNP P63208
H	?	-	LYS	DELETION	UNP P63208
H	?	-	ARG	DELETION	UNP P63208
H	?	-	THR	DELETION	UNP P63208
H	78	GLY	-	SEE REMARK 999	UNP P63208
H	79	GLY	-	SEE REMARK 999	UNP P63208
H	80	SER	-	SEE REMARK 999	UNP P63208
H	81	GLY	-	SEE REMARK 999	UNP P63208
H	82	THR	-	SEE REMARK 999	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	GLU	DELETION	UNP P63208
J	?	-	GLY	DELETION	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	PRO	DELETION	UNP P63208
J	?	-	PRO	DELETION	UNP P63208
J	?	-	PRO	DELETION	UNP P63208
J	?	-	GLU	DELETION	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	ASP	DELETION	UNP P63208
J	?	-	GLU	DELETION	UNP P63208
J	?	-	ASN	DELETION	UNP P63208
J	?	-	LYS	DELETION	UNP P63208
J	?	-	GLU	DELETION	UNP P63208
J	?	-	LYS	DELETION	UNP P63208
J	?	-	ARG	DELETION	UNP P63208
J	?	-	THR	DELETION	UNP P63208
J	78	GLY	-	SEE REMARK 999	UNP P63208
J	79	GLY	-	SEE REMARK 999	UNP P63208
J	80	SER	-	SEE REMARK 999	UNP P63208

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	81	GLY	-	SEE REMARK 999	UNP P63208
J	82	THR	-	SEE REMARK 999	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	GLU	DELETION	UNP P63208
L	?	-	GLY	DELETION	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	PRO	DELETION	UNP P63208
L	?	-	PRO	DELETION	UNP P63208
L	?	-	PRO	DELETION	UNP P63208
L	?	-	GLU	DELETION	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	ASP	DELETION	UNP P63208
L	?	-	GLU	DELETION	UNP P63208
L	?	-	ASN	DELETION	UNP P63208
L	?	-	LYS	DELETION	UNP P63208
L	?	-	GLU	DELETION	UNP P63208
L	?	-	LYS	DELETION	UNP P63208
L	?	-	ARG	DELETION	UNP P63208
L	?	-	THR	DELETION	UNP P63208
L	78	GLY	-	SEE REMARK 999	UNP P63208
L	79	GLY	-	SEE REMARK 999	UNP P63208
L	80	SER	-	SEE REMARK 999	UNP P63208
L	81	GLY	-	SEE REMARK 999	UNP P63208
L	82	THR	-	SEE REMARK 999	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	GLU	DELETION	UNP P63208
N	?	-	GLY	DELETION	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	PRO	DELETION	UNP P63208
N	?	-	PRO	DELETION	UNP P63208
N	?	-	PRO	DELETION	UNP P63208
N	?	-	GLU	DELETION	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	ASP	DELETION	UNP P63208
N	?	-	GLU	DELETION	UNP P63208
N	?	-	ASN	DELETION	UNP P63208
N	?	-	LYS	DELETION	UNP P63208
N	?	-	GLU	DELETION	UNP P63208

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
N	?	-	LYS	DELETION	UNP P63208
N	?	-	ARG	DELETION	UNP P63208
N	?	-	THR	DELETION	UNP P63208
N	78	GLY	-	SEE REMARK 999	UNP P63208
N	79	GLY	-	SEE REMARK 999	UNP P63208
N	80	SER	-	SEE REMARK 999	UNP P63208
N	81	GLY	-	SEE REMARK 999	UNP P63208
N	82	THR	-	SEE REMARK 999	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	GLU	DELETION	UNP P63208
P	?	-	GLY	DELETION	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	PRO	DELETION	UNP P63208
P	?	-	PRO	DELETION	UNP P63208
P	?	-	PRO	DELETION	UNP P63208
P	?	-	GLU	DELETION	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	ASP	DELETION	UNP P63208
P	?	-	GLU	DELETION	UNP P63208
P	?	-	ASN	DELETION	UNP P63208
P	?	-	LYS	DELETION	UNP P63208
P	?	-	GLU	DELETION	UNP P63208
P	?	-	LYS	DELETION	UNP P63208
P	?	-	ARG	DELETION	UNP P63208
P	?	-	THR	DELETION	UNP P63208
P	78	GLY	-	SEE REMARK 999	UNP P63208
P	79	GLY	-	SEE REMARK 999	UNP P63208
P	80	SER	-	SEE REMARK 999	UNP P63208
P	81	GLY	-	SEE REMARK 999	UNP P63208
P	82	THR	-	SEE REMARK 999	UNP P63208

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: SKP2




• Molecule 1: SKP2




- Molecule 1: SKP2

Chain E: 46% 46% 5% .




- Molecule 1: SKP2


Chain G: 51% 41% . . .



- Molecule 1: SKP2


Chain I:  49% 43% . . .






• Molecule 2: SKP1

Chain B: 33% 56% 8%




• Molecule 2: SKP1

Chain D: 42% 46% 8%



• Molecule 2: SKP1

Chain F: 36% 51% 5% 8%




• Molecule 2: SKP1

Chain H: 39% 49% 8%




• Molecule 2: SKP1

Chain J: 38% 50% 8%



• Molecule 2: SKP1

Chain L: 42% 46% 8%




• Molecule 2: SKP1

Chain N: 38% 50% 8%



• Molecule 2: SKP1

Chain P: 38% 50% 8%



I86	I87	I88	I89	I90	I91	I92	I93	I94	I95	I96	I97	I98	I99	I100	I101	I102	I103	I104	I105	I106	I107	I108	I109	I110	I111	I112	I113	I114	I115	I116	I117	I118	I119	I120	I121	I122	I123	I124	I125	I126	I127	I128	I129	I130	I131	I132	I133	I134	I135	I136	I137	I138	I139	I140	I141	I142	I143	I144	I145	I146	I147	I148	I149	I150	I151	I152	I153	I154	I155	I156	I157	I158	I159	I160	I161	I162	I163	I164	I165	I166	I167	I168	I169	I170	I171	I172	I173	I174	I175	I176	I177	I178	I179	I180	I181	I182	I183	I184	I185	I186	I187	I188	I189	I190	I191	I192	I193	I194	I195	I196	I197	I198	I199	I200	I201	I202	I203	I204	I205	I206	I207	I208	I209	I210	I211	I212	I213	I214	I215	I216	I217	I218	I219	I220	I221	I222	I223	I224	I225	I226	I227	I228	I229	I230	I231	I232	I233	I234	I235	I236	I237	I238	I239	I240	I241	I242	I243	I244	I245	I246	I247	I248	I249	I250	I251	I252	I253	I254	I255	I256	I257	I258	I259	I260	I261	I262	I263	I264	I265	I266	I267	I268	I269	I270	I271	I272	I273	I274	I275	I276	I277	I278	I279	I280	I281	I282	I283	I284	I285	I286	I287	I288	I289	I290	I291	I292	I293	I294	I295	I296	I297	I298	I299	I300	I301	I302	I303	I304	I305	I306	I307	I308	I309	I310	I311	I312	I313	I314	I315	I316	I317	I318	I319	I320	I321	I322	I323	I324	I325	I326	I327	I328	I329	I330	I331	I332	I333	I334	I335	I336	I337	I338	I339	I340	I341	I342	I343	I344	I345	I346	I347	I348	I349	I350	I351	I352	I353	I354	I355	I356	I357	I358	I359	I360	I361	I362	I363	I364	I365	I366	I367	I368	I369	I370	I371	I372	I373	I374	I375	I376	I377	I378	I379	I380	I381	I382	I383	I384	I385	I386	I387	I388	I389	I390	I391	I392	I393	I394	I395	I396	I397	I398	I399	I400	I401	I402	I403	I404	I405	I406	I407	I408	I409	I410	I411	I412	I413	I414	I415	I416	I417	I418	I419	I420	I421	I422	I423	I424	I425	I426	I427	I428	I429	I430	I431	I432	I433	I434	I435	I436	I437	I438	I439	I440	I441	I442	I443	I444	I445	I446	I447	I448	I449	I450	I451	I452	I453	I454	I455	I456	I457	I458	I459	I460	I461	I462	I463	I464	I465	I466	I467	I468	I469	I470	I471	I472	I473	I474	I475	I476	I477	I478	I479	I480	I481	I482	I483	I484	I485	I486	I487	I488	I489	I490	I491	I492	I493	I494	I495	I496	I497	I498	I499	I500	I501	I502	I503	I504	I505	I506	I507	I508	I509	I510	I511	I512	I513	I514	I515	I516	I517	I518	I519	I520	I521	I522	I523	I524	I525	I526	I527	I528	I529	I530	I531	I532	I533	I534	I535	I536	I537	I538	I539	I540	I541	I542	I543	I544	I545	I546	I547	I548	I549	I550	I551	I552	I553	I554	I555	I556	I557	I558	I559	I560	I561	I562	I563	I564	I565	I566	I567	I568	I569	I570	I571	I572	I573	I574	I575	I576	I577	I578	I579	I580	I581	I582	I583	I584	I585	I586	I587	I588	I589	I590	I591	I592	I593	I594	I595	I596	I597	I598	I599	I600	I601	I602	I603	I604	I605	I606	I607	I608	I609	I610	I611	I612	I613	I614	I615	I616	I617	I618	I619	I620	I621	I622	I623	I624	I625	I626	I627	I628	I629	I630	I631	I632	I633	I634	I635	I636	I637	I638	I639	I640	I641	I642	I643	I644	I645	I646	I647	I648	I649	I650	I651	I652	I653	I654	I655	I656	I657	I658	I659	I660	I661	I662	I663	I664	I665	I666	I667	I668	I669	I670	I671	I672	I673	I674	I675	I676	I677	I678	I679	I680	I681	I682	I683	I684	I685	I686	I687	I688	I689	I690	I691	I692	I693	I694	I695	I696	I697	I698	I699	I700	I701	I702	I703	I704	I705	I706	I707	I708	I709	I710	I711	I712	I713	I714	I715	I716	I717	I718	I719	I720	I721	I722	I723	I724	I725	I726	I727	I728	I729	I730	I731	I732	I733	I734	I735	I736	I737	I738	I739	I740	I741	I742	I743	I744	I745	I746	I747	I748	I749	I750	I751	I752	I753	I754	I755	I756	I757	I758	I759	I760	I761	I762	I763	I764	I765	I766	I767	I768	I769	I770	I771	I772	I773	I774	I775	I776	I777	I778	I779	I780	I781	I782	I783	I784	I785	I786	I787	I788	I789	I790	I791	I792	I793	I794	I795	I796	I797	I798	I799	I800	I801	I802	I803	I804	I805	I806	I807	I808	I809	I810	I811	I812	I813	I814	I815	I816	I817	I818	I819	I820	I821	I822	I823	I824	I825	I826	I827	I828	I829	I830	I831	I832	I833	I834	I835	I836	I837	I838	I839	I840	I841	I842	I843	I844	I845	I846	I847	I848	I849	I850	I851	I852	I853	I854	I855	I856	I857	I858	I859	I860	I861	I862	I863	I864	I865	I866	I867	I868	I869	I870	I871	I872	I873	I874	I875	I876	I877	I878	I879	I880	I881	I882	I883	I884	I885	I886	I887	I888	I889	I890	I891	I892	I893	I894	I895	I896	I897	I898	I899	I900	I901	I902	I903	I904	I905	I906	I907	I908	I909	I910	I911	I912	I913	I914	I915	I916	I917	I918	I919	I920	I921	I922	I923	I924	I925	I926	I927	I928	I929	I930	I931	I932	I933	I934	I935	I936	I937	I938	I939	I940	I941	I942	I943	I944	I945	I946	I947	I948	I949	I950	I951	I952	I953	I954	I955	I956	I957	I958	I959	I960	I961	I962	I963	I964	I965	I966	I967	I968	I969	I970	I971	I972	I973	I974	I975	I976	I977	I978	I979	I980	I981	I982	I983	I984	I985	I986	I987	I988	I989	I990	I991	I992	I993	I994	I995	I996	I997	I998	I999	I1000
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------

W159	C160	GLU	GLU	LYS
------	------	-----	-----	-----

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	262.70Å 148.20Å 133.30Å 90.00° 120.03° 90.00°	Depositor
Resolution (Å)	8.00 – 2.80	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.275 , 0.314	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	29256	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.56	1/2612 (0.0%)	0.80	3/3545 (0.1%)
1	C	0.63	4/2612 (0.2%)	0.88	7/3545 (0.2%)
1	E	0.52	0/2612	0.77	1/3545 (0.0%)
1	G	0.63	2/2612 (0.1%)	1.06	7/3545 (0.2%)
1	I	0.60	2/2612 (0.1%)	1.01	6/3545 (0.2%)
1	K	0.59	1/2612 (0.0%)	1.06	7/3545 (0.2%)
1	M	0.59	3/2612 (0.1%)	0.90	4/3545 (0.1%)
1	O	0.55	1/2612 (0.0%)	1.06	8/3545 (0.2%)
2	B	0.35	0/1111	0.61	1/1502 (0.1%)
2	D	0.42	0/1111	0.64	1/1502 (0.1%)
2	F	0.38	0/1111	0.63	1/1502 (0.1%)
2	H	0.58	0/1111	0.71	1/1502 (0.1%)
2	J	0.42	0/1111	0.66	1/1502 (0.1%)
2	L	0.44	0/1111	0.66	1/1502 (0.1%)
2	N	0.44	0/1111	0.65	1/1502 (0.1%)
2	P	0.54	0/1111	0.69	1/1502 (0.1%)
All	All	0.55	14/29784 (0.0%)	0.87	51/40376 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	I	0	1

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	186	LEU	C-N	15.94	1.70	1.34
1	I	186	LEU	C-N	12.79	1.63	1.34
1	G	189	HIS	C-N	-9.35	1.12	1.34
1	K	189	HIS	C-N	-8.94	1.13	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	190	PHE	N-CA	-7.71	1.30	1.46

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	189	HIS	O-C-N	23.02	159.53	122.70
1	I	189	HIS	C-N-CA	-22.18	66.25	121.70
1	K	186	LEU	O-C-N	21.78	157.54	122.70
1	G	186	LEU	O-C-N	20.23	155.06	122.70
1	O	186	LEU	O-C-N	19.63	154.11	122.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	I	189	HIS	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2563	0	2598	214	0
1	C	2563	0	2597	206	0
1	E	2563	0	2598	217	0
1	G	2563	0	2596	217	0
1	I	2563	0	2598	188	0
1	K	2563	0	2598	217	0
1	M	2563	0	2598	194	0
1	O	2563	0	2598	221	0
2	B	1094	0	1099	87	0
2	D	1094	0	1099	75	0
2	F	1094	0	1099	84	1
2	H	1094	0	1099	71	0
2	J	1094	0	1099	75	0
2	L	1094	0	1099	84	1
2	N	1094	0	1099	77	0
2	P	1094	0	1099	87	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	29256	0	29573	2115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

The worst 5 of 2115 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:186:LEU:C	1:G:187:ALA:N	1.70	1.40
1:M:189:HIS:O	1:M:190:PHE:O	1.58	1.17
1:K:417:LYS:CE	1:O:417:LYS:HG3	1.75	1.15
1:I:417:LYS:HG3	1:M:417:LYS:CE	1.77	1.14
2:L:43:ASP:HB2	2:L:44:PRO:HD3	1.29	1.14

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:49:ASN:ND2	2:L:43:ASP:OD1[2_656]	1.93	0.27

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/336 (96%)	294 (91%)	21 (6%)	8 (2%)	6	22
1	C	323/336 (96%)	292 (90%)	24 (7%)	7 (2%)	8	26
1	E	323/336 (96%)	289 (90%)	27 (8%)	7 (2%)	8	26
1	G	323/336 (96%)	292 (90%)	24 (7%)	7 (2%)	8	26
1	I	323/336 (96%)	295 (91%)	21 (6%)	7 (2%)	8	26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	K	323/336 (96%)	291 (90%)	24 (7%)	8 (2%)	6	22
1	M	323/336 (96%)	293 (91%)	25 (8%)	5 (2%)	12	37
1	O	323/336 (96%)	294 (91%)	21 (6%)	8 (2%)	6	22
2	B	133/149 (89%)	117 (88%)	12 (9%)	4 (3%)	5	17
2	D	133/149 (89%)	118 (89%)	10 (8%)	5 (4%)	4	12
2	F	133/149 (89%)	118 (89%)	11 (8%)	4 (3%)	5	17
2	H	133/149 (89%)	118 (89%)	12 (9%)	3 (2%)	7	25
2	J	133/149 (89%)	120 (90%)	8 (6%)	5 (4%)	4	12
2	L	133/149 (89%)	119 (90%)	9 (7%)	5 (4%)	4	12
2	N	133/149 (89%)	116 (87%)	13 (10%)	4 (3%)	5	17
2	P	133/149 (89%)	117 (88%)	11 (8%)	5 (4%)	4	12
All	All	3648/3880 (94%)	3283 (90%)	273 (8%)	92 (2%)	6	22

5 of 92 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	190	PHE
1	A	306	ARG
1	C	187	ALA
1	C	306	ARG
1	C	421	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/311 (96%)	282 (94%)	17 (6%)	24	56
1	C	299/311 (96%)	286 (96%)	13 (4%)	33	67
1	E	299/311 (96%)	285 (95%)	14 (5%)	30	64
1	G	299/311 (96%)	285 (95%)	14 (5%)	30	64
1	I	299/311 (96%)	281 (94%)	18 (6%)	22	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	299/311 (96%)	287 (96%)	12 (4%)	36	70
1	M	299/311 (96%)	284 (95%)	15 (5%)	28	62
1	O	299/311 (96%)	283 (95%)	16 (5%)	26	58
2	B	124/134 (92%)	122 (98%)	2 (2%)	68	91
2	D	124/134 (92%)	120 (97%)	4 (3%)	44	78
2	F	124/134 (92%)	120 (97%)	4 (3%)	44	78
2	H	124/134 (92%)	120 (97%)	4 (3%)	44	78
2	J	124/134 (92%)	120 (97%)	4 (3%)	44	78
2	L	124/134 (92%)	121 (98%)	3 (2%)	54	85
2	N	124/134 (92%)	122 (98%)	2 (2%)	68	91
2	P	124/134 (92%)	117 (94%)	7 (6%)	25	57
All	All	3384/3560 (95%)	3235 (96%)	149 (4%)	33	67

5 of 149 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	420	GLU
1	I	317	LEU
1	O	359	ASP
2	H	55	LEU
1	I	207	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 154 such sidechains are listed below:

Mol	Chain	Res	Type
2	H	7	GLN
1	I	399	GLN
1	O	350	GLN
2	H	51	ASN
1	I	211	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.