



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 05:07 am GMT

PDB ID : 2G6M  
Title : Structure of rat nNOS heme domain (BH4 bound) complexed with CO  
Authors : Li, H.; Igarashi, J.; Jamal, J.; Yang, W.; Poulos, T.L.  
Deposited on : 2006-02-24  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1923 (1.86-1.86)
Clashscore	112137	2083 (1.86-1.86)
Ramachandran outliers	110173	2060 (1.86-1.86)
Sidechain outliers	110143	2060 (1.86-1.86)
RSRZ outliers	101464	1932 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	<div> <div>10%</div> <div> <div></div> <div>71%</div> <div>24%</div> <div>••</div> </div> </div>
1	B	420	<div> <div>2%</div> <div> <div></div> <div>84%</div> <div>14%</div> <div>•</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	860	-	-	-	X
2	ACT	B	861	-	-	-	X

## 2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 7307 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric-oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	0	0
			3313	2121	566	605	21			
1	B	411	Total	C	N	O	S	0	0	0
			3345	2140	574	610	21			

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 5 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $\text{C}_9\text{H}_{15}\text{N}_5\text{O}_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 17	C 9	N 5	O 3	0	0
5	B	1	Total 17	C 9	N 5	O 3	0	0

- Molecule 6 is ARGinine (three-letter code: ARG) (formula:  $\text{C}_6\text{H}_{15}\text{N}_4\text{O}_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total 12	C 6	N 4	O 2	0	0
6	B	1	Total 12	C 6	N 4	O 2	0	0

- Molecule 7 is CARBON MONOXIDE (three-letter code: CMO) (formula: CO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			2	1	1		
7	B	1	Total	C	O	0	0
			2	1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	198	Total	O	0	0
			198	198		
8	B	294	Total	O	0	0
			294	294		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric-oxide synthase, brain



- Molecule 1: Nitric-oxide synthase, brain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.85Å 110.97Å 164.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.98 – 1.85 46.98 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.98-1.85) 99.0 (46.98-1.85)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.56 (at 1.84Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.220 , 0.251 0.215 , 0.245	Depositor DCC
$R_{free}$ test set	4037 reflections (5.23%)	DCC
Wilson B-factor (Å <sup>2</sup> )	26.5	Xtriage
Anisotropy	0.587	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 52.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7307	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, HEM, ZN, H4B, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/3406	0.62	1/4621 (0.0%)
1	B	0.43	0/3438	0.65	2/4661 (0.0%)
All	All	0.42	0/6844	0.64	3/9282 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	326	CYS	CA-CB-SG	6.70	126.06	114.00
1	A	589	MET	N-CA-C	-5.88	95.14	111.00
1	B	589	MET	N-CA-C	-5.64	95.78	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3313	0	3221	99	0
1	B	3345	0	3259	44	0
2	A	4	0	3	1	0
2	B	4	0	3	1	0
3	A	1	0	0	0	0
4	A	43	0	30	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	43	0	30	3	0
5	A	17	0	15	0	0
5	B	17	0	15	0	0
6	A	12	0	12	0	0
6	B	12	0	12	0	0
7	A	2	0	0	0	0
7	B	2	0	0	0	0
8	A	198	0	0	10	0
8	B	294	0	0	3	0
All	All	7307	0	6600	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.35	1.06
1:B:322:LEU:HD13	1:B:699:ARG:HH21	1.40	0.83
1:A:699:ARG:HB3	8:A:1067:HOH:O	1.76	0.83
1:B:350:THR:HG22	1:B:352:ASP:H	1.49	0.78
1:A:478:GLN:HB2	1:A:481:ARG:HG3	1.68	0.76
1:A:496:PRO:HA	1:A:499:VAL:HG23	1.67	0.75
1:A:555:LYS:HB3	1:A:555:LYS:NZ	2.04	0.73
1:A:360:GLU:O	1:A:364:GLN:HG3	1.89	0.72
1:A:574:ILE:HG22	8:A:1034:HOH:O	1.89	0.72
1:A:467:ASP:OD2	1:A:469:LYS:HB2	1.90	0.70
1:A:598:TYR:O	1:A:606:ILE:HG12	1.93	0.69
1:A:610:VAL:O	1:A:614:MET:HG3	1.96	0.66
1:B:587:TRP:H	4:B:750:HEM:HAB	1.58	0.66
1:A:322:LEU:HD13	1:A:699:ARG:NH2	2.11	0.65
1:A:628:GLN:HG2	1:B:631:VAL:HG11	1.78	0.65
2:A:860:ACT:H2	8:A:983:HOH:O	1.96	0.64
1:A:321:THR:HG23	1:A:322:LEU:HG	1.80	0.64
1:B:351:LYS:HE2	1:B:392:SER:OG	1.96	0.64
1:A:484:GLY:O	1:A:499:VAL:HA	1.98	0.63
1:B:356:PRO:O	1:B:360:GLU:HG3	1.98	0.63
1:A:473:ARG:NH2	1:A:710:PRO:HD3	2.13	0.63
1:A:350:THR:OG1	1:A:353:GLN:HG3	1.98	0.62
1:A:545:PRO:HG2	1:A:547:ARG:NH2	2.13	0.62
1:A:475:TRP:HB2	1:A:523:LEU:HB3	1.82	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:750:HEM:HBC2	4:B:750:HEM:HMC1	1.84	0.59
1:A:371:ARG:HG3	1:A:371:ARG:HH21	1.67	0.59
1:B:299:ARG:HB3	1:B:299:ARG:HH11	1.65	0.59
1:A:555:LYS:HB3	1:A:555:LYS:HZ3	1.66	0.59
1:A:436:HIS:HB2	8:A:989:HOH:O	2.03	0.58
1:A:684:SER:HB3	1:A:687:ILE:CG1	2.34	0.58
1:A:620:LYS:HE3	1:A:622:SER:OG	2.05	0.57
1:A:322:LEU:HB2	1:A:699:ARG:HB2	1.87	0.57
1:A:517:PHE:HB2	1:A:560:LYS:HE2	1.85	0.57
1:B:350:THR:O	1:B:353:GLN:HG2	2.06	0.55
1:A:523:LEU:CD2	1:A:531:PRO:HB2	2.23	0.55
1:B:684:SER:HB3	1:B:687:ILE:CG1	2.36	0.55
1:B:299:ARG:HB3	1:B:299:ARG:NH1	2.22	0.54
1:B:388:ILE:O	1:B:392:SER:N	2.35	0.54
1:B:532:GLU:OE1	8:B:1202:HOH:O	2.18	0.54
1:A:485:TYR:CE2	1:A:512:ALA:HB1	2.43	0.54
1:A:523:LEU:HD22	1:A:531:PRO:CB	2.24	0.54
1:A:546:ILE:HG22	1:A:554:PHE:HE2	1.72	0.54
1:A:659:ILE:O	1:A:663:GLU:HG3	2.08	0.54
1:A:470:HIS:HA	1:A:527:ASN:O	2.08	0.53
1:B:391:THR:O	1:B:392:SER:HB2	2.08	0.53
1:A:571:LEU:C	1:A:571:LEU:HD23	2.30	0.52
1:A:545:PRO:HG2	1:A:547:ARG:HH21	1.73	0.51
1:A:667:ARG:HD3	8:A:1113:HOH:O	2.09	0.51
1:A:483:ALA:HB2	1:A:520:LEU:CD2	2.40	0.51
1:A:506:ILE:C	1:A:508:GLN:H	2.12	0.51
1:A:485:TYR:HE2	1:A:512:ALA:HB1	1.76	0.51
1:A:551:PHE:HB3	1:A:553:TRP:NE1	2.26	0.51
1:A:355:PHE:N	1:A:356:PRO:HD2	2.26	0.50
1:A:569:ASN:H	1:A:569:ASN:ND2	2.09	0.50
1:A:632:GLU:OE2	1:B:628:GLN:NE2	2.45	0.50
1:A:384:VAL:O	1:A:388:ILE:HG13	2.11	0.50
1:A:366:TYR:HA	1:A:369:ILE:HG12	1.94	0.50
1:A:464:GLN:HB3	1:A:579:PHE:CE2	2.47	0.50
1:A:499:VAL:O	1:A:503:GLU:HG3	2.11	0.50
1:A:478:GLN:HB2	1:A:481:ARG:CG	2.40	0.50
1:A:322:LEU:CB	1:A:699:ARG:HE	2.25	0.49
1:A:322:LEU:HB2	1:A:699:ARG:HE	1.76	0.49
1:B:684:SER:HB3	1:B:687:ILE:HG12	1.93	0.49
4:B:750:HEM:CMC	4:B:750:HEM:HBC2	2.42	0.49
1:B:684:SER:HB3	1:B:687:ILE:HD11	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:684:SER:HB3	1:A:687:ILE:HD11	1.94	0.49
1:B:322:LEU:HD13	1:B:699:ARG:NH2	2.18	0.49
1:B:299:ARG:CB	1:B:299:ARG:NH1	2.76	0.49
1:A:328:GLU:H	1:A:328:GLU:CD	2.17	0.49
1:A:524:LEU:O	1:A:531:PRO:HA	2.13	0.48
1:A:542:LEU:HD21	1:A:646:VAL:HG22	1.93	0.48
1:B:396:LEU:HG	1:B:577:LEU:HD12	1.95	0.48
1:A:489:ASP:O	1:A:489:ASP:OD2	2.31	0.48
1:B:323:GLU:O	1:B:699:ARG:HD3	2.13	0.48
1:A:551:PHE:CD2	1:A:551:PHE:N	2.81	0.48
1:B:513:PRO:HG2	1:B:518:ASP:CG	2.34	0.48
1:A:631:VAL:HG11	1:B:628:GLN:HG2	1.96	0.48
1:B:504:ILE:O	1:B:508:GLN:HG2	2.14	0.48
1:A:506:ILE:C	1:A:508:GLN:N	2.67	0.48
1:A:684:SER:HB3	1:A:687:ILE:HG12	1.95	0.47
1:A:551:PHE:HB3	1:A:553:TRP:CE2	2.50	0.47
1:B:560:LYS:NZ	8:B:1005:HOH:O	2.46	0.47
1:B:403:TYR:CE1	1:B:407:HIS:CE1	3.02	0.47
1:A:575:GLY:HA3	8:A:1034:HOH:O	2.15	0.47
1:B:420:GLN:HG2	2:B:861:ACT:H2	1.97	0.47
1:A:569:ASN:H	1:A:569:ASN:HD22	1.63	0.46
1:A:716:TRP:HD1	1:A:716:TRP:H	1.62	0.46
1:B:355:PHE:N	1:B:356:PRO:HD2	2.31	0.46
1:B:525:GLN:HG3	1:B:529:ASN:O	2.16	0.45
1:B:348:VAL:HG21	1:B:467:ASP:O	2.16	0.45
1:A:554:PHE:HB3	8:A:1035:HOH:O	2.16	0.45
1:A:569:ASN:N	1:A:569:ASN:HD22	2.13	0.45
1:A:614:MET:CE	1:A:632:GLU:HG3	2.46	0.45
1:A:380:ARG:HD3	1:A:400:GLU:OE1	2.17	0.45
1:A:330:ILE:HD11	1:B:696:LEU:HD22	1.99	0.45
1:A:330:ILE:HD11	1:B:696:LEU:HB3	1.98	0.44
1:A:373:GLY:HA2	1:A:378:MET:CE	2.48	0.44
1:A:322:LEU:HD13	1:A:699:ARG:HH21	1.81	0.44
1:A:382:GLU:HG3	1:A:386:LYS:HE3	2.00	0.43
1:A:523:LEU:HG	1:A:533:LEU:CD2	2.48	0.43
1:A:555:LYS:HB3	1:A:555:LYS:HZ2	1.82	0.43
1:A:462:PHE:HB3	1:A:463:PRO:CD	2.48	0.43
1:A:551:PHE:O	1:A:554:PHE:HB2	2.18	0.43
1:A:715:VAL:HG23	1:A:715:VAL:O	2.18	0.43
1:A:627:ASP:O	1:A:631:VAL:HG23	2.19	0.43
1:A:322:LEU:HB3	1:A:699:ARG:HH21	1.84	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:701:THR:HA	1:A:702:PRO:C	2.39	0.43
1:A:522:LEU:O	1:A:533:LEU:HA	2.19	0.43
1:A:716:TRP:CD1	1:A:716:TRP:N	2.85	0.43
1:B:362:LEU:HD11	1:B:384:VAL:HG21	2.01	0.43
1:A:614:MET:HE1	1:A:632:GLU:HG3	2.00	0.43
1:B:322:LEU:HB2	1:B:699:ARG:HB2	2.00	0.43
1:B:684:SER:HB3	1:B:687:ILE:CD1	2.49	0.43
1:A:415:CYS:HB2	4:A:750:HEM:ND	2.32	0.43
1:B:565:PRO:HB3	1:B:588:TYR:CZ	2.54	0.43
1:A:299:ARG:O	1:A:317:HIS:CE1	2.72	0.42
1:A:351:LYS:HE2	1:A:392:SER:HA	2.00	0.42
1:B:327:THR:OG1	1:B:330:ILE:HG22	2.19	0.42
1:A:445:HIS:CD2	1:A:445:HIS:C	2.92	0.42
1:A:483:ALA:HB2	1:A:520:LEU:HD23	2.01	0.42
1:A:684:SER:HB3	1:A:687:ILE:CD1	2.49	0.42
1:B:364:GLN:NE2	8:B:1167:HOH:O	2.52	0.42
1:A:525:GLN:HG3	1:A:529:ASN:O	2.19	0.42
1:A:455:LEU:HD12	1:A:587:TRP:HB3	2.02	0.42
1:B:445:HIS:C	1:B:445:HIS:CD2	2.93	0.42
1:A:510:TRP:HB2	1:A:533:LEU:HD13	2.01	0.42
1:A:699:ARG:HD2	8:A:1076:HOH:O	2.18	0.41
1:A:462:PHE:HB3	1:A:463:PRO:HD2	2.02	0.41
1:B:701:THR:HA	1:B:702:PRO:C	2.41	0.41
1:A:537:PRO:HB2	1:A:540:LEU:HG	2.01	0.41
1:B:480:ILE:HD13	1:B:541:VAL:HG13	2.02	0.41
1:A:300:PHE:N	1:A:300:PHE:CD1	2.88	0.41
1:A:546:ILE:HG12	1:A:560:LYS:HA	2.04	0.40
1:A:714:HIS:CD2	8:A:1048:HOH:O	2.73	0.40
1:A:714:HIS:HD2	8:A:1048:HOH:O	2.04	0.40
1:B:473:ARG:NH2	1:B:710:PRO:HD3	2.36	0.40
1:B:675:ASP:O	1:B:679:ILE:HG12	2.21	0.40
1:B:495:ASP:HA	1:B:496:PRO:HD3	1.89	0.40
1:A:371:ARG:HH21	1:A:371:ARG:CG	2.32	0.40
1:A:512:ALA:HA	1:A:513:PRO:HD3	1.84	0.40
1:B:546:ILE:HG12	1:B:560:LYS:HA	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/420 (96%)	376 (93%)	27 (7%)	0	100	100
1	B	407/420 (97%)	396 (97%)	11 (3%)	0	100	100
All	All	810/840 (96%)	772 (95%)	38 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/375 (97%)	353 (97%)	10 (3%)	49	31
1	B	366/375 (98%)	362 (99%)	4 (1%)	78	70
All	All	729/750 (97%)	715 (98%)	14 (2%)	62	47

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	389	GLU
1	A	454	ASN
1	A	485	TYR
1	A	523	LEU
1	A	547	ARG
1	A	555	LYS
1	A	569	ASN
1	A	605	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	620	LYS
1	A	645	LYS
1	B	353	GLN
1	B	385	ASN
1	B	454	ASN
1	B	547	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	425	GLN
1	A	454	ASN
1	A	507	GLN
1	A	527	ASN
1	A	569	ASN
1	A	605	ASN
1	A	697	ASN
1	B	364	GLN
1	B	385	ASN
1	B	425	GLN
1	B	454	ASN
1	B	507	GLN
1	B	508	GLN
1	B	527	ASN
1	B	535	GLN
1	B	601	ASN
1	B	642	GLN
1	B	697	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	HEM	A	750	1,7	28,50,50	1.48	5 (17%)	17,82,82	1.82	5 (29%)
5	H4B	A	760	-	14,18,18	2.06	3 (21%)	12,26,26	4.05	8 (66%)
6	ARG	A	770	-	6,11,11	0.56	0	5,13,13	0.58	0
2	ACT	A	860	-	1,3,3	2.71	1 (100%)	0,3,3	0.00	-
7	CMO	A	920	4	0,1,1	0.00	-	0,0,0	0.00	-
4	HEM	B	750	1,7	28,50,50	1.59	4 (14%)	17,82,82	1.48	6 (35%)
5	H4B	B	761	-	14,18,18	2.12	4 (28%)	12,26,26	4.05	8 (66%)
6	ARG	B	771	-	6,11,11	0.50	0	5,13,13	0.72	0
2	ACT	B	861	-	1,3,3	3.31	1 (100%)	0,3,3	0.00	-
7	CMO	B	920	4	0,1,1	0.00	-	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	A	750	1,7	-	0/6/54/54	0/0/8/8
5	H4B	A	760	-	-	0/8/17/17	0/2/2/2
6	ARG	A	770	-	-	0/7/11/11	0/0/0/0
2	ACT	A	860	-	-	0/0/0/0	0/0/0/0
7	CMO	A	920	4	-	0/0/0/0	0/0/0/0
4	HEM	B	750	1,7	-	0/6/54/54	0/0/8/8
5	H4B	B	761	-	-	0/8/17/17	0/2/2/2
6	ARG	B	771	-	-	0/7/11/11	0/0/0/0
2	ACT	B	861	-	-	0/0/0/0	0/0/0/0
7	CMO	B	920	4	-	0/0/0/0	0/0/0/0

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	750	HEM	C3B-CAB	-4.98	1.38	1.47
4	A	750	HEM	C3C-CAC	-4.02	1.39	1.47
4	B	750	HEM	C3C-C2C	-3.39	1.35	1.40
4	A	750	HEM	C3B-CAB	-3.31	1.41	1.47
4	B	750	HEM	C3B-C2B	-2.74	1.36	1.40
4	B	750	HEM	C3C-CAC	-2.70	1.42	1.47
4	A	750	HEM	CMD-C2D	2.12	1.56	1.51
4	A	750	HEM	C1D-ND	2.24	1.40	1.36
4	A	750	HEM	C1A-NA	2.27	1.41	1.36
5	B	761	H4B	C8A-N1	2.40	1.38	1.34
2	A	860	ACT	CH3-C	2.71	1.52	1.48
5	B	761	H4B	C6-N5	3.29	1.52	1.45
2	B	861	ACT	CH3-C	3.31	1.53	1.48
5	A	760	H4B	C6-N5	3.32	1.52	1.45
5	B	761	H4B	C4A-N5	3.64	1.45	1.37
5	A	760	H4B	C4A-N5	3.84	1.46	1.37
5	B	761	H4B	C4-N3	5.17	1.42	1.33
5	A	760	H4B	C4-N3	5.19	1.42	1.33

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	761	H4B	N3-C2-N1	-4.64	117.93	125.45
5	A	760	H4B	N3-C2-N1	-4.56	118.06	125.45
4	A	750	HEM	CBD-CAD-C3D	-3.68	105.46	112.47
5	A	760	H4B	C4A-C4-N3	-3.64	113.20	123.91
5	B	761	H4B	C4A-C4-N3	-3.42	113.86	123.91
5	A	760	H4B	C4A-N5-C6	-2.94	113.16	121.16
5	B	761	H4B	C4A-N5-C6	-2.79	113.56	121.16
4	B	750	HEM	CMD-C2D-C1D	-2.48	124.65	128.46
4	A	750	HEM	CMA-C3A-C4A	-2.24	125.02	128.46
4	B	750	HEM	CBD-CAD-C3D	-2.21	108.25	112.47
4	B	750	HEM	CBA-CAA-C2A	-2.13	108.41	112.48
4	A	750	HEM	CMD-C2D-C1D	-2.11	125.23	128.46
4	B	750	HEM	CMC-C2C-C3C	2.09	128.78	124.89
4	B	750	HEM	CMD-C2D-C3D	2.12	128.94	124.94
4	A	750	HEM	CMB-C2B-C3B	2.18	128.94	124.89
5	A	760	H4B	O9-C9-C6	2.35	114.59	108.98
4	B	750	HEM	CMB-C2B-C3B	2.55	129.63	124.89
5	B	761	H4B	O9-C9-C6	2.72	115.48	108.98
5	A	760	H4B	N2-C2-N1	2.91	121.89	117.24
4	A	750	HEM	CMC-C2C-C3C	3.36	131.12	124.89
5	B	761	H4B	N2-C2-N1	3.41	122.69	117.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	761	H4B	C2-N1-C8A	3.44	122.26	114.51
5	A	760	H4B	C2-N1-C8A	3.75	122.95	114.51
5	B	761	H4B	C4-N3-C2	6.01	124.70	116.06
5	A	760	H4B	C4-N3-C2	6.10	124.84	116.06
5	A	760	H4B	C4-C4A-C8A	9.19	122.88	114.56
5	B	761	H4B	C4-C4A-C8A	9.23	122.92	114.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	750	HEM	1	0
2	A	860	ACT	1	0
4	B	750	HEM	3	0
2	B	861	ACT	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	407/420 (96%)	0.63	43 (10%) <b>7</b> <b>7</b>	19, 40, 70, 85	0
1	B	411/420 (97%)	0.17	10 (2%) 59 57	19, 30, 56, 74	0
All	All	818/840 (97%)	0.40	53 (6%) <b>20</b> <b>19</b>	19, 34, 66, 85	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	355	PHE	5.5
1	A	554	PHE	5.1
1	B	348	VAL	4.8
1	A	488	PRO	4.8
1	B	321	THR	4.7
1	B	300	PHE	4.7
1	A	551	PHE	4.4
1	A	321	THR	4.2
1	A	716	TRP	4.2
1	A	352	ASP	4.2
1	A	715	VAL	3.9
1	A	490	GLY	3.8
1	B	718	GLY	3.6
1	A	300	PHE	3.5
1	A	373	GLY	3.4
1	A	553	TRP	3.4
1	A	611	ALA	3.2
1	A	557	LEU	3.1
1	B	352	ASP	3.1
1	B	350	THR	3.0
1	A	318	LEU	2.9
1	A	322	LEU	2.9
1	A	391	THR	2.9
1	B	351	LYS	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	381	LEU	2.7
1	A	375	LYS	2.7
1	A	361	PHE	2.6
1	A	470	HIS	2.6
1	B	299	ARG	2.6
1	A	493	LEU	2.6
1	A	507	GLN	2.5
1	A	376	ALA	2.5
1	A	390	SER	2.5
1	A	351	LYS	2.5
1	A	506	ILE	2.4
1	A	324	THR	2.4
1	A	354	LEU	2.4
1	B	616	LEU	2.3
1	A	394	TYR	2.3
1	A	552	ASP	2.3
1	A	299	ARG	2.3
1	A	511	LYS	2.3
1	A	550	LYS	2.3
1	A	710	PRO	2.3
1	A	393	THR	2.2
1	B	611	ALA	2.2
1	A	503	GLU	2.2
1	A	328	GLU	2.2
1	A	556	ASP	2.2
1	A	301	LEU	2.1
1	A	389	GLU	2.0
1	A	386	LYS	2.0
1	A	535	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ACT	A	860	4/4	0.86	0.28	8.67	53,53,54,55	0
2	ACT	B	861	4/4	0.88	0.21	4.95	49,50,50,51	0
5	H4B	B	761	17/17	0.96	0.12	0.12	19,21,25,25	0
4	HEM	B	750	43/43	0.98	0.12	0.10	17,22,26,30	0
4	HEM	A	750	43/43	0.98	0.10	0.09	21,23,26,28	0
6	ARG	B	771	12/12	0.98	0.11	0.09	18,20,24,24	0
6	ARG	A	770	12/12	0.97	0.10	-0.21	22,24,26,27	0
3	ZN	A	900	1/1	0.99	0.06	-1.22	33,33,33,33	0
5	H4B	A	760	17/17	0.95	0.09	-1.60	20,24,28,30	0
7	CMO	B	920	2/2	0.98	0.23	-	29,29,29,31	0
7	CMO	A	920	2/2	0.92	0.37	-	29,29,29,32	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.