



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:51 am GMT

PDB ID : 3GE8  
Title : Toluene 4-monooxygenase HD T201A diferric, resting state complex  
Authors : Elsen, N.L.; Bailey, L.J.; Hauser, A.D.; Fox, B.G.  
Deposited on : 2009-02-25  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	<div> <div style="width: 82%;"></div> <div style="width: 15%;"></div> <div style="width: 3%;"></div> </div>
1	D	500	<div> <div style="width: 82%;"></div> <div style="width: 15%;"></div> <div style="width: 3%;"></div> </div>
2	B	327	<div> <div style="width: 77%;"></div> <div style="width: 15%;"></div> <div style="width: 6%;"></div> </div>
2	F	327	<div> <div style="width: 81%;"></div> <div style="width: 13%;"></div> <div style="width: 7%;"></div> </div>
3	C	84	<div> <div style="width: 85%;"></div> <div style="width: 11%;"></div> <div style="width: 4%;"></div> </div>
3	G	84	<div> <div style="width: 8%;"></div> <div style="width: 71%;"></div> <div style="width: 23%;"></div> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	E	103	<div> <div>%</div> <div> </div> <div>79%19%..</div> </div>
4	H	103	<div> <div>%</div> <div> </div> <div>81%16%..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	ACT	A	1428	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17621 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toluene-4-monooxygenase system protein A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	13	0
			4085	2619	690	751	25			
1	D	490	Total	C	N	O	S	0	13	0
			4055	2601	683	747	24			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	201	ALA	THR	engineered	UNP Q6Q8Q7
D	201	ALA	THR	engineered	UNP Q6Q8Q7

- Molecule 2 is a protein called Toluene-4-monooxygenase system protein E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	306	Total	C	N	O	S	0	8	0
			2564	1624	446	478	16			
2	F	305	Total	C	N	O	S	0	7	0
			2534	1604	438	476	16			

- Molecule 3 is a protein called Toluene-4-monooxygenase system protein B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	82	Total	C	N	O	S	0	1	0
			654	412	117	121	4			
3	G	82	Total	C	N	O	S	0	2	0
			667	419	119	124	5			

- Molecule 4 is a protein called Toluene-4-monooxygenase system protein D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	102	Total	C	N	O	S	0	4	0
			806	503	140	161	2			

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	101	Total	C	N	O	S	0	4	0
			801	500	139	160	2			

- Molecule 5 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Fe	0	0
			2	2		
5	D	2	Total	Fe	0	0
			2	2		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	344	Total	O	0	0
			344	344		
7	B	229	Total	O	0	0
			229	229		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	48	Total 48	O 48	0	0
7	E	103	Total 103	O 103	0	0
7	D	337	Total 337	O 337	0	0
7	F	243	Total 243	O 243	0	0
7	G	46	Total 46	O 46	0	0
7	H	93	Total 93	O 93	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Toluene-4-monooxygenase system protein A




- Molecule 1: Toluene-4-monooxygenase system protein A




- Molecule 2: Toluene-4-monooxygenase system protein E




- Molecule 2: Toluene-4-monooxygenase system protein E




• Molecule 3: Toluene-4-monooxygenase system protein B




• Molecule 3: Toluene-4-monooxygenase system protein B



• Molecule 4: Toluene-4-monooxygenase system protein D



• Molecule 4: Toluene-4-monooxygenase system protein D



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	100.29Å 115.39Å 180.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.17 – 2.19 47.17 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.17-2.19) 99.6 (47.17-2.19)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.42 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, $R_{free}$	0.161 , 0.229 0.155 , 0.220	Depositor DCC
$R_{free}$ test set	5411 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.3	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	17621	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 74.76 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.4380e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.06	1/4217 (0.0%)	0.90	3/5722 (0.1%)
1	D	1.12	5/4190 (0.1%)	0.94	8/5690 (0.1%)
2	B	1.02	2/2646 (0.1%)	0.85	1/3594 (0.0%)
2	F	1.08	2/2609 (0.1%)	0.87	2/3546 (0.1%)
3	C	1.00	0/666	0.85	1/902 (0.1%)
3	G	1.13	1/679 (0.1%)	0.84	0/920
4	E	1.06	1/816 (0.1%)	1.00	1/1104 (0.1%)
4	H	1.05	1/811 (0.1%)	0.90	1/1097 (0.1%)
All	All	1.07	13/16634 (0.1%)	0.90	17/22575 (0.1%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	378	GLU	CG-CD	7.26	1.62	1.51
2	F	216	PHE	CE1-CZ	6.18	1.49	1.37
1	D	296	GLU	CG-CD	6.16	1.61	1.51
2	B	55	TYR	CD2-CE2	5.86	1.48	1.39
4	H	48	TYR	CD2-CE2	5.82	1.48	1.39
3	G	11	GLU	CB-CG	5.57	1.62	1.52
1	D	77	GLU	CB-CG	-5.55	1.41	1.52
2	B	283	GLU	CG-CD	5.47	1.60	1.51
1	D	338	TRP	CB-CG	5.40	1.59	1.50
4	E	32	GLU	CG-CD	5.36	1.59	1.51
2	F	298	GLU	CG-CD	5.26	1.59	1.51
1	A	415	GLU	CB-CG	5.21	1.62	1.52
1	D	431	GLU	CB-CG	-5.10	1.42	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	424	ARG	NE-CZ-NH2	-9.61	115.49	120.30
4	E	64	LEU	CA-CB-CG	8.84	135.62	115.30
1	D	286	ARG	NE-CZ-NH1	-7.16	116.72	120.30
1	A	368	ARG	NE-CZ-NH2	-6.77	116.92	120.30
2	F	99	ASP	CB-CG-OD1	6.55	124.19	118.30
1	D	424	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	D	387	LEU	CB-CG-CD2	5.85	120.95	111.00
4	H	46	ARG	NE-CZ-NH1	5.75	123.18	120.30
1	D	339	ARG	NE-CZ-NH2	5.73	123.16	120.30
1	A	191	MET	CG-SD-CE	-5.59	91.26	100.20
2	B	169	ARG	NE-CZ-NH1	-5.50	117.55	120.30
1	D	374	ASP	CB-CG-OD1	5.24	123.01	118.30
1	D	251	ARG	NE-CZ-NH1	-5.22	117.69	120.30
2	F	203	MET	CG-SD-CE	5.14	108.42	100.20
3	C	12	LYS	CD-CE-NZ	-5.13	99.90	111.70
1	D	217	ASP	CB-CG-OD1	5.10	122.89	118.30
1	A	48	ASP	CB-CG-OD1	5.02	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4085	0	3848	66	0
1	D	4055	0	3811	67	0
2	B	2564	0	2440	47	0
2	F	2534	0	2404	30	0
3	C	654	0	649	9	0
3	G	667	0	659	21	0
4	E	806	0	782	20	1
4	H	801	0	787	27	0
5	A	2	0	0	0	0
5	D	2	0	0	0	0
6	A	4	0	3	0	0
6	D	4	0	3	0	0
7	A	344	0	0	14	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	229	0	0	10	0
7	C	48	0	0	4	0
7	D	337	0	0	23	1
7	E	103	0	0	7	0
7	F	243	0	0	12	0
7	G	46	0	0	3	0
7	H	93	0	0	7	0
All	All	17621	0	15386	264	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (264) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LYS:HD3	4:H:46:ARG:NH1	1.39	1.32
1:D:378:GLU:HB3	7:D:1172:HOH:O	1.35	1.25
2:B:109[B]:MET:HE2	7:B:1673:HOH:O	1.37	1.20
2:B:108:GLN:HG3	7:B:986:HOH:O	1.48	1.13
1:A:83:GLU:OE1	1:A:151:LYS:HE2	1.47	1.12
1:D:469[A]:LYS:HD3	7:D:541:HOH:O	1.51	1.10
4:H:88:ILE:HD11	4:H:95[A]:ILE:HD11	1.13	1.09
2:F:18:MET:HE1	2:F:22:PRO:HB3	1.37	1.04
4:H:88:ILE:HD11	4:H:95[A]:ILE:CD1	1.91	1.01
4:E:62:LYS:HD2	7:E:1157:HOH:O	1.61	1.01
2:F:266:LYS:HG3	7:F:369:HOH:O	1.61	1.00
2:B:18:MET:HE1	2:B:22:PRO:HG3	1.39	1.00
2:B:77:GLN:HG3	7:B:1541:HOH:O	1.63	0.98
4:H:88:ILE:CD1	4:H:95[A]:ILE:HD11	1.95	0.96
4:H:3:THR:HB	7:H:1373:HOH:O	1.66	0.96
1:A:57:GLU:HG3	7:A:1650:HOH:O	1.64	0.95
2:B:18:MET:CE	2:B:22:PRO:HG3	1.97	0.94
1:A:80:LYS:CD	4:H:46:ARG:HH12	1.82	0.92
4:E:56:GLU:OE1	4:E:96:ARG:NE	2.03	0.91
1:A:80:LYS:CD	4:H:46:ARG:NH1	2.30	0.91
1:A:80:LYS:HD3	4:H:46:ARG:HH12	1.09	0.89
1:A:465:GLU:OE2	2:B:2:SER:HA	1.72	0.87
1:D:77:GLU:HG3	7:D:1207:HOH:O	1.75	0.85
4:H:3:THR:CG2	7:H:1373:HOH:O	2.24	0.83
1:A:7:LYS:HG2	7:A:575:HOH:O	1.79	0.83
3:G:48:GLY:HA3	7:G:177:HOH:O	1.77	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:17:GLU:HG2	7:F:347:HOH:O	1.79	0.82
1:D:469[A]:LYS:HD2	2:F:3:PHE:CZ	2.16	0.80
1:D:67:ALA:HB3	7:D:1140:HOH:O	1.82	0.80
2:F:18:MET:CE	2:F:22:PRO:HB3	2.14	0.78
2:B:18:MET:HE1	2:B:22:PRO:CG	2.12	0.78
4:E:56:GLU:OE1	4:E:96:ARG:NH2	2.19	0.75
4:H:4:LEU:HD12	7:H:106:HOH:O	1.89	0.72
1:A:256:LYS:NZ	1:A:260[B]:MET:SD	2.63	0.72
1:D:340[A]:THR:HG22	7:D:845:HOH:O	1.91	0.71
2:F:283:GLU:O	2:F:287:GLU:HG2	1.89	0.71
1:D:252:GLU:HG2	7:D:1400:HOH:O	1.90	0.71
1:D:351:THR:HG21	1:D:491:LYS:HD3	1.74	0.70
3:G:48:GLY:CA	7:G:177:HOH:O	2.33	0.70
2:B:239:ALA:HB1	2:B:244:ASP:HB3	1.74	0.70
1:A:79:ALA:O	1:A:80:LYS:HB2	1.90	0.69
1:D:7:LYS:HE3	4:H:92:GLU:OE2	1.94	0.68
1:D:431:GLU:HG3	7:D:611:HOH:O	1.93	0.68
1:D:83:GLU:OE2	1:D:151:LYS:HE3	1.93	0.68
4:E:3:THR:O	4:E:7:GLN:HG3	1.95	0.67
7:E:1127:HOH:O	1:D:80:LYS:CB	2.42	0.67
1:D:64:GLU:OE2	7:D:537:HOH:O	2.13	0.66
3:G:54:LYS:NZ	3:G:54:LYS:HB3	2.11	0.66
4:E:92:GLU:HG3	7:E:217:HOH:O	1.96	0.66
4:H:3:THR:O	4:H:7:GLN:HG3	1.96	0.66
3:C:56:ARG:HD2	7:C:921:HOH:O	1.96	0.64
4:E:56:GLU:OE1	4:E:96:ARG:CZ	2.45	0.64
1:A:476:ILE:HG13	2:B:4:GLU:O	1.97	0.63
2:B:112:GLU:HA	7:B:929:HOH:O	1.98	0.63
1:A:368:ARG:HD3	1:A:407:VAL:CG1	2.29	0.62
1:A:367:LYS:HD3	7:A:1094:HOH:O	1.98	0.62
4:H:46:ARG:CD	7:H:146:HOH:O	2.48	0.61
1:D:465:GLU:HG2	7:D:1414:HOH:O	2.01	0.61
1:D:248:ASN:ND2	7:D:528:HOH:O	2.26	0.60
2:B:77:GLN:CG	7:B:1541:HOH:O	2.33	0.60
4:H:25:GLU:O	4:H:29:GLU:HG3	2.02	0.60
1:D:197:GLU:HB3	1:D:235:ALA:HB2	1.85	0.59
1:D:469[A]:LYS:HD2	2:F:3:PHE:CE1	2.36	0.59
1:D:388:VAL:HG12	1:D:388:VAL:O	2.03	0.59
1:A:79:ALA:O	1:A:80:LYS:CB	2.48	0.59
2:B:255:LEU:O	2:B:259[B]:GLU:HG2	2.03	0.58
2:B:105:GLU:HG2	7:B:355:HOH:O	2.03	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:88:ILE:HD11	4:E:95[A]:ILE:HD11	1.86	0.58
1:D:304:ARG:NE	4:H:103:MET:HG3	2.18	0.58
1:D:367:LYS:HD3	7:D:1657:HOH:O	2.04	0.58
3:C:56:ARG:CD	7:C:921:HOH:O	2.52	0.57
2:B:18:MET:HE1	2:B:22:PRO:CB	2.33	0.57
3:G:2:SER:N	3:G:22:ASP:OD1	2.37	0.57
2:F:192:LYS:NZ	7:F:366:HOH:O	2.36	0.57
2:F:30:ARG:NH2	2:F:73:THR:OG1	2.30	0.57
1:D:197:GLU:HG2	1:D:231:GLU:OE1	2.04	0.56
3:C:63:ARG:HG3	7:C:907:HOH:O	2.04	0.56
1:D:431:GLU:CD	7:D:545:HOH:O	2.43	0.56
1:D:351:THR:CG2	1:D:491:LYS:HD3	2.36	0.56
4:H:3:THR:CB	7:H:1373:HOH:O	2.28	0.56
3:G:73:ASN:N	3:G:76:GLU:OE2	2.28	0.56
3:C:11:GLU:O	3:C:12:LYS:HB2	2.06	0.56
2:F:10:ARG:HG2	7:F:1187:HOH:O	2.05	0.55
2:F:239:ALA:HB1	2:F:244:ASP:HB3	1.88	0.55
3:G:55:HIS:O	3:G:56:ARG:HB2	2.06	0.55
1:A:187:SER:O	1:A:191:MET:HG3	2.07	0.54
1:D:229:THR:HB	4:H:78:GLU:O	2.07	0.54
2:F:201:GLU:OE2	2:F:205:LYS:NZ	2.40	0.54
4:H:46:ARG:HD3	7:H:146:HOH:O	2.05	0.54
1:A:190[A]:ILE:HD11	1:A:257:LYS:HD2	1.89	0.54
1:D:213:ALA:HB1	4:H:46:ARG:HG2	1.89	0.54
1:A:7:LYS:HD3	7:E:1458:HOH:O	2.08	0.54
1:D:197:GLU:OE2	7:D:630:HOH:O	2.18	0.54
2:B:195:GLY:HA3	2:B:303:MET:SD	2.48	0.54
1:D:332:HIS:HE1	1:D:347:ALA:O	1.91	0.53
2:B:226:MET:HA	2:B:229:GLU:HG2	1.91	0.53
1:D:336:TRP:CH2	1:D:388:VAL:CG1	2.92	0.53
1:D:353:GLU:HG2	7:D:565:HOH:O	2.07	0.53
1:D:57:GLU:HG3	7:D:529:HOH:O	2.09	0.53
1:A:453:ARG:HG2	1:A:458:GLN:OE1	2.09	0.52
2:F:108:GLN:HG3	7:F:1204:HOH:O	2.08	0.52
2:F:292:LEU:HG	7:F:972:HOH:O	2.10	0.52
1:D:107:ALA:HA	1:D:180:ILE:HG21	1.92	0.52
1:A:183:ARG:HD3	1:A:191:MET:HE1	1.92	0.52
2:F:58:TYR:OH	7:F:360:HOH:O	2.19	0.52
1:D:360:GLU:O	1:D:360:GLU:HG2	2.09	0.52
1:A:391:GLU:C	7:A:1021:HOH:O	2.48	0.51
1:A:391:GLU:HA	7:A:1021:HOH:O	2.09	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:292:LEU:HD23	7:B:1129:HOH:O	2.11	0.51
1:D:49:GLU:HB2	7:D:878:HOH:O	2.10	0.51
1:A:435:TRP:O	1:A:439:GLN:HG2	2.10	0.51
2:B:77:GLN:NE2	7:B:1541:HOH:O	2.43	0.51
3:G:11:GLU:O	3:G:12:LYS:HB2	2.11	0.51
1:A:49:GLU:HB2	7:A:1193:HOH:O	2.09	0.51
3:G:54:LYS:HZ2	3:G:54:LYS:HB3	1.76	0.51
2:F:290:ARG:HB3	2:F:291:PRO:HD3	1.93	0.51
2:B:303:MET:O	2:B:306:SER:HB3	2.10	0.51
1:D:304:ARG:CZ	4:H:103:MET:HG3	2.41	0.51
2:F:17:GLU:CG	7:F:347:HOH:O	2.49	0.51
1:D:340[B]:THR:HG23	1:D:479:MET:HB3	1.93	0.50
1:A:159:TRP:HZ2	2:B:31:LYS:HG2	1.77	0.50
3:G:54:LYS:NZ	3:G:54:LYS:CB	2.75	0.50
1:A:358:LEU:HD13	1:A:365:TRP:CZ2	2.46	0.50
3:G:29:GLN:O	3:G:33:LYS:HG3	2.12	0.50
1:D:336:TRP:HH2	1:D:388:VAL:HG11	1.75	0.50
2:B:290:ARG:N	2:B:291:PRO:HD2	2.27	0.49
2:B:7:LYS:HB2	2:B:8:PRO:HD2	1.93	0.49
2:F:104:ARG:NE	7:F:353:HOH:O	2.45	0.49
3:C:53:ARG:HD2	3:C:57:SER:O	2.12	0.49
1:D:381:LEU:N	1:D:381:LEU:CD1	2.74	0.49
4:E:25:GLU:N	4:E:26:PRO:CD	2.76	0.49
2:B:123:SER:OG	2:B:124:PRO:HD3	2.13	0.48
1:A:107:ALA:HA	1:A:180:ILE:HG21	1.94	0.48
2:F:295:ARG:NH1	7:F:1188:HOH:O	2.46	0.48
2:B:63:PRO:HG2	2:B:285:TRP:CH2	2.48	0.48
1:D:340[A]:THR:CG2	7:D:845:HOH:O	2.57	0.48
2:F:290:ARG:N	2:F:291:PRO:CD	2.76	0.48
3:G:47:GLU:HB2	7:G:1060:HOH:O	2.12	0.48
1:A:191:MET:CE	1:A:257:LYS:HD3	2.43	0.48
1:A:216:GLY:O	7:A:1330:HOH:O	2.20	0.48
1:A:191:MET:HE3	1:A:257:LYS:HD3	1.96	0.48
1:A:413:ASN:OD1	3:C:56:ARG:NH2	2.35	0.48
1:A:202:ASN:HB3	1:A:297:TRP:CE3	2.49	0.48
4:E:25:GLU:HB2	4:E:26:PRO:HD3	1.95	0.48
3:C:73:ASN:ND2	3:C:76:GLU:OE2	2.47	0.48
3:C:55:HIS:O	3:C:56:ARG:HB2	2.13	0.48
1:D:345:ASN:O	1:D:483:ALA:HB2	2.13	0.48
1:A:304:ARG:NE	4:E:103:MET:HG3	2.29	0.47
1:D:336:TRP:HH2	1:D:388:VAL:CG1	2.27	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:68:ALA:HB3	7:C:1627:HOH:O	2.14	0.47
1:A:165:ASN:ND2	7:A:1351:HOH:O	2.40	0.47
1:A:231:GLU:OE1	7:A:638:HOH:O	2.20	0.47
1:D:378:GLU:HG3	7:D:1547:HOH:O	2.15	0.47
2:B:163:LEU:O	2:B:163:LEU:HD12	2.15	0.47
1:D:417:PHE:CE1	1:D:431:GLU:HG2	2.50	0.47
2:B:63:PRO:HG2	2:B:285:TRP:CZ2	2.49	0.47
1:D:394:PRO:HB3	3:G:15:LEU:HD12	1.97	0.47
1:A:197:GLU:HB3	1:A:235:ALA:HB2	1.97	0.46
1:A:7:LYS:CD	7:E:1458:HOH:O	2.62	0.46
1:A:448[B]:MET:CE	1:A:452:ASP:HB3	2.45	0.46
4:H:45:ARG:HG3	4:H:48:TYR:CZ	2.51	0.46
1:A:24:THR:OG1	1:A:27:GLN:HG3	2.16	0.46
1:A:402:ILE:CG2	1:A:403:PRO:HD2	2.45	0.46
1:D:350:VAL:HG11	1:D:373:TRP:CG	2.50	0.46
4:E:25:GLU:N	4:E:26:PRO:HD2	2.31	0.46
1:D:252:GLU:CG	7:D:1400:HOH:O	2.58	0.46
1:A:248:ASN:ND2	7:A:518:HOH:O	2.40	0.45
1:D:378:GLU:CG	7:D:1547:HOH:O	2.64	0.45
3:G:38[B]:CYS:SG	3:G:43:VAL:HG21	2.56	0.45
2:F:290:ARG:N	2:F:291:PRO:HD2	2.32	0.45
1:D:81:ILE:HG23	1:D:85:SER:OG	2.16	0.45
1:D:377:THR:O	1:D:381:LEU:HD13	2.17	0.45
1:D:367:LYS:CD	7:D:1657:HOH:O	2.61	0.45
2:F:266:LYS:CG	7:F:369:HOH:O	2.42	0.45
4:H:66:GLU:HG2	7:H:700:HOH:O	2.17	0.45
2:B:83:TYR:CZ	2:B:87:GLN:HG3	2.52	0.45
1:A:368:ARG:HD3	1:A:407:VAL:HG11	1.98	0.45
2:B:305:SER:O	2:B:306:SER:C	2.55	0.45
2:B:81:ARG:NH2	4:H:70:ARG:HD2	2.32	0.45
2:B:287:GLU:OE1	2:B:287:GLU:HA	2.16	0.44
3:G:38[B]:CYS:SG	3:G:43:VAL:CG2	3.06	0.44
1:A:192:LEU:HD21	7:A:506:HOH:O	2.17	0.44
1:A:6:ARG:HA	1:A:9:TRP:CE2	2.53	0.44
1:D:6:ARG:HA	1:D:9:TRP:CE2	2.53	0.44
2:B:212:TRP:CG	2:B:213:GLY:N	2.85	0.44
1:D:340[B]:THR:HG23	7:D:845:HOH:O	2.17	0.44
2:B:266:LYS:HD3	2:B:266:LYS:HA	1.73	0.44
2:B:291:PRO:HB2	2:B:295:ARG:NH2	2.33	0.44
2:B:138:TYR:CZ	2:B:142:MET:HG3	2.52	0.44
1:D:448[B]:MET:HB3	1:D:448[B]:MET:HE3	1.90	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:62:LYS:O	4:E:66:GLU:HG2	2.17	0.43
3:G:54:LYS:HZ3	3:G:54:LYS:HB3	1.83	0.43
2:B:30:ARG:HG2	2:B:30:ARG:HH11	1.84	0.43
1:D:2:ALA:N	2:F:102:ASN:OD1	2.51	0.43
1:D:481:LYS:HD2	7:D:570:HOH:O	2.17	0.43
1:A:448[B]:MET:HE3	1:A:452:ASP:HB3	2.00	0.43
1:D:376:ILE:O	1:D:380:VAL:HG23	2.18	0.43
2:F:275:ASN:HA	2:F:276:PRO:HD2	1.87	0.43
4:E:86:GLY:C	7:E:1648:HOH:O	2.57	0.43
1:A:488:TRP:HA	1:A:491[B]:LYS:NZ	2.34	0.43
1:A:83:GLU:OE1	1:A:151:LYS:CE	2.40	0.43
1:D:196:PHE:CE1	1:D:269[A]:PHE:CZ	3.07	0.43
2:F:163:LEU:HD23	2:F:163:LEU:O	2.18	0.43
3:G:4:PHE:N	3:G:21:VAL:O	2.45	0.43
3:G:54:LYS:HZ2	3:G:54:LYS:CB	2.31	0.43
4:H:86:GLY:HA2	4:H:99:PHE:CE1	2.53	0.43
7:A:537:HOH:O	2:B:3:PHE:CE2	2.68	0.43
1:A:229:THR:HB	4:E:78:GLU:O	2.19	0.43
1:A:368:ARG:CD	1:A:407:VAL:CG1	2.96	0.43
1:A:432:VAL:O	1:A:436:VAL:HG23	2.19	0.43
2:B:169:ARG:HA	2:B:169:ARG:HD2	1.92	0.43
1:A:448[B]:MET:HE3	1:A:448[B]:MET:HB3	1.97	0.42
1:A:460:GLN:HA	1:A:461:PRO:HA	1.75	0.42
1:D:381:LEU:N	1:D:381:LEU:HD12	2.32	0.42
1:A:17:ASN:HB2	7:A:594:HOH:O	2.18	0.42
2:B:18:MET:CE	2:B:22:PRO:CG	2.79	0.42
1:A:144:PHE:N	1:A:145:PRO:HD2	2.34	0.42
4:E:23:LEU:O	4:E:27:VAL:HG23	2.20	0.42
1:D:133:ASP:O	1:D:136:ARG:HB3	2.20	0.42
4:H:57:LEU:C	4:H:57:LEU:HD23	2.40	0.42
1:D:467:ALA:O	1:D:471:MET:HG3	2.19	0.42
3:G:58[A]:THR:HG23	3:G:59:GLU:HG2	2.02	0.42
1:D:197:GLU:HG2	1:D:231:GLU:CD	2.40	0.42
4:E:35:ASN:HB3	4:E:38:LYS:HG3	2.01	0.42
1:A:340:THR:HG22	7:A:551:HOH:O	2.18	0.42
1:A:344:TRP:O	1:A:346:PRO:HD3	2.20	0.42
1:A:4:HIS:HA	1:A:5:PRO:HD3	1.95	0.42
1:D:220:PHE:CE2	1:D:224:ILE:HD13	2.55	0.42
3:G:11:GLU:HG2	3:G:12:LYS:HG3	2.02	0.42
3:G:9:ALA:HB2	3:G:16:VAL:HG22	2.01	0.42
1:D:202:ASN:HB3	1:D:297:TRP:CE3	2.55	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:476:ILE:HD11	2:B:3:PHE:O	2.20	0.41
1:A:476:ILE:HG12	2:B:3:PHE:HB3	2.02	0.41
2:B:120:ARG:HD3	7:B:1119:HOH:O	2.19	0.41
2:B:87:GLN:HA	2:B:87:GLN:OE1	2.20	0.41
2:F:18:MET:HE2	2:F:18:MET:HB2	1.83	0.41
1:A:39:ILE:HA	1:A:40:PRO:HD3	1.84	0.41
2:F:123:SER:HB2	2:F:170:THR:OG1	2.21	0.41
1:A:327:LEU:HD21	1:A:331:TYR:CE2	2.55	0.41
1:A:469[A]:LYS:HD3	2:B:3:PHE:CE2	2.55	0.41
2:B:273:LEU:HD23	2:B:273:LEU:HA	1.64	0.41
2:B:59:ARG:HD2	7:B:328:HOH:O	2.20	0.41
1:D:193:THR:HA	1:D:197:GLU:HB2	2.01	0.41
2:F:280:ALA:HB3	7:F:1124:HOH:O	2.19	0.41
1:A:206:LEU:HD23	1:A:206:LEU:HA	1.96	0.41
1:A:250:LYS:HA	1:A:253:GLU:OE2	2.21	0.41
2:B:122:TYR:O	2:B:125:LEU:HB2	2.20	0.41
1:D:340[B]:THR:CG2	1:D:479:MET:HB3	2.51	0.41
4:E:38:LYS:HE2	7:E:760:HOH:O	2.20	0.41
2:F:91:GLU:OE1	2:F:161:ARG:NE	2.52	0.41
1:A:283:LEU:CD2	1:A:353:GLU:HG2	2.51	0.41
2:B:40:ASP:O	2:B:56:LYS:NZ	2.49	0.41
1:D:86:ASP:OD1	1:D:88:GLY:N	2.40	0.41
3:G:11:GLU:HG2	3:G:12:LYS:CG	2.51	0.41
4:E:88:ILE:HG21	4:E:88:ILE:HD13	1.73	0.41
1:A:280:TYR:CD2	1:A:280:TYR:N	2.89	0.40
4:E:95[A]:ILE:HG21	4:E:95[A]:ILE:HD13	1.84	0.40
1:A:127:ALA:O	1:A:131:MET:HG3	2.22	0.40
4:H:3:THR:HG23	4:H:4:LEU:N	2.36	0.40
1:D:256:LYS:HG2	1:D:260[B]:MET:SD	2.61	0.40
2:F:125:LEU:HA	2:F:125:LEU:HD23	1.93	0.40
4:H:3:THR:CG2	4:H:4:LEU:N	2.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:62:LYS:NZ	7:D:619:HOH:O[4_545]	1.39	0.81

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	496/500 (99%)	476 (96%)	20 (4%)	0	100	100
1	D	493/500 (99%)	475 (96%)	17 (3%)	1 (0%)	51	58
2	B	308/327 (94%)	303 (98%)	5 (2%)	0	100	100
2	F	304/327 (93%)	300 (99%)	4 (1%)	0	100	100
3	C	80/84 (95%)	74 (92%)	6 (8%)	0	100	100
3	G	82/84 (98%)	75 (92%)	7 (8%)	0	100	100
4	E	100/103 (97%)	99 (99%)	1 (1%)	0	100	100
4	H	99/103 (96%)	97 (98%)	2 (2%)	0	100	100
All	All	1962/2028 (97%)	1899 (97%)	62 (3%)	1 (0%)	55	63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	79	ALA

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	422/422 (100%)	415 (98%)	7 (2%)	66	79
1	D	418/422 (99%)	412 (99%)	6 (1%)	71	84
2	B	279/296 (94%)	274 (98%)	5 (2%)	64	77
2	F	276/296 (93%)	271 (98%)	5 (2%)	64	77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	73/75 (97%)	71 (97%)	2 (3%)	50	62
3	G	75/75 (100%)	73 (97%)	2 (3%)	50	62
4	E	85/87 (98%)	84 (99%)	1 (1%)	75	86
4	H	85/87 (98%)	85 (100%)	0	100	100
All	All	1713/1760 (97%)	1685 (98%)	28 (2%)	68	81

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LYS
1	A	51	TYR
1	A	231	GLU
1	A	253	GLU
1	A	284	GLU
1	A	323	ASP
1	A	363	PRO
2	B	19	ARG
2	B	40	ASP
2	B	163	LEU
2	B	302	SER
2	B	306	SER
3	C	56	ARG
3	C	59	GLU
4	E	64	LEU
1	D	51	TYR
1	D	231	GLU
1	D	284	GLU
1	D	323	ASP
1	D	340[A]	THR
1	D	340[B]	THR
2	F	29	SER
2	F	42	PRO
2	F	48	ASP
2	F	120	ARG
2	F	302	SER
3	G	15	LEU
3	G	56	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	382	ASN
4	E	89	GLN
1	D	123	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	ACT	A	1428	5	1,3,3	2.61	1 (100%)	0,3,3	0.00	-
6	ACT	D	1428	5	1,3,3	3.51	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ACT	A	1428	5	-	0/0/0/0	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ACT	D	1428	5	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1428	ACT	CH3-C	2.61	1.52	1.48
6	D	1428	ACT	CH3-C	3.51	1.53	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	491/500 (98%)	-0.45	4 (0%) 86 85	3, 13, 26, 48	0
1	D	490/500 (98%)	-0.44	4 (0%) 86 85	4, 13, 26, 44	0
2	B	306/327 (93%)	-0.31	5 (1%) 72 70	5, 18, 34, 49	0
2	F	305/327 (93%)	-0.42	3 (0%) 82 81	4, 14, 29, 52	0
3	C	82/84 (97%)	0.28	2 (2%) 59 57	12, 24, 35, 44	0
3	G	82/84 (97%)	0.58	7 (8%) 11 10	13, 25, 36, 43	0
4	E	102/103 (99%)	-0.61	1 (0%) 82 81	6, 13, 28, 34	0
4	H	101/103 (98%)	-0.66	0 100 100	7, 15, 31, 36	0
All	All	1959/2028 (96%)	-0.37	26 (1%) 77 75	3, 15, 32, 52	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	307	ASP	5.2
3	G	2	SER	4.4
1	D	82	TYR	3.7
2	B	307	ASP	3.0
2	F	240	TRP	3.0
1	A	80	LYS	2.9
3	G	30	VAL	2.9
2	B	67	ASP	2.8
1	A	492	CYS	2.8
3	G	3	ALA	2.6
2	B	306	SER	2.6
3	G	47	GLU	2.5
3	C	2	SER	2.4
2	B	2	SER	2.4
1	D	489	ALA	2.2
2	B	240	TRP	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	485	ASP	2.2
1	A	82	TYR	2.2
4	E	37	GLY	2.2
3	G	68	ALA	2.2
2	F	306	SER	2.2
3	G	67	ILE	2.1
3	C	72	LEU	2.1
1	A	79	ALA	2.1
1	D	260[A]	MET	2.0
3	G	71	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	ACT	A	1428	4/4	0.97	0.17	3.55	14,16,16,17	0
6	ACT	D	1428	4/4	0.99	0.11	-0.50	13,13,14,15	0
5	FE	A	501	1/1	1.00	0.10	-0.69	8,8,8,8	0
5	FE	D	502	1/1	1.00	0.09	-1.79	8,8,8,8	0
5	FE	D	501	1/1	1.00	0.06	-7.56	13,13,13,13	0
5	FE	A	502	1/1	1.00	0.05	-8.63	12,12,12,12	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.