



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 12:50 am GMT

PDB ID : 4GMF  
Title : Apo Structure of a Thiazoliny Imine Reductase from Yersinia enterocolitica (Irp3)  
Authors : Lamb, A.L.; Meneely, K.M.  
Deposited on : 2012-08-15  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1923 (1.86-1.86)
Clashscore	112137	2083 (1.86-1.86)
Ramachandran outliers	110173	2060 (1.86-1.86)
Sidechain outliers	110143	2060 (1.86-1.86)
RSRZ outliers	101464	1932 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	372	<p>5% 77% 11% • 10%</p>
1	B	372	<p>4% 78% 9% • 12%</p>
1	C	372	<p>4% 75% 11% • 11%</p>
1	D	372	<p>3% 77% 12% • 11%</p>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10938 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Yersiniabactin biosynthetic protein YbtU.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	335	2628	1675	475	463	15	0	0	0
1	B	329	2576	1643	464	454	15	0	0	0
1	C	330	2589	1651	467	456	15	0	0	0
1	D	332	2604	1660	469	460	15	0	0	0

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	366	GLU	-	EXPRESSION TAG	UNP A1JTG0
A	367	HIS	-	EXPRESSION TAG	UNP A1JTG0
A	368	HIS	-	EXPRESSION TAG	UNP A1JTG0
A	369	HIS	-	EXPRESSION TAG	UNP A1JTG0
A	370	HIS	-	EXPRESSION TAG	UNP A1JTG0
A	371	HIS	-	EXPRESSION TAG	UNP A1JTG0
A	372	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	366	GLU	-	EXPRESSION TAG	UNP A1JTG0
B	367	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	368	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	369	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	370	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	371	HIS	-	EXPRESSION TAG	UNP A1JTG0
B	372	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	366	GLU	-	EXPRESSION TAG	UNP A1JTG0
C	367	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	368	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	369	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	370	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	371	HIS	-	EXPRESSION TAG	UNP A1JTG0
C	372	HIS	-	EXPRESSION TAG	UNP A1JTG0

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	366	GLU	-	EXPRESSION TAG	UNP A1JTG0
D	367	HIS	-	EXPRESSION TAG	UNP A1JTG0
D	368	HIS	-	EXPRESSION TAG	UNP A1JTG0
D	369	HIS	-	EXPRESSION TAG	UNP A1JTG0
D	370	HIS	-	EXPRESSION TAG	UNP A1JTG0
D	371	HIS	-	EXPRESSION TAG	UNP A1JTG0
D	372	HIS	-	EXPRESSION TAG	UNP A1JTG0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	A	105	Total 105	O 105	0	0
5	B	108	Total 108	O 108	0	0
5	C	125	Total 125	O 125	0	0
5	D	160	Total 160	O 160	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Yersiniabactin biosynthetic protein YbtU



- Molecule 1: Yersiniabactin biosynthetic protein YbtU





- Molecule 1: Yersiniabactin biosynthetic protein YbtU





• Molecule 1: Yersiniabactin biosynthetic protein YbtU



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	83.87Å 93.90Å 181.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.97 – 1.85 40.97 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.97-1.85) 99.6 (40.97-1.85)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.40	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.88 (at 1.86Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.196 , 0.242 0.195 , 0.242	Depositor DCC
$R_{free}$ test set	6135 reflections (5.30%)	DCC
Wilson B-factor (Å <sup>2</sup> )	24.9	Xtrriage
Anisotropy	0.058	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 51.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10938	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.44 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.1708e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, SO4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.05	5/2699 (0.2%)	1.03	6/3678 (0.2%)
1	B	1.12	10/2644 (0.4%)	1.00	5/3602 (0.1%)
1	C	1.07	5/2657 (0.2%)	1.02	6/3618 (0.2%)
1	D	1.14	4/2675 (0.1%)	1.02	6/3646 (0.2%)
All	All	1.10	24/10675 (0.2%)	1.02	23/14544 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	232	TRP	CD2-CE2	8.56	1.51	1.41
1	B	248	TRP	CD2-CE2	6.88	1.49	1.41
1	D	123	TRP	CD2-CE2	6.52	1.49	1.41
1	A	200	TRP	CD2-CE2	6.34	1.49	1.41
1	D	232	TRP	CD2-CE2	5.91	1.48	1.41
1	A	300	TRP	CD2-CE2	5.87	1.48	1.41
1	C	137	TRP	CD2-CE2	5.82	1.48	1.41
1	B	330	TRP	CD2-CE2	5.80	1.48	1.41
1	B	123	TRP	CD2-CE2	5.72	1.48	1.41
1	B	232	TRP	CD2-CE2	5.63	1.48	1.41
1	B	200	TRP	CD2-CE2	5.63	1.48	1.41
1	C	200	TRP	CD2-CE2	5.56	1.48	1.41
1	B	137	TRP	CD2-CE2	5.33	1.47	1.41
1	C	286	TRP	CD2-CE2	5.21	1.47	1.41

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	165	TYR	CE1-CZ	5.20	1.45	1.38
1	B	286	TRP	CD2-CE2	5.09	1.47	1.41
1	D	81	GLY	N-CA	5.09	1.53	1.46
1	A	137	TRP	CD2-CE2	5.08	1.47	1.41
1	C	123	TRP	CD2-CE2	5.08	1.47	1.41
1	B	248	TRP	CG-CD1	5.05	1.43	1.36
1	B	204	GLU	CD-OE2	-5.03	1.20	1.25
1	C	232	TRP	CD2-CE2	5.03	1.47	1.41
1	D	248	TRP	CD2-CE2	5.02	1.47	1.41
1	B	286	TRP	CG-CD1	5.01	1.43	1.36

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	ARG	NE-CZ-NH2	-12.25	114.17	120.30
1	C	135	ARG	NE-CZ-NH1	10.49	125.55	120.30
1	C	145	ARG	NE-CZ-NH1	9.79	125.19	120.30
1	A	135	ARG	NE-CZ-NH1	9.39	124.99	120.30
1	B	197	ARG	NE-CZ-NH2	-6.69	116.95	120.30
1	A	197	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	D	287	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	C	135	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	D	20	MET	CA-CB-CG	-6.42	102.39	113.30
1	D	161	ARG	NE-CZ-NH2	-6.23	117.19	120.30
1	B	197	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	A	68	ASP	CB-CG-OD2	6.13	123.81	118.30
1	C	197	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	D	135	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	B	145	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	135	ARG	CG-CD-NE	-5.73	99.77	111.80
1	C	271	LEU	CA-CB-CG	5.72	128.45	115.30
1	B	287	ARG	NE-CZ-NH1	5.57	123.08	120.30
1	B	335	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	A	197	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	D	26	MET	CG-SD-CE	5.16	108.45	100.20
1	D	208	LEU	CB-CG-CD1	-5.12	102.29	111.00
1	C	271	LEU	CB-CG-CD2	5.05	119.58	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	13	VAL	Peptide
1	A	14	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2628	0	2607	37	0
1	B	2576	0	2552	22	0
1	C	2589	0	2568	30	0
1	D	2604	0	2578	29	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	1	0
2	D	5	0	0	0	0
3	B	4	0	6	0	0
3	D	4	0	6	2	0
4	D	15	0	18	3	0
5	A	105	0	0	4	0
5	B	108	0	0	2	0
5	C	125	0	0	3	0
5	D	160	0	0	5	0
All	All	10938	0	10335	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:LEU:HD23	1:A:179:THR:HG23	1.36	1.01
1:A:75:ARG:N	1:A:75:ARG:HE	1.61	0.98
1:A:124:ILE:H	1:A:323:GLN:HE22	1.10	0.97
1:A:75:ARG:HE	1:A:75:ARG:H	0.95	0.89
1:D:145:ARG:HH12	3:D:403:EDO:H22	1.40	0.87
1:B:124:ILE:H	1:B:323:GLN:HE22	1.22	0.83
1:C:194:HIS:HD2	5:C:536:HOH:O	1.62	0.81

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:ARG:NE	1:A:75:ARG:H	1.78	0.79
5:A:541:HOH:O	1:B:156:HIS:HD2	1.65	0.78
1:B:194:HIS:HD2	5:B:502:HOH:O	1.65	0.78
1:B:292:THR:OG1	4:D:402:EPE:H82	1.85	0.75
1:A:172:LEU:CD2	1:A:179:THR:HG23	2.17	0.75
1:B:175:LEU:HB3	1:B:177:VAL:HG23	1.67	0.74
1:D:287:ARG:NH2	1:D:288:ASP:OD1	2.21	0.73
1:C:270:ILE:O	1:C:270:ILE:HG12	1.90	0.72
1:D:8:GLN:HB2	1:D:32:LEU:HD23	1.71	0.71
1:B:287:ARG:NH2	1:D:339:ASN:CG	2.48	0.67
1:A:142:GLN:HG2	1:A:145:ARG:NH2	2.13	0.63
1:A:135:ARG:NH2	1:A:296:GLU:OE1	2.32	0.62
1:A:200:TRP:HB2	1:A:201:PRO:HD2	1.82	0.60
1:D:175:LEU:HB3	1:D:177:VAL:HG23	1.82	0.60
1:D:194:HIS:HE1	5:D:566:HOH:O	1.85	0.59
1:A:124:ILE:H	1:A:323:GLN:NE2	1.91	0.59
1:C:172:LEU:HD13	1:C:179:THR:HG23	1.84	0.58
1:C:272:ARG:HH11	1:C:272:ARG:HB3	1.68	0.58
1:D:7:LYS:HD2	1:D:31:GLY:HA2	1.84	0.58
1:C:319:GLN:HG3	1:C:322:HIS:HB3	1.87	0.57
5:A:541:HOH:O	1:B:156:HIS:CD2	2.49	0.56
1:D:78:VAL:N	5:D:650:HOH:O	2.38	0.56
1:C:8:GLN:HB2	1:C:32:LEU:HD23	1.88	0.56
1:A:160:SER:HA	1:A:210:GLN:HB3	1.86	0.56
1:C:15:ALA:N	2:C:401:SO4:O3	2.38	0.56
1:C:156:HIS:HD2	5:D:517:HOH:O	1.88	0.55
1:A:74:VAL:HA	1:A:75:ARG:HH21	1.70	0.55
1:B:287:ARG:HH21	1:D:339:ASN:CG	2.09	0.55
1:D:307:SER:HB3	1:D:312:GLU:HG3	1.88	0.55
1:D:136:THR:HG23	1:D:139:ARG:HH21	1.71	0.54
1:B:287:ARG:HH21	1:D:339:ASN:ND2	2.06	0.54
1:A:66:MET:HA	1:A:66:MET:HE2	1.89	0.53
1:C:131:THR:O	1:C:135:ARG:HG3	2.09	0.53
1:C:213:LEU:HD12	1:C:213:LEU:C	2.29	0.52
1:A:75:ARG:HE	1:A:75:ARG:CA	2.22	0.52
1:C:142:GLN:HG2	1:C:145:ARG:HH12	1.74	0.52
1:A:66:MET:CE	1:A:66:MET:HA	2.40	0.52
1:B:146:ARG:NH1	5:B:603:HOH:O	2.41	0.51
1:B:215:PRO:CD	1:B:342:ILE:HG23	2.41	0.51
1:C:142:GLN:HG2	1:C:145:ARG:NH1	2.25	0.51
1:B:8:GLN:HB2	1:B:32:LEU:HD23	1.91	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:29:PRO:HG2	1:D:32:LEU:HD12	1.91	0.51
1:D:334:LEU:HB3	4:D:402:EPE:H91	1.94	0.49
1:D:160:SER:HA	1:D:210:GLN:HB3	1.94	0.49
1:C:300:TRP:O	1:C:304:GLN:HG2	2.14	0.48
1:A:194:HIS:HD2	5:A:515:HOH:O	1.95	0.48
1:B:312:GLU:OE2	1:B:312:GLU:HA	2.14	0.48
1:A:143:GLN:HA	1:A:146:ARG:HH11	1.78	0.48
1:A:138:LEU:O	1:A:142:GLN:HG3	2.14	0.47
1:B:332:GLN:HE21	1:B:336:LYS:NZ	2.12	0.47
1:C:271:LEU:HA	5:C:592:HOH:O	2.13	0.47
1:A:136:THR:HG21	1:A:280:SER:HB2	1.96	0.47
1:C:137:TRP:CH2	1:C:230:LEU:HG	2.50	0.47
1:D:146:ARG:HH21	3:D:403:EDO:H11	1.80	0.47
1:A:16:LYS:HB2	1:A:16:LYS:HE3	1.60	0.47
1:C:172:LEU:HD21	1:C:182:VAL:HG21	1.97	0.47
1:C:136:THR:HG21	1:C:280:SER:HB2	1.96	0.46
1:A:74:VAL:HG21	1:A:86:LEU:HD12	1.97	0.46
1:D:171:LEU:HD13	1:D:228:LEU:HD23	1.96	0.46
1:C:319:GLN:HB3	5:C:585:HOH:O	2.15	0.46
1:D:338:GLY:C	4:D:402:EPE:H21	2.35	0.46
1:D:214:ASP:OD1	1:D:216:ASP:HB2	2.16	0.46
1:C:167:THR:HG23	1:C:228:LEU:HD21	1.98	0.46
1:C:215:PRO:HG3	1:C:342:ILE:HD13	1.98	0.45
1:C:143:GLN:HA	1:C:146:ARG:HH11	1.82	0.45
1:B:287:ARG:NH2	1:D:339:ASN:ND2	2.63	0.45
1:A:151:THR:HG21	1:A:202:GLU:OE1	2.17	0.45
1:D:336:LYS:HE2	5:D:613:HOH:O	2.17	0.44
1:D:29:PRO:HG2	1:D:32:LEU:CD1	2.46	0.44
1:C:349:HIS:HB3	1:C:352:ARG:HD3	1.98	0.44
1:A:63:ILE:HG22	1:A:66:MET:CE	2.47	0.44
1:A:108:ILE:HG12	1:A:124:ILE:HD11	2.00	0.44
1:B:346:THR:HG22	1:B:347:PRO:O	2.18	0.44
1:C:132:ARG:HE	1:C:132:ARG:HB2	1.64	0.44
1:A:177:VAL:HG12	1:A:178:ASP:N	2.31	0.44
1:A:137:TRP:CH2	1:A:230:LEU:HG	2.53	0.43
1:A:14:GLY:CA	1:A:38:LEU:O	2.66	0.43
1:C:272:ARG:NH1	1:C:272:ARG:HB3	2.32	0.43
1:B:287:ARG:NH2	1:D:339:ASN:CB	2.82	0.43
1:B:214:ASP:HB2	1:B:345:LEU:HD12	2.00	0.43
1:A:334:LEU:HD11	5:A:561:HOH:O	2.19	0.43
1:B:300:TRP:O	1:B:304:GLN:HG2	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:ILE:H	1:B:323:GLN:NE2	2.02	0.42
1:D:31:GLY:HA3	1:D:306:ARG:CZ	2.50	0.42
1:D:108:ILE:HG12	1:D:124:ILE:HD11	2.01	0.42
1:A:151:THR:CG2	1:A:202:GLU:OE1	2.67	0.42
1:B:20:MET:HG2	1:B:127:PHE:CZ	2.55	0.42
1:A:172:LEU:HD23	1:A:179:THR:CG2	2.27	0.41
1:A:142:GLN:HG2	1:A:145:ARG:HH21	1.84	0.41
1:A:229:LEU:C	1:A:229:LEU:HD23	2.40	0.41
1:C:113:THR:O	1:C:117:GLU:HG3	2.20	0.41
1:C:251:SER:OG	1:D:350:HIS:HE1	2.02	0.41
1:A:149:ALA:O	1:A:150:LYS:HE2	2.19	0.41
1:B:104:HIS:NE2	1:B:331:GLN:OE1	2.53	0.41
1:C:175:LEU:HB3	1:C:177:VAL:HG23	2.02	0.41
1:C:156:HIS:CD2	5:D:517:HOH:O	2.70	0.41
1:D:136:THR:HG21	1:D:280:SER:HB2	2.03	0.41
1:A:135:ARG:HD3	1:A:300:TRP:CE2	2.56	0.40
1:A:14:GLY:HA2	1:A:38:LEU:O	2.21	0.40
1:D:159:THR:HG21	1:D:164:LEU:HA	2.03	0.40
1:A:177:VAL:CG1	1:A:178:ASP:N	2.84	0.40
1:A:30:GLU:O	1:A:303:HIS:HE1	2.04	0.40
1:C:160:SER:HA	1:C:210:GLN:HB3	2.03	0.40
1:C:202:GLU:CD	1:C:202:GLU:N	2.75	0.40
1:D:27:GLN:O	1:D:27:GLN:CG	2.68	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	329/372 (88%)	323 (98%)	6 (2%)	0	100 100
1	B	321/372 (86%)	313 (98%)	8 (2%)	0	100 100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	322/372 (87%)	314 (98%)	8 (2%)	0	100	100
1	D	326/372 (88%)	318 (98%)	8 (2%)	0	100	100
All	All	1298/1488 (87%)	1268 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/315 (89%)	273 (97%)	8 (3%)	49	31
1	B	275/315 (87%)	270 (98%)	5 (2%)	64	50
1	C	277/315 (88%)	268 (97%)	9 (3%)	44	25
1	D	279/315 (89%)	275 (99%)	4 (1%)	71	61
All	All	1112/1260 (88%)	1086 (98%)	26 (2%)	56	39

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	26	MET
1	A	75	ARG
1	A	78	VAL
1	A	116	GLN
1	A	163	LEU
1	A	202	GLU
1	A	271	LEU
1	B	32	LEU
1	B	109	SER
1	B	146	ARG
1	B	271	LEU
1	B	335	ARG
1	C	132	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	139	ARG
1	C	217	ASP
1	C	254	VAL
1	C	270	ILE
1	C	271	LEU
1	C	319	GLN
1	C	336	LYS
1	C	352	ARG
1	D	30	GLU
1	D	163	LEU
1	D	252	LEU
1	D	336	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	HIS
1	A	303	HIS
1	A	323	GLN
1	A	331	GLN
1	A	332	GLN
1	B	156	HIS
1	B	194	HIS
1	B	303	HIS
1	B	304	GLN
1	B	323	GLN
1	B	332	GLN
1	B	350	HIS
1	C	8	GLN
1	C	156	HIS
1	C	194	HIS
1	C	308	HIS
1	C	331	GLN
1	C	350	HIS
1	D	99	GLN
1	D	194	HIS
1	D	339	ASN
1	D	350	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	401	-	4,4,4	0.39	0	6,6,6	0.73	0
2	SO4	B	401	-	4,4,4	0.36	0	6,6,6	0.33	0
3	EDO	B	402	-	3,3,3	0.29	0	2,2,2	2.03	1 (50%)
2	SO4	C	401	-	4,4,4	0.24	0	6,6,6	0.86	0
2	SO4	D	401	-	4,4,4	0.48	0	6,6,6	0.35	0
4	EPE	D	402	-	15,15,15	2.07	2 (13%)	18,20,20	3.95	9 (50%)
3	EDO	D	403	-	3,3,3	0.67	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	401	-	-	0/0/0/0	0/0/0/0
2	SO4	B	401	-	-	0/0/0/0	0/0/0/0
3	EDO	B	402	-	-	0/1/1/1	0/0/0/0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	C	401	-	-	0/0/0/0	0/0/0/0
2	SO4	D	401	-	-	0/0/0/0	0/0/0/0
4	EPE	D	402	-	-	0/9/19/19	0/1/1/1
3	EDO	D	403	-	-	0/1/1/1	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	402	EPE	C10-S	-5.65	1.69	1.77
4	D	402	EPE	O3S-S	4.37	1.62	1.47

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	402	EPE	O3S-S-C10	-4.69	100.28	106.06
4	D	402	EPE	C2-C3-N4	-4.01	102.52	110.63
4	D	402	EPE	C9-N1-C2	-3.21	103.03	111.26
3	B	402	EDO	O2-C2-C1	-2.44	94.60	112.08
4	D	402	EPE	C3-C2-N1	2.63	115.96	110.63
4	D	402	EPE	C6-N1-C2	2.79	115.18	108.87
4	D	402	EPE	C7-N4-C5	3.02	119.00	111.26
4	D	402	EPE	O1S-S-C10	4.21	110.41	106.79
4	D	402	EPE	C9-N1-C6	4.42	122.58	111.26
4	D	402	EPE	O2S-S-C10	12.73	117.72	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	SO4	1	0
4	D	402	EPE	3	0
3	D	403	EDO	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	335/372 (90%)	0.13	20 (5%) 23 22	14, 27, 49, 65	0
1	B	329/372 (88%)	0.17	14 (4%) 36 34	14, 26, 46, 57	0
1	C	330/372 (88%)	0.06	14 (4%) 37 35	16, 25, 46, 76	0
1	D	332/372 (89%)	0.08	13 (3%) 40 38	12, 24, 44, 62	0
All	All	1326/1488 (89%)	0.11	61 (4%) 33 32	12, 26, 46, 76	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	43	ALA	5.3
1	A	43	ALA	4.7
1	D	30	GLU	4.6
1	C	354	ALA	4.5
1	C	270	ILE	4.3
1	C	50	HIS	4.2
1	A	270	ILE	4.1
1	A	50	HIS	4.1
1	B	51	ALA	4.0
1	B	270	ILE	3.9
1	B	50	HIS	3.9
1	D	43	ALA	3.7
1	A	28	PRO	3.6
1	C	287	ARG	3.5
1	B	78	VAL	3.4
1	C	44	ARG	3.3
1	D	51	ALA	3.3
1	A	202	GLU	3.3
1	B	43	ALA	3.3
1	A	255	ALA	3.0
1	A	44	ARG	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	48	LEU	2.9
1	B	310	ALA	2.8
1	C	344	ARG	2.8
1	C	27	GLN	2.7
1	A	78	VAL	2.7
1	D	26	MET	2.7
1	D	50	HIS	2.6
1	B	120	CYS	2.5
1	A	272	ARG	2.5
1	D	28	PRO	2.5
1	C	48	LEU	2.4
1	A	344	ARG	2.4
1	C	46	ARG	2.4
1	A	46	ARG	2.4
1	B	311	GLY	2.3
1	A	47	GLU	2.3
1	C	47	GLU	2.3
1	D	31	GLY	2.3
1	D	44	ARG	2.3
1	A	40	GLN	2.2
1	D	47	GLU	2.2
1	D	313	HIS	2.2
1	A	355	GLY	2.2
1	B	312	GLU	2.2
1	A	342	ILE	2.2
1	C	79	ALA	2.2
1	B	313	HIS	2.1
1	D	272	ARG	2.1
1	A	29	PRO	2.1
1	C	355	GLY	2.1
1	A	41	GLY	2.1
1	B	40	GLN	2.1
1	D	27	GLN	2.1
1	B	215	PRO	2.1
1	A	14	GLY	2.1
1	D	7	LYS	2.1
1	A	347	PRO	2.0
1	B	116	GLN	2.0
1	B	41	GLY	2.0
1	C	52	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	B	402	4/4	0.88	0.12	1.91	33,35,35,39	0
4	EPE	D	402	15/15	0.95	0.16	1.21	27,41,50,53	0
2	SO4	D	401	5/5	0.97	0.14	-0.06	53,54,59,59	0
2	SO4	B	401	5/5	0.98	0.10	-0.37	49,50,58,59	0
2	SO4	A	401	5/5	0.94	0.13	-0.63	53,54,61,64	0
2	SO4	C	401	5/5	0.98	0.09	-0.84	47,47,51,56	0
3	EDO	D	403	4/4	0.87	0.08	-	37,37,41,42	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.