



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 01:16 am GMT

PDB ID : 3GNC
Title : Crystal structure of Glutaryl-CoA dehydrogenase from Burkholderia Pseudo-mallei with fragment 6421
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2009-03-16
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1170 (2.16-2.16)
Clashscore	112137	1278 (2.16-2.16)
Ramachandran outliers	110173	1256 (2.16-2.16)
Sidechain outliers	110143	1255 (2.16-2.16)
RSRZ outliers	101464	1175 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	<div> <div>3%</div> <div> <div></div> <div>85%</div> <div>10%</div> <div>5%</div> </div> </div>
1	B	399	<div> <div>3%</div> <div> <div></div> <div>79%</div> <div>14%</div> <div>7%</div> </div> </div>
1	C	399	<div> <div>3%</div> <div> <div></div> <div>85%</div> <div>10%</div> <div>5%</div> </div> </div>
1	D	399	<div> <div>3%</div> <div> <div></div> <div>83%</div> <div>11%</div> <div>5%</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutaryl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	380	Total	C	N	O	S	0	0	0
			2896	1831	511	538	16			
1	B	372	Total	C	N	O	S	0	0	0
			2845	1799	502	528	16			
1	C	383	Total	C	N	O	S	0	0	0
			2904	1834	515	539	16			
1	D	380	Total	C	N	O	S	0	0	0
			2901	1835	514	536	16			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	EXPRESSION TAG	UNP Q3JP94
A	-2	PRO	-	EXPRESSION TAG	UNP Q3JP94
A	-1	GLY	-	EXPRESSION TAG	UNP Q3JP94
A	0	SER	-	EXPRESSION TAG	UNP Q3JP94
B	-3	GLY	-	EXPRESSION TAG	UNP Q3JP94
B	-2	PRO	-	EXPRESSION TAG	UNP Q3JP94
B	-1	GLY	-	EXPRESSION TAG	UNP Q3JP94
B	0	SER	-	EXPRESSION TAG	UNP Q3JP94
C	-3	GLY	-	EXPRESSION TAG	UNP Q3JP94
C	-2	PRO	-	EXPRESSION TAG	UNP Q3JP94
C	-1	GLY	-	EXPRESSION TAG	UNP Q3JP94
C	0	SER	-	EXPRESSION TAG	UNP Q3JP94
D	-3	GLY	-	EXPRESSION TAG	UNP Q3JP94
D	-2	PRO	-	EXPRESSION TAG	UNP Q3JP94
D	-1	GLY	-	EXPRESSION TAG	UNP Q3JP94
D	0	SER	-	EXPRESSION TAG	UNP Q3JP94

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1-(1-METHYLETHYL)-1H-BENZIMIDAZOLE-2-SULFONIC ACID (three-letter code: QQQ) (formula: C₁₀H₁₂N₂O₃S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			16	10	2	3	1		
3	B	1	Total	C	N	O	S	0	0
			16	10	2	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	N	O	S	0	0
			16	10	2	3	1		
3	D	1	Total	C	N	O	S	0	0
			16	10	2	3	1		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	50	Total	O	0	0
			50	50		
5	B	51	Total	O	0	0
			51	51		
5	C	50	Total	O	0	0
			50	50		
5	D	59	Total	O	0	0
			59	59		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutaryl-CoA dehydrogenase




- Molecule 1: Glutaryl-CoA dehydrogenase




- Molecule 1: Glutaryl-CoA dehydrogenase



- Molecule 1: Glutaryl-CoA dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.24Å 106.10Å 144.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.68 – 2.15 44.41 – 2.15	Depositor EDS
% Data completeness (in resolution range)	(Not available) (46.68-2.15) 99.4 (44.41-2.15)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.81 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.206 , 0.255 0.211 , 0.256	Depositor DCC
R_{free} test set	4105 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	39.0	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11870	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, QQQ, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/2950	0.62	0/3987
1	B	0.48	0/2897	0.60	1/3916 (0.0%)
1	C	0.47	0/2958	0.61	0/3999
1	D	0.50	0/2956	0.66	2/3996 (0.1%)
All	All	0.48	0/11761	0.62	3/15898 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	362	ARG	NE-CZ-NH1	-6.63	116.99	120.30
1	D	362	ARG	NE-CZ-NH2	5.70	123.15	120.30
1	B	344	LEU	CA-CB-CG	5.39	127.70	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2896	0	2867	22	0
1	B	2845	0	2840	45	0
1	C	2904	0	2878	31	0
1	D	2901	0	2890	43	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	5	0	0	0	0
3	A	16	0	11	0	0
3	B	16	0	11	0	0
3	C	16	0	11	0	0
3	D	16	0	11	1	0
4	B	15	0	17	0	0
4	C	15	0	17	0	0
4	D	15	0	17	0	0
5	A	50	0	0	1	0
5	B	51	0	0	6	0
5	C	50	0	0	7	0
5	D	59	0	0	3	0
All	All	11870	0	11570	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:247:PHE:HZ	1:D:324:VAL:HG11	1.12	1.10
1:D:247:PHE:CZ	1:D:324:VAL:HG11	1.99	0.98
1:C:100:MET:HE2	5:C:415:HOH:O	1.66	0.92
1:D:50:THR:HG22	1:D:218:ALA:O	1.69	0.91
1:B:100:MET:HE3	5:B:433:HOH:O	1.71	0.91
1:A:247:PHE:HZ	1:A:324:VAL:HG11	1.39	0.87
1:B:292:ILE:HD11	1:D:376:THR:HG22	1.55	0.87
1:C:139:THR:HG21	5:C:421:HOH:O	1.74	0.86
1:B:100:MET:CE	5:B:433:HOH:O	2.22	0.86
1:D:168:MET:HG3	1:D:169:TRP:CD2	2.14	0.83
1:C:100:MET:CE	5:C:415:HOH:O	2.23	0.81
1:D:285:PRO:HB2	5:D:419:HOH:O	1.79	0.80
1:C:293:GLN:OE1	1:D:393:ALA:HB3	1.84	0.77
1:D:92:VAL:O	1:D:362:ARG:NH1	2.19	0.76
1:A:92:VAL:O	1:A:362:ARG:NH1	2.19	0.75
1:C:139:THR:HG22	5:C:418:HOH:O	1.93	0.69
1:A:247:PHE:CZ	1:A:324:VAL:HG11	2.27	0.69
1:B:247:PHE:CZ	1:B:324:VAL:HG11	2.28	0.68
1:C:247:PHE:CZ	1:C:324:VAL:HG11	2.29	0.68
1:D:50:THR:HB	1:D:99:MET:HE1	1.76	0.67
1:D:50:THR:CG2	1:D:218:ALA:O	2.43	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:ASP:OD1	1:B:186:ASP:N	2.30	0.65
1:C:247:PHE:HZ	1:C:324:VAL:HG11	1.61	0.65
1:B:348:MET:HA	1:D:376:THR:HG23	1.80	0.64
1:B:247:PHE:HZ	1:B:324:VAL:HG11	1.64	0.63
1:D:58:MET:HE3	1:D:64:LEU:HD21	1.81	0.62
1:B:289:ASN:HD22	1:D:377:HIS:CD2	2.19	0.60
1:D:193:ILE:HD12	1:D:243:LEU:CD1	2.30	0.60
1:B:292:ILE:HD11	1:D:376:THR:CG2	2.27	0.60
1:D:50:THR:HG23	5:D:455:HOH:O	2.03	0.59
5:C:408:HOH:O	1:D:3:ALA:HB3	2.03	0.58
1:A:99:MET:HE2	1:A:218:ALA:O	2.03	0.57
1:D:354:ILE:O	1:D:355:SER:CB	2.52	0.57
1:B:289:ASN:HD22	1:D:377:HIS:HD2	1.52	0.57
1:D:168:MET:HG3	1:D:169:TRP:CE3	2.40	0.56
1:D:58:MET:CE	1:D:64:LEU:HD21	2.35	0.56
1:B:153:ARG:HA	1:B:183:ALA:HB1	1.88	0.56
1:B:279:ARG:HB3	1:B:286:LEU:HD13	1.89	0.55
1:D:85:ILE:HG22	1:D:100:MET:HE1	1.89	0.54
1:C:139:THR:CG2	5:C:421:HOH:O	2.44	0.54
1:A:329:ILE:HG13	1:A:384:LEU:HD21	1.90	0.54
1:C:92:VAL:O	1:C:362:ARG:NH1	2.41	0.54
1:B:51:ASP:O	1:B:54:ILE:HD12	2.08	0.54
1:B:125:PRO:O	1:B:129:THR:HG23	2.08	0.53
1:B:114:PHE:HB2	1:B:237:LEU:HD23	1.89	0.53
1:D:50:THR:HG21	1:D:219:SER:HA	1.90	0.53
1:A:240:VAL:HG23	1:A:244:ARG:NH1	2.23	0.53
1:B:100:MET:HE2	5:B:433:HOH:O	1.98	0.53
1:C:159:GLY:O	1:C:233:GLU:HG2	2.09	0.53
1:D:85:ILE:HG22	1:D:100:MET:CE	2.39	0.53
1:C:139:THR:HG23	1:C:168:MET:O	2.10	0.52
1:B:193:ILE:HD12	1:B:243:LEU:HD12	1.92	0.51
1:A:65:GLY:N	1:A:66:PRO:HD3	2.25	0.51
1:B:281:GLN:HB2	1:B:286:LEU:HD11	1.91	0.51
1:B:99:MET:HE1	5:B:436:HOH:O	2.09	0.51
1:A:196:PHE:CE1	1:A:236:ILE:HD12	2.45	0.51
1:A:291:LEU:HD22	1:D:290:GLN:NE2	2.25	0.51
1:B:20:ASP:OD1	1:B:23:ARG:NH1	2.44	0.51
1:C:168:MET:HG3	1:C:169:TRP:CE3	2.46	0.51
1:A:99:MET:CE	1:A:218:ALA:O	2.58	0.51
1:C:160:GLY:HA2	1:C:233:GLU:HG2	1.93	0.50
1:D:51:ASP:O	1:D:54:ILE:HD13	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:ALA:HB3	1:A:39:PRO:HD3	1.94	0.49
1:C:80:VAL:HG21	1:C:315:ARG:NH1	2.27	0.49
1:B:266:GLU:OE1	1:B:307:LEU:HD11	2.13	0.49
1:D:329:ILE:HG13	1:D:384:LEU:HD21	1.95	0.49
1:B:279:ARG:O	1:B:285:PRO:HA	2.13	0.49
1:C:80:VAL:HG12	1:C:84:LEU:CD2	2.42	0.48
1:D:38:ALA:HB3	1:D:39:PRO:HD3	1.96	0.48
1:B:106:LEU:HB3	1:B:136:PHE:CG	2.48	0.48
1:D:68:ILE:HG13	1:D:108:MET:HE2	1.95	0.48
1:D:75:PRO:HB2	1:D:77:LEU:HG	1.96	0.48
1:A:99:MET:HE3	1:A:219:SER:HA	1.96	0.47
1:B:116:SER:O	1:B:120:LYS:HG3	2.14	0.47
1:B:150:MET:N	5:B:439:HOH:O	2.47	0.47
1:C:195:GLY:HA3	1:C:237:LEU:HD12	1.95	0.47
1:B:205:LEU:HD13	1:B:226:LEU:HD21	1.95	0.47
1:A:40:ARG:NH2	1:A:57:GLU:OE2	2.46	0.46
1:B:41:VAL:HG21	1:B:93:ASP:HB2	1.97	0.46
1:D:285:PRO:CB	5:D:419:HOH:O	2.53	0.46
1:A:150:MET:HE2	5:A:430:HOH:O	2.15	0.46
1:B:54:ILE:HG22	1:B:58:MET:CE	2.45	0.46
1:A:168:MET:HG3	1:A:169:TRP:CD1	2.51	0.46
1:C:99:MET:CE	1:C:220:ILE:HG22	2.46	0.46
1:C:80:VAL:O	1:C:84:LEU:HD22	2.17	0.45
1:A:99:MET:CE	1:A:219:SER:HA	2.46	0.45
1:C:351:GLY:O	1:C:352:ASN:C	2.55	0.45
1:D:168:MET:HG3	1:D:169:TRP:CE2	2.51	0.45
1:C:99:MET:HE2	1:C:220:ILE:HG22	1.99	0.44
1:B:291:LEU:CD1	1:C:290:GLN:HB3	2.47	0.44
1:C:288:ALA:O	1:D:393:ALA:HB1	2.17	0.44
1:C:153:ARG:NH1	1:C:191:ASP:OD2	2.50	0.44
1:D:198:LEU:HD12	1:D:198:LEU:N	2.32	0.44
1:C:293:GLN:CD	1:D:393:ALA:HB3	2.37	0.44
1:A:277:LEU:HD11	1:B:389:THR:HB	1.99	0.44
1:B:329:ILE:HG13	1:B:384:LEU:HD21	2.00	0.44
1:C:171:THR:O	1:C:172:ASN:HB2	2.18	0.44
1:A:96:TYR:CD2	1:A:99:MET:HE1	2.53	0.43
1:B:4:ALA:HB3	5:B:448:HOH:O	2.18	0.43
1:A:195:GLY:HA3	1:A:237:LEU:HD12	1.99	0.43
1:D:233:GLU:O	1:D:236:ILE:HG22	2.18	0.43
1:C:279:ARG:HB2	1:C:286:LEU:HD13	2.00	0.43
1:B:281:GLN:HB2	1:B:286:LEU:CD1	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:186:ASP:HA	1:D:191:ASP:HA	2.01	0.43
1:B:291:LEU:N	1:B:291:LEU:HD12	2.33	0.42
1:B:291:LEU:HD11	1:C:290:GLN:HB3	2.02	0.42
1:C:38:ALA:O	1:C:41:VAL:HG12	2.19	0.42
1:D:61:ILE:O	1:D:61:ILE:HG22	2.19	0.42
1:B:289:ASN:OD1	1:B:291:LEU:N	2.53	0.42
1:A:205:LEU:HD13	1:A:226:LEU:HD21	2.02	0.42
1:A:102:VAL:HG22	1:A:106:LEU:HD12	2.01	0.42
1:B:157:VAL:HB	1:B:158:PRO:CD	2.50	0.42
1:C:288:ALA:O	1:D:393:ALA:CB	2.68	0.42
1:B:289:ASN:OD1	1:B:291:LEU:HB2	2.20	0.41
1:B:103:GLN:OE1	1:B:134:GLY:N	2.41	0.41
1:D:85:ILE:CG2	1:D:100:MET:CE	2.98	0.41
1:B:195:GLY:C	1:B:237:LEU:HD13	2.40	0.41
1:B:205:LEU:HD13	1:B:226:LEU:CD2	2.50	0.41
1:A:106:LEU:HB3	1:A:136:PHE:CG	2.56	0.41
1:D:316:MET:HA	1:D:319:GLU:HG2	2.02	0.41
1:B:90:GLU:OE2	1:B:94:SER:OG	2.31	0.41
3:D:396:QQQ:H16A	3:D:396:QQQ:H1	2.03	0.41
1:B:205:LEU:CD1	1:B:226:LEU:HD21	2.52	0.40
1:B:47:HIS:HB2	1:B:49:THR:CG2	2.51	0.40
1:B:62:GLY:O	1:B:75:PRO:HG3	2.21	0.40
1:D:251:ASN:OD1	1:D:324:VAL:HG13	2.22	0.40
1:C:193:ILE:HD12	5:C:441:HOH:O	2.21	0.40
1:D:56:ARG:NH1	1:D:60:GLU:OE1	2.54	0.40
1:C:175:ILE:HD13	1:C:220:ILE:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/399 (93%)	359 (96%)	12 (3%)	1 (0%)	44	41
1	B	364/399 (91%)	353 (97%)	11 (3%)	0	100	100
1	C	377/399 (94%)	360 (96%)	15 (4%)	2 (0%)	32	25
1	D	374/399 (94%)	365 (98%)	8 (2%)	1 (0%)	44	41
All	All	1487/1596 (93%)	1437 (97%)	46 (3%)	4 (0%)	44	41

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	282	PHE
1	D	355	SER
1	A	187	GLU
1	C	188	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/314 (94%)	284 (97%)	10 (3%)	42	40
1	B	292/314 (93%)	284 (97%)	8 (3%)	50	51
1	C	294/314 (94%)	284 (97%)	10 (3%)	42	40
1	D	296/314 (94%)	290 (98%)	6 (2%)	60	64
All	All	1176/1256 (94%)	1142 (97%)	34 (3%)	48	46

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	48	GLU
1	A	100	MET
1	A	139	THR
1	A	244	ARG
1	A	277	LEU
1	A	286	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	357	GLU
1	A	374	GLU
1	A	392	GLN
1	B	16	GLN
1	B	61	ILE
1	B	100	MET
1	B	166	SER
1	B	186	ASP
1	B	202	CYS
1	B	277	LEU
1	B	281	GLN
1	C	43	GLU
1	C	61	ILE
1	C	84	LEU
1	C	100	MET
1	C	158	PRO
1	C	190	ARG
1	C	206	SER
1	C	240	VAL
1	C	281	GLN
1	C	392	GLN
1	D	84	LEU
1	D	100	MET
1	D	139	THR
1	D	202	CYS
1	D	243	LEU
1	D	277	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	392	GLN
1	B	235	ASN
1	C	281	GLN
1	C	392	GLN
1	D	377	HIS
1	D	392	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	396	-	4,4,4	0.16	0	6,6,6	0.16	0
3	QQQ	A	397	-	15,17,17	2.06	3 (20%)	16,26,26	1.10	2 (12%)
3	QQQ	B	396	-	15,17,17	2.09	3 (20%)	16,26,26	1.33	2 (12%)
4	EPE	B	397	-	15,15,15	0.74	1 (6%)	18,20,20	1.40	2 (11%)
3	QQQ	C	396	-	15,17,17	2.00	3 (20%)	16,26,26	1.00	0
4	EPE	C	397	-	15,15,15	0.79	1 (6%)	18,20,20	2.04	5 (27%)
3	QQQ	D	396	-	15,17,17	2.05	3 (20%)	16,26,26	1.21	2 (12%)
4	EPE	D	397	-	15,15,15	0.99	1 (6%)	18,20,20	2.16	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	396	-	-	0/0/0/0	0/0/0/0
3	QQQ	A	397	-	-	0/4/10/10	0/2/2/2
3	QQQ	B	396	-	-	0/4/10/10	0/2/2/2
4	EPE	B	397	-	-	0/9/19/19	0/1/1/1
3	QQQ	C	396	-	-	0/4/10/10	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EPE	C	397	-	-	0/9/19/19	0/1/1/1
3	QQQ	D	396	-	-	0/4/10/10	0/2/2/2
4	EPE	D	397	-	-	0/9/19/19	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	397	QQQ	C2-N9	-4.45	1.33	1.39
3	B	396	QQQ	C2-N9	-4.44	1.33	1.39
3	D	396	QQQ	C2-N9	-4.35	1.34	1.39
3	C	396	QQQ	C2-N9	-4.03	1.34	1.39
4	B	397	EPE	C10-S	2.47	1.81	1.77
4	C	397	EPE	C10-S	2.65	1.81	1.77
4	D	397	EPE	C10-S	3.46	1.82	1.77
3	A	397	QQQ	O12-S10	3.49	1.62	1.43
3	D	396	QQQ	O12-S10	3.52	1.62	1.43
3	B	396	QQQ	O12-S10	3.54	1.62	1.43
3	C	396	QQQ	O12-S10	3.66	1.62	1.43
3	C	396	QQQ	C2-C3	4.35	1.49	1.40
3	A	397	QQQ	C2-C3	4.63	1.49	1.40
3	D	396	QQQ	C2-C3	4.64	1.49	1.40
3	B	396	QQQ	C2-C3	4.67	1.49	1.40

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	396	QQQ	C16-C14-N9	-3.75	107.14	111.51
3	D	396	QQQ	C16-C14-N9	-2.90	108.14	111.51
4	C	397	EPE	O1S-S-C10	-2.67	104.50	106.79
3	A	397	QQQ	C16-C14-N9	-2.33	108.80	111.51
3	B	396	QQQ	C8-N9-C14	2.01	129.71	124.65
4	C	397	EPE	C6-N1-C2	2.21	113.87	108.87
4	B	397	EPE	O2S-S-C10	2.21	108.69	106.79
3	D	396	QQQ	C8-N9-C14	2.24	130.28	124.65
3	A	397	QQQ	C8-N9-C14	2.32	130.49	124.65
4	C	397	EPE	C6-C5-N4	2.72	116.14	110.63
4	C	397	EPE	O2S-S-C10	3.22	109.56	106.79
4	D	397	EPE	O1S-S-C10	3.50	109.80	106.79
4	B	397	EPE	O1S-S-C10	4.68	110.81	106.79
4	C	397	EPE	O3S-S-C10	5.37	112.66	106.06
4	D	397	EPE	O2S-S-C10	7.55	113.28	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	396	QQQ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	380/399 (95%)	0.12	10 (2%) 56 64	31, 45, 65, 70	0
1	B	372/399 (93%)	0.12	11 (2%) 51 59	28, 45, 65, 73	0
1	C	383/399 (95%)	0.12	11 (2%) 52 60	27, 48, 68, 77	0
1	D	380/399 (95%)	-0.04	11 (2%) 52 60	25, 40, 56, 69	0
All	All	1515/1596 (94%)	0.08	43 (2%) 53 62	25, 44, 65, 77	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	354	ILE	6.1
1	D	3	ALA	5.3
1	D	149	SER	5.2
1	B	50	THR	4.1
1	A	230	PHE	4.0
1	D	377	HIS	4.0
1	B	150	MET	3.8
1	C	189	GLY	3.4
1	D	282	PHE	3.4
1	A	243	LEU	3.4
1	D	350	GLY	3.2
1	A	160	GLY	3.2
1	A	357	GLU	3.1
1	A	350	GLY	2.9
1	B	203	LYS	2.9
1	B	155	ARG	2.9
1	C	247	PHE	2.8
1	C	158	PRO	2.8
1	A	3	ALA	2.7
1	A	283	GLY	2.6
1	C	243	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	4	ALA	2.6
1	B	205	LEU	2.5
1	C	20	ASP	2.5
1	C	149	SER	2.4
1	D	281	GLN	2.4
1	C	351	GLY	2.4
1	B	61	ILE	2.3
1	D	247	PHE	2.3
1	C	43	GLU	2.3
1	D	393	ALA	2.3
1	B	204	GLY	2.3
1	B	247	PHE	2.2
1	B	169	TRP	2.2
1	C	24	MET	2.2
1	C	148	GLY	2.2
1	A	247	PHE	2.2
1	A	358	PHE	2.1
1	D	286	LEU	2.1
1	C	61	ILE	2.1
1	A	157	VAL	2.0
1	B	234	GLU	2.0
1	D	283	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	EPE	D	397	15/15	0.90	0.18	1.47	60,69,71,72	0
4	EPE	C	397	15/15	0.96	0.15	0.91	38,49,57,58	0
4	EPE	B	397	15/15	0.95	0.12	-0.07	53,58,61,62	0
3	QQQ	C	396	16/16	0.99	0.10	-0.44	34,36,41,42	0
3	QQQ	B	396	16/16	0.98	0.09	-0.78	41,43,44,45	0
3	QQQ	A	397	16/16	0.98	0.10	-1.31	42,44,45,45	0
2	SO4	A	396	5/5	0.95	0.10	-2.10	61,62,63,63	0
3	QQQ	D	396	16/16	0.98	0.09	-2.33	32,36,38,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.