



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2017 – 09:23 AM EDT

PDB ID : 2GRV
Title : Crystal Structure of LpqW
Authors : Marland, Z.; Rossjohn, J.
Deposited on : unknown
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	621	
1	B	621	
1	C	621	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12015 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LpqW.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	516	Total	C	N	O	S	13	0	0
			3855	2427	675	745	8			
1	B	509	Total	C	N	O	S	21	0	0
			3804	2394	667	735	8			
1	C	511	Total	C	N	O	S	27	0	0
			3820	2404	670	738	8			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	231	Total	O	0	0
			231	231		
2	B	82	Total	O	0	0
			82	82		
2	C	223	Total	O	0	0
			223	223		

Note EDS was not executed.

- [illegible]

- Chain B:
-
- 72%
- 9%
- 18%

- Chain C:  72% 9% 18%

ALA	PRO	ILE	PRO	ALA	PRO	GLU	SER	GLY	GLY	LEU	VAL	Q516	MS20	IS21	TS22	Q523	IS24	Q525	D526	IS29	A535	A536	D541	V546	I547	Q548	R553	T559	T582	D595	W596	T599	LYS									
ASP	PRO	PRO	PRO	ASP	ASN	GLY	R379	E380	R381	R384	D385	D411	R439	R447	R464	A465	A466	GLU	ALA	ALA	THR	ALA	VAL	VAL	THR	GLY	PRO	ALA	THR	THR	THR	THR	THR	THR								
T97	T109	T142	T166	R165	V177	I180	R190	Q198	P206	R215	A224	K225	D227	H255	V276	T277	R279	Q282	V297	I301	A315	D318	N319	S332	E351	S360	V363	PRO	PRO	PRO	ASP	ASN	THR	Q305	A320							
MET	GLY	SER	HIS	HIS	HIS	HIS	HIS	SER	SER	GLY	LEU	VAL	PRO	ARG	GLY	HIS	MET	CYS	THR	VAL	SER	PRO	PRO	PRO	PRO	THR	THR	THR	PRO	PRO	PRO	PRO	LYS	A25	T29	P42	N52	F64	T74	N94	Q95	F96

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	188.57Å 312.04Å 104.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 2.40	Depositor
% Data completeness (in resolution range)	96.6 (100.00-2.40)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.216 , 0.247	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	12015	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	1/3937 (0.0%)	0.61	3/5405 (0.1%)
1	B	0.80	7/3883 (0.2%)	0.58	6/5328 (0.1%)
1	C	0.74	6/3899 (0.2%)	0.69	6/5350 (0.1%)
All	All	0.67	14/11719 (0.1%)	0.63	15/16083 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0
1	B	1	0
1	C	0	2
All	All	2	2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	380	GLU	CB-CG	33.94	2.16	1.52
1	B	148	GLU	CG-CD	-27.89	1.10	1.51
1	B	532	ARG	CZ-NH1	19.78	1.58	1.33
1	B	379	ARG	CB-CG	-17.65	1.04	1.52
1	C	516	GLN	CA-CB	16.70	1.90	1.53
1	B	317	ASP	CA-CB	-12.41	1.26	1.53
1	B	532	ARG	CD-NE	11.62	1.66	1.46
1	B	532	ARG	CZ-NH2	11.51	1.48	1.33
1	B	380	GLU	CB-CG	9.37	1.70	1.52
1	A	516	GLN	CA-CB	7.34	1.70	1.53
1	C	516	GLN	N-CA	6.63	1.59	1.46
1	C	439	ARG	CD-NE	5.97	1.56	1.46
1	C	385	ASP	CG-OD1	5.54	1.38	1.25
1	C	385	ASP	CG-OD2	5.28	1.37	1.25

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	516	GLN	N-CA-CB	-26.18	63.47	110.60
1	A	516	GLN	N-CA-CB	14.16	136.10	110.60
1	A	464	ARG	NE-CZ-NH1	-11.55	114.52	120.30
1	A	464	ARG	NE-CZ-NH2	10.35	125.47	120.30
1	B	532	ARG	NE-CZ-NH2	-9.56	115.52	120.30
1	B	532	ARG	CD-NE-CZ	-7.69	112.83	123.60
1	C	516	GLN	CB-CA-C	-7.66	95.08	110.40
1	B	148	GLU	CB-CG-CD	7.63	134.80	114.20
1	B	317	ASP	N-CA-CB	7.17	123.51	110.60
1	B	380	GLU	CA-CB-CG	-6.70	98.67	113.40
1	C	380	GLU	CA-CB-CG	6.21	127.06	113.40
1	C	439	ARG	CD-NE-CZ	-6.19	114.93	123.60
1	B	532	ARG	NH1-CZ-NH2	5.58	125.54	119.40
1	C	379	ARG	CB-CA-C	-5.46	99.49	110.40
1	C	380	GLU	CB-CG-CD	5.31	128.53	114.20

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	516	GLN	CA
1	B	317	ASP	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	439	ARG	Sidechain
1	C	464	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3855	0	3841	51	0
1	B	3804	0	3792	37	1
1	C	3820	0	3809	39	0
2	A	231	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	82	0	0	0	0
2	C	223	0	0	5	0
All	All	12015	0	11442	126	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:THR:HG21	2:A:654:HOH:O	1.73	0.88
1:C:522:THR:HG21	2:C:660:HOH:O	1.79	0.82
1:C:94:ASN:HB3	1:C:95:PRO:CD	2.12	0.79
1:C:94:ASN:HB3	1:C:95:PRO:HD3	1.63	0.77
1:A:94:ASN:HB3	1:A:95:PRO:CD	2.14	0.77
1:A:439:ARG:NH1	2:A:827:HOH:O	2.18	0.75
1:A:522:THR:HG21	2:A:679:HOH:O	1.89	0.72
1:A:94:ASN:HB3	1:A:95:PRO:HD2	1.70	0.72
1:C:522:THR:HG22	1:C:524:ILE:H	1.55	0.72
1:C:315:ALA:O	1:C:319:ASN:HB2	1.93	0.69
1:B:94:ASN:HB2	1:B:95:PRO:HD3	1.73	0.69
1:A:74:THR:HG22	1:A:76:SER:H	1.59	0.68
1:B:520:ASN:OD1	1:B:522:THR:HB	1.93	0.67
1:B:522:THR:HG22	1:B:524:ILE:H	1.60	0.67
1:A:522:THR:HG22	1:A:524:ILE:H	1.60	0.67
1:A:147:VAL:HG12	1:A:148:GLU:HG2	1.78	0.65
1:C:74:THR:HG21	2:C:642:HOH:O	1.96	0.64
1:A:92:GLN:HB3	1:A:97:THR:CG2	2.27	0.64
1:A:92:GLN:HB3	1:A:97:THR:HG22	1.78	0.64
1:C:315:ALA:O	1:C:319:ASN:CB	2.45	0.64
1:B:281:MET:HE3	1:B:405:VAL:HG11	1.79	0.63
1:B:277:THR:HB	1:B:566:ASP:HB3	1.81	0.63
1:A:520:ASN:OD1	1:A:522:THR:HB	1.97	0.63
1:C:277:THR:HG22	1:C:279:ARG:HG2	1.81	0.62
1:A:277:THR:HG22	1:A:279:ARG:HG2	1.81	0.62
1:B:526:ASP:HB3	1:B:529:ILE:HG12	1.82	0.62
2:A:825:HOH:O	1:C:318:ASP:HB2	2.00	0.61
1:C:42:PRO:HA	1:C:52:ASN:HD21	1.66	0.60
1:C:97:THR:HG22	1:C:156:THR:HA	1.84	0.60
1:B:92:GLN:HG3	1:B:95:PRO:HD2	1.85	0.59
1:B:146:SER:HB2	1:B:150:GLY:HA2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:THR:HG23	1:A:348:ASP:H	1.67	0.58
1:A:283:LEU:HD23	1:A:444:VAL:HG22	1.87	0.57
1:B:288:GLN:HE21	1:B:288:GLN:H	1.51	0.57
1:C:215:ARG:NH2	1:C:227:ASP:OD1	2.38	0.56
1:C:360:SER:HA	1:C:381:ARG:O	2.06	0.56
1:C:520:ASN:OD1	1:C:522:THR:HB	2.05	0.56
1:C:215:ARG:NH1	1:C:224:ALA:O	2.39	0.55
1:B:522:THR:HG23	1:B:559:THR:HG21	1.88	0.54
1:B:281:MET:CE	1:B:405:VAL:HG21	2.38	0.54
1:B:74:THR:HG22	1:B:76:SER:H	1.71	0.53
1:A:81:ASP:OD1	1:A:83:THR:HB	2.08	0.53
1:B:190:ARG:HD2	1:B:206:PRO:HG3	1.91	0.53
1:A:29:ILE:HD12	1:A:226:PRO:HB3	1.89	0.53
1:A:277:THR:HG23	2:A:770:HOH:O	2.07	0.53
1:A:40:PHE:HA	1:A:52:ASN:HD22	1.74	0.52
1:A:190:ARG:HD2	1:A:206:PRO:HG3	1.91	0.52
1:C:225:LYS:HD3	1:C:595:ASP:HA	1.92	0.52
1:C:536:ALA:HB2	1:C:546:VAL:HG21	1.91	0.52
1:A:319:ASN:ND2	2:A:814:HOH:O	2.42	0.52
1:C:276:VAL:HG11	1:C:332:SER:HB3	1.92	0.52
1:C:535:ALA:HB1	1:C:541:ASP:HB2	1.91	0.52
1:C:526:ASP:OD2	1:C:553:ARG:HD2	2.10	0.51
1:B:99:THR:HG22	1:B:154:VAL:HG22	1.92	0.51
1:C:190:ARG:HD2	1:C:206:PRO:HG3	1.93	0.51
1:A:318:ASP:O	1:A:319:ASN:HB2	2.10	0.51
1:A:379:ARG:O	1:A:380:GLU:HB2	2.10	0.51
1:C:64:PHE:CZ	1:C:165:ARG:HG2	2.46	0.50
1:B:282:GLN:HG2	1:B:562:PRO:HA	1.93	0.50
1:B:410:ALA:O	1:B:414:ARG:HG3	2.11	0.50
1:C:255:HIS:HD2	1:C:319:ASN:HD21	1.60	0.50
1:C:29:ILE:HD13	1:C:596:TRP:HB3	1.93	0.50
1:B:532:ARG:HD2	1:B:546:VAL:HG22	1.93	0.49
1:A:522:THR:HG23	1:A:559:THR:HG21	1.95	0.49
1:B:62:SER:HB2	1:B:65:ARG:NH1	2.27	0.49
1:B:288:GLN:NE2	1:B:288:GLN:H	2.10	0.49
1:C:318:ASP:O	1:C:319:ASN:HB2	2.13	0.49
1:C:522:THR:HG23	1:C:559:THR:HG21	1.95	0.49
1:A:315:ALA:O	1:A:319:ASN:HB2	2.13	0.49
1:B:277:THR:HG23	1:B:278:PRO:HD2	1.94	0.48
1:C:277:THR:HG23	1:C:278:PRO:HD2	1.94	0.48
1:C:177:VAL:HA	1:C:180:ILE:HG12	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:VAL:HG11	1:A:332:SER:HB3	1.95	0.48
1:A:277:THR:HG23	1:A:278:PRO:HD2	1.95	0.47
1:A:94:ASN:CB	1:A:95:PRO:CD	2.90	0.47
1:B:125:GLN:O	1:B:129:GLN:HB2	2.15	0.47
1:B:50:PRO:HD3	1:B:277:THR:HG21	1.97	0.47
1:C:384:LYS:HG2	1:C:385:ASP:OD2	2.14	0.47
1:B:277:THR:CG2	1:B:278:PRO:HD2	2.44	0.47
1:A:536:ALA:HB2	1:A:546:VAL:HG21	1.97	0.47
1:A:398:ASN:ND2	2:A:730:HOH:O	2.47	0.46
1:A:99:THR:HG22	1:A:154:VAL:HG13	1.98	0.45
1:A:296:GLN:HE21	1:A:352:LEU:HD22	1.81	0.45
1:B:86:GLU:HG3	1:B:103:ARG:HG2	1.98	0.45
1:C:297:VAL:O	1:C:301:ILE:HG12	2.17	0.45
1:C:526:ASP:HB3	1:C:529:ILE:HG12	1.98	0.45
1:A:311:ALA:HB1	1:A:321:VAL:HG21	1.99	0.45
1:B:62:SER:HB2	1:B:65:ARG:HH12	1.83	0.44
1:B:97:THR:HG22	1:B:156:THR:HG23	1.98	0.44
1:A:55:ILE:O	1:A:59:VAL:HG22	2.18	0.44
1:B:94:ASN:CB	1:B:95:PRO:HD3	2.43	0.44
1:A:266:ALA:O	1:C:411:ASP:HB3	2.17	0.44
1:A:327:GLN:NE2	1:A:461:TYR:OH	2.50	0.44
1:A:315:ALA:O	1:A:319:ASN:CB	2.66	0.43
1:B:535:ALA:HB1	1:B:541:ASP:HB2	2.00	0.43
1:A:318:ASP:CB	2:C:823:HOH:O	2.66	0.43
1:B:29:ILE:HD12	1:B:226:PRO:HB3	1.99	0.43
1:C:198:GLN:HG2	1:C:224:ALA:HB2	2.00	0.43
1:C:94:ASN:CB	1:C:95:PRO:HD3	2.41	0.43
1:C:29:ILE:HD12	1:C:226:PRO:HB3	2.01	0.43
1:A:40:PHE:HA	1:A:52:ASN:ND2	2.34	0.43
1:A:535:ALA:HB1	1:A:541:ASP:HB2	2.01	0.42
1:A:593:ALA:HA	1:A:596:TRP:CE2	2.54	0.42
1:B:390:THR:HG22	1:B:419:ASP:HB3	2.00	0.42
1:A:318:ASP:HB2	2:C:823:HOH:O	2.19	0.42
1:A:439:ARG:HG2	1:A:439:ARG:HH11	1.85	0.42
1:A:66:PRO:HG2	1:A:587:VAL:HG23	2.01	0.42
1:B:399:ASP:O	1:B:403:VAL:HG23	2.19	0.42
1:C:553:ARG:HG2	2:C:602:HOH:O	2.19	0.42
1:A:399:ASP:O	1:A:403:VAL:HG23	2.19	0.42
1:C:94:ASN:CB	1:C:95:PRO:CD	2.90	0.41
1:B:144:VAL:HG12	1:B:155:VAL:HG13	2.03	0.41
1:B:47:ASP:HB3	1:B:52:ASN:ND2	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:PRO:HA	1:A:366:PRO:HD3	1.88	0.41
1:B:38:PRO:HG2	1:B:47:ASP:HA	2.01	0.41
1:A:222:VAL:HA	1:A:223:PRO:HD3	1.91	0.41
1:A:439:ARG:NH1	1:A:439:ARG:HG2	2.36	0.41
1:B:116:ALA:HB3	1:B:146:SER:HB3	2.02	0.41
1:B:318:ASP:O	1:B:319:ASN:HB2	2.21	0.41
1:A:331:PRO:HA	1:A:336:TYR:CG	2.56	0.40
1:A:468:ALA:CB	1:A:518:PRO:HD3	2.51	0.40
1:A:145:GLN:HG3	1:A:154:VAL:HB	2.04	0.40
1:B:147:VAL:HG12	1:B:148:GLU:H	1.86	0.40
1:C:315:ALA:O	1:C:319:ASN:HB3	2.21	0.40
1:C:282:GLN:OE1	1:C:447:ARG:HD2	2.22	0.40
1:A:364:PRO:HA	1:A:365:PRO:HD3	1.87	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:259:ALA:CB	1:B:317:ASP:OD1[3_555]	1.79	0.41

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/621 (82%)	493 (97%)	14 (3%)	3 (1%)	28	41
1	B	503/621 (81%)	487 (97%)	15 (3%)	1 (0%)	51	67
1	C	505/621 (81%)	490 (97%)	12 (2%)	3 (1%)	28	41
All	All	1518/1863 (82%)	1470 (97%)	41 (3%)	7 (0%)	32	46

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	380	GLU
1	A	94	ASN
1	B	318	ASP
1	C	94	ASN
1	C	380	GLU
1	C	318	ASP
1	A	134	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	412/502 (82%)	401 (97%)	11 (3%)	50	71
1	B	406/502 (81%)	399 (98%)	7 (2%)	66	82
1	C	408/502 (81%)	400 (98%)	8 (2%)	60	79
All	All	1226/1506 (81%)	1200 (98%)	26 (2%)	59	78

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	SER
1	A	74	THR
1	A	109	THR
1	A	276	VAL
1	A	277	THR
1	A	286	ARG
1	A	390	THR
1	A	439	ARG
1	A	516	GLN
1	A	522	THR
1	A	564	LEU
1	B	74	THR
1	B	144	VAL
1	B	203	THR
1	B	288	GLN
1	B	317	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	564	LEU
1	B	582	THR
1	C	74	THR
1	C	109	THR
1	C	142	THR
1	C	276	VAL
1	C	351	GLU
1	C	522	THR
1	C	548	GLN
1	C	582	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	207	GLN
1	A	296	GLN
1	A	327	GLN
1	B	288	GLN
1	B	296	GLN
1	B	577	GLN
1	C	52	ASN
1	C	145	GLN
1	C	327	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.