



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:03 am GMT

PDB ID : 1GSF
Title : GLUTATHIONE TRANSFERASE A1-1 COMPLEXED WITH
ETHACRYNIC ACID
Authors : L'Hermite, G.; Sinning, I.; Cameron, A.D.; Jones, T.A.
Deposited on : 1995-06-09
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	221	<div> <div>28%</div> <div>81%</div> <div>17%</div> <div>.</div> </div>
1	B	221	<div> <div>19%</div> <div>82%</div> <div>17%</div> <div>.</div> </div>
1	C	221	<div> <div>20%</div> <div>82%</div> <div>17%</div> <div>.</div> </div>
1	D	221	<div> <div>27%</div> <div>81%</div> <div>18%</div> <div>.</div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTATHIONE TRANSFERASE A1-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	221	Total	C	N	O	S	0	1	0
			1807	1170	304	325	8			
1	B	221	Total	C	N	O	S	0	1	0
			1807	1170	304	325	8			
1	C	221	Total	C	N	O	S	0	1	0
			1807	1170	304	325	8			
1	D	221	Total	C	N	O	S	0	1	0
			1807	1170	304	325	8			

- Molecule 2 is ETHACRYNIC ACID (three-letter code: EAA) (formula: $C_{13}H_{12}Cl_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Cl	O	0	0
			19	13	2	4		
2	B	1	Total	C	Cl	O	0	0
			19	13	2	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	Cl	O	0	0
			19	13	2	4		
2	D	1	Total	C	Cl	O	0	0
			19	13	2	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	74	Total	O	0	0
			74	74		
3	B	76	Total	O	0	0
			76	76		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLUTATHIONE TRANSFERASE A1-1




• Molecule 1: GLUTATHIONE TRANSFERASE A1-1




• Molecule 1: GLUTATHIONE TRANSFERASE A1-1



• Molecule 1: GLUTATHIONE TRANSFERASE A1-1





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	101.80Å 95.60Å 105.30Å 90.00° 92.20° 90.00°	Depositor
Resolution (Å)	7.50 – 2.70 10.02 – 2.70	Depositor EDS
% Data completeness (in resolution range)	94.9 (7.50-2.70) 94.2 (10.02-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 2.71Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.229 , 0.261 0.300 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 64.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for -h,-k,l	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	7454	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.76 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.4903e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EAA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1843	0.67	0/2475
1	B	0.50	0/1843	0.67	0/2475
1	C	0.50	0/1843	0.67	0/2475
1	D	0.50	0/1843	0.67	0/2475
All	All	0.50	0/7372	0.67	0/9900

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1875	40	0
1	B	1807	0	1875	40	0
1	C	1807	0	1875	40	0
1	D	1807	0	1875	39	1
2	A	19	0	11	0	0
2	B	19	0	11	0	0
2	C	19	0	11	0	0
2	D	19	0	11	0	0
3	A	74	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	76	0	0	1	0
All	All	7454	0	7544	126	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89[B]:ARG:CZ	1:B:89[B]:ARG:HH22	1.07	1.65
1:C:89[B]:ARG:HH22	1:D:89[B]:ARG:CZ	1.05	1.59
1:C:89[B]:ARG:CZ	1:D:89[B]:ARG:HH22	1.16	1.57
1:A:89[B]:ARG:HH22	1:B:89[B]:ARG:CZ	1.19	1.51
1:C:89[B]:ARG:HH12	1:D:89[B]:ARG:NH1	1.29	1.31
1:C:89[B]:ARG:NH1	1:D:89[B]:ARG:HH12	1.26	1.29
1:A:89[B]:ARG:HH12	1:B:89[B]:ARG:NH1	1.28	1.29
1:A:89[B]:ARG:NH1	1:B:89[B]:ARG:HH12	1.32	1.26
1:C:89[B]:ARG:CZ	1:D:89[B]:ARG:NH2	1.96	0.88
1:C:89[B]:ARG:NH1	1:D:89[B]:ARG:NH1	2.02	0.85
1:A:89[B]:ARG:HH21	1:B:89[B]:ARG:NH2	1.33	0.82
1:A:89[B]:ARG:NH1	1:B:89[B]:ARG:NH1	2.05	0.81
1:C:89[B]:ARG:NH2	1:D:89[B]:ARG:CZ	1.87	0.80
1:A:89[B]:ARG:NH2	1:B:89[B]:ARG:CZ	1.99	0.80
1:C:89[B]:ARG:NH2	1:D:89[B]:ARG:HH21	1.31	0.79
1:A:89[B]:ARG:CZ	1:B:89[B]:ARG:NH2	1.90	0.73
1:A:89[B]:ARG:NH2	1:B:89[B]:ARG:HH21	1.21	0.71
1:B:45:ARG:HH12	1:B:221:ARG:HH22	1.41	0.69
1:C:89[B]:ARG:NH2	1:D:89[B]:ARG:NH2	0.73	0.68
1:A:45:ARG:HH12	1:A:221:ARG:HH22	1.41	0.67
1:A:89[B]:ARG:NH2	1:B:89[B]:ARG:HH22	0.35	0.67
1:D:45:ARG:HH12	1:D:221:ARG:HH22	1.41	0.67
1:C:89[B]:ARG:HH21	1:D:89[B]:ARG:NH2	1.19	0.67
1:C:45:ARG:HH12	1:C:221:ARG:HH22	1.41	0.67
1:A:89[B]:ARG:NH2	1:B:89[B]:ARG:NH2	0.76	0.66
1:C:89[B]:ARG:HH22	1:D:89[B]:ARG:NH2	0.35	0.65
1:C:89[B]:ARG:CZ	1:D:89[B]:ARG:HH12	2.07	0.64
1:C:89[B]:ARG:CZ	1:D:89[B]:ARG:NH1	2.60	0.63
1:C:109:LEU:HD21	1:C:121:LEU:HD13	1.80	0.63
1:A:109:LEU:HD21	1:A:121:LEU:HD13	1.80	0.63
1:D:109:LEU:HD21	1:D:121:LEU:HD13	1.80	0.63
1:B:109:LEU:HD21	1:B:121:LEU:HD13	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:89[B]:ARG:HH12	1:D:89[B]:ARG:HH12	0.66	0.60
1:A:89[B]:ARG:HH12	1:B:89[B]:ARG:HH12	0.67	0.59
1:A:89[B]:ARG:HH22	1:B:89[B]:ARG:NH2	0.19	0.59
1:A:89[B]:ARG:NH1	1:B:89[B]:ARG:CZ	2.63	0.59
1:C:89[B]:ARG:CZ	1:D:89[B]:ARG:CZ	2.63	0.57
1:C:89[B]:ARG:NH2	1:D:89[B]:ARG:HH22	0.20	0.55
1:A:89[B]:ARG:HH22	1:B:89[B]:ARG:HH21	0.98	0.55
1:D:214:GLU:OE2	1:D:217:ARG:HD3	2.07	0.55
1:B:214:GLU:OE2	1:B:217:ARG:HD3	2.07	0.55
1:A:214:GLU:OE2	1:A:217:ARG:HD3	2.07	0.55
1:B:82:TYR:CD1	1:B:89[A]:ARG:HG2	2.42	0.55
1:A:82:TYR:CD1	1:A:89[A]:ARG:HG2	2.42	0.54
1:C:82:TYR:CD1	1:C:89[A]:ARG:HG2	2.42	0.54
1:C:214:GLU:OE2	1:C:217:ARG:HD3	2.07	0.54
1:D:82:TYR:CD1	1:D:89[A]:ARG:HG2	2.42	0.54
1:C:217:ARG:O	1:C:221:ARG:HA	2.08	0.54
1:A:89[B]:ARG:HH12	1:B:89[B]:ARG:CZ	2.09	0.53
1:A:217:ARG:O	1:A:221:ARG:HA	2.08	0.53
1:D:217:ARG:O	1:D:221:ARG:HA	2.08	0.53
1:B:217:ARG:O	1:B:221:ARG:HA	2.08	0.53
1:C:111:VAL:O	1:C:111:VAL:HG12	2.09	0.53
1:D:111:VAL:O	1:D:111:VAL:HG12	2.09	0.52
1:B:111:VAL:HG12	1:B:111:VAL:O	2.09	0.52
1:A:111:VAL:HG12	1:A:111:VAL:O	2.09	0.51
1:B:66:VAL:O	1:B:67:GLN:HB2	2.11	0.51
1:A:66:VAL:O	1:A:67:GLN:HB2	2.11	0.50
1:B:152:LYS:HE2	3:B:284:HOH:O	2.11	0.50
1:A:152:LYS:HE2	3:A:279:HOH:O	2.11	0.50
1:D:66:VAL:O	1:D:67:GLN:HB2	2.11	0.50
1:C:66:VAL:O	1:C:67:GLN:HB2	2.11	0.49
1:B:115:GLU:CD	1:B:115:GLU:H	2.16	0.49
1:A:115:GLU:H	1:A:115:GLU:CD	2.16	0.49
1:D:115:GLU:CD	1:D:115:GLU:H	2.17	0.48
1:C:115:GLU:H	1:C:115:GLU:CD	2.16	0.48
1:C:113:PRO:HA	1:C:114:PRO:HD2	1.69	0.47
1:C:82:TYR:CE1	1:C:89[B]:ARG:HG2	2.50	0.47
1:D:10:PHE:CE2	1:D:216:ALA:HB2	2.50	0.47
1:B:82:TYR:CE1	1:B:89[B]:ARG:HG2	2.50	0.47
1:A:10:PHE:CE2	1:A:216:ALA:HB2	2.50	0.46
1:B:10:PHE:CE2	1:B:216:ALA:HB2	2.50	0.46
1:A:82:TYR:CE1	1:A:89[B]:ARG:HG2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:82:TYR:CE1	1:D:89[B]:ARG:HG2	2.50	0.46
1:C:10:PHE:CE2	1:C:216:ALA:HB2	2.50	0.45
1:A:102:LEU:HD23	1:A:163:LEU:HD21	1.99	0.44
1:D:38:ALA:HA	1:D:219:ILE:HG23	1.99	0.44
1:C:102:LEU:HD23	1:C:163:LEU:HD21	1.99	0.44
1:A:38:ALA:HA	1:A:219:ILE:HG23	1.99	0.44
1:A:89[B]:ARG:HH21	1:B:89[B]:ARG:HH21	1.18	0.44
1:C:104:GLU:O	1:C:108:LEU:HG	2.18	0.44
1:C:38:ALA:HA	1:C:219:ILE:HG23	1.99	0.44
1:B:102:LEU:HA	1:B:105:MET:HE2	1.99	0.44
1:D:102:LEU:HD23	1:D:163:LEU:HD21	1.99	0.44
1:B:38:ALA:HA	1:B:219:ILE:HG23	1.99	0.44
1:B:102:LEU:HD23	1:B:163:LEU:HD21	1.99	0.43
1:C:102:LEU:HA	1:C:105:MET:HE2	2.00	0.43
1:A:104:GLU:O	1:A:108:LEU:HG	2.18	0.43
1:A:113:PRO:HA	1:A:114:PRO:HD2	1.69	0.43
1:B:104:GLU:O	1:B:108:LEU:HG	2.18	0.43
1:B:120:LYS:NZ	1:B:120:LYS:HB3	2.33	0.43
1:D:104:GLU:O	1:D:108:LEU:HG	2.18	0.43
1:C:52:PHE:HD2	1:C:67:GLN:HE21	1.66	0.43
1:B:52:PHE:HD2	1:B:67:GLN:HE21	1.67	0.43
1:D:113:PRO:HA	1:D:114:PRO:HD2	1.69	0.43
1:B:72:LEU:HB3	1:B:155:ARG:NH2	2.34	0.43
1:D:102:LEU:HA	1:D:105:MET:HE2	2.01	0.43
1:D:72:LEU:HB3	1:D:155:ARG:NH2	2.34	0.43
1:C:72:LEU:HB3	1:C:155:ARG:NH2	2.34	0.42
1:A:102:LEU:HA	1:A:105:MET:CE	2.49	0.42
1:A:120:LYS:HB3	1:A:120:LYS:NZ	2.34	0.42
1:D:120:LYS:NZ	1:D:120:LYS:HB3	2.33	0.42
1:C:6:LYS:HG2	1:C:33:LYS:HE3	2.02	0.42
1:D:102:LEU:HA	1:D:105:MET:CE	2.49	0.42
1:D:52:PHE:HD2	1:D:67:GLN:HE21	1.67	0.42
1:C:120:LYS:HB3	1:C:120:LYS:NZ	2.34	0.42
1:B:102:LEU:HA	1:B:105:MET:CE	2.50	0.42
1:D:6:LYS:HG2	1:D:33:LYS:HE3	2.02	0.41
1:A:72:LEU:HB3	1:A:155:ARG:NH2	2.34	0.41
1:A:52:PHE:HD2	1:A:67:GLN:HE21	1.67	0.41
1:C:102:LEU:HA	1:C:105:MET:CE	2.49	0.41
1:D:49:TYR:CE1	1:D:64:LYS:HE2	2.56	0.41
1:A:6:LYS:HG2	1:A:33:LYS:HE3	2.02	0.41
1:B:133:PHE:N	1:B:134:PRO:CD	2.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:102:LEU:HD21	1:C:128:ILE:HG12	2.03	0.41
1:A:133:PHE:N	1:A:134:PRO:CD	2.84	0.41
1:B:49:TYR:CE1	1:B:64:LYS:HE2	2.56	0.41
1:B:6:LYS:HG2	1:B:33:LYS:HE3	2.02	0.41
1:D:102:LEU:HD21	1:D:128:ILE:HG12	2.03	0.41
1:A:102:LEU:HD21	1:A:128:ILE:HG12	2.03	0.40
1:C:133:PHE:N	1:C:134:PRO:CD	2.84	0.40
1:A:49:TYR:CE1	1:A:64:LYS:HE2	2.56	0.40
1:D:133:PHE:N	1:D:134:PRO:CD	2.84	0.40
1:C:38:ALA:CA	1:C:219:ILE:HG23	2.52	0.40
1:C:49:TYR:CE1	1:C:64:LYS:HE2	2.56	0.40
1:B:4:LYS:HA	1:B:5:PRO:HD3	1.89	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:46:ASN:O	1:D:145:GLN:OE1[4_656]	1.66	0.54

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/221 (100%)	209 (95%)	9 (4%)	2 (1%)	20	46
1	B	220/221 (100%)	209 (95%)	9 (4%)	2 (1%)	20	46
1	C	220/221 (100%)	209 (95%)	9 (4%)	2 (1%)	20	46
1	D	220/221 (100%)	209 (95%)	9 (4%)	2 (1%)	20	46
All	All	880/884 (100%)	836 (95%)	36 (4%)	8 (1%)	20	46

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	117	LYS
1	B	117	LYS
1	C	117	LYS
1	D	117	LYS
1	A	13	ARG
1	B	13	ARG
1	C	13	ARG
1	D	13	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/195 (100%)	189 (96%)	7 (4%)	40	70
1	B	196/195 (100%)	189 (96%)	7 (4%)	40	70
1	C	196/195 (100%)	189 (96%)	7 (4%)	40	70
1	D	196/195 (100%)	189 (96%)	7 (4%)	40	70
All	All	784/780 (100%)	756 (96%)	28 (4%)	40	70

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LYS
1	A	13	ARG
1	A	65	LEU
1	A	82	TYR
1	A	143	HIS
1	A	177	SER
1	A	218	LYS
1	B	6	LYS
1	B	13	ARG
1	B	65	LEU
1	B	82	TYR
1	B	143	HIS
1	B	177	SER
1	B	218	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	6	LYS
1	C	13	ARG
1	C	65	LEU
1	C	82	TYR
1	C	143	HIS
1	C	177	SER
1	C	218	LYS
1	D	6	LYS
1	D	13	ARG
1	D	65	LEU
1	D	82	TYR
1	D	143	HIS
1	D	177	SER
1	D	218	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	67	GLN
1	A	130	ASN
1	A	145	GLN
1	A	199	GLN
1	B	53	GLN
1	B	67	GLN
1	B	130	ASN
1	B	145	GLN
1	B	199	GLN
1	C	53	GLN
1	C	130	ASN
1	C	199	GLN
1	D	53	GLN
1	D	130	ASN
1	D	199	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EAA	A	223	-	15,19,19	1.72	2 (13%)	15,26,26	1.33	2 (13%)
2	EAA	B	223	-	15,19,19	1.73	2 (13%)	15,26,26	1.34	2 (13%)
2	EAA	C	223	-	15,19,19	1.72	2 (13%)	15,26,26	1.34	2 (13%)
2	EAA	D	223	-	15,19,19	1.72	2 (13%)	15,26,26	1.33	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EAA	A	223	-	-	1/13/15/15	0/1/1/1
2	EAA	B	223	-	-	1/13/15/15	0/1/1/1
2	EAA	C	223	-	-	1/13/15/15	0/1/1/1
2	EAA	D	223	-	-	1/13/15/15	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	223	EAA	C11-C8	-4.90	1.22	1.32
2	A	223	EAA	C11-C8	-4.88	1.22	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	223	EAA	C11-C8	-4.87	1.22	1.32
2	D	223	EAA	C11-C8	-4.86	1.22	1.32
2	C	223	EAA	C4-C7	-2.83	1.43	1.49
2	B	223	EAA	C4-C7	-2.82	1.43	1.49
2	A	223	EAA	C4-C7	-2.81	1.43	1.49
2	D	223	EAA	C4-C7	-2.81	1.43	1.49

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	223	EAA	C1-C2-C3	2.62	121.67	119.90
2	A	223	EAA	C1-C2-C3	2.64	121.69	119.90
2	B	223	EAA	C1-C2-C3	2.66	121.70	119.90
2	C	223	EAA	C1-C2-C3	2.69	121.72	119.90
2	C	223	EAA	O2-C1-C2	3.13	121.08	115.87
2	D	223	EAA	O2-C1-C2	3.13	121.08	115.87
2	A	223	EAA	O2-C1-C2	3.13	121.09	115.87
2	B	223	EAA	O2-C1-C2	3.15	121.11	115.87

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	223	EAA	C4-C7-C8-C11
2	B	223	EAA	C4-C7-C8-C11
2	C	223	EAA	C4-C7-C8-C11
2	D	223	EAA	C4-C7-C8-C11

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/221 (100%)	1.60	61 (27%) 1 0	7, 35, 85, 118	0
1	B	221/221 (100%)	1.30	42 (19%) 1 1	7, 35, 85, 118	0
1	C	221/221 (100%)	1.16	45 (20%) 1 1	7, 35, 85, 118	0
1	D	221/221 (100%)	1.54	59 (26%) 1 0	7, 35, 85, 118	0
All	All	884/884 (100%)	1.40	207 (23%) 1 1	7, 36, 88, 118	0

All (207) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	216	ALA	7.5
1	D	222	PHE	7.3
1	D	39	GLU	7.1
1	B	218	LYS	6.8
1	C	217	ARG	6.6
1	A	214	GLU	6.4
1	C	2	ALA	6.3
1	D	215	GLU	6.0
1	A	2	ALA	5.7
1	A	115	GLU	5.6
1	D	213	LEU	5.6
1	C	222	PHE	5.4
1	D	211	LYS	5.3
1	A	119	ALA	5.2
1	D	217	ARG	5.0
1	C	114	PRO	4.9
1	B	215	GLU	4.9
1	D	212	SER	4.8
1	D	119	ALA	4.7
1	A	116	GLU	4.6
1	A	222	PHE	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	110	PRO	4.5
1	B	190	ASN	4.4
1	A	215	GLU	4.4
1	A	211	LYS	4.4
1	A	217	ARG	4.4
1	D	108	LEU	4.4
1	C	210	GLU	4.3
1	C	216	ALA	4.3
1	C	40	ASP	4.2
1	D	214	GLU	4.2
1	A	113	PRO	4.2
1	D	126	GLU	4.2
1	D	218	LYS	4.2
1	D	113	PRO	4.1
1	C	218	LYS	4.1
1	D	38	ALA	4.1
1	A	112	CYS	4.0
1	D	123	LEU	4.0
1	C	43	LYS	3.9
1	B	217	ARG	3.9
1	A	43	LYS	3.9
1	A	220	PHE	3.9
1	B	216	ALA	3.8
1	B	193	THR	3.8
1	A	209	ASP	3.8
1	C	118	ASP	3.8
1	D	114	PRO	3.8
1	B	39	GLU	3.7
1	B	2	ALA	3.6
1	D	40	ASP	3.6
1	D	172	SER	3.6
1	B	214	GLU	3.6
1	D	192	PRO	3.6
1	C	49	TYR	3.6
1	D	3	GLU	3.6
1	B	186	THR	3.5
1	D	221	ARG	3.5
1	D	117	LYS	3.5
1	C	115	GLU	3.4
1	C	173	SER	3.4
1	B	158	ILE	3.4
1	C	47	ASP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	42	ASP	3.4
1	D	130	ASN	3.4
1	A	114	PRO	3.4
1	A	212	SER	3.4
1	A	117	LYS	3.3
1	B	114	PRO	3.3
1	A	172	SER	3.3
1	C	221	ARG	3.3
1	B	47	ASP	3.3
1	A	197	PHE	3.3
1	A	39	GLU	3.3
1	C	113	PRO	3.2
1	B	222	PHE	3.2
1	D	129	LYS	3.2
1	A	38	ALA	3.2
1	A	176	SER	3.2
1	A	111	VAL	3.2
1	A	33	LYS	3.2
1	D	216	ALA	3.1
1	D	219	ILE	3.1
1	D	46	ASN	3.1
1	A	126	GLU	3.1
1	A	218	LYS	3.1
1	D	180	LEU	3.1
1	B	24	ALA	3.1
1	A	221	ARG	3.0
1	B	209	ASP	3.0
1	A	199	GLN	3.0
1	C	41	LEU	3.0
1	B	192	PRO	3.0
1	D	142	SER	3.0
1	C	119	ALA	3.0
1	A	100	ALA	2.9
1	D	210	GLU	2.9
1	B	46	ASN	2.9
1	A	36	LYS	2.9
1	A	175	ILE	2.8
1	D	2	ALA	2.8
1	D	33	LYS	2.8
1	D	168	GLU	2.8
1	D	42	ASP	2.8
1	B	116	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	112	CYS	2.8
1	D	110	PRO	2.8
1	A	123	LEU	2.8
1	D	206	PRO	2.7
1	D	109	LEU	2.7
1	B	115	GLU	2.7
1	D	220	PHE	2.7
1	B	118	ASP	2.7
1	A	210	GLU	2.7
1	C	214	GLU	2.7
1	D	179	PRO	2.7
1	D	43	LYS	2.7
1	A	120	LYS	2.7
1	A	195	LYS	2.7
1	A	109	LEU	2.6
1	B	40	ASP	2.6
1	D	29	GLU	2.6
1	D	195	LYS	2.6
1	C	116	GLU	2.6
1	D	116	GLU	2.6
1	A	86	ILE	2.6
1	C	109	LEU	2.6
1	A	77	SER	2.6
1	A	171	ASP	2.5
1	A	5	PRO	2.5
1	B	117	LYS	2.5
1	A	6	LYS	2.5
1	A	188	ILE	2.5
1	B	38	ALA	2.5
1	D	141	LYS	2.5
1	A	213	LEU	2.4
1	C	36	LYS	2.4
1	D	9	TYR	2.4
1	B	221	ARG	2.4
1	C	142	SER	2.4
1	D	120	LYS	2.4
1	C	34	PHE	2.4
1	D	208	MET	2.4
1	B	157	ASP	2.4
1	D	122	ALA	2.4
1	C	209	ASP	2.4
1	D	124	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	48	GLY	2.4
1	C	46	ASN	2.4
1	C	176	SER	2.3
1	B	144	GLY	2.3
1	C	211	LYS	2.3
1	A	121	LEU	2.3
1	D	34	PHE	2.3
1	B	6	LYS	2.3
1	C	108	LEU	2.3
1	C	123	LEU	2.3
1	C	39	GLU	2.3
1	A	142	SER	2.3
1	B	139	VAL	2.3
1	A	166	TYR	2.3
1	B	42	ASP	2.3
1	B	119	ALA	2.3
1	B	123	LEU	2.2
1	A	34	PHE	2.2
1	A	46	ASN	2.2
1	C	37	SER	2.2
1	A	129	LYS	2.2
1	B	101	ASP	2.2
1	C	166	TYR	2.2
1	B	29	GLU	2.2
1	C	167	VAL	2.2
1	C	190	ASN	2.2
1	C	206	PRO	2.2
1	D	143	HIS	2.2
1	D	76	ALA	2.2
1	D	118	ASP	2.2
1	B	104	GLU	2.2
1	C	10	PHE	2.2
1	A	4	LYS	2.1
1	B	198	LEU	2.1
1	D	45	ARG	2.1
1	A	3	GLU	2.1
1	A	37	SER	2.1
1	C	189	SER	2.1
1	A	53	GLN	2.1
1	B	34	PHE	2.1
1	B	121	LEU	2.1
1	B	43	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	26	ALA	2.1
1	C	76	ALA	2.1
1	D	26	ALA	2.1
1	D	209	ASP	2.1
1	D	49	TYR	2.1
1	D	147	TYR	2.1
1	B	122	ALA	2.1
1	B	213	LEU	2.0
1	C	12	ALA	2.0
1	A	108	LEU	2.0
1	A	181	LEU	2.0
1	C	53	GLN	2.0
1	A	180	LEU	2.0
1	C	3	GLU	2.0
1	A	49	TYR	2.0
1	D	22	LEU	2.0
1	B	110	PRO	2.0
1	C	182	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	EAA	C	223	19/19	0.71	0.34	0.32	74,74,74,74	0
2	EAA	A	223	19/19	0.65	0.33	0.08	74,74,74,74	0
2	EAA	B	223	19/19	0.77	0.27	-0.10	74,74,74,74	0
2	EAA	D	223	19/19	0.80	0.28	-0.44	74,74,74,74	0

6.5 Other polymers ⓘ

There are no such residues in this entry.