



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:21 am GMT

PDB ID : 4GTD
Title : T. Maritima FDTS (E144R mutant) with FAD and dUMP
Authors : Mathews, I.I.; Lesley, S.A.; Kohen, A.; Prabhakar, A.
Deposited on : 2012-08-28
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1762 (1.76-1.76)
Clashscore	112137	1889 (1.76-1.76)
Ramachandran outliers	110173	1868 (1.76-1.76)
Sidechain outliers	110143	1868 (1.76-1.76)
RSRZ outliers	101464	1770 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	<div> <div>8%</div> <div>83% 7% 9%</div> </div>
1	B	232	<div> <div>12%</div> <div>78% 13% 8%</div> </div>
1	C	232	<div> <div>10%</div> <div>88% 6% 7%</div> </div>
1	D	232	<div> <div>9%</div> <div>85% 6% 9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FAD	B	302	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	210	Total	C	N	O	S	0	1	0
			1773	1154	306	307	6			
1	B	214	Total	C	N	O	S	0	0	0
			1801	1172	311	313	5			
1	C	216	Total	C	N	O	S	0	1	0
			1815	1181	311	317	6			
1	D	211	Total	C	N	O	S	0	2	0
			1785	1165	306	309	5			

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q9WYT0
A	-10	GLY	-	EXPRESSION TAG	UNP Q9WYT0
A	-9	SER	-	EXPRESSION TAG	UNP Q9WYT0
A	-8	ASP	-	EXPRESSION TAG	UNP Q9WYT0
A	-7	LYS	-	EXPRESSION TAG	UNP Q9WYT0
A	-6	ILE	-	EXPRESSION TAG	UNP Q9WYT0
A	-5	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	-4	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	-3	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	-2	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	-1	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	0	HIS	-	EXPRESSION TAG	UNP Q9WYT0
A	144	ARG	GLU	ENGINEERED MUTATION	UNP Q9WYT0
B	-11	MET	-	EXPRESSION TAG	UNP Q9WYT0
B	-10	GLY	-	EXPRESSION TAG	UNP Q9WYT0
B	-9	SER	-	EXPRESSION TAG	UNP Q9WYT0
B	-8	ASP	-	EXPRESSION TAG	UNP Q9WYT0
B	-7	LYS	-	EXPRESSION TAG	UNP Q9WYT0
B	-6	ILE	-	EXPRESSION TAG	UNP Q9WYT0
B	-5	HIS	-	EXPRESSION TAG	UNP Q9WYT0
B	-4	HIS	-	EXPRESSION TAG	UNP Q9WYT0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	HIS	-	EXPRESSION TAG	UNP Q9WYT0
B	-2	HIS	-	EXPRESSION TAG	UNP Q9WYT0
B	-1	HIS	-	EXPRESSION TAG	UNP Q9WYT0
B	0	HIS	-	EXPRESSION TAG	UNP Q9WYT0
B	144	ARG	GLU	ENGINEERED MUTATION	UNP Q9WYT0
C	-11	MET	-	EXPRESSION TAG	UNP Q9WYT0
C	-10	GLY	-	EXPRESSION TAG	UNP Q9WYT0
C	-9	SER	-	EXPRESSION TAG	UNP Q9WYT0
C	-8	ASP	-	EXPRESSION TAG	UNP Q9WYT0
C	-7	LYS	-	EXPRESSION TAG	UNP Q9WYT0
C	-6	ILE	-	EXPRESSION TAG	UNP Q9WYT0
C	-5	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	-4	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	-3	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	-2	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	-1	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	0	HIS	-	EXPRESSION TAG	UNP Q9WYT0
C	144	ARG	GLU	ENGINEERED MUTATION	UNP Q9WYT0
D	-11	MET	-	EXPRESSION TAG	UNP Q9WYT0
D	-10	GLY	-	EXPRESSION TAG	UNP Q9WYT0
D	-9	SER	-	EXPRESSION TAG	UNP Q9WYT0
D	-8	ASP	-	EXPRESSION TAG	UNP Q9WYT0
D	-7	LYS	-	EXPRESSION TAG	UNP Q9WYT0
D	-6	ILE	-	EXPRESSION TAG	UNP Q9WYT0
D	-5	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	-4	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	-3	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	-2	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	-1	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	0	HIS	-	EXPRESSION TAG	UNP Q9WYT0
D	144	ARG	GLU	ENGINEERED MUTATION	UNP Q9WYT0

- Molecule 2 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: $C_9H_{13}N_2O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	C	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	D	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	100	Total	O	0	1
			101	101		
4	B	87	Total	O	0	0
			87	87		
4	C	105	Total	O	0	1
			106	106		
4	D	81	Total	O	0	0
			81	81		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



L167	R174	I190	E196	L215	LYS	GLU	VAL	GLN	VAL
------	------	------	------	------	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.59Å 117.39Å 142.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.35 – 1.76 29.35 – 1.76	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.35-1.76) 99.8 (29.35-1.76)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 1.76Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.179 , 0.215 0.189 , 0.222	Depositor DCC
R_{free} test set	4585 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.111	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7841	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UMP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	0/1825	0.81	1/2466 (0.0%)
1	B	0.78	1/1849 (0.1%)	0.78	1/2498 (0.0%)
1	C	0.84	0/1865	0.85	0/2519
1	D	0.76	1/1840 (0.1%)	0.76	0/2487
All	All	0.79	2/7379 (0.0%)	0.80	2/9970 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	12	GLU	CB-CG	-5.47	1.41	1.52
1	D	116	GLU	CD-OE1	5.19	1.31	1.25

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	B	192	ARG	NE-CZ-NH1	5.36	122.98	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1773	0	1762	15	0
1	B	1801	0	1793	19	0
1	C	1815	0	1821	10	0
1	D	1785	0	1779	8	0
2	A	20	0	11	1	0
2	B	20	0	11	1	0
2	C	20	0	11	1	0
2	D	20	0	11	1	0
3	A	53	0	31	3	0
3	B	53	0	31	1	0
3	C	53	0	31	0	0
3	D	53	0	31	0	0
4	A	101	0	0	6	0
4	B	87	0	0	5	0
4	C	106	0	0	2	0
4	D	81	0	0	1	0
All	All	7841	0	7323	51	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:301:UMP:HN3	1:C:174:ARG:HH12	1.10	0.97
1:B:174:ARG:HH12	2:C:302:UMP:HN3	1.18	0.88
2:A:301:UMP:HN3	1:D:174:ARG:HH12	1.23	0.86
1:C:219:GLN:O	1:C:220:VAL:HG22	1.79	0.82
1:A:174:ARG:HH12	2:D:302:UMP:HN3	1.24	0.82
1:A:17:MET:HB2	1:B:17:MET:HB2	1.60	0.81
3:A:302:FAD:HM82	4:A:484:HOH:O	1.83	0.76
1:B:74:ARG:NH1	4:B:426:HOH:O	2.23	0.71
1:C:17:MET:HB2	1:D:17:MET:HB2	1.70	0.71
1:D:167[B]:LEU:HD11	1:D:190:ILE:CG2	2.22	0.70
1:A:137:ILE:HD12	1:A:143:ARG:HG2	1.78	0.66
3:B:302:FAD:H5'1	4:B:474:HOH:O	1.96	0.65
1:B:147:ARG:NH1	4:B:470:HOH:O	2.29	0.63
1:B:219:GLN:O	1:B:220:VAL:HG22	1.98	0.63
3:A:302:FAD:H51A	4:A:485:HOH:O	2.03	0.58
1:C:203:GLU:HG2	4:C:490:HOH:O	2.05	0.57
1:A:207:LYS:HE2	4:A:466:HOH:O	2.06	0.54
1:B:105:ARG:HG3	1:B:106:LEU:HD13	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ILE:HD11	1:A:189:ALA:HB2	1.89	0.54
1:C:192:ARG:NH2	1:C:220:VAL:HG23	2.23	0.53
1:D:1:MET:HE1	1:D:196:GLU:HG2	1.89	0.53
1:B:203:GLU:CD	4:B:431:HOH:O	2.47	0.53
1:D:167[B]:LEU:HD11	1:D:190:ILE:HG21	1.89	0.53
1:A:126:VAL:HG21	1:A:153:ASN:HD21	1.75	0.51
1:C:219:GLN:O	1:C:220:VAL:CG2	2.56	0.49
1:A:167:LEU:HD23	1:A:167:LEU:C	2.33	0.49
1:B:88:SER:OG	1:B:90:ARG:NH2	2.47	0.48
1:A:144:ARG:HG2	4:A:420:HOH:O	2.12	0.48
1:C:25:ARG:HD2	4:C:440:HOH:O	2.13	0.47
1:B:127:ASP:O	1:B:131:ARG:HG3	2.15	0.47
1:A:102:SER:O	1:A:105:ARG:HB3	2.15	0.46
1:A:137:ILE:HD11	1:A:143:ARG:HA	1.98	0.45
1:B:5:ILE:HD11	1:B:189:ALA:HB2	1.98	0.45
3:A:302:FAD:C5B	4:A:485:HOH:O	2.63	0.44
1:A:137:ILE:CD1	1:A:143:ARG:HG2	2.46	0.44
1:B:137:ILE:HD12	1:B:143:ARG:HG3	2.00	0.44
1:C:219:GLN:C	1:C:220:VAL:HG22	2.36	0.44
1:B:24:VAL:HG13	1:B:44:LEU:HD23	2.00	0.44
1:B:75:GLN:NE2	1:C:144:ARG:NH2	2.66	0.43
1:B:109:TYR:O	1:B:111:THR:HG23	2.19	0.43
1:B:62:PHE:O	1:B:161:THR:HA	2.19	0.43
1:A:118:VAL:HG13	1:D:136:LEU:HD22	2.00	0.42
1:A:207:LYS:CE	4:A:466:HOH:O	2.67	0.42
1:D:74:ARG:NH1	4:D:443:HOH:O	2.52	0.41
1:A:109:TYR:OH	1:D:144:ARG:NH2	2.53	0.41
1:B:125:ILE:HA	1:B:125:ILE:HD12	1.89	0.41
1:B:144:ARG:HA	1:B:147:ARG:CG	2.51	0.41
1:C:5:ILE:HD11	1:C:189:ALA:HB2	2.02	0.41
1:A:55:THR:OG1	1:A:56:PRO:HD3	2.21	0.41
1:B:19:ASN:HB2	4:B:409:HOH:O	2.21	0.40
1:B:102:SER:O	1:B:106:LEU:HD22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/232 (88%)	199 (97%)	6 (3%)	0	100	100
1	B	208/232 (90%)	200 (96%)	8 (4%)	0	100	100
1	C	213/232 (92%)	207 (97%)	6 (3%)	0	100	100
1	D	207/232 (89%)	202 (98%)	5 (2%)	0	100	100
All	All	833/928 (90%)	808 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/207 (91%)	188 (100%)	1 (0%)	91	86
1	B	191/207 (92%)	187 (98%)	4 (2%)	59	35
1	C	194/207 (94%)	191 (98%)	3 (2%)	70	53
1	D	190/207 (92%)	186 (98%)	4 (2%)	59	35
All	All	764/828 (92%)	752 (98%)	12 (2%)	68	50

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	ARG
1	B	25	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	106	LEU
1	B	123	SER
1	B	147	ARG
1	C	93	LYS
1	C	95	SER
1	C	117	ARG
1	D	38	GLU
1	D	39	GLU
1	D	92	SER
1	D	112	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	UMP	A	301	-	17,21,21	0.94	1 (5%)	23,31,31	2.36	6 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	302	-	51,58,58	2.90	13 (25%)	54,89,89	2.41	11 (20%)
2	UMP	B	301	-	17,21,21	1.01	0	23,31,31	3.05	6 (26%)
3	FAD	B	302	-	51,58,58	2.97	15 (29%)	54,89,89	2.47	13 (24%)
3	FAD	C	301	-	51,58,58	2.86	15 (29%)	54,89,89	2.33	13 (24%)
2	UMP	C	302	-	17,21,21	0.81	0	23,31,31	2.47	3 (13%)
3	FAD	D	301	-	51,58,58	2.96	14 (27%)	54,89,89	2.52	15 (27%)
2	UMP	D	302	-	17,21,21	0.77	0	23,31,31	2.22	4 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UMP	A	301	-	-	0/6/22/22	0/2/2/2
3	FAD	A	302	-	-	0/28/50/50	0/6/6/6
2	UMP	B	301	-	-	0/6/22/22	0/2/2/2
3	FAD	B	302	-	-	0/28/50/50	0/6/6/6
3	FAD	C	301	-	-	0/28/50/50	0/6/6/6
2	UMP	C	302	-	-	0/6/22/22	0/2/2/2
3	FAD	D	301	-	-	0/28/50/50	0/6/6/6
2	UMP	D	302	-	-	0/6/22/22	0/2/2/2

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	FAD	C9A-N10	-6.48	1.30	1.38
3	A	302	FAD	C9A-N10	-6.08	1.30	1.38
3	D	301	FAD	C9A-N10	-5.79	1.31	1.38
3	B	302	FAD	C9A-N10	-5.63	1.31	1.38
3	D	301	FAD	C2-N1	-5.45	1.27	1.38
3	A	302	FAD	C2-N1	-5.37	1.27	1.38
3	B	302	FAD	C2-N1	-5.11	1.28	1.38
3	C	301	FAD	C2-N1	-4.54	1.29	1.38
3	C	301	FAD	C1'-N10	-2.69	1.45	1.48
2	A	301	UMP	C2-N3	-2.55	1.33	1.38
3	D	301	FAD	C2B-C1B	-2.20	1.50	1.53
3	B	302	FAD	C2B-C1B	-2.02	1.50	1.53
3	B	302	FAD	C4A-N3A	2.17	1.38	1.35
3	C	301	FAD	O4B-C1B	2.49	1.44	1.41
3	C	301	FAD	C4-C4X	3.10	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	FAD	C5A-C4A	3.23	1.47	1.40
3	A	302	FAD	C4-C4X	3.24	1.47	1.41
3	A	302	FAD	C5A-C4A	3.26	1.47	1.40
3	C	301	FAD	C9-C9A	3.39	1.48	1.40
3	A	302	FAD	C8-C7	3.57	1.50	1.41
3	B	302	FAD	C4-C4X	3.62	1.48	1.41
3	C	301	FAD	C8-C7	3.70	1.50	1.41
3	C	301	FAD	C5A-C4A	3.77	1.49	1.40
3	D	301	FAD	C5A-C4A	3.79	1.49	1.40
3	A	302	FAD	C9-C9A	3.81	1.48	1.40
3	B	302	FAD	C8-C7	3.89	1.50	1.41
3	B	302	FAD	C9-C9A	3.95	1.49	1.40
3	C	301	FAD	C9A-C5X	4.01	1.50	1.42
3	D	301	FAD	C4-C4X	4.20	1.49	1.41
3	D	301	FAD	C8-C7	4.24	1.51	1.41
3	D	301	FAD	C9-C9A	4.27	1.49	1.40
3	A	302	FAD	C9A-C5X	4.44	1.51	1.42
3	C	301	FAD	C4X-C10	4.75	1.49	1.41
3	A	302	FAD	C4X-C10	4.86	1.49	1.41
3	B	302	FAD	C9A-C5X	4.86	1.52	1.42
3	D	301	FAD	C9A-C5X	4.93	1.52	1.42
3	A	302	FAD	C6-C7	5.10	1.51	1.37
3	B	302	FAD	C6-C7	5.13	1.51	1.37
3	D	301	FAD	C6-C7	5.22	1.51	1.37
3	B	302	FAD	C4X-C10	5.35	1.50	1.41
3	C	301	FAD	C6-C7	5.36	1.52	1.37
3	C	301	FAD	C4X-N5	5.61	1.41	1.33
3	C	301	FAD	C5X-N5	5.66	1.44	1.35
3	D	301	FAD	C5X-N5	5.78	1.44	1.35
3	D	301	FAD	C4X-C10	5.80	1.51	1.41
3	B	302	FAD	C5X-N5	6.02	1.44	1.35
3	D	301	FAD	C6-C5X	6.53	1.51	1.41
3	C	301	FAD	C6-C5X	6.73	1.51	1.41
3	A	302	FAD	C5X-N5	6.85	1.45	1.35
3	B	302	FAD	C6-C5X	7.18	1.52	1.41
3	D	301	FAD	C4X-N5	7.22	1.43	1.33
3	A	302	FAD	C4X-N5	7.22	1.43	1.33
3	B	302	FAD	C4X-N5	7.50	1.44	1.33
3	A	302	FAD	C6-C5X	7.51	1.53	1.41
3	A	302	FAD	C10-N1	7.85	1.44	1.33
3	D	301	FAD	C10-N1	8.31	1.44	1.33
3	B	302	FAD	C10-N1	9.17	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	FAD	C10-N1	9.56	1.46	1.33

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	FAD	N3A-C2A-N1A	-9.55	120.54	128.86
3	A	302	FAD	N3A-C2A-N1A	-9.48	120.60	128.86
3	C	301	FAD	N3A-C2A-N1A	-6.67	123.05	128.86
3	D	301	FAD	N3A-C2A-N1A	-6.62	123.09	128.86
3	D	301	FAD	C4-C4X-C10	-4.73	116.13	119.96
3	A	302	FAD	C4-C4X-C10	-3.82	116.87	119.96
3	D	301	FAD	C4X-C4-N3	-3.73	118.18	123.48
3	C	301	FAD	C4X-C4-N3	-3.68	118.24	123.48
3	B	302	FAD	C4-C4X-C10	-3.64	117.02	119.96
3	D	301	FAD	C1'-N10-C10	-3.55	114.86	118.50
3	A	302	FAD	C1'-N10-C10	-3.53	114.89	118.50
3	B	302	FAD	C4X-C4-N3	-3.43	118.60	123.48
2	B	301	UMP	C2'-C1'-N1	-3.39	106.23	114.23
3	B	302	FAD	C1B-N9A-C4A	-3.24	121.03	126.64
3	B	302	FAD	C7-C6-C5X	-3.01	116.42	121.08
2	B	301	UMP	C5-C4-N3	-3.00	115.97	123.12
3	D	301	FAD	C6-C5X-N5	-2.91	115.55	118.97
2	A	301	UMP	C2'-C1'-N1	-2.91	107.37	114.23
3	C	301	FAD	C4-C4X-C10	-2.89	117.62	119.96
3	C	301	FAD	C1'-N10-C10	-2.85	115.58	118.50
3	A	302	FAD	C4X-C4-N3	-2.83	119.46	123.48
3	A	302	FAD	C4A-C5A-N7A	-2.71	106.79	109.41
2	D	302	UMP	C2'-C1'-N1	-2.57	108.17	114.23
2	C	302	UMP	O5'-P-OP1	-2.55	99.33	106.47
3	D	301	FAD	C7-C6-C5X	-2.51	117.20	121.08
3	B	302	FAD	C1'-N10-C10	-2.43	116.01	118.50
2	D	302	UMP	OP3-P-O5'	-2.34	100.51	106.73
2	A	301	UMP	OP2-P-O5'	-2.27	100.70	106.73
3	B	302	FAD	C6-C5X-N5	-2.21	116.37	118.97
2	B	301	UMP	OP3-P-O5'	-2.21	100.86	106.73
3	D	301	FAD	O2B-C2B-C1B	-2.21	104.72	111.61
3	C	301	FAD	C7-C6-C5X	-2.13	117.78	121.08
3	C	301	FAD	C4A-C5A-N7A	-2.08	107.40	109.41
3	D	301	FAD	C9-C9A-C5X	-2.05	116.04	119.58
3	C	301	FAD	O3'-C3'-C4'	-2.00	103.85	108.82
2	A	301	UMP	O4'-C1'-C2'	2.04	110.17	106.25
2	A	301	UMP	C2'-C3'-C4'	2.08	107.16	102.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	302	UMP	OP3-P-OP1	2.08	118.66	110.50
2	A	301	UMP	OP3-P-OP2	2.19	116.45	107.61
2	C	302	UMP	OP3-P-OP1	2.22	119.20	110.50
2	B	301	UMP	OP3-P-OP2	2.30	116.88	107.61
3	D	301	FAD	C6-C5X-C9A	2.31	121.99	119.00
3	D	301	FAD	O2A-PA-O1A	2.39	124.64	112.28
3	C	301	FAD	C4-C4X-N5	2.53	121.45	118.68
3	D	301	FAD	C2A-N1A-C6A	2.66	123.43	118.77
3	C	301	FAD	C2A-N1A-C6A	2.68	123.46	118.77
3	B	302	FAD	O2A-PA-O1A	2.69	126.20	112.28
3	C	301	FAD	O2A-PA-O1A	2.76	126.57	112.28
2	B	301	UMP	OP3-P-OP1	2.88	121.79	110.50
3	A	302	FAD	O2A-PA-O1A	3.02	127.93	112.28
3	B	302	FAD	C2A-N1A-C6A	3.17	124.31	118.77
3	A	302	FAD	C2A-N1A-C6A	3.23	124.43	118.77
3	B	302	FAD	C4-C4X-N5	3.86	122.92	118.68
3	A	302	FAD	C5X-C9A-N10	3.96	120.59	117.66
3	B	302	FAD	C5X-C9A-N10	4.02	120.64	117.66
3	A	302	FAD	C4-C4X-N5	4.24	123.32	118.68
3	D	301	FAD	C5X-C9A-N10	4.45	120.97	117.66
3	C	301	FAD	C5X-C9A-N10	4.57	121.05	117.66
3	D	301	FAD	C4-C4X-N5	4.74	123.88	118.68
3	C	301	FAD	C1'-N10-C9A	5.61	123.48	118.35
3	B	302	FAD	C1'-N10-C9A	5.61	123.49	118.35
3	A	302	FAD	C1'-N10-C9A	6.43	124.24	118.35
3	A	302	FAD	C4-N3-C2	7.20	121.45	115.16
3	D	301	FAD	C1'-N10-C9A	7.55	125.26	118.35
3	B	302	FAD	C4-N3-C2	8.77	122.83	115.16
3	D	301	FAD	C4-N3-C2	8.94	122.98	115.16
2	D	302	UMP	C4-N3-C2	9.33	122.14	114.13
3	C	301	FAD	C4-N3-C2	9.70	123.64	115.16
2	A	301	UMP	C4-N3-C2	9.72	122.48	114.13
2	C	302	UMP	C4-N3-C2	10.35	123.03	114.13
2	B	301	UMP	C4-N3-C2	12.62	124.97	114.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	UMP	1	0
3	A	302	FAD	3	0
2	B	301	UMP	1	0
3	B	302	FAD	1	0
2	C	302	UMP	1	0
2	D	302	UMP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/232 (90%)	0.43	18 (8%) 11 14	20, 33, 65, 93	0
1	B	214/232 (92%)	0.66	27 (12%) 4 6	22, 37, 75, 101	0
1	C	216/232 (93%)	0.54	23 (10%) 7 9	21, 33, 71, 101	0
1	D	211/232 (90%)	0.63	22 (10%) 7 10	22, 38, 71, 97	0
All	All	851/928 (91%)	0.57	90 (10%) 7 9	20, 36, 72, 101	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	109	TYR	8.2
1	C	35	LEU	8.0
1	C	33	MET	7.5
1	A	33	MET	7.3
1	A	110	LYS	6.8
1	D	0	HIS	5.9
1	B	109	TYR	5.6
1	B	110	LYS	5.6
1	D	36	LYS	5.4
1	A	108	GLY	5.4
1	C	108	GLY	5.2
1	C	109	TYR	5.2
1	B	112	THR	5.0
1	C	138	GLU	4.5
1	D	108	GLY	4.5
1	B	91	TYR	4.5
1	D	40	ARG	4.4
1	C	31	PHE	4.4
1	B	108	GLY	4.3
1	A	94	LEU	4.3
1	B	31	PHE	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	217	GLU	4.2
1	B	38	GLU	4.1
1	A	109	TYR	4.1
1	D	107	GLU	4.1
1	C	106	LEU	4.0
1	A	112	THR	3.9
1	D	39	GLU	3.8
1	C	220	VAL	3.7
1	C	219	GLN	3.7
1	C	34	GLY	3.7
1	B	143	ARG	3.5
1	C	218	VAL	3.5
1	B	90	ARG	3.5
1	D	92	SER	3.5
1	B	107	GLU	3.3
1	B	40	ARG	3.2
1	D	32	ASP	3.2
1	A	40	ARG	3.2
1	D	106	LEU	3.2
1	D	93	LYS	3.1
1	B	220	VAL	3.1
1	A	143	ARG	3.1
1	B	0	HIS	3.1
1	A	88	SER	3.0
1	B	114	PRO	3.0
1	C	107	GLU	3.0
1	A	106	LEU	3.0
1	C	40	ARG	2.9
1	A	107	GLU	2.9
1	B	111	THR	2.9
1	B	117	ARG	2.9
1	C	137	ILE	2.8
1	B	219	GLN	2.8
1	D	111	THR	2.8
1	B	158	PHE	2.7
1	A	39	GLU	2.7
1	D	110	LYS	2.7
1	A	216	LYS	2.7
1	C	111	THR	2.6
1	D	138	GLU	2.6
1	D	43	HIS	2.6
1	C	93	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	106	LEU	2.5
1	B	37	ASP	2.4
1	C	36	LYS	2.4
1	A	148	ILE	2.3
1	B	138	GLU	2.3
1	C	110	LYS	2.3
1	B	218	VAL	2.3
1	D	31	PHE	2.3
1	C	143	ARG	2.2
1	B	88	SER	2.2
1	B	39	GLU	2.2
1	C	217	GLU	2.2
1	D	91	TYR	2.2
1	D	73	ALA	2.2
1	D	154	LEU	2.2
1	A	0	HIS	2.2
1	C	117	ARG	2.2
1	D	152	LEU	2.2
1	B	113	ILE	2.2
1	B	43	HIS	2.1
1	A	113	ILE	2.1
1	A	178	HIS	2.1
1	D	37	ASP	2.1
1	B	73	ALA	2.1
1	C	32	ASP	2.1
1	C	81	ILE	2.1
1	D	72	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	FAD	B	302	53/53	0.90	0.16	2.45	28,38,42,46	0
2	UMP	C	302	20/20	0.91	0.18	1.54	33,38,43,44	0
2	UMP	D	302	20/20	0.89	0.17	1.36	37,41,45,46	0
3	FAD	D	301	53/53	0.90	0.16	1.18	26,40,46,48	0
3	FAD	A	302	53/53	0.89	0.16	0.92	27,40,46,48	0
2	UMP	A	301	20/20	0.92	0.15	0.33	36,38,40,40	0
2	UMP	B	301	20/20	0.92	0.13	-0.28	30,35,40,40	0
3	FAD	C	301	53/53	0.92	0.12	-0.32	25,35,40,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.