



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 01:21 am GMT

PDB ID : 4GZS
Title : N2 neuraminidase D151G mutant of a/Tanzania/205/2010 H3N2 in complex with hepes
Authors : Zhu, X.; Wilson, I.A.
Deposited on : 2012-09-06
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1522 (2.38-2.34)
Clashscore	112137	1626 (2.38-2.34)
Ramachandran outliers	110173	1605 (2.38-2.34)
Sidechain outliers	110143	1606 (2.38-2.34)
RSRZ outliers	101464	1528 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	393	<div> <div>3%</div> <div> <div></div> <div>83%</div> <div>15%</div> <div>..</div> </div> </div>
1	B	393	<div> <div>5%</div> <div> <div></div> <div>82%</div> <div>16%</div> <div>..</div> </div> </div>
1	C	393	<div> <div>5%</div> <div> <div></div> <div>80%</div> <div>16%</div> <div>..</div> </div> </div>
1	D	393	<div> <div>2%</div> <div> <div></div> <div>80%</div> <div>18%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EPE	A	502	-	-	-	X
3	EPE	C	503	-	-	-	X
3	EPE	D	502	-	-	-	X
4	NAG	A	503	-	-	-	X
4	NAG	B	503	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			2998	1858	531	587	22			
1	B	388	Total	C	N	O	S	0	0	0
			2998	1858	531	587	22			
1	C	388	Total	C	N	O	S	0	0	0
			2998	1858	531	587	22			
1	D	388	Total	C	N	O	S	0	0	0
			2998	1858	531	587	22			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	C	2	Total	Ca	0	0
			2	2		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	5	Total	C	N	O	0	0
			61	34	2	25		
4	B	5	Total	C	N	O	0	0
			61	34	2	25		
4	C	5	Total	C	N	O	0	0
			61	34	2	25		
4	D	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 5 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	2	Total	C	N	O	0	0
			24	14	1	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	2	Total	C	N	O	0	0
			24	14	1	9		
5	C	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 6 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	D	2	Total	C	N	O	0	0
			28	16	2	10		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	91	Total	O	0	0
			91	91		
8	B	89	Total	O	0	0
			89	89		
8	C	93	Total	O	0	0
			93	93		
8	D	90	Total	O	0	0
			90	90		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Neuraminidase




• Molecule 1: Neuraminidase






• Molecule 1: Neuraminidase





● Molecule 1: Neuraminidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.81Å 110.20Å 110.59Å 90.00° 97.46° 90.00°	Depositor
Resolution (Å)	50.00 – 2.35 44.21 – 2.34	Depositor EDS
% Data completeness (in resolution range)	92.4 (50.00-2.35) 91.8 (44.21-2.34)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.225 , 0.287 0.225 , 0.283	Depositor DCC
R_{free} test set	3706 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	1.073	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12862	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, CA, FUC, EPE, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/3065	0.70	1/4156 (0.0%)
1	B	0.57	0/3065	0.68	0/4156
1	C	0.59	0/3065	0.71	1/4156 (0.0%)
1	D	0.58	0/3065	0.70	1/4156 (0.0%)
All	All	0.58	0/12260	0.70	3/16624 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	216	VAL	CB-CA-C	-7.38	97.37	111.40
1	C	216	VAL	CB-CA-C	-5.48	100.98	111.40
1	D	216	VAL	CB-CA-C	-5.43	101.09	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2998	0	2856	37	0
1	B	2998	0	2855	43	0
1	C	2998	0	2855	50	0
1	D	2998	0	2855	42	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	2	0	0	0	0
2	D	1	0	0	0	0
3	A	15	0	17	2	0
3	B	15	0	17	2	0
3	C	15	0	17	1	0
3	D	15	0	17	2	0
4	A	61	0	52	0	0
4	B	61	0	52	1	0
4	C	61	0	52	0	0
4	D	61	0	52	2	0
5	A	24	0	22	1	0
5	B	24	0	22	0	0
5	C	24	0	22	0	0
6	A	14	0	13	0	0
6	B	28	0	26	0	0
6	C	28	0	26	0	0
6	D	28	0	26	0	0
7	D	28	0	25	0	0
8	A	91	0	0	1	0
8	B	89	0	0	2	0
8	C	93	0	0	0	0
8	D	90	0	0	3	0
All	All	12862	0	11879	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:452:THR:HB	1:C:216:VAL:CG2	2.02	0.88
1:A:177:ALA:HB2	1:A:193:CYS:HB3	1.60	0.84
1:C:452:THR:HB	1:D:216:VAL:HG22	1.68	0.73
1:B:452:THR:HB	1:C:216:VAL:HG22	1.69	0.73
1:A:216:VAL:HG13	1:D:453:TYR:C	2.13	0.69
1:B:385:ASN:ND2	1:B:387:LYS:H	1.94	0.66
1:B:452:THR:HB	1:C:216:VAL:HG23	1.78	0.66
1:C:453:TYR:C	1:D:216:VAL:HG13	2.17	0.65
1:B:152:ARG:HH11	3:B:502:EPE:H81	1.61	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:177:ALA:HB2	1:D:193:CYS:HB3	1.80	0.64
1:B:242:THR:HG23	1:B:252:THR:OG1	1.99	0.63
1:B:385:ASN:HD22	1:B:387:LYS:H	1.44	0.63
1:B:136:GLN:OE1	1:B:156:ARG:CZ	2.47	0.62
1:C:347:HIS:CG	1:C:348:GLY:H	2.18	0.61
3:D:502:EPE:H32	3:D:502:EPE:H102	1.81	0.61
1:D:385:ASN:ND2	1:D:387:LYS:H	1.97	0.61
1:A:455:THR:HG22	8:A:665:HOH:O	2.00	0.61
1:C:146:ASN:O	1:C:147:ASN:HB2	2.00	0.61
1:C:278:CYS:HB3	1:C:289:CYS:HB3	1.84	0.60
1:C:337:CYS:SG	1:C:386:PRO:HG3	2.42	0.60
1:B:304:ASP:HB2	1:B:313:VAL:HG22	1.85	0.58
1:B:102:LYS:HG3	1:B:444:VAL:HG23	1.86	0.57
1:C:151:GLY:HA3	3:C:503:EPE:H51	1.86	0.57
1:D:136:GLN:HE21	1:D:136:GLN:HA	1.70	0.56
1:A:155:TYR:CE1	1:D:461:GLY:HA3	2.40	0.56
1:C:453:TYR:O	1:D:216:VAL:HG13	2.04	0.56
1:A:385:ASN:ND2	1:A:387:LYS:H	2.04	0.56
1:B:180:SER:HA	1:B:192:VAL:O	2.06	0.55
1:B:177:ALA:HB2	1:B:193:CYS:HB3	1.87	0.55
1:B:102:LYS:HB2	1:C:176:ILE:HG12	1.89	0.55
1:A:279:SER:HB3	1:A:409:ILE:HG22	1.89	0.55
1:C:109:SER:HB3	1:C:114:ILE:HB	1.89	0.55
1:A:194:ILE:HD11	1:A:241:MET:HE3	1.88	0.54
1:A:216:VAL:HG22	1:D:452:THR:HB	1.90	0.54
1:B:463:ASP:O	1:B:467:MET:HG2	2.08	0.54
1:D:278:CYS:HB3	1:D:289:CYS:HB3	1.90	0.53
1:C:391:GLN:OE1	4:D:505:BMA:O2	2.23	0.53
1:B:385:ASN:HD22	1:B:385:ASN:C	2.11	0.53
1:D:465:ASN:H	1:D:465:ASN:HD22	1.57	0.52
1:A:147:ASN:HD21	5:A:508:NAG:H62	1.74	0.52
1:A:228:SER:HB3	1:A:350:LYS:HE2	1.92	0.52
1:B:109:SER:HB3	1:B:114:ILE:HB	1.91	0.51
1:A:109:SER:HB3	1:A:114:ILE:HB	1.92	0.51
1:A:194:ILE:HD11	1:A:241:MET:CE	2.40	0.51
1:C:385:ASN:C	1:C:385:ASN:HD22	2.13	0.51
1:A:461:GLY:HA3	1:B:155:TYR:CE1	2.46	0.51
1:C:97:PHE:CD1	1:C:448:GLY:HA2	2.46	0.51
1:B:194:ILE:HD11	1:B:241:MET:CE	2.41	0.51
1:D:102:LYS:NZ	1:D:104:ASN:OD1	2.44	0.50
1:B:347:HIS:CG	1:B:348:GLY:H	2.28	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:121:TYR:CG	1:C:228:SER:HA	2.46	0.50
1:B:172:LYS:HD3	1:B:174:VAL:HG12	1.93	0.50
1:D:385:ASN:C	1:D:385:ASN:HD22	2.15	0.50
1:A:135:GLY:O	1:A:156:ARG:HA	2.11	0.50
1:A:254:ILE:HD13	1:A:312:ILE:HG13	1.94	0.50
1:B:398:VAL:HG21	1:B:426:LEU:HD21	1.92	0.50
1:D:279:SER:HB3	1:D:409:ILE:HG22	1.95	0.49
1:A:134:LEU:O	1:A:156:ARG:NH2	2.45	0.49
1:A:385:ASN:C	1:A:385:ASN:HD22	2.16	0.49
1:C:428:ARG:NH1	1:C:460:ASP:OD2	2.45	0.49
1:B:85:ARG:HD3	8:B:609:HOH:O	2.11	0.48
1:D:385:ASN:HD22	1:D:386:PRO:N	2.11	0.48
1:C:228:SER:HB3	1:C:350:LYS:HE2	1.95	0.48
4:D:503:NAG:H82	8:D:614:HOH:O	2.14	0.48
1:B:467:MET:O	1:B:469:ILE:HG13	2.14	0.48
1:C:385:ASN:ND2	1:C:387:LYS:H	2.12	0.48
1:A:304:ASP:HB2	1:A:313:VAL:HG22	1.96	0.48
1:D:407:SER:HA	1:D:423:TYR:O	2.14	0.48
1:C:454:GLY:HA3	1:D:200:ASN:O	2.13	0.48
1:B:112:GLY:HA3	1:C:169:LEU:HD11	1.96	0.47
1:D:238:THR:HG21	1:D:287:VAL:HG21	1.96	0.47
1:C:201:ALA:HB3	1:C:223:LEU:HB3	1.96	0.47
1:D:82:ALA:O	1:D:187:LYS:HE2	2.14	0.47
1:B:370:SER:OG	1:B:372:LEU:HD13	2.15	0.47
1:D:378:LYS:O	1:D:391:GLN:HA	2.15	0.47
1:B:284:TYR:CD1	1:B:285:PRO:HA	2.50	0.47
3:A:502:EPE:H102	3:A:502:EPE:H61	1.65	0.47
1:C:347:HIS:CG	1:C:348:GLY:N	2.83	0.47
1:A:115:TRP:HA	1:A:139:THR:HA	1.96	0.47
1:D:182:SER:O	1:D:229:GLU:HA	2.16	0.46
1:B:318:CYS:O	1:B:319:SER:C	2.54	0.46
1:B:321:LEU:HD22	1:B:330:ASP:OD1	2.14	0.46
1:C:134:LEU:HD23	1:C:134:LEU:HA	1.78	0.46
1:A:255:LEU:HD12	1:A:255:LEU:N	2.31	0.46
1:A:240:VAL:HG22	1:A:254:ILE:HG13	1.97	0.46
1:B:132:PHE:HB3	1:B:158:LEU:HD11	1.98	0.46
1:A:454:GLY:HA2	4:B:503:NAG:O5	2.16	0.46
1:A:413:GLU:O	1:B:210:ARG:NH1	2.49	0.45
1:D:107:ARG:HG3	8:D:609:HOH:O	2.16	0.45
1:A:216:VAL:HG13	1:D:453:TYR:O	2.17	0.45
1:D:398:VAL:HG21	1:D:426:LEU:HD21	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:464:LEU:HA	1:B:467:MET:HG2	1.99	0.45
1:D:121:TYR:CG	1:D:228:SER:HA	2.51	0.45
1:B:284:TYR:CG	1:B:285:PRO:HA	2.52	0.45
3:B:502:EPE:H101	3:B:502:EPE:H61	1.55	0.45
1:C:215:VAL:HG22	1:C:262:ILE:CD1	2.46	0.45
1:C:322:VAL:HG23	1:C:327:ARG:HD2	1.99	0.45
1:C:280:CYS:HA	1:C:288:ARG:O	2.18	0.44
1:D:136:GLN:NE2	1:D:136:GLN:HA	2.32	0.44
1:D:172:LYS:HD3	1:D:174:VAL:HG12	1.99	0.44
1:B:217:SER:OG	1:B:243:ASP:OD2	2.26	0.44
1:B:399:ASP:OD2	1:B:402:ASN:ND2	2.50	0.44
1:A:199:LYS:O	1:A:220:LYS:HB3	2.18	0.44
1:B:453:TYR:C	1:C:216:VAL:HG13	2.37	0.44
1:D:120:PRO:HG3	1:D:441:ASN:ND2	2.33	0.44
1:C:318:CYS:O	1:C:386:PRO:HA	2.18	0.43
1:A:293:ASP:OD1	1:A:293:ASP:C	2.56	0.43
8:B:602:HOH:O	1:C:175:CYS:HB2	2.18	0.43
1:D:290:VAL:HG21	1:D:353:ALA:HB3	1.99	0.43
1:A:322:VAL:HG23	1:A:327:ARG:HD2	2.00	0.43
1:C:463:ASP:O	1:C:467:MET:HG2	2.18	0.43
1:D:364:ARG:HA	8:D:668:HOH:O	2.18	0.43
1:A:172:LYS:HD3	1:A:174:VAL:HG12	2.00	0.43
3:A:502:EPE:H31	3:A:502:EPE:H81	1.48	0.43
1:D:385:ASN:ND2	1:D:385:ASN:C	2.71	0.43
1:C:184:HIS:HD2	1:C:189:TRP:NE1	2.17	0.43
1:C:385:ASN:C	1:C:385:ASN:ND2	2.72	0.43
1:A:120:PRO:HA	1:A:133:ALA:HA	1.99	0.43
1:A:175:CYS:HB3	1:A:206:ILE:HD12	1.99	0.43
1:A:228:SER:HB3	1:A:350:LYS:CE	2.49	0.43
1:C:326:PRO:HA	1:C:368:GLU:O	2.18	0.43
1:D:94:ILE:HG22	1:D:361:TRP:CE2	2.53	0.43
3:D:502:EPE:C3	3:D:502:EPE:H102	2.48	0.42
1:D:296:LYS:C	1:D:345:GLY:HA3	2.39	0.42
1:A:194:ILE:HG12	1:A:203:ALA:HB2	2.00	0.42
1:B:194:ILE:HD11	1:B:241:MET:HE3	2.01	0.42
1:B:296:LYS:HE3	1:B:296:LYS:HB2	1.75	0.42
1:C:274:HIS:CE1	1:C:276:GLU:OE1	2.72	0.42
1:C:370:SER:HB3	1:C:372:LEU:HD22	2.01	0.42
1:B:406:TYR:HB2	1:B:425:GLU:OE1	2.19	0.42
1:A:385:ASN:ND2	1:A:385:ASN:C	2.72	0.42
1:B:182:SER:O	1:B:229:GLU:HA	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:341:ASN:O	1:D:342:ASN:HB2	2.19	0.42
1:B:84:TYR:CE1	1:B:187:LYS:HD2	2.54	0.42
1:C:205:PHE:HE1	1:C:215:VAL:HG23	1.85	0.42
1:C:240:VAL:HG22	1:C:254:ILE:HG13	2.02	0.42
1:C:207:TYR:O	1:C:208:ASN:C	2.59	0.42
1:C:109:SER:OG	1:C:140:LEU:HD13	2.19	0.41
1:C:385:ASN:HD22	1:C:386:PRO:N	2.18	0.41
1:B:207:TYR:O	1:B:210:ARG:HG2	2.20	0.41
1:D:347:HIS:CG	1:D:348:GLY:H	2.38	0.41
1:D:124:CYS:HA	1:D:129:CYS:HA	2.02	0.41
1:D:203:ALA:O	1:D:214:SER:HA	2.20	0.41
1:A:125:ASP:OD1	1:A:127:ASP:N	2.49	0.41
1:C:284:TYR:CD1	1:C:285:PRO:HA	2.55	0.41
1:C:183:CYS:SG	1:C:232:CYS:SG	3.19	0.41
1:D:166:PRO:O	1:D:168:HIS:HD2	2.03	0.41
1:A:341:ASN:O	1:A:342:ASN:HB2	2.21	0.41
1:C:183:CYS:N	1:C:230:CYS:SG	2.94	0.41
1:C:97:PHE:HD1	1:C:448:GLY:HA2	1.85	0.40
1:C:461:GLY:HA3	1:D:155:TYR:CZ	2.56	0.40
1:C:166:PRO:O	1:C:168:HIS:HD2	2.04	0.40
1:A:169:LEU:HA	1:A:169:LEU:HD23	1.86	0.40
1:C:406:TYR:HB2	1:C:425:GLU:OE1	2.20	0.40
1:D:284:TYR:HA	1:D:285:PRO:HA	1.91	0.40
1:D:326:PRO:HA	1:D:368:GLU:O	2.22	0.40
1:D:410:PHE:CZ	1:D:421:CYS:HB2	2.56	0.40
1:B:453:TYR:N	1:C:216:VAL:HG22	2.37	0.40
1:A:182:SER:C	1:A:230:CYS:SG	3.00	0.40
1:B:318:CYS:O	1:B:335:SER:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/393 (98%)	361 (94%)	21 (5%)	4 (1%)	18	18
1	B	386/393 (98%)	358 (93%)	24 (6%)	4 (1%)	18	18
1	C	386/393 (98%)	354 (92%)	27 (7%)	5 (1%)	14	12
1	D	386/393 (98%)	357 (92%)	25 (6%)	4 (1%)	18	18
All	All	1544/1572 (98%)	1430 (93%)	97 (6%)	17 (1%)	17	16

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	468	PRO
1	B	333	SER
1	C	234	ASN
1	D	468	PRO
1	A	319	SER
1	C	147	ASN
1	B	319	SER
1	D	319	SER
1	A	262	ILE
1	A	336	HIS
1	D	262	ILE
1	C	262	ILE
1	A	222	ILE
1	D	373	GLY
1	B	262	ILE
1	B	222	ILE
1	C	222	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/341 (99%)	323 (96%)	14 (4%)	34	43
1	B	337/341 (99%)	328 (97%)	9 (3%)	50	63
1	C	337/341 (99%)	324 (96%)	13 (4%)	37	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	337/341 (99%)	324 (96%)	13 (4%)	37	47
All	All	1348/1364 (99%)	1299 (96%)	49 (4%)	40	51

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	183	CYS
1	A	199	LYS
1	A	211	LEU
1	A	216	VAL
1	A	247	SER
1	A	249	LYS
1	A	266	SER
1	A	267	THR
1	A	269	SER
1	A	293	ASP
1	A	307	ILE
1	A	319	SER
1	A	372	LEU
1	A	385	ASN
1	B	211	LEU
1	B	242	THR
1	B	267	THR
1	B	317	VAL
1	B	368	GLU
1	B	385	ASN
1	B	415	LYS
1	B	431	LYS
1	B	463	ASP
1	C	136	GLN
1	C	211	LEU
1	C	215	VAL
1	C	216	VAL
1	C	267	THR
1	C	276	GLU
1	C	319	SER
1	C	369	THR
1	C	372	LEU
1	C	385	ASN
1	C	391	GLN
1	C	407	SER
1	C	463	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	94	ILE
1	D	105	SER
1	D	153	THR
1	D	157	THR
1	D	213	ASP
1	D	216	VAL
1	D	230	CYS
1	D	304	ASP
1	D	333	SER
1	D	338	LEU
1	D	372	LEU
1	D	380	ILE
1	D	385	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	147	ASN
1	A	234	ASN
1	A	385	ASN
1	B	168	HIS
1	B	385	ASN
1	B	393	ASN
1	C	136	GLN
1	C	168	HIS
1	C	385	ASN
1	C	393	ASN
1	D	136	GLN
1	D	168	HIS
1	D	385	ASN
1	D	393	ASN
1	D	465	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

28 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	503	1,4	14,14,15	0.64	0	15,19,21	1.25	2 (13%)
4	NAG	A	504	4	14,14,15	0.40	0	15,19,21	1.15	1 (6%)
4	BMA	A	505	4	11,11,12	0.71	0	13,15,17	0.83	1 (7%)
4	MAN	A	506	4	11,11,12	0.67	0	13,15,17	1.54	2 (15%)
4	MAN	A	507	4	11,11,12	0.75	0	13,15,17	2.49	4 (30%)
5	NAG	A	508	1,5	14,14,15	0.63	0	15,19,21	1.53	2 (13%)
5	FUC	A	509	5	9,10,11	0.61	0	13,14,16	0.75	1 (7%)
4	NAG	B	503	1,4	14,14,15	0.43	0	15,19,21	1.35	1 (6%)
4	NAG	B	504	4	14,14,15	0.53	0	15,19,21	0.86	0
4	BMA	B	505	4	11,11,12	0.96	0	13,15,17	1.56	2 (15%)
4	MAN	B	506	4	11,11,12	0.66	0	13,15,17	1.67	3 (23%)
4	MAN	B	507	4	11,11,12	0.61	0	13,15,17	2.32	4 (30%)
5	NAG	B	509	1,5	14,14,15	0.60	0	15,19,21	0.95	0
5	FUC	B	510	5	9,10,11	0.72	0	13,14,16	0.59	0
4	NAG	C	504	1,4	14,14,15	0.77	1 (7%)	15,19,21	1.19	2 (13%)
4	NAG	C	505	4	14,14,15	0.59	0	15,19,21	1.22	2 (13%)
4	BMA	C	506	4	11,11,12	0.52	0	13,15,17	1.15	1 (7%)
4	MAN	C	507	4	11,11,12	0.57	0	13,15,17	2.05	3 (23%)
4	MAN	C	508	4	11,11,12	0.64	0	13,15,17	2.21	3 (23%)
5	NAG	C	510	1,5	14,14,15	0.52	0	15,19,21	0.83	0
5	FUC	C	511	5	9,10,11	0.90	0	13,14,16	2.22	3 (23%)
4	NAG	D	503	1,4	14,14,15	0.69	0	15,19,21	1.34	2 (13%)
4	NAG	D	504	4	14,14,15	0.52	0	15,19,21	1.14	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BMA	D	505	4	11,11,12	0.74	0	13,15,17	1.07	1 (7%)
4	MAN	D	506	4	11,11,12	0.59	0	13,15,17	1.43	1 (7%)
4	MAN	D	507	4	11,11,12	0.63	0	13,15,17	1.90	4 (30%)
7	NAG	D	509	1,7	14,14,15	0.46	0	15,19,21	1.63	2 (13%)
7	NAG	D	510	7	14,14,15	0.56	0	15,19,21	1.18	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	503	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	504	4	-	0/6/23/26	0/1/1/1
4	BMA	A	505	4	-	0/2/19/22	0/1/1/1
4	MAN	A	506	4	-	0/2/19/22	0/1/1/1
4	MAN	A	507	4	-	0/2/19/22	0/1/1/1
5	NAG	A	508	1,5	-	0/6/23/26	0/1/1/1
5	FUC	A	509	5	-	0/0/17/20	0/1/1/1
4	NAG	B	503	1,4	-	0/6/23/26	0/1/1/1
4	NAG	B	504	4	-	0/6/23/26	0/1/1/1
4	BMA	B	505	4	-	0/2/19/22	0/1/1/1
4	MAN	B	506	4	-	0/2/19/22	0/1/1/1
4	MAN	B	507	4	-	0/2/19/22	0/1/1/1
5	NAG	B	509	1,5	-	0/6/23/26	0/1/1/1
5	FUC	B	510	5	-	0/0/17/20	0/1/1/1
4	NAG	C	504	1,4	-	0/6/23/26	0/1/1/1
4	NAG	C	505	4	-	0/6/23/26	0/1/1/1
4	BMA	C	506	4	-	0/2/19/22	0/1/1/1
4	MAN	C	507	4	-	0/2/19/22	0/1/1/1
4	MAN	C	508	4	-	0/2/19/22	0/1/1/1
5	NAG	C	510	1,5	-	0/6/23/26	0/1/1/1
5	FUC	C	511	5	-	0/0/17/20	0/1/1/1
4	NAG	D	503	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	504	4	-	0/6/23/26	0/1/1/1
4	BMA	D	505	4	-	0/2/19/22	0/1/1/1
4	MAN	D	506	4	-	0/2/19/22	0/1/1/1
4	MAN	D	507	4	-	0/2/19/22	0/1/1/1
7	NAG	D	509	1,7	-	0/6/23/26	0/1/1/1
7	NAG	D	510	7	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	504	NAG	O5-C1	-2.05	1.40	1.43

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	511	FUC	O5-C1-C2	-4.00	104.53	110.79
4	C	507	MAN	C3-C4-C5	-3.33	104.36	110.22
7	D	509	NAG	O3-C3-C2	-2.59	103.83	109.39
4	C	504	NAG	C2-N2-C7	-2.57	119.20	122.94
4	B	506	MAN	C3-C4-C5	-2.57	105.70	110.22
4	D	504	NAG	C3-C4-C5	-2.51	105.79	110.22
4	C	504	NAG	C1-C2-N2	-2.23	106.67	110.49
4	C	506	BMA	O6-C6-C5	-2.18	104.01	111.34
4	A	503	NAG	O4-C4-C3	-2.17	105.63	110.36
4	C	505	NAG	O4-C4-C3	-2.06	105.87	110.36
4	A	504	NAG	C3-C4-C5	-2.03	106.64	110.22
4	A	505	BMA	C6-C5-C4	2.00	117.69	113.00
7	D	510	NAG	C4-C3-C2	2.03	114.00	111.02
4	B	505	BMA	C6-C5-C4	2.06	117.82	113.00
4	A	506	MAN	C1-C2-C3	2.08	112.28	109.65
4	C	507	MAN	O5-C1-C2	2.10	114.08	110.79
4	C	505	NAG	C1-C2-N2	2.14	114.14	110.49
5	A	509	FUC	C1-O5-C5	2.20	117.26	112.39
4	B	506	MAN	O2-C2-C1	2.33	113.92	109.18
4	D	505	BMA	C1-C2-C3	2.51	112.83	109.65
5	A	508	NAG	O4-C4-C3	2.52	115.85	110.36
4	D	503	NAG	C4-C3-C2	2.70	114.98	111.02
4	D	507	MAN	C3-C4-C5	2.80	115.16	110.22
4	B	507	MAN	C2-C3-C4	2.82	115.79	110.88
4	D	503	NAG	C1-O5-C5	2.85	116.09	112.17
4	D	507	MAN	C1-O5-C5	2.90	116.17	112.17
4	A	503	NAG	C1-O5-C5	2.95	116.23	112.17
4	A	507	MAN	C2-C3-C4	2.95	116.02	110.88
4	A	507	MAN	O5-C1-C2	2.96	115.43	110.79
7	D	510	NAG	C1-O5-C5	3.13	116.49	112.17
4	D	507	MAN	C1-C2-C3	3.26	113.79	109.65
4	A	507	MAN	C1-O5-C5	3.37	116.81	112.17
4	B	506	MAN	C1-O5-C5	3.52	117.01	112.17
5	A	508	NAG	O3-C3-C4	3.56	118.10	110.36
4	D	507	MAN	C2-C3-C4	3.62	117.19	110.88
4	B	505	BMA	C1-C2-C3	3.64	114.27	109.65
4	B	507	MAN	O5-C1-C2	3.70	116.59	110.79
4	C	508	MAN	C1-C2-C3	3.72	114.37	109.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	506	MAN	C1-O5-C5	3.74	117.32	112.17
4	D	506	MAN	C1-O5-C5	3.80	117.41	112.17
4	C	508	MAN	O5-C1-C2	3.97	117.01	110.79
5	C	511	FUC	O5-C5-C4	4.25	116.62	109.62
4	B	503	NAG	C1-O5-C5	4.30	118.09	112.17
4	B	507	MAN	C1-C2-C3	4.39	115.22	109.65
5	C	511	FUC	C3-C4-C5	4.48	116.73	109.68
7	D	509	NAG	C1-O5-C5	4.66	118.59	112.17
4	B	507	MAN	C1-O5-C5	4.86	118.87	112.17
4	C	507	MAN	C1-O5-C5	5.12	119.22	112.17
4	C	508	MAN	C1-O5-C5	5.25	119.40	112.17
4	A	507	MAN	C1-C2-C3	6.92	118.42	109.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	508	NAG	1	0
4	B	503	NAG	1	0
4	D	503	NAG	1	0
4	D	505	BMA	1	0

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 5 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EPE	A	502	-	15,15,15	0.98	1 (6%)	18,20,20	3.05	5 (27%)
6	NAG	A	510	1	14,14,15	0.68	1 (7%)	15,19,21	1.15	1 (6%)
3	EPE	B	502	-	15,15,15	1.01	1 (6%)	18,20,20	2.69	9 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	B	508	1	14,14,15	0.45	0	15,19,21	1.80	1 (6%)
6	NAG	B	511	1	14,14,15	0.59	0	15,19,21	2.28	2 (13%)
3	EPE	C	503	-	15,15,15	0.89	1 (6%)	18,20,20	2.31	6 (33%)
6	NAG	C	509	1	14,14,15	0.56	0	15,19,21	1.85	4 (26%)
6	NAG	C	512	1	14,14,15	0.69	1 (7%)	15,19,21	1.64	1 (6%)
3	EPE	D	502	-	15,15,15	1.15	1 (6%)	18,20,20	3.03	6 (33%)
6	NAG	D	508	1	14,14,15	0.49	0	15,19,21	0.92	1 (6%)
6	NAG	D	511	1	14,14,15	0.45	0	15,19,21	1.93	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPE	A	502	-	-	0/9/19/19	0/1/1/1
6	NAG	A	510	1	-	0/6/23/26	0/1/1/1
3	EPE	B	502	-	-	0/9/19/19	0/1/1/1
6	NAG	B	508	1	-	0/6/23/26	0/1/1/1
6	NAG	B	511	1	-	0/6/23/26	0/1/1/1
3	EPE	C	503	-	-	0/9/19/19	0/1/1/1
6	NAG	C	509	1	-	0/6/23/26	0/1/1/1
6	NAG	C	512	1	-	0/6/23/26	0/1/1/1
3	EPE	D	502	-	-	0/9/19/19	0/1/1/1
6	NAG	D	508	1	-	0/6/23/26	0/1/1/1
6	NAG	D	511	1	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	510	NAG	C1-C2	2.06	1.55	1.52
6	C	512	NAG	C1-C2	2.14	1.55	1.52
3	C	503	EPE	C10-S	2.60	1.81	1.77
3	A	502	EPE	C10-S	2.76	1.81	1.77
3	B	502	EPE	C10-S	3.37	1.82	1.77
3	D	502	EPE	C10-S	3.38	1.82	1.77

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	511	NAG	C4-C3-C2	-4.25	104.78	111.02
6	C	509	NAG	O5-C1-C2	-3.75	106.25	111.47
6	D	511	NAG	O5-C1-C2	-2.97	107.35	111.47
6	D	511	NAG	C2-N2-C7	-2.33	119.54	122.94
3	B	502	EPE	O3S-S-C10	-2.01	103.59	106.06
3	B	502	EPE	C9-N1-C6	2.04	116.48	111.26
3	D	502	EPE	C5-C6-N1	2.26	115.21	110.63
6	D	508	NAG	C1-O5-C5	2.33	115.37	112.17
6	C	509	NAG	C4-C3-C2	2.35	114.47	111.02
3	B	502	EPE	C7-N4-C5	2.46	117.57	111.26
6	B	511	NAG	C1-C2-N2	2.52	114.79	110.49
3	D	502	EPE	C6-N1-C2	2.76	115.12	108.87
3	C	503	EPE	C3-C2-N1	2.84	116.39	110.63
3	A	502	EPE	C6-N1-C2	2.85	115.33	108.87
3	A	502	EPE	C7-N4-C5	2.91	118.72	111.26
3	B	502	EPE	C5-C6-N1	2.93	116.57	110.63
3	D	502	EPE	C7-N4-C5	3.03	119.03	111.26
6	C	509	NAG	C1-O5-C5	3.04	116.36	112.17
3	C	503	EPE	C7-N4-C5	3.12	119.26	111.26
3	B	502	EPE	C7-N4-C3	3.21	119.48	111.26
3	D	502	EPE	C7-N4-C3	3.23	119.54	111.26
6	D	511	NAG	C1-C2-N2	3.30	116.13	110.49
6	A	510	NAG	C1-O5-C5	3.42	116.88	112.17
3	B	502	EPE	O1S-S-C10	3.53	109.82	106.79
3	A	502	EPE	C7-N4-C3	3.56	120.39	111.26
3	B	502	EPE	C6-N1-C2	3.58	116.97	108.87
3	C	503	EPE	C5-N4-C3	3.59	117.00	108.87
3	C	503	EPE	C7-N4-C3	4.07	121.69	111.26
3	B	502	EPE	C5-N4-C3	4.13	118.22	108.87
3	C	503	EPE	O3S-S-C10	4.18	111.19	106.06
6	C	509	NAG	C3-C4-C5	4.24	117.68	110.22
3	A	502	EPE	C5-N4-C3	4.71	119.54	108.87
3	C	503	EPE	C6-N1-C2	4.90	119.97	108.87
3	D	502	EPE	C5-N4-C3	4.91	119.99	108.87
6	C	512	NAG	C1-O5-C5	5.39	119.59	112.17
6	B	508	NAG	C1-O5-C5	6.09	120.56	112.17
3	B	502	EPE	O2S-S-C10	6.71	112.55	106.79
6	B	511	NAG	C1-O5-C5	7.77	122.88	112.17
3	D	502	EPE	O2S-S-C10	9.75	115.17	106.79
3	A	502	EPE	O2S-S-C10	10.15	115.51	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	EPE	2	0
3	B	502	EPE	2	0
3	C	503	EPE	1	0
3	D	502	EPE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/393 (98%)	0.48	13 (3%) 46 58	14, 28, 42, 61	0
1	B	388/393 (98%)	0.56	20 (5%) 28 40	16, 28, 43, 57	0
1	C	388/393 (98%)	0.54	21 (5%) 26 37	11, 28, 42, 59	0
1	D	388/393 (98%)	0.38	6 (1%) 74 83	12, 27, 42, 61	0
All	All	1552/1572 (98%)	0.49	60 (3%) 40 52	11, 28, 42, 61	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	469	ILE	10.4
1	A	469	ILE	8.8
1	D	468	PRO	7.3
1	D	469	ILE	6.6
1	B	469	ILE	5.4
1	A	468	PRO	3.7
1	C	468	PRO	3.6
1	B	114	ILE	3.4
1	B	169	LEU	3.4
1	A	333	SER	3.3
1	A	465	ASN	3.1
1	C	169	LEU	3.0
1	C	431	LYS	2.9
1	D	431	LYS	2.8
1	B	465	ASN	2.7
1	A	330	ASP	2.7
1	C	308	LYS	2.7
1	D	147	ASN	2.6
1	B	332	SER	2.6
1	B	174	VAL	2.6
1	B	82	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	390	LEU	2.5
1	C	330	ASP	2.5
1	D	86	ASN	2.5
1	B	167	PHE	2.5
1	C	436	VAL	2.5
1	B	330	ASP	2.5
1	B	468	PRO	2.5
1	B	337	CYS	2.4
1	C	159	LEU	2.4
1	C	114	ILE	2.4
1	C	247	SER	2.4
1	A	390	LEU	2.4
1	D	330	ASP	2.3
1	C	82	ALA	2.3
1	A	467	MET	2.3
1	A	331	SER	2.3
1	B	331	SER	2.3
1	B	159	LEU	2.3
1	B	171	THR	2.3
1	B	83	GLU	2.3
1	A	388	SER	2.3
1	B	165	VAL	2.3
1	A	114	ILE	2.3
1	B	108	LEU	2.2
1	B	431	LYS	2.2
1	C	369	THR	2.2
1	C	83	GLU	2.1
1	A	332	SER	2.1
1	A	169	LEU	2.1
1	C	435	GLU	2.1
1	C	332	SER	2.1
1	A	159	LEU	2.1
1	C	368	GLU	2.1
1	C	467	MET	2.1
1	B	443	ILE	2.1
1	C	463	ASP	2.0
1	C	164	GLY	2.0
1	C	400	ARG	2.0
1	C	171	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	NAG	A	503	14/15	0.90	0.20	7.12	26,32,38,38	0
4	NAG	B	503	14/15	0.89	0.19	2.35	22,34,37,38	0
4	NAG	D	503	14/15	0.84	0.18	1.06	30,36,42,43	0
4	NAG	C	504	14/15	0.88	0.19	0.66	27,32,38,39	0
4	MAN	C	507	11/12	0.74	0.23	-	48,52,54,56	0
4	NAG	C	505	14/15	0.90	0.15	-	29,31,34,37	0
5	FUC	B	510	10/11	0.73	0.39	-	70,71,71,72	0
5	NAG	A	508	14/15	0.72	0.21	-	58,62,65,69	0
5	NAG	B	509	14/15	0.72	0.26	-	58,63,68,71	0
4	NAG	A	504	14/15	0.89	0.18	-	31,32,35,36	0
5	FUC	A	509	10/11	0.73	0.35	-	66,67,67,68	0
7	NAG	D	510	14/15	0.57	0.28	-	63,64,66,66	0
4	MAN	B	506	11/12	0.79	0.22	-	43,46,47,49	0
4	MAN	D	506	11/12	0.84	0.23	-	49,51,53,55	0
4	BMA	D	505	11/12	0.89	0.15	-	42,46,48,51	0
4	NAG	B	504	14/15	0.90	0.14	-	35,37,40,40	0
4	BMA	B	505	11/12	0.92	0.23	-	42,44,47,50	0
4	MAN	C	508	11/12	0.85	0.25	-	50,51,52,53	0
4	BMA	C	506	11/12	0.84	0.19	-	42,46,48,50	0
5	NAG	C	510	14/15	0.81	0.21	-	52,57,62,63	0
4	BMA	A	505	11/12	0.84	0.16	-	40,44,47,50	0
4	MAN	B	507	11/12	0.69	0.20	-	47,50,51,52	0
4	MAN	D	507	11/12	0.76	0.26	-	54,54,55,56	0
4	NAG	D	504	14/15	0.89	0.13	-	35,36,39,41	0
7	NAG	D	509	14/15	0.70	0.22	-	54,58,61,62	0
4	MAN	A	507	11/12	0.76	0.28	-	52,54,54,55	0
5	FUC	C	511	10/11	0.69	0.32	-	63,64,65,65	0
4	MAN	A	506	11/12	0.78	0.22	-	46,48,50,51	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	EPE	D	502	15/15	0.83	0.25	5.86	38,41,45,45	0
3	EPE	C	503	15/15	0.86	0.26	5.27	42,48,51,52	0
3	EPE	A	502	15/15	0.91	0.20	2.04	37,43,45,46	0
6	NAG	A	510	14/15	0.79	0.28	1.56	50,54,55,56	0
3	EPE	B	502	15/15	0.92	0.17	1.47	35,38,39,40	0
2	CA	A	501	1/1	0.94	0.08	-1.87	34,34,34,34	0
2	CA	B	501	1/1	0.97	0.07	-1.94	30,30,30,30	0
2	CA	C	502	1/1	0.86	0.09	-2.31	34,34,34,34	0
2	CA	D	501	1/1	1.00	0.03	-2.59	32,32,32,32	0
2	CA	C	501	1/1	0.87	0.15	-	64,64,64,64	0
6	NAG	C	512	14/15	0.71	0.31	-	54,56,59,59	0
6	NAG	B	508	14/15	0.71	0.29	-	50,53,55,55	0
6	NAG	B	511	14/15	0.76	0.33	-	50,53,54,54	0
6	NAG	C	509	14/15	0.69	0.32	-	60,64,64,64	0
6	NAG	D	508	14/15	0.69	0.31	-	59,63,65,65	0
6	NAG	D	511	14/15	0.76	0.25	-	53,56,57,58	0

6.5 Other polymers

There are no such residues in this entry.