



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 06:54 pm GMT

PDB ID : 2HF0
Title : Bifidobacterium longum bile salt hydrolase
Authors : Suresh, C.G.; Kumar, R.S.; Brannigan, J.A.
Deposited on : 2006-06-22
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	<div> <div>22%</div> <div>65%</div> <div>29%</div> <div>5%</div> </div>
1	B	316	<div> <div>20%</div> <div>73%</div> <div>21%</div> <div>5%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bile salt hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	316	Total	C	N	O	S	15	0	0
			2463	1547	417	482	17			
1	B	316	Total	C	N	O	S	14	0	0
			2463	1547	417	482	17			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	120	Total	O	0	0
			120	120		
2	B	131	Total	O	0	0
			131	131		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Bile salt hydrolase



• Molecule 1: Bile salt hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	123.98Å 123.98Å 219.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.30 30.24 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-2.30) 97.2 (30.24-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.185 , 0.228 0.194 , 0.232	Depositor DCC
R_{free} test set	2266 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	41.9	Xtriage
Anisotropy	0.108	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5177	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.50	21/2528 (0.8%)	1.27	19/3437 (0.6%)
1	B	1.25	10/2528 (0.4%)	1.11	11/3437 (0.3%)
All	All	1.38	31/5056 (0.6%)	1.19	30/6874 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	128	VAL	CA-CB	-23.08	1.06	1.54
1	A	128	VAL	C-O	14.54	1.50	1.23
1	A	127	LEU	C-N	14.18	1.66	1.34
1	A	128	VAL	CA-C	11.61	1.83	1.52
1	A	128	VAL	CB-CG2	9.85	1.73	1.52
1	A	127	LEU	CA-CB	-8.46	1.34	1.53
1	B	315	ALA	C-N	-8.11	1.15	1.34
1	B	310	GLU	CB-CG	7.12	1.65	1.52
1	A	128	VAL	CB-CG1	7.04	1.67	1.52
1	A	228	ARG	CD-NE	-6.83	1.34	1.46
1	A	127	LEU	C-O	6.58	1.35	1.23
1	A	315	ALA	C-N	-6.55	1.19	1.34
1	B	228	ARG	CD-NE	-6.33	1.35	1.46
1	A	25	TYR	CD2-CE2	6.16	1.48	1.39
1	A	250	PHE	CD1-CE1	6.13	1.51	1.39
1	A	137	GLU	CB-CG	-5.83	1.41	1.52
1	A	169	VAL	CB-CG1	-5.83	1.40	1.52
1	B	271	GLU	CD-OE2	-5.78	1.19	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	127	LEU	N-CA	5.75	1.57	1.46
1	B	226	PHE	CD1-CE1	5.55	1.50	1.39
1	B	162	VAL	CA-CB	-5.52	1.43	1.54
1	A	271	GLU	CD-OE2	-5.35	1.19	1.25
1	A	186	TYR	CD1-CE1	5.28	1.47	1.39
1	B	215	GLY	C-O	-5.26	1.15	1.23
1	B	295	ALA	CA-CB	5.21	1.63	1.52
1	A	4	VAL	CB-CG1	-5.21	1.42	1.52
1	A	177	ASP	CG-OD2	5.19	1.37	1.25
1	B	228	ARG	CG-CD	5.17	1.64	1.51
1	A	120	GLU	CG-CD	5.16	1.59	1.51
1	A	128	VAL	N-CA	5.05	1.56	1.46
1	B	53	VAL	CB-CG2	5.04	1.63	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	228	ARG	NE-CZ-NH2	-23.98	108.31	120.30
1	B	228	ARG	NE-CZ-NH2	-20.03	110.28	120.30
1	A	228	ARG	NE-CZ-NH1	18.33	129.47	120.30
1	B	228	ARG	NE-CZ-NH1	11.66	126.13	120.30
1	A	177	ASP	CB-CG-OD1	-9.35	109.89	118.30
1	A	228	ARG	CD-NE-CZ	8.05	134.87	123.60
1	A	128	VAL	CG1-CB-CG2	-7.17	99.42	110.90
1	A	253	LEU	C-N-CA	-7.15	107.28	122.30
1	B	177	ASP	CB-CG-OD2	7.07	124.67	118.30
1	B	225	ARG	NE-CZ-NH2	-7.07	116.77	120.30
1	A	177	ASP	CB-CG-OD2	7.06	124.65	118.30
1	B	228	ARG	CD-NE-CZ	6.54	132.75	123.60
1	A	169	VAL	CG1-CB-CG2	6.35	121.06	110.90
1	A	128	VAL	O-C-N	-6.25	112.69	122.70
1	A	168	ASP	CB-CG-OD2	-6.12	112.80	118.30
1	A	303	ASP	C-N-CA	5.86	136.34	121.70
1	A	305	ASP	CB-CG-OD2	-5.85	113.04	118.30
1	B	101	THR	N-CA-CB	-5.78	99.32	110.30
1	A	265	MET	CG-SD-CE	-5.69	91.10	100.20
1	A	250	PHE	O-C-N	-5.53	113.85	122.70
1	B	110	ARG	NE-CZ-NH1	-5.52	117.54	120.30
1	A	293	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	303	ASP	CA-C-N	5.47	129.23	117.20
1	B	160	MET	CG-SD-CE	-5.46	91.47	100.20
1	A	101	THR	OG1-CB-CG2	5.31	122.22	110.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	165	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	B	248	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	B	169	VAL	CG1-CB-CG2	5.25	119.31	110.90
1	A	110	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	A	137	GLU	N-CA-CB	5.14	119.84	110.60

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	304	TYR	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	254	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2463	0	2289	94	0
1	B	2463	0	2289	64	0
2	A	120	0	0	7	0
2	B	131	0	0	4	0
All	All	5177	0	4578	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:VAL:C	1:A:128:VAL:CA	1.83	1.46
1:A:171:THR:CG2	1:A:172:ASN:H	1.52	1.21
1:B:171:THR:CG2	1:B:172:ASN:H	1.56	1.17
1:A:171:THR:HG22	1:A:172:ASN:H	1.07	1.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:THR:HG22	1:A:172:ASN:N	1.73	1.02
1:B:171:THR:HG22	1:B:172:ASN:H	1.24	0.98
1:B:171:THR:HG23	1:B:172:ASN:H	1.33	0.91
1:A:171:THR:CG2	1:A:172:ASN:N	2.21	0.90
1:B:171:THR:CG2	1:B:172:ASN:N	2.26	0.87
1:A:101:THR:HG21	2:A:346:HOH:O	1.75	0.86
1:B:171:THR:HG22	1:B:172:ASN:N	1.83	0.86
1:A:254:GLY:HA2	1:A:257:GLN:HB3	1.57	0.84
1:A:171:THR:HG23	1:A:172:ASN:H	1.42	0.83
1:A:35:GLY:HA3	1:A:308:SER:O	1.79	0.81
1:B:101:THR:HG21	2:B:371:HOH:O	1.80	0.81
1:A:22:SER:HB3	1:A:265:MET:CE	2.12	0.80
1:B:214:HIS:HD2	2:B:358:HOH:O	1.65	0.79
1:B:171:THR:HG21	1:B:222:SER:O	1.82	0.79
1:A:128:VAL:C	1:A:128:VAL:CB	2.47	0.79
1:B:22:SER:CB	1:B:265:MET:HE3	2.15	0.77
1:A:79:GLY:C	1:A:80:LEU:HD23	2.05	0.77
1:A:172:ASN:HD22	1:A:225:ARG:HH22	1.34	0.76
1:A:231:TYR:O	1:A:235:HIS:HD2	1.70	0.75
1:B:22:SER:N	1:B:265:MET:HE3	2.03	0.74
1:B:22:SER:HB3	1:B:265:MET:HE3	1.69	0.71
1:A:35:GLY:CA	1:A:308:SER:O	2.38	0.71
1:A:251:HIS:HD2	1:B:257:GLN:OE1	1.75	0.69
1:A:171:THR:HG23	1:A:172:ASN:N	2.04	0.67
1:A:194:ALA:HB3	1:A:206:ALA:HB2	1.76	0.67
1:A:80:LEU:N	1:A:80:LEU:HD23	2.10	0.66
1:B:47:LYS:HB2	1:B:111:ASN:HD22	1.61	0.66
1:B:172:ASN:HD22	1:B:225:ARG:HH22	1.43	0.65
1:B:90:HIS:HD2	1:B:129:SER:O	1.79	0.65
1:A:123:ARG:HG2	1:A:123:ARG:NH1	2.10	0.64
1:B:22:SER:CA	1:B:265:MET:HE3	2.27	0.64
1:A:110:ARG:NH1	2:A:401:HOH:O	2.31	0.64
1:B:47:LYS:H	1:B:111:ASN:ND2	1.96	0.63
1:B:240:ASN:H	1:B:240:ASN:ND2	1.96	0.63
1:A:16:GLY:HA3	1:A:249:LEU:HD11	1.81	0.62
1:A:22:SER:CB	1:A:265:MET:CE	2.77	0.62
1:B:240:ASN:HD22	1:B:240:ASN:H	1.46	0.62
1:B:228:ARG:HD2	1:B:255:SER:O	2.00	0.62
1:A:110:ARG:HH11	1:A:110:ARG:HG2	1.63	0.61
1:A:36:TYR:CD1	1:A:311:LEU:HD13	2.35	0.61
1:B:240:ASN:HD22	1:B:240:ASN:N	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:THR:CG2	1:B:222:SER:OG	2.48	0.61
1:A:158:ASP:OD1	1:A:161:HIS:HE1	1.82	0.61
1:A:231:TYR:O	1:A:235:HIS:CD2	2.53	0.61
1:A:22:SER:CB	1:A:265:MET:HE1	2.31	0.61
1:B:158:ASP:OD1	1:B:161:HIS:HE1	1.84	0.60
1:A:101:THR:HG23	2:A:384:HOH:O	2.02	0.60
1:A:123:ARG:CG	1:A:123:ARG:HH11	2.15	0.59
1:A:123:ARG:HG2	1:A:123:ARG:HH11	1.65	0.59
1:A:284:ASN:ND2	2:A:366:HOH:O	2.35	0.59
1:A:303:ASP:H	1:A:304:TYR:HA	1.68	0.59
1:A:39:ASP:CG	2:A:335:HOH:O	2.41	0.58
1:A:251:HIS:HE1	1:B:291:TYR:O	1.86	0.57
1:A:228:ARG:HD2	1:A:255:SER:O	2.04	0.57
1:A:104:PHE:O	1:A:108:VAL:HG13	2.05	0.56
1:B:171:THR:HG23	1:B:172:ASN:N	2.05	0.56
1:B:304:TYR:HB2	1:B:306:MET:HE3	1.87	0.56
1:B:32:THR:HG22	1:B:110:ARG:HH12	1.71	0.56
1:B:112:PHE:HE1	1:B:121:THR:HG1	1.55	0.55
1:B:28:THR:CG2	1:B:29:ILE:O	2.56	0.54
1:B:240:ASN:N	1:B:240:ASN:ND2	2.54	0.54
1:A:50:PRO:HB3	1:A:110:ARG:HD3	1.90	0.54
1:A:88:PHE:HB2	1:A:129:SER:HB2	1.90	0.53
1:B:22:SER:HB3	1:B:265:MET:CE	2.38	0.53
1:A:254:GLY:HA2	1:A:257:GLN:CB	2.34	0.52
1:A:257:GLN:NE2	1:B:251:HIS:ND1	2.58	0.52
1:A:12:ASN:ND2	2:A:435:HOH:O	2.36	0.51
1:A:36:TYR:O	1:A:110:ARG:NH2	2.42	0.51
1:A:39:ASP:O	1:A:63:ARG:NH2	2.44	0.50
1:A:171:THR:CG2	1:A:222:SER:OG	2.58	0.50
1:A:172:ASN:ND2	1:A:225:ARG:HH22	2.04	0.50
1:B:284:ASN:ND2	2:B:417:HOH:O	2.44	0.50
1:A:279:TYR:OH	1:A:284:ASN:ND2	2.44	0.50
1:B:189:VAL:HG13	1:B:213:MET:HA	1.94	0.49
1:B:37:HIS:NE2	1:B:39:ASP:OD1	2.39	0.49
1:A:2:THR:O	1:A:17:ARG:HA	2.13	0.49
1:A:34:ARG:HG3	1:A:306:MET:O	2.12	0.49
1:A:90:HIS:NE2	1:A:131:ILE:HD11	2.27	0.49
1:B:90:HIS:CD2	1:B:129:SER:O	2.62	0.49
1:B:67:PHE:CD1	1:B:67:PHE:N	2.79	0.49
1:A:132:VAL:HB	1:A:135:GLN:HB2	1.94	0.49
1:B:1:CYS:N	1:B:172:ASN:HD21	2.11	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:GLN:NE2	1:B:173:GLN:H	2.11	0.48
1:A:90:HIS:CD2	1:A:131:ILE:CD1	2.96	0.48
1:B:62:ASP:CG	1:B:62:ASP:O	2.51	0.48
1:B:173:GLN:H	1:B:173:GLN:HE21	1.62	0.48
1:A:80:LEU:N	1:A:80:LEU:CD2	2.76	0.48
1:B:110:ARG:NH1	2:B:388:HOH:O	2.46	0.48
1:A:37:HIS:CD2	1:A:39:ASP:OD1	2.67	0.47
1:A:158:ASP:OD1	1:A:161:HIS:CE1	2.66	0.47
1:A:171:THR:HG21	1:A:222:SER:O	2.12	0.47
1:A:254:GLY:CA	1:A:257:GLN:HB3	2.38	0.47
1:A:60:MET:O	1:A:61:ALA:HB3	2.14	0.47
1:B:104:PHE:O	1:B:108:VAL:HG13	2.14	0.47
1:B:265:MET:HE1	1:B:271:GLU:HG3	1.97	0.47
1:B:304:TYR:CB	1:B:306:MET:HE3	2.45	0.47
1:A:1:CYS:N	1:A:172:ASN:HD21	2.12	0.46
1:A:287:TYR:HA	1:A:297:ARG:O	2.16	0.46
1:B:301:MET:HB2	1:B:301:MET:HE2	1.82	0.46
1:B:305:ASP:O	1:B:308:SER:HB3	2.15	0.46
1:A:128:VAL:C	1:A:128:VAL:HB	2.33	0.46
1:B:72:GLU:HB3	1:B:301:MET:CE	2.46	0.46
1:A:79:GLY:C	1:A:80:LEU:CD2	2.80	0.46
1:B:1:CYS:HB3	1:B:80:LEU:HD22	1.98	0.46
1:A:38:TYR:OH	1:A:103:GLU:OE1	2.26	0.45
1:A:302:ALA:O	1:A:303:ASP:OD1	2.34	0.45
1:A:28:THR:HG21	1:A:313:SER:OG	2.16	0.45
1:A:300:ALA:O	1:A:303:ASP:HB2	2.16	0.45
1:A:172:ASN:HB2	1:A:222:SER:HB2	1.98	0.44
1:A:64:PRO:HG2	1:A:106:LEU:HD22	1.98	0.44
1:B:133:PRO:HA	1:B:134:GLY:HA2	1.70	0.44
1:A:1:CYS:H2	1:A:172:ASN:HD21	1.65	0.44
1:A:13:THR:HB	1:A:281:SER:HB3	2.00	0.44
1:B:172:ASN:ND2	1:B:225:ARG:HH22	2.14	0.44
1:A:100:ALA:O	1:A:103:GLU:HG2	2.18	0.43
1:A:283:THR:O	1:A:284:ASN:C	2.56	0.43
1:A:90:HIS:CD2	1:A:131:ILE:HD12	2.52	0.43
1:A:74:GLY:HA2	1:A:279:TYR:OH	2.18	0.43
1:A:104:PHE:HB3	1:A:105:PRO:HD3	2.01	0.43
1:B:19:LEU:HD22	1:B:275:PHE:CE2	2.54	0.43
1:A:44:ALA:HB2	1:A:98:ASN:O	2.18	0.43
1:B:22:SER:N	1:B:265:MET:CE	2.76	0.43
1:A:189:VAL:HG13	1:A:213:MET:HA	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:GLU:HB3	1:B:301:MET:HE3	2.00	0.43
1:B:28:THR:HG23	1:B:29:ILE:O	2.18	0.42
1:B:23:PHE:HD2	1:B:24:SER:O	2.03	0.42
1:A:28:THR:HG23	1:A:29:ILE:O	2.19	0.42
1:A:59:VAL:HG23	1:A:59:VAL:O	2.20	0.42
1:A:293:ASP:HA	1:A:294:PRO:HD2	1.94	0.42
1:A:20:ASP:HA	1:A:272:ARG:O	2.20	0.42
1:A:276:THR:O	1:A:288:MET:HA	2.19	0.42
1:A:5:ARG:HA	1:A:14:TYR:O	2.20	0.42
1:B:82:PHE:N	1:B:83:PRO:CD	2.82	0.42
1:A:22:SER:OG	1:A:265:MET:HE1	2.20	0.42
1:B:174:PRO:HG2	1:B:178:PHE:CG	2.55	0.42
1:A:90:HIS:CD2	1:A:131:ILE:HD11	2.54	0.41
1:A:28:THR:CG2	1:A:29:ILE:O	2.68	0.41
1:A:35:GLY:N	1:A:308:SER:O	2.54	0.41
1:B:193:MET:CE	1:B:206:ALA:HB3	2.50	0.41
1:B:67:PHE:HD1	1:B:67:PHE:N	2.17	0.41
1:A:121:THR:O	1:A:125:VAL:HG23	2.19	0.41
1:A:17:ARG:CD	1:A:17:ARG:C	2.89	0.41
1:B:100:ALA:O	1:B:103:GLU:HG2	2.21	0.41
1:B:81:ASN:HD22	1:B:81:ASN:HA	1.70	0.41
1:A:257:GLN:NE2	2:A:378:HOH:O	2.54	0.40
1:B:189:VAL:HG11	1:B:216:ILE:HG12	2.03	0.40
1:B:222:SER:HB3	1:B:223:PRO:HD3	2.02	0.40
1:A:254:GLY:C	1:A:257:GLN:H	2.25	0.40
1:A:22:SER:H	1:A:265:MET:HE1	1.86	0.40
1:A:90:HIS:HD2	1:A:129:SER:O	2.04	0.40
1:A:128:VAL:C	1:A:128:VAL:N	2.66	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/316 (99%)	297 (95%)	14 (4%)	3 (1%)	18	20
1	B	314/316 (99%)	302 (96%)	9 (3%)	3 (1%)	18	20
All	All	628/632 (99%)	599 (95%)	23 (4%)	6 (1%)	18	20

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	304	TYR
1	A	303	ASP
1	B	303	ASP
1	A	82	PHE
1	B	82	PHE
1	B	174	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/263 (100%)	239 (91%)	24 (9%)	11	13
1	B	263/263 (100%)	240 (91%)	23 (9%)	12	14
All	All	526/526 (100%)	479 (91%)	47 (9%)	11	13

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASP
1	A	17	ARG
1	A	19	LEU
1	A	28	THR
1	A	39	ASP
1	A	53	VAL
1	A	60	MET
1	A	68	ASP
1	A	80	LEU
1	A	101	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	110	ARG
1	A	123	ARG
1	A	129	SER
1	A	136	GLN
1	A	141	HIS
1	A	169	VAL
1	A	171	THR
1	A	238	GLN
1	A	286	TYR
1	A	304	TYR
1	A	311	LEU
1	A	312	ILE
1	A	314	VAL
1	A	316	ARG
1	B	7	SER
1	B	17	ARG
1	B	19	LEU
1	B	28	THR
1	B	49	LYS
1	B	53	VAL
1	B	68	ASP
1	B	81	ASN
1	B	101	THR
1	B	110	ARG
1	B	141	HIS
1	B	169	VAL
1	B	171	THR
1	B	173	GLN
1	B	240	ASN
1	B	257	GLN
1	B	286	TYR
1	B	297	ARG
1	B	305	ASP
1	B	308	SER
1	B	311	LEU
1	B	314	VAL
1	B	316	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	37	HIS
1	A	81	ASN
1	A	90	HIS
1	A	111	ASN
1	A	135	GLN
1	A	161	HIS
1	A	172	ASN
1	A	235	HIS
1	A	245	ASN
1	A	251	HIS
1	A	257	GLN
1	A	284	ASN
1	B	18	ASN
1	B	81	ASN
1	B	90	HIS
1	B	111	ASN
1	B	161	HIS
1	B	172	ASN
1	B	173	GLN
1	B	240	ASN
1	B	245	ASN
1	B	284	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.







5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/316 (99%)	1.06	69 (21%)  	26, 39, 57, 104	1 (0%)
1	B	315/316 (99%)	0.88	64 (20%)  	23, 35, 53, 61	1 (0%)
All	All	630/632 (99%)	0.97	133 (21%)  	23, 36, 55, 104	2 (0%)

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	127	LEU	6.1
1	B	76	ALA	5.7
1	B	77	ILE	5.7
1	B	78	ALA	5.5
1	A	128	VAL	5.0
1	A	256	VAL	5.0
1	A	77	ILE	5.0
1	A	94	GLU	4.9
1	A	133	PRO	4.8
1	A	144	ILE	4.8
1	A	37	HIS	4.7
1	A	309	SER	4.6
1	B	4	VAL	4.6
1	A	39	ASP	4.5
1	A	1	CYS	4.5
1	B	143	PHE	4.5
1	B	3	GLY	4.4
1	B	144	ILE	4.4
1	A	4	VAL	4.3
1	A	143	PHE	4.1
1	A	93	VAL	4.0
1	A	80	LEU	4.0
1	B	229	VAL	3.9
1	B	142	TRP	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	108	VAL	3.8
1	A	2	THR	3.8
1	B	1	CYS	3.8
1	B	302	ALA	3.7
1	A	78	ALA	3.7
1	A	108	VAL	3.7
1	B	23	PHE	3.7
1	B	16	GLY	3.6
1	B	75	LEU	3.6
1	B	306	MET	3.6
1	B	170	LEU	3.6
1	A	310	GLU	3.6
1	B	15	PHE	3.6
1	A	131	ILE	3.6
1	A	240	ASN	3.6
1	A	62	ASP	3.5
1	B	256	VAL	3.5
1	A	109	ALA	3.5
1	A	145	GLY	3.5
1	B	69	CYS	3.5
1	A	142	TRP	3.4
1	B	253	LEU	3.4
1	B	25	TYR	3.4
1	B	308	SER	3.4
1	A	96	THR	3.3
1	A	48	ALA	3.3
1	B	105	PRO	3.3
1	B	227	VAL	3.3
1	A	105	PRO	3.3
1	A	229	VAL	3.3
1	B	56	VAL	3.2
1	A	76	ALA	3.2
1	A	90	HIS	3.1
1	B	310	GLU	3.1
1	A	122	LEU	3.1
1	A	170	LEU	3.1
1	B	53	VAL	3.1
1	A	95	GLY	3.1
1	B	169	VAL	3.0
1	B	195	GLU	3.0
1	A	33	PRO	3.0
1	B	35	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	253	LEU	3.0
1	A	315	ALA	3.0
1	B	17	ARG	2.9
1	A	104	PHE	2.9
1	A	157	ALA	2.9
1	B	106	LEU	2.8
1	B	37	HIS	2.8
1	B	216	ILE	2.8
1	A	25	TYR	2.8
1	A	312	ILE	2.8
1	A	75	LEU	2.8
1	B	48	ALA	2.7
1	B	228	ARG	2.7
1	B	62	ASP	2.7
1	B	80	LEU	2.7
1	B	2	THR	2.7
1	A	307	ASP	2.6
1	A	171	THR	2.6
1	A	125	VAL	2.6
1	A	15	PHE	2.6
1	A	218	GLY	2.6
1	B	171	THR	2.6
1	A	120	GLU	2.6
1	B	123	ARG	2.6
1	A	140	LEU	2.6
1	B	307	ASP	2.6
1	A	169	VAL	2.5
1	A	36	TYR	2.5
1	B	18	ASN	2.5
1	B	70	ALA	2.5
1	A	195	GLU	2.5
1	B	79	GLY	2.5
1	B	145	GLY	2.5
1	A	17	ARG	2.5
1	B	95	GLY	2.5
1	B	94	GLU	2.4
1	B	283	THR	2.4
1	A	69	CYS	2.4
1	A	217	PRO	2.4
1	B	10	GLU	2.4
1	A	3	GLY	2.4
1	B	303	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	ALA	2.3
1	A	255	SER	2.3
1	B	151	ILE	2.3
1	A	220	VAL	2.3
1	B	24	SER	2.3
1	A	91	GLU	2.3
1	A	132	VAL	2.3
1	B	104	PHE	2.3
1	B	252	THR	2.2
1	A	252	THR	2.2
1	A	18	ASN	2.1
1	B	304	TYR	2.1
1	A	9	ASP	2.1
1	A	43	GLY	2.1
1	B	38	TYR	2.1
1	A	66	TYR	2.1
1	B	66	TYR	2.1
1	B	152	VAL	2.1
1	A	10	GLU	2.1
1	B	278	GLY	2.1
1	A	254	GLY	2.1
1	B	267	ASP	2.1
1	B	305	ASP	2.1
1	B	109	ALA	2.0
1	A	257	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.