



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:24 am GMT

PDB ID : 5HJO
Title : Murine endoplasmic reticulum alpha-glucosidase II with bound substrate analogue
Authors : Caputo, A.T.; Roversi, P.; Alonzi, D.S.; Kiappes, J.L.; Zitzmann, N.
Deposited on : 2016-01-13
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	857	<div> <div style="width: 97%;"></div> <div>97%</div> </div>
1	C	857	<div> <div style="width: 96%;"></div> <div>96%</div> </div>
2	B	83	<div> <div style="width: 98%;"></div> <div>98%</div> </div>
2	D	83	<div> <div style="width: 95%;"></div> <div>95%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EDO	C	1007	-	-	-	X
8	FMT	A	1009	-	-	-	X
8	FMT	C	1011	-	-	-	X
8	FMT	C	1012	-	-	-	X
8	FMT	C	1016	-	-	-	X

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 30426 atoms, of which 14497 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutral alpha-glucosidase AB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	854	Total	C	H	N	O	S	0	2	0
			13547	4419	6645	1195	1260	28			
1	C	854	Total	C	H	N	O	S	0	3	0
			13554	4422	6647	1195	1262	28			

There are 198 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	TRP	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ILE	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ARG	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	TYR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	945	THR	-	expression tag	UNP Q8BHN3
A	946	SER	-	expression tag	UNP Q8BHN3
A	947	VAL	-	expression tag	UNP Q8BHN3
A	948	LEU	-	expression tag	UNP Q8BHN3
A	949	ILE	-	expression tag	UNP Q8BHN3
A	950	LEU	-	expression tag	UNP Q8BHN3
A	951	ARG	-	expression tag	UNP Q8BHN3
A	952	LYS	-	expression tag	UNP Q8BHN3
A	953	PRO	-	expression tag	UNP Q8BHN3
A	954	GLY	-	expression tag	UNP Q8BHN3
A	955	VAL	-	expression tag	UNP Q8BHN3
A	956	SER	-	expression tag	UNP Q8BHN3
A	957	VAL	-	expression tag	UNP Q8BHN3
A	958	ALA	-	expression tag	UNP Q8BHN3
A	959	SER	-	expression tag	UNP Q8BHN3
A	960	ASP	-	expression tag	UNP Q8BHN3
A	961	TRP	-	expression tag	UNP Q8BHN3
A	962	SER	-	expression tag	UNP Q8BHN3
A	963	ILE	-	expression tag	UNP Q8BHN3
A	964	HIS	-	expression tag	UNP Q8BHN3
A	965	LEU	-	expression tag	UNP Q8BHN3
A	966	ARG	-	expression tag	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	TRP	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ILE	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ARG	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	MET	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	TYR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	945	THR	-	expression tag	UNP Q8BHN3
C	946	SER	-	expression tag	UNP Q8BHN3
C	947	VAL	-	expression tag	UNP Q8BHN3
C	948	LEU	-	expression tag	UNP Q8BHN3
C	949	ILE	-	expression tag	UNP Q8BHN3
C	950	LEU	-	expression tag	UNP Q8BHN3
C	951	ARG	-	expression tag	UNP Q8BHN3
C	952	LYS	-	expression tag	UNP Q8BHN3
C	953	PRO	-	expression tag	UNP Q8BHN3
C	954	GLY	-	expression tag	UNP Q8BHN3
C	955	VAL	-	expression tag	UNP Q8BHN3
C	956	SER	-	expression tag	UNP Q8BHN3
C	957	VAL	-	expression tag	UNP Q8BHN3
C	958	ALA	-	expression tag	UNP Q8BHN3
C	959	SER	-	expression tag	UNP Q8BHN3
C	960	ASP	-	expression tag	UNP Q8BHN3
C	961	TRP	-	expression tag	UNP Q8BHN3

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	962	SER	-	expression tag	UNP Q8BHN3
C	963	ILE	-	expression tag	UNP Q8BHN3
C	964	HIS	-	expression tag	UNP Q8BHN3
C	965	LEU	-	expression tag	UNP Q8BHN3
C	966	ARG	-	expression tag	UNP Q8BHN3

- Molecule 2 is a protein called Glucosidase 2 subunit beta.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			
2	D	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			26	8	12	1	5		
3	A	1	Total	C	H	N	O	0	0
			26	8	12	1	5		
3	C	1	Total	C	H	N	O	0	0
			26	8	12	1	5		
3	C	1	Total	C	H	N	O	0	0
			26	8	12	1	5		

- Molecule 4 is BETA-D-MANNOSE (three-letter code: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			20	6	9	5		
4	C	1	Total	C	H	O	0	0
			20	6	9	5		

- Molecule 5 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: $C_6H_{12}O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			21	6	10	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	H	O	0	0
			21	6	10	5		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			7	2	3	2		
6	C	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			10	2	6	2		
7	C	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 8 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			4	1	1	2		
8	A	1	Total	C	H	O	0	0
			5	1	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			5	1	2	2		
8	A	1	Total	C	H	O	0	0
			5	1	2	2		
8	A	1	Total	C	H	O	0	0
			4	1	1	2		
8	A	1	Total	C	H	O	0	0
			4	1	1	2		
8	A	1	Total	C	H	O	0	0
			5	1	2	2		
8	A	1	Total	C	H	O	0	0
			5	1	2	2		
8	A	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			4	1	1	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			4	1	1	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		
8	C	1	Total	C	H	O	0	0
			5	1	2	2		

- Molecule 9 is 1,5-anhydro-2-deoxy-3-O-(2-deoxy- α -D-arabino-hexopyranosyl)-D-arabino-hex-1-enitol (three-letter code: XD3) (formula: $C_{12}H_{20}O_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			20	12	8		
9	C	1	Total	C	O	0	0
			20	12	8		

- Molecule 10 is D-glucal (three-letter code: DGO) (formula: $C_6H_{10}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			10	6	4		
10	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 11 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	2	Total 2	Ca 2	0	0
11	D	2	Total 2	Ca 2	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	299	Total 299	O 299	0	0
12	B	35	Total 35	O 35	0	0
12	C	288	Total 288	O 288	0	0
12	D	26	Total 26	O 26	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neutral alpha-glucosidase AB




- Molecule 1: Neutral alpha-glucosidase AB



- Molecule 2: Glucosidase 2 subunit beta



- Molecule 2: Glucosidase 2 subunit beta



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	127.05Å 176.44Å 103.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	103.10 – 2.29 103.10 – 2.29	Depositor EDS
% Data completeness (in resolution range)	96.6 (103.10-2.29) 96.6 (103.10-2.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.29Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.204 , 0.236 0.218 , 0.213	Depositor DCC
R_{free} test set	4999 reflections (5.18%)	DCC
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.664	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 44.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	30426	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, FMT, EDO, DGO, XD3, ACT, CA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/7118	0.69	3/9686 (0.0%)
1	C	0.51	0/7126	0.70	3/9697 (0.0%)
2	B	0.52	0/628	0.69	0/854
2	D	0.59	0/628	0.74	0/854
All	All	0.50	0/15500	0.70	6/21091 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	885	ARG	CG-CD-NE	10.21	133.23	111.80
1	A	513	LYS	CD-CE-NZ	-6.41	96.96	111.70
1	C	497	SER	CA-C-N	5.54	127.27	116.20
1	A	467	ARG	CB-CG-CD	5.43	125.73	111.60
1	C	467	ARG	CB-CG-CD	5.19	125.09	111.60
1	C	497	SER	C-N-CA	5.17	133.17	122.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	497	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6902	6645	6651	6	0
1	C	6907	6647	6655	8	0
2	B	616	533	533	1	0
2	D	616	533	533	2	0
3	A	28	24	24	0	0
3	C	28	24	24	0	0
4	A	11	9	9	0	0
4	C	11	9	9	0	0
5	A	11	10	10	0	0
5	C	11	10	10	0	0
6	A	4	3	3	0	0
6	C	4	3	3	0	0
7	A	4	6	6	0	0
7	C	4	6	6	0	0
8	A	30	17	19	0	0
8	C	30	18	18	0	0
9	A	20	0	0	0	0
9	C	20	0	0	0	0
10	B	10	0	0	0	0
10	D	10	0	0	1	0
11	B	2	0	0	0	0
11	D	2	0	0	0	0
12	A	299	0	0	0	0
12	B	35	0	0	0	0
12	C	288	0	0	0	0
12	D	26	0	0	0	0
All	All	15929	14497	14513	17	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:ARG:NH1	1:A:263:PRO:HG2	2.27	0.49
1:A:682:LEU:HD23	1:A:711:LEU:HD11	1.93	0.49
1:C:182:ARG:NH1	1:C:263:PRO:HG2	2.27	0.49
1:C:493:ILE:HG23	1:C:499:TYR:CE2	2.49	0.48
1:A:320:SER:O	1:A:627:PHE:HA	2.13	0.47
1:C:320:SER:O	1:C:627:PHE:HA	2.14	0.47
2:D:61:GLY:HA2	2:D:70:CYS:SG	2.55	0.47
1:C:672:GLY:O	1:C:706:ARG:NH1	2.40	0.47
1:C:567:GLU:N	1:C:568:PRO:HA	2.30	0.45
1:A:113:TYR:CZ	1:A:593:ILE:HG22	2.51	0.45
1:C:113:TYR:CZ	1:C:593:ILE:HG22	2.51	0.45
1:A:567:GLU:N	1:A:568:PRO:HA	2.32	0.44
2:B:61:GLY:HA2	2:B:70:CYS:SG	2.60	0.42
1:C:496:ASP:OD1	1:C:498:GLY:HA3	2.20	0.42
2:D:49:ASP:HB2	10:D:201:DGO:O	2.20	0.42
1:C:168:LEU:HD22	1:C:388:LEU:HD13	2.02	0.41
1:A:168:LEU:HD22	1:A:388:LEU:HD13	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	850/857 (99%)	827 (97%)	23 (3%)	0	100	100
1	C	851/857 (99%)	824 (97%)	26 (3%)	1 (0%)	55	67
2	B	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
2	D	81/83 (98%)	79 (98%)	2 (2%)	0	100	100
All	All	1863/1880 (99%)	1810 (97%)	52 (3%)	1 (0%)	55	67

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	576	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	747/748 (100%)	740 (99%)	7 (1%)	82	91
1	C	748/748 (100%)	739 (99%)	9 (1%)	75	87
2	B	72/72 (100%)	72 (100%)	0	100	100
2	D	72/72 (100%)	71 (99%)	1 (1%)	71	85
All	All	1639/1640 (100%)	1622 (99%)	17 (1%)	80	90

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	259	LYS
1	A	424	ASN
1	A	446	ASP
1	A	637	TRP
1	A	665	PHE
1	A	685	TRP
1	A	859	GLN
1	C	424	ASN
1	C	446	ASP
1	C	552	TYR
1	C	637	TRP
1	C	665	PHE
1	C	685	TRP
1	C	706	ARG
1	C	714	GLN
1	C	859	GLN
2	D	53	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	904	HIS
1	C	714	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1001	1,3	14,14,15	0.26	0	15,19,21	0.78	0
3	NAG	A	1002	3,4	14,14,15	0.38	0	15,19,21	0.69	0
4	BMA	A	1003	3,5	11,11,12	0.27	0	13,15,17	0.59	0
5	MAN	A	1004	4	11,11,12	0.32	0	13,15,17	0.75	0
6	ACT	A	1005	-	1,3,3	6.93	1 (100%)	0,3,3	0.00	-
7	EDO	A	1006	-	3,3,3	0.85	0	2,2,2	0.27	0
8	FMT	A	1007	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	A	1008	-	2,2,2	1.62	1 (50%)	1,1,1	1.03	0
8	FMT	A	1009	-	2,2,2	1.46	1 (50%)	1,1,1	0.98	0
8	FMT	A	1010	-	2,2,2	1.57	1 (50%)	1,1,1	0.93	0
8	FMT	A	1011	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	A	1012	-	0,2,2	0.00	-	0,1,1	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	FMT	A	1013	-	2,2,2	1.61	1 (50%)	1,1,1	0.72	0
8	FMT	A	1014	-	2,2,2	1.32	0	1,1,1	1.02	0
8	FMT	A	1015	-	2,2,2	1.81	1 (50%)	1,1,1	0.90	0
8	FMT	A	1016	-	2,2,2	1.56	1 (50%)	1,1,1	1.01	0
9	XD3	A	1017	-	20,21,21	0.21	0	23,29,29	2.47	2 (8%)
10	DGO	B	201	-	10,10,10	0.33	0	13,13,13	1.88	4 (30%)
9	XD3	C	1001	-	20,21,21	0.17	0	23,29,29	2.41	2 (8%)
3	NAG	C	1002	1,3	14,14,15	0.27	0	15,19,21	0.88	1 (6%)
3	NAG	C	1003	3,4	14,14,15	0.38	0	15,19,21	0.68	0
4	BMA	C	1004	3,5	11,11,12	0.28	0	13,15,17	0.61	0
5	MAN	C	1005	4	11,11,12	0.32	0	13,15,17	0.79	1 (7%)
6	ACT	C	1006	-	1,3,3	8.17	1 (100%)	0,3,3	0.00	-
7	EDO	C	1007	-	3,3,3	0.86	0	2,2,2	0.27	0
8	FMT	C	1008	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	C	1009	-	2,2,2	1.58	1 (50%)	1,1,1	1.01	0
8	FMT	C	1010	-	2,2,2	1.28	0	1,1,1	0.93	0
8	FMT	C	1011	-	2,2,2	1.51	1 (50%)	1,1,1	0.96	0
8	FMT	C	1012	-	2,2,2	1.33	0	1,1,1	1.19	0
8	FMT	C	1013	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	C	1014	-	2,2,2	1.62	1 (50%)	1,1,1	0.74	0
8	FMT	C	1015	-	2,2,2	1.14	0	1,1,1	1.05	0
8	FMT	C	1016	-	2,2,2	1.36	0	1,1,1	1.00	0
8	FMT	C	1017	-	2,2,2	1.44	0	1,1,1	0.93	0
10	DGO	D	201	-	10,10,10	0.29	0	13,13,13	1.83	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1001	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	1002	3,4	-	0/6/23/26	0/1/1/1
4	BMA	A	1003	3,5	-	0/2/19/22	0/1/1/1
5	MAN	A	1004	4	-	0/2/19/22	0/1/1/1
6	ACT	A	1005	-	-	0/0/0/0	0/0/0/0
7	EDO	A	1006	-	-	0/1/1/1	0/0/0/0
8	FMT	A	1007	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1008	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1009	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	FMT	A	1010	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1011	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1012	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1013	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1014	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1015	-	-	0/0/0/0	0/0/0/0
8	FMT	A	1016	-	-	0/0/0/0	0/0/0/0
9	XD3	A	1017	-	-	0/8/38/38	0/2/2/2
10	DGO	B	201	-	-	0/2/16/16	0/1/1/1
9	XD3	C	1001	-	-	0/8/38/38	0/2/2/2
3	NAG	C	1002	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	1003	3,4	-	0/6/23/26	0/1/1/1
4	BMA	C	1004	3,5	-	0/2/19/22	0/1/1/1
5	MAN	C	1005	4	-	0/2/19/22	0/1/1/1
6	ACT	C	1006	-	-	0/0/0/0	0/0/0/0
7	EDO	C	1007	-	-	0/1/1/1	0/0/0/0
8	FMT	C	1008	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1009	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1010	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1011	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1012	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1013	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1014	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1015	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1016	-	-	0/0/0/0	0/0/0/0
8	FMT	C	1017	-	-	0/0/0/0	0/0/0/0
10	DGO	D	201	-	-	0/2/16/16	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1009	FMT	O2-C	2.05	1.39	1.28
8	C	1011	FMT	O2-C	2.05	1.39	1.28
8	A	1013	FMT	O2-C	2.11	1.39	1.28
8	A	1010	FMT	O2-C	2.11	1.39	1.28
8	A	1016	FMT	O2-C	2.14	1.39	1.28
8	C	1009	FMT	O2-C	2.14	1.39	1.28
8	A	1008	FMT	O2-C	2.17	1.39	1.28
8	C	1014	FMT	O2-C	2.19	1.40	1.28
8	A	1015	FMT	O2-C	2.47	1.41	1.28
6	A	1005	ACT	CH3-C	6.93	1.57	1.48
6	C	1006	ACT	CH3-C	8.17	1.59	1.48

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1017	XD3	O4-C7-C8	-9.05	97.83	106.99
9	C	1001	XD3	O4-C7-C8	-9.04	97.84	106.99
3	C	1002	NAG	C1-C2-N2	-2.36	106.46	110.49
10	B	201	DGO	O2-C3-C2	-2.11	103.98	109.28
5	C	1005	MAN	C1-O5-C5	2.08	115.03	112.17
10	B	201	DGO	C2-C3-C4	2.62	114.55	110.43
10	B	201	DGO	O-C2-C5	3.69	110.72	106.99
10	D	201	DGO	C2-O-C1	3.85	119.73	114.56
10	B	201	DGO	C2-O-C1	4.03	119.97	114.56
10	D	201	DGO	O-C2-C5	4.33	111.37	106.99
9	C	1001	XD3	C7-O4-C6	6.86	123.78	114.56
9	A	1017	XD3	C7-O4-C6	7.25	124.30	114.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	D	201	DGO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	854/857 (99%)	0.11	11 (1%) 77 81	28, 43, 73, 104	0
1	C	854/857 (99%)	0.06	5 (0%) 89 92	29, 42, 67, 96	0
2	B	83/83 (100%)	0.50	7 (8%) 12 16	31, 49, 89, 104	0
2	D	83/83 (100%)	0.41	6 (7%) 16 22	31, 47, 93, 106	0
All	All	1874/1880 (99%)	0.12	29 (1%) 74 78	28, 42, 73, 106	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	81	GLY	9.1
2	D	82	TYR	5.0
1	C	814	TYR	4.3
2	B	82	TYR	4.3
2	B	43	THR	4.3
2	B	78	THR	4.2
2	B	80	THR	3.7
2	B	81	GLY	3.5
2	D	80	THR	3.5
1	A	82	VAL	3.1
1	A	71	PRO	2.8
1	A	150	ILE	2.7
2	B	44	ALA	2.7
1	A	57	LEU	2.6
1	C	520	TYR	2.6
1	C	329	PHE	2.4
1	A	69	LEU	2.4
2	D	84	PRO	2.3
1	C	164	ARG	2.3
2	B	35	LYS	2.3
1	A	110	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	43	THR	2.2
1	A	111	PRO	2.2
1	A	127	ARG	2.1
1	A	375	ILE	2.1
1	A	54	ARG	2.1
2	D	85	LEU	2.1
1	C	161	LEU	2.0
1	A	256	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	FMT	C	1012	3/3	0.91	0.27	6.88	56,57,59,59	0
8	FMT	C	1016	3/3	0.90	0.23	3.51	69,69,71,73	0
8	FMT	A	1009	3/3	0.90	0.18	2.62	63,63,65,65	0
8	FMT	C	1011	3/3	0.84	0.25	2.52	59,60,62,64	0
7	EDO	C	1007	4/4	0.91	0.19	2.17	39,45,47,47	0
8	FMT	A	1012	3/3	0.93	0.22	1.49	50,53,54,57	0
8	FMT	A	1010	3/3	0.81	0.20	1.49	60,60,63,65	0
8	FMT	A	1015	3/3	0.87	0.18	1.21	48,53,55,56	0
7	EDO	A	1006	4/4	0.93	0.15	0.85	35,43,45,46	0
8	FMT	A	1007	3/3	0.88	0.16	0.85	55,60,60,63	0
8	FMT	C	1010	3/3	0.86	0.15	0.77	54,54,57,59	0
6	ACT	A	1005	4/4	0.81	0.16	0.61	42,42,50,51	0
8	FMT	C	1014	3/3	0.87	0.15	0.24	55,56,63,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	FMT	A	1011	3/3	0.96	0.16	0.22	49,51,52,55	0
11	CA	B	203	1/1	0.99	0.14	0.18	36,36,36,36	0
10	DGO	D	201	10/10	0.91	0.15	0.10	40,46,50,53	0
9	XD3	A	1017	20/20	0.97	0.13	-0.07	23,38,47,49	0
9	XD3	C	1001	20/20	0.96	0.14	-0.11	33,40,48,50	0
8	FMT	A	1016	3/3	0.91	0.14	-0.31	53,53,56,57	0
3	NAG	A	1001	14/15	0.95	0.14	-0.54	43,50,56,58	0
10	DGO	B	201	10/10	0.94	0.12	-0.71	36,43,46,48	0
6	ACT	C	1006	4/4	0.83	0.14	-0.77	38,40,56,56	0
8	FMT	C	1008	3/3	0.91	0.13	-0.86	52,56,56,61	0
3	NAG	C	1002	14/15	0.96	0.12	-1.00	37,44,48,49	0
8	FMT	C	1017	3/3	0.91	0.13	-1.01	68,68,69,69	0
8	FMT	A	1008	3/3	0.91	0.11	-1.24	49,51,52,53	0
11	CA	D	203	1/1	0.99	0.11	-1.29	36,36,36,36	0
8	FMT	C	1009	3/3	0.94	0.10	-1.37	51,57,61,61	0
11	CA	B	202	1/1	0.97	0.09	-1.47	39,39,39,39	0
11	CA	D	202	1/1	0.99	0.10	-1.52	37,37,37,37	0
8	FMT	A	1013	3/3	0.94	0.10	-1.54	40,41,44,45	0
8	FMT	C	1013	3/3	0.96	0.12	-1.92	48,54,54,55	0
5	MAN	A	1004	11/12	0.71	0.23	-	101,105,106,107	0
3	NAG	C	1003	14/15	0.93	0.11	-	52,56,65,73	0
4	BMA	A	1003	11/12	0.83	0.15	-	86,96,98,102	0
4	BMA	C	1004	11/12	0.81	0.16	-	80,87,89,93	0
5	MAN	C	1005	11/12	0.86	0.16	-	97,102,103,103	0
3	NAG	A	1002	14/15	0.92	0.12	-	63,64,72,77	0
8	FMT	C	1015	3/3	0.95	0.09	-	49,50,54,54	0
8	FMT	A	1014	3/3	0.92	0.22	-	62,66,70,70	0

6.5 Other polymers [i](#)

There are no such residues in this entry.