



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 10:43 pm GMT

PDB ID : 1HMW
Title : ACTIVE SITE OF CHONDROITINASE AC LYASE REVEALED BY THE
STRUCTURE OF ENZYME-OLIGOSACCHARIDE COMPLEXES AND
MUTAGENESIS
Authors : Huang, W.; Boju, L.; Tkalec, L.; Su, H.; Yang, H.O.; Gunay, N.S.; Linhardt,
R.J.; Kim, Y.S.; Matte, A.; Cygler, M.
Deposited on : 2000-12-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	700	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BDP	A	711	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5854 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHONDROITINASE AC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	674	Total	C	N	O	S	0	0	0
			5381	3445	919	1003	14			

- Molecule 2 is a polymer of unknown type called SUGAR (RAM-MAN-GCU-XYX-MXY).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	5	Total	C	O	0	0
			53	30	23		

- Molecule 3 is a polymer of unknown type called SUGAR (RAM-MAN-GCU).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	3	Total	C	O	0	0
			33	18	15		

- Molecule 4 is a polymer of unknown type called SUGAR (CHONDROITIN SULFATE TETRASACCHARIDE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	4	Total	C	N	O	S	0	0
			60	28	2	28	2		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Ca	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	326	Total 326	O 326	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	86.90Å 86.90Å 192.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 20.03 – 2.29	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.30) 92.8 (20.03-2.29)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	16.85 (at 2.28Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.219 , 0.275 0.232 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	35.9	Xtriage
Anisotropy	0.676	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5854	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XYP, GCD, MXY, CA, RAM, NG6, GCU, BDP, ASG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/5519	0.63	2/7485 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	405	GLU	N-CA-C	-6.23	94.18	111.00
1	A	213	GLU	N-CA-C	5.13	124.86	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5381	0	5239	117	0
2	A	53	0	43	0	0
3	A	33	0	25	1	0
4	A	60	0	35	0	0
5	A	1	0	0	0	0
6	A	326	0	0	6	0
All	All	5854	0	5342	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 11.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:GLU:HG3	1:A:227:PRO:HB3	1.39	1.05
1:A:203:LEU:HD13	1:A:245:LEU:HD22	1.64	0.80
1:A:247:ASN:HB2	1:A:311:ILE:HD11	1.65	0.77
1:A:187:ALA:HB2	1:A:195:LEU:HD13	1.70	0.73
1:A:54:LEU:HD13	1:A:88:ILE:HD13	1.76	0.66
1:A:181:LEU:O	1:A:184:PHE:HB3	1.96	0.65
1:A:415:ARG:HD3	1:A:480:ALA:HB3	1.81	0.62
1:A:224:GLN:HG2	1:A:234:TYR:CD2	2.34	0.62
1:A:228:GLN:OE1	1:A:371:GLU:HG2	2.01	0.61
1:A:614:HIS:CE1	1:A:616:GLN:HB2	2.36	0.60
1:A:201:LYS:NZ	1:A:201:LYS:HB2	2.16	0.60
1:A:50:ALA:O	1:A:54:LEU:HB2	2.00	0.60
1:A:415:ARG:HD3	1:A:480:ALA:CB	2.31	0.60
1:A:544:GLY:O	1:A:558:VAL:HG22	2.03	0.59
1:A:36:MET:HG3	1:A:146:TYR:CD1	2.37	0.59
1:A:626:THR:HG22	6:A:990:HOH:O	2.02	0.58
1:A:372:SER:HB2	1:A:423:LEU:HD13	1.86	0.58
1:A:131:ILE:O	1:A:135:GLN:HB2	2.04	0.57
1:A:205:TYR:HB3	1:A:206:PRO:HD3	1.86	0.57
1:A:664:LYS:HE2	6:A:806:HOH:O	2.05	0.57
1:A:629:LYS:HD3	1:A:636:GLU:OE2	2.05	0.56
1:A:224:GLN:HG2	1:A:234:TYR:CE2	2.41	0.56
1:A:613:TYR:CE1	1:A:650:ILE:HD11	2.41	0.55
1:A:56:THR:HG23	1:A:63:TRP:HE1	1.71	0.55
1:A:56:THR:HG23	1:A:63:TRP:CD1	2.42	0.55
1:A:529:PHE:CE2	1:A:535:LEU:HD21	2.41	0.55
1:A:261:LEU:HD13	1:A:261:LEU:C	2.27	0.55
1:A:250:ARG:HG3	1:A:250:ARG:HH11	1.72	0.54
1:A:106:PHE:CE2	1:A:149:LYS:HE3	2.42	0.54
1:A:131:ILE:HG23	1:A:178:ASP:HB3	1.89	0.54
1:A:56:THR:HG23	1:A:63:TRP:NE1	2.21	0.54
1:A:222:TYR:O	1:A:223:LEU:HD23	2.08	0.54
1:A:160:THR:O	1:A:163:MET:HB2	2.07	0.54
1:A:261:LEU:HD13	1:A:261:LEU:O	2.09	0.53
1:A:224:GLN:O	1:A:225:HIS:HB2	2.09	0.53
1:A:247:ASN:CB	1:A:311:ILE:HD11	2.36	0.52
1:A:134:PRO:HB2	1:A:182:HIS:CD2	2.45	0.52
1:A:637:ILE:HD13	1:A:647:ILE:HD12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:TRP:CD1	1:A:131:ILE:HD12	2.45	0.51
1:A:313:LEU:N	1:A:313:LEU:HD12	2.26	0.51
1:A:102:ASP:OD2	1:A:104:LYS:HB3	2.10	0.51
1:A:375:LYS:HB3	1:A:551:ASN:HB2	1.91	0.51
1:A:53:ASN:HA	1:A:56:THR:HG22	1.93	0.51
1:A:499:SER:HB3	1:A:520:LEU:CD2	2.41	0.51
1:A:509:ILE:O	1:A:509:ILE:HG23	2.09	0.51
1:A:313:LEU:HD13	6:A:911:HOH:O	2.11	0.50
1:A:244:LYS:NZ	6:A:959:HOH:O	2.45	0.50
1:A:614:HIS:HE1	1:A:616:GLN:HB2	1.75	0.49
1:A:351:HIS:CE1	1:A:464:PHE:HB3	2.48	0.49
1:A:149:LYS:HB2	1:A:149:LYS:NZ	2.28	0.49
1:A:516:GLY:O	1:A:517:GLN:HB2	2.12	0.48
1:A:120:ASP:N	1:A:121:PRO:HD3	2.28	0.48
1:A:133:THR:HB	1:A:134:PRO:HD3	1.96	0.48
1:A:509:ILE:C	1:A:509:ILE:HD13	2.34	0.48
1:A:499:SER:HB3	1:A:520:LEU:HD23	1.96	0.48
1:A:293:PRO:HG3	1:A:546:TRP:CD2	2.49	0.48
1:A:126:TRP:CZ3	1:A:171:LYS:HE2	2.48	0.47
1:A:213:GLU:CD	1:A:213:GLU:H	2.18	0.47
1:A:219:ASP:OD2	1:A:343:PHE:HB3	2.14	0.47
1:A:94:GLU:O	1:A:100:TYR:HB2	2.15	0.47
1:A:262:ALA:HB2	6:A:917:HOH:O	2.13	0.47
1:A:583:LEU:HD22	1:A:592:ILE:HG22	1.95	0.47
1:A:302:LYS:HA	1:A:305:LEU:HB2	1.96	0.47
1:A:213:GLU:CD	1:A:213:GLU:N	2.67	0.47
1:A:368:ARG:HG2	1:A:368:ARG:HH11	1.79	0.47
1:A:403:VAL:CG1	1:A:558:VAL:HG23	2.45	0.46
1:A:67:PRO:HB2	1:A:70:ASP:HB2	1.98	0.46
1:A:203:LEU:HD23	1:A:203:LEU:O	2.16	0.46
1:A:414:SER:HA	1:A:456:LEU:CD2	2.46	0.46
1:A:313:LEU:N	1:A:313:LEU:CD1	2.79	0.46
1:A:54:LEU:HD21	1:A:105:VAL:HG22	1.97	0.45
1:A:409:ILE:HB	1:A:412:ILE:HD13	1.99	0.45
1:A:213:GLU:CG	1:A:227:PRO:HB3	2.28	0.45
1:A:328:SER:O	3:A:706:MAN:H5	2.15	0.45
1:A:224:GLN:HB3	1:A:230:GLN:HG3	1.99	0.45
1:A:295:ILE:HG23	1:A:296:LEU:N	2.32	0.45
1:A:218:TYR:CD1	1:A:691:GLU:HB3	2.51	0.45
1:A:32:MET:HE2	1:A:142:ILE:HG12	1.99	0.45
1:A:252:THR:HB	1:A:253:PRO:HD2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:534:ASN:HD22	1:A:534:ASN:C	2.19	0.44
1:A:690:GLN:HB3	1:A:691:GLU:OE2	2.17	0.44
1:A:532:GLY:O	1:A:533:ALA:HB2	2.17	0.44
1:A:517:GLN:HG2	1:A:528:TYR:OH	2.17	0.44
1:A:219:ASP:HB3	1:A:344:TRP:CE2	2.53	0.43
1:A:473:GLY:HA3	1:A:578:TYR:CE2	2.53	0.43
1:A:595:TYR:CE2	1:A:599:ALA:HB2	2.53	0.43
1:A:44:ARG:O	1:A:45:ASN:HB2	2.18	0.43
1:A:451:LEU:O	1:A:457:GLN:HA	2.19	0.43
1:A:247:ASN:O	1:A:250:ARG:HG2	2.19	0.43
1:A:600:PRO:HG3	1:A:614:HIS:CD2	2.54	0.43
1:A:638:GLU:HG2	1:A:639:THR:N	2.33	0.43
1:A:391:GLN:C	1:A:392:LEU:HD12	2.39	0.43
1:A:690:GLN:HB3	1:A:691:GLU:H	1.62	0.43
1:A:506:ARG:HG3	1:A:561:ASP:OD1	2.19	0.42
1:A:509:ILE:HD13	1:A:510:THR:N	2.34	0.42
1:A:221:SER:HB3	1:A:343:PHE:CD2	2.54	0.42
1:A:313:LEU:H	1:A:313:LEU:CD1	2.32	0.42
1:A:550:ASN:O	1:A:552:SER:N	2.53	0.42
1:A:682:ARG:HH11	1:A:682:ARG:HG3	1.84	0.42
1:A:249:VAL:HB	1:A:254:TYR:HB2	2.01	0.42
1:A:311:ILE:HG22	1:A:311:ILE:O	2.19	0.42
1:A:493:LEU:HD12	1:A:522:HIS:NE2	2.35	0.42
1:A:637:ILE:HD13	1:A:647:ILE:CD1	2.49	0.42
1:A:259:GLU:O	1:A:263:ILE:HG13	2.20	0.42
1:A:266:LYS:HG3	1:A:270:ASP:OD2	2.20	0.41
1:A:330:VAL:HG21	1:A:334:TYR:CD2	2.54	0.41
1:A:340:HIS:HD2	1:A:440:SER:HB2	1.85	0.41
1:A:85:LEU:HD13	1:A:112:ALA:CB	2.50	0.41
1:A:482:GLU:H	1:A:482:GLU:CD	2.23	0.41
1:A:676:LYS:HB2	6:A:987:HOH:O	2.19	0.41
1:A:137:LEU:HD12	1:A:137:LEU:HA	1.90	0.41
1:A:499:SER:HB2	1:A:518:PHE:CZ	2.56	0.41
1:A:201:LYS:HB2	1:A:201:LYS:HZ2	1.84	0.41
1:A:213:GLU:OE1	1:A:223:LEU:HD12	2.21	0.41
1:A:637:ILE:HG12	1:A:672:ILE:CD1	2.51	0.41
1:A:39:LEU:HB2	1:A:143:LEU:HD21	2.03	0.40
1:A:626:THR:HA	1:A:642:PRO:HG3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	672/700 (96%)	616 (92%)	52 (8%)	4 (1%)	28	34

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	213	GLU
1	A	551	ASN
1	A	214	GLU
1	A	249	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	563/598 (94%)	545 (97%)	18 (3%)	44	60

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	ASP
1	A	135	GLN
1	A	137	LEU
1	A	149	LYS
1	A	169	GLU
1	A	195	LEU
1	A	306	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	368	ARG
1	A	401	MET
1	A	404	TRP
1	A	414	SER
1	A	468	GLU
1	A	506	ARG
1	A	509	ILE
1	A	534	ASN
1	A	543	LYS
1	A	590	GLU
1	A	676	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	ASN
1	A	211	HIS
1	A	534	ASN
1	A	540	GLN
1	A	551	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

12 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	A	701	1,2	11,11,12	0.54	0	13,15,17	0.67	0
2	RAM	A	702	2	9,10,11	1.57	1 (11%)	13,14,16	0.92	1 (7%)
2	GCU	A	703	2	9,12,13	1.51	1 (11%)	13,17,19	0.77	0
2	XYP	A	704	2	9,9,10	1.53	1 (11%)	10,12,14	0.66	0
2	MXY	A	705	2	10,11,12	1.11	1 (10%)	14,15,17	0.62	0
3	MAN	A	706	1,3	11,11,12	0.53	0	13,15,17	0.44	0
3	RAM	A	707	3	9,10,11	1.71	2 (22%)	13,14,16	0.71	0
3	GCU	A	708	3	9,12,13	1.79	2 (22%)	13,17,19	0.82	0
4	ASG	A	709	4	18,18,19	1.45	2 (11%)	17,26,28	1.04	2 (11%)
4	GCD	A	710	4	7,11,12	6.87	4 (57%)	6,15,17	4.21	3 (50%)
4	BDP	A	711	4	9,12,13	1.36	0	13,17,19	0.92	0
4	NG6	A	712	4	19,19,19	1.15	1 (5%)	26,28,28	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	A	701	1,2	-	0/2/19/22	0/1/1/1
2	RAM	A	702	2	-	0/0/17/20	0/1/1/1
2	GCU	A	703	2	-	0/0/21/24	0/1/1/1
2	XYP	A	704	2	-	0/0/14/17	0/1/1/1
2	MXY	A	705	2	-	0/2/19/22	0/1/1/1
3	MAN	A	706	1,3	-	0/2/19/22	0/1/1/1
3	RAM	A	707	3	-	0/0/17/20	0/1/1/1
3	GCU	A	708	3	-	0/0/21/24	0/1/1/1
4	ASG	A	709	4	-	0/11/28/31	0/1/1/1
4	GCD	A	710	4	-	0/0/17/20	0/1/1/1
4	BDP	A	711	4	-	0/0/21/24	0/1/1/1
4	NG6	A	712	4	-	0/10/30/30	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	712	NG6	O6-S	-4.50	1.44	1.56
4	A	709	ASG	O4-S	-4.13	1.44	1.56
3	A	708	GCU	O5-C1	2.25	1.47	1.43
3	A	707	RAM	O5-C1	2.27	1.47	1.43
2	A	705	MXY	C1-C2	2.38	1.55	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	703	GCU	O5-C5	2.54	1.46	1.43
4	A	710	GCD	C3-C4	2.85	1.54	1.50
4	A	710	GCD	O3-C3	2.95	1.49	1.43
2	A	702	RAM	C4-C5	3.01	1.58	1.53
3	A	707	RAM	C4-C5	3.36	1.59	1.53
3	A	708	GCU	O5-C5	3.55	1.47	1.43
2	A	704	XYP	O5B-C1B	3.55	1.50	1.42
4	A	709	ASG	O5-C1	3.67	1.49	1.43
4	A	710	GCD	O5-C5	3.83	1.43	1.37
4	A	710	GCD	C4-C5	17.22	1.53	1.32

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	710	GCD	O5-C5-C4	-8.80	117.05	124.84
4	A	710	GCD	O3-C3-C2	-3.84	103.38	109.66
4	A	710	GCD	C1-C2-C3	-3.17	105.63	109.65
4	A	709	ASG	O7-C7-C8	-2.09	118.25	122.06
2	A	702	RAM	C1-O5-C5	2.08	117.00	112.39
4	A	709	ASG	C1-O5-C5	2.27	115.29	112.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	706	MAN	1	0

5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	674/700 (96%)	-0.02	17 (2%) 58 65	23, 40, 64, 76	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	501	ALA	4.8
1	A	43	LEU	4.1
1	A	59	PRO	3.5
1	A	310	MET	3.1
1	A	212	TYR	3.1
1	A	213	GLU	3.0
1	A	593	LYS	2.5
1	A	502	GLY	2.5
1	A	26	GLY	2.3
1	A	690	GLN	2.2
1	A	676	LYS	2.2
1	A	520	LEU	2.1
1	A	104	LYS	2.1
1	A	313	LEU	2.1
1	A	245	LEU	2.0
1	A	27	THR	2.0
1	A	109	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	BDP	A	711	12/13	0.85	0.19	3.13	58,61,64,64	0
4	NG6	A	712	19/19	0.89	0.18	1.25	64,68,70,70	0
3	MAN	A	706	11/12	0.93	0.12	1.16	44,47,51,51	0
4	ASG	A	709	18/19	0.93	0.15	0.33	48,51,55,56	0
2	MAN	A	701	11/12	0.90	0.15	-0.05	53,57,62,66	0
2	XYP	A	704	9/10	0.84	0.20	-	64,67,71,75	0
2	MXY	A	705	11/12	0.73	0.36	-	78,80,82,83	0
2	RAM	A	702	10/11	0.84	0.41	-	70,72,74,74	0
4	GCD	A	710	11/12	0.82	0.22	-	59,62,64,65	0
3	GCU	A	708	12/13	0.88	0.22	-	55,58,62,64	0
3	RAM	A	707	10/11	0.95	0.17	-	46,50,52,54	0
2	GCU	A	703	12/13	0.89	0.13	-	44,53,55,59	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	CA	A	1801	1/1	0.98	0.04	-1.69	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.