



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 06:34 am GMT

PDB ID : 4HNT
Title : crystal structure of F403A mutant of *S. aureus* Pyruvate carboxylase
Authors : Yu, L.P.C.; Tong, L.
Deposited on : 2012-10-21
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1173	<div> <div>2%</div> <div> <div></div> <div>50%</div> <div>32%</div> <div>8%</div> <div>10%</div> </div> </div>
1	B	1173	<div> <div>2%</div> <div> <div></div> <div>47%</div> <div>30%</div> <div>6%</div> <div>16%</div> </div> </div>
1	C	1173	<div> <div>2%</div> <div> <div></div> <div>46%</div> <div>35%</div> <div>9%</div> <div>10%</div> </div> </div>
1	D	1173	<div> <div>%</div> <div> <div></div> <div>48%</div> <div>28%</div> <div>8%</div> <div>16%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BTI	A	1203	-	-	-	X
4	BTI	B	1201	-	-	-	X
4	BTI	D	1201	-	-	-	X
5	ATP	C	1202	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 32480 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate carboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1052	Total	C	N	O	S	0	0	0
			8336	5286	1404	1619	27			
1	B	989	Total	C	N	O	S	0	0	0
			7832	4969	1321	1516	26			
1	C	1059	Total	C	N	O	S	0	0	0
			8373	5307	1412	1626	28			
1	D	989	Total	C	N	O	S	0	0	0
			7832	4969	1321	1516	26			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	11	MET	-	EXPRESSION TAG	UNP Q99UY8
A	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	13	SER	-	EXPRESSION TAG	UNP Q99UY8
A	14	SER	-	EXPRESSION TAG	UNP Q99UY8
A	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	21	SER	-	EXPRESSION TAG	UNP Q99UY8
A	22	SER	-	EXPRESSION TAG	UNP Q99UY8
A	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
A	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
A	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
A	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
A	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	29	SER	-	EXPRESSION TAG	UNP Q99UY8
A	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	31	MET	-	EXPRESSION TAG	UNP Q99UY8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
A	33	SER	-	EXPRESSION TAG	UNP Q99UY8
B	11	MET	-	EXPRESSION TAG	UNP Q99UY8
B	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	13	SER	-	EXPRESSION TAG	UNP Q99UY8
B	14	SER	-	EXPRESSION TAG	UNP Q99UY8
B	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	21	SER	-	EXPRESSION TAG	UNP Q99UY8
B	22	SER	-	EXPRESSION TAG	UNP Q99UY8
B	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
B	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
B	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
B	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
B	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	29	SER	-	EXPRESSION TAG	UNP Q99UY8
B	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	31	MET	-	EXPRESSION TAG	UNP Q99UY8
B	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
B	33	SER	-	EXPRESSION TAG	UNP Q99UY8
C	11	MET	-	EXPRESSION TAG	UNP Q99UY8
C	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	13	SER	-	EXPRESSION TAG	UNP Q99UY8
C	14	SER	-	EXPRESSION TAG	UNP Q99UY8
C	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	21	SER	-	EXPRESSION TAG	UNP Q99UY8
C	22	SER	-	EXPRESSION TAG	UNP Q99UY8
C	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
C	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
C	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
C	27	ARG	-	EXPRESSION TAG	UNP Q99UY8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	29	SER	-	EXPRESSION TAG	UNP Q99UY8
C	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	31	MET	-	EXPRESSION TAG	UNP Q99UY8
C	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
C	33	SER	-	EXPRESSION TAG	UNP Q99UY8
D	11	MET	-	EXPRESSION TAG	UNP Q99UY8
D	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	13	SER	-	EXPRESSION TAG	UNP Q99UY8
D	14	SER	-	EXPRESSION TAG	UNP Q99UY8
D	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	21	SER	-	EXPRESSION TAG	UNP Q99UY8
D	22	SER	-	EXPRESSION TAG	UNP Q99UY8
D	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
D	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
D	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
D	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
D	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	29	SER	-	EXPRESSION TAG	UNP Q99UY8
D	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	31	MET	-	EXPRESSION TAG	UNP Q99UY8
D	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
D	33	SER	-	EXPRESSION TAG	UNP Q99UY8

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	
			27	10	5	10	2	

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mn	0	0
			1	1		
3	A	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		

- Molecule 4 is 5-(HEXAHYDRO-2-OXO-1H-THIENO[3,4-D]IMIDAZOL-6-YL)PENTANAL (three-letter code: BTI) (formula: C₁₀H₁₆N₂O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
4	B	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
4	D	1	Total	C	N	O	S	0	0
			15	10	2	2	1		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate carboxylase






● Molecule 1: Pyruvate carboxylase





• Molecule 1: Pyruvate carboxylase



VAL	R1057	D939	H864
GLY	I1060	F940	E865
GLU	K1061	Y944	M866
THR	L1062	Y945	G869
VAL	E1063	I952	G870
LYS	T1064		Y871
ALA			
ASN			
GLN	D1069	N957	L874
PRO	E1070		S875
LEU	N1071	N960	
LEU	G1072	L963	A878
ILE	N1073		K879
THR			S880
GLU	Y1078	Y966	L881
ALA	A1079	I967	G882
ALA	M1080		L883
LYS		L974	G884
LYS			E885
MET	Q1083	R977	E886
GLU	A1084	P979	F887
THR	R1085		D888
THR	R1086	Y981	
ILE	I1087		
GLN	Y1088	D986	K891
ALA	I1089	F987	G892
PRO		E988	H893
PHE	N1093		
ASP	VAL	R896	
GLY	HIS	R991	M897
VAL	THR		N898
ILE	ASN	E995	F899
LYS	ALA	E996	L900
GLN	ASN		F901
VAL	VAL	E1004	
THR	LYS		I904
VAL	PRO	I1008	
ASN	LYS		Y907
ASN	ALA	Y1013	T908
GLY	ASP	P1014	P909
ASP	LYS	K1015	S910
THR	SER	V1016	S911
ILE	ASN		
ALA	PRO	T1023	M917
THR	SER		M918
GLY	HIS	D1034	L919
ASP	ILE	T1035	Y920
LEU	GLY	P1036	M921
LEU	ALA		
ILE	GLN	M1042	N924
GLU	MET	R1043	D925
ILE	PRO	N1044	L926
GLU	GLY	G1045	D927
LYS	SER	E1046	E928
ALA	VAL	T1047	G929
THR	THR		S930
ASP	GLU	I1052	V931
	VAL	D1053	
	LYS	K1054	G935
	VAL	G1055	
	SER	K1056	L938

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	96.23Å 256.28Å 126.69Å 90.00° 109.86° 90.00°	Depositor
Resolution (Å)	30.00 – 2.80 29.79 – 2.80	Depositor EDS
% Data completeness (in resolution range)	91.0 (30.00-2.80) 91.0 (29.79-2.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.17 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.209 , 0.279 0.207 , 0.273	Depositor DCC
R_{free} test set	6458 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	72.2	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.030 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	32480	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, BTI, ATP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	1/8497 (0.0%)	0.73	1/11490 (0.0%)
1	B	0.63	4/7983 (0.1%)	0.66	3/10801 (0.0%)
1	C	0.65	4/8535 (0.0%)	0.68	4/11539 (0.0%)
1	D	0.66	5/7983 (0.1%)	0.70	2/10801 (0.0%)
All	All	0.65	14/32998 (0.0%)	0.69	10/44631 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	3
1	C	0	7
1	D	0	2
All	All	0	18

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	513	PRO	CA-C	14.00	1.80	1.52
1	B	936	TYR	C-N	11.65	1.60	1.34
1	C	513	PRO	C-N	10.85	1.58	1.34
1	C	515	ASN	N-CA	10.62	1.67	1.46
1	B	961	LYS	C-O	10.00	1.42	1.23

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	513	PRO	C-N-CA	8.07	141.87	121.70
1	D	513	PRO	CA-C-N	7.87	134.51	117.20
1	C	513	PRO	CA-C-N	7.83	134.42	117.20
1	B	763	VAL	CA-C-N	7.35	133.38	117.20
1	C	513	PRO	N-CA-CB	-6.11	95.88	102.60

There are no chirality outliers.

5 of 18 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	150	GLY	Peptide
1	A	196	THR	Peptide
1	A	271	HIS	Peptide
1	A	415	GLY	Peptide
1	A	490	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8336	0	8249	430	0
1	B	7832	0	7767	352	0
1	C	8373	0	8287	456	0
1	D	7832	0	7767	376	0
2	A	27	0	12	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	15	0	16	4	0
4	B	15	0	16	4	0
4	D	15	0	16	3	0
5	C	31	0	12	10	0
All	All	32480	0	32142	1586	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

The worst 5 of 1586 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:515:ASN:N	1:C:515:ASN:CA	1.67	1.56
1:C:513:PRO:CA	1:C:513:PRO:C	1.80	1.47
1:D:607:TRP:HE3	1:D:641:MET:CE	1.51	1.23
1:C:918:ALA:O	1:C:922:VAL:HG23	1.39	1.22
1:B:403:ALA:O	1:B:442:LYS:HE2	1.42	1.18

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1048/1173 (89%)	916 (87%)	102 (10%)	30 (3%)	5	18
1	B	985/1173 (84%)	876 (89%)	85 (9%)	24 (2%)	7	23
1	C	1057/1173 (90%)	923 (87%)	96 (9%)	38 (4%)	4	13
1	D	985/1173 (84%)	864 (88%)	94 (10%)	27 (3%)	6	20
All	All	4075/4692 (87%)	3579 (88%)	377 (9%)	119 (3%)	5	18

5 of 119 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	ALA
1	A	211	SER
1	A	213	LEU
1	A	214	GLU
1	A	217	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	907/1005 (90%)	778 (86%)	129 (14%)	4	12
1	B	855/1005 (85%)	726 (85%)	129 (15%)	3	10
1	C	909/1005 (90%)	751 (83%)	158 (17%)	2	7
1	D	855/1005 (85%)	727 (85%)	128 (15%)	3	10
All	All	3526/4020 (88%)	2982 (85%)	544 (15%)	3	9

5 of 544 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	944	VAL
1	C	269	ARG
1	D	714	GLU
1	B	1057	ARG
1	C	154	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 143 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	998	GLN
1	C	330	GLN
1	D	778	ASN
1	B	1025	ASN
1	C	98	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 4 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ADP	A	1201	-	25,29,29	1.13	3 (12%)	24,45,45	1.75	4 (16%)
4	BTI	A	1203	-	16,16,16	1.71	2 (12%)	21,21,21	2.32	6 (28%)
4	BTI	B	1201	-	16,16,16	1.64	2 (12%)	21,21,21	2.64	5 (23%)
5	ATP	C	1202	-	27,33,33	1.11	3 (11%)	25,52,52	1.48	2 (8%)
4	BTI	D	1201	-	16,16,16	1.66	2 (12%)	21,21,21	2.26	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1201	-	-	0/12/32/32	0/3/3/3
4	BTI	A	1203	-	-	0/5/27/27	0/2/2/2
4	BTI	B	1201	-	-	0/5/27/27	0/2/2/2
5	ATP	C	1202	-	-	0/18/38/38	0/3/3/3
4	BTI	D	1201	-	-	0/5/27/27	0/2/2/2

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1203	BTI	C2-S1	-3.65	1.76	1.82
4	D	1201	BTI	C2-S1	-3.36	1.77	1.82
4	B	1201	BTI	C2-S1	-3.00	1.77	1.82
2	A	1201	ADP	PB-O3A	2.19	1.63	1.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	ADP	O4'-C1'	2.21	1.44	1.41

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1201	BTI	C2-C4-N2	-8.31	105.42	113.13
2	A	1201	ADP	N3-C2-N1	-6.31	123.36	128.86
4	B	1201	BTI	C6-C5-N3	-6.28	106.80	113.15
4	A	1203	BTI	C6-C5-N3	-6.27	106.80	113.15
4	D	1201	BTI	C6-C5-N3	-5.98	107.10	113.15

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	ADP	1	0
4	A	1203	BTI	4	0
4	B	1201	BTI	4	0
5	C	1202	ATP	10	0
4	D	1201	BTI	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1052/1173 (89%)	-0.26	19 (1%) 69 60	49, 72, 115, 131	0
1	B	989/1173 (84%)	-0.17	22 (2%) 62 52	55, 87, 129, 178	0
1	C	1059/1173 (90%)	-0.12	26 (2%) 58 47	55, 84, 126, 177	0
1	D	989/1173 (84%)	-0.23	11 (1%) 80 74	47, 78, 130, 167	0
All	All	4089/4692 (87%)	-0.19	78 (1%) 67 58	47, 80, 125, 178	0

The worst 5 of 78 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	231	SER	5.1
1	A	229	GLY	4.7
1	A	233	VAL	4.6
1	D	490	ILE	4.5
1	D	240	ASP	4.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	BTI	A	1203	15/15	0.93	0.30	3.03	92,99,104,105	0
4	BTI	B	1201	15/15	0.91	0.34	2.32	105,109,114,115	0
4	BTI	D	1201	15/15	0.92	0.29	2.30	105,109,113,116	0
3	MN	C	1201	1/1	0.98	0.27	0.05	76,76,76,76	0
3	MN	D	1202	1/1	0.99	0.19	-0.13	74,74,74,74	0
3	MN	B	1202	1/1	0.97	0.19	-0.33	82,82,82,82	0
2	ADP	A	1201	27/27	0.89	0.18	-0.36	86,91,110,110	0
3	MN	A	1202	1/1	0.99	0.20	-0.42	74,74,74,74	0
5	ATP	C	1202	31/31	0.94	0.16	-0.65	102,108,115,115	0

6.5 Other polymers [i](#)

There are no such residues in this entry.