



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 06:35 am GMT

PDB ID : 4HNU
Title : crystal structure of K442E mutant of S. aureus Pyruvate carboxylase
Authors : Yu, L.P.C.; Tong, L.
Deposited on : 2012-10-21
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1692 (3.00-3.00)
Clashscore	112137	2037 (3.00-3.00)
Ramachandran outliers	110173	1973 (3.00-3.00)
Sidechain outliers	110143	1976 (3.00-3.00)
RSRZ outliers	101464	1716 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1173	<div> <div>2%</div> <div> <div>49%</div> <div>31%</div> <div>9%</div> <div>10%</div> </div> </div>
1	B	1173	<div> <div>47%</div> <div>31%</div> <div>6%</div> <div>16%</div> </div>
1	C	1173	<div> <div>%</div> <div> <div>47%</div> <div>32%</div> <div>10%</div> <div>10%</div> </div> </div>
1	D	1173	<div> <div>%</div> <div> <div>46%</div> <div>30%</div> <div>7%</div> <div>16%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MN	A	1202	-	-	-	X
4	BTI	D	1201	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 32443 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate carboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1052	Total	C	N	O	S	0	0	0
			8342	5291	1403	1621	27			
1	B	989	Total	C	N	O	S	0	0	0
			7838	4974	1320	1518	26			
1	C	1059	Total	C	N	O	S	0	0	0
			8379	5312	1411	1628	28			
1	D	989	Total	C	N	O	S	0	0	0
			7838	4974	1320	1518	26			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	11	MET	-	EXPRESSION TAG	UNP Q99UY8
A	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	13	SER	-	EXPRESSION TAG	UNP Q99UY8
A	14	SER	-	EXPRESSION TAG	UNP Q99UY8
A	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	21	SER	-	EXPRESSION TAG	UNP Q99UY8
A	22	SER	-	EXPRESSION TAG	UNP Q99UY8
A	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
A	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
A	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
A	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
A	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
A	29	SER	-	EXPRESSION TAG	UNP Q99UY8
A	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
A	31	MET	-	EXPRESSION TAG	UNP Q99UY8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
A	33	SER	-	EXPRESSION TAG	UNP Q99UY8
A	442	GLU	LYS	ENGINEERED MUTATION	UNP Q99UY8
B	11	MET	-	EXPRESSION TAG	UNP Q99UY8
B	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	13	SER	-	EXPRESSION TAG	UNP Q99UY8
B	14	SER	-	EXPRESSION TAG	UNP Q99UY8
B	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	21	SER	-	EXPRESSION TAG	UNP Q99UY8
B	22	SER	-	EXPRESSION TAG	UNP Q99UY8
B	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
B	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
B	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
B	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
B	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
B	29	SER	-	EXPRESSION TAG	UNP Q99UY8
B	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
B	31	MET	-	EXPRESSION TAG	UNP Q99UY8
B	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
B	33	SER	-	EXPRESSION TAG	UNP Q99UY8
B	442	GLU	LYS	ENGINEERED MUTATION	UNP Q99UY8
C	11	MET	-	EXPRESSION TAG	UNP Q99UY8
C	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	13	SER	-	EXPRESSION TAG	UNP Q99UY8
C	14	SER	-	EXPRESSION TAG	UNP Q99UY8
C	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	21	SER	-	EXPRESSION TAG	UNP Q99UY8
C	22	SER	-	EXPRESSION TAG	UNP Q99UY8
C	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
C	25	VAL	-	EXPRESSION TAG	UNP Q99UY8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
C	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
C	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
C	29	SER	-	EXPRESSION TAG	UNP Q99UY8
C	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
C	31	MET	-	EXPRESSION TAG	UNP Q99UY8
C	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
C	33	SER	-	EXPRESSION TAG	UNP Q99UY8
C	442	GLU	LYS	ENGINEERED MUTATION	UNP Q99UY8
D	11	MET	-	EXPRESSION TAG	UNP Q99UY8
D	12	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	13	SER	-	EXPRESSION TAG	UNP Q99UY8
D	14	SER	-	EXPRESSION TAG	UNP Q99UY8
D	15	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	16	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	17	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	18	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	19	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	20	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	21	SER	-	EXPRESSION TAG	UNP Q99UY8
D	22	SER	-	EXPRESSION TAG	UNP Q99UY8
D	23	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	24	LEU	-	EXPRESSION TAG	UNP Q99UY8
D	25	VAL	-	EXPRESSION TAG	UNP Q99UY8
D	26	PRO	-	EXPRESSION TAG	UNP Q99UY8
D	27	ARG	-	EXPRESSION TAG	UNP Q99UY8
D	28	GLY	-	EXPRESSION TAG	UNP Q99UY8
D	29	SER	-	EXPRESSION TAG	UNP Q99UY8
D	30	HIS	-	EXPRESSION TAG	UNP Q99UY8
D	31	MET	-	EXPRESSION TAG	UNP Q99UY8
D	32	ALA	-	EXPRESSION TAG	UNP Q99UY8
D	33	SER	-	EXPRESSION TAG	UNP Q99UY8
D	442	GLU	LYS	ENGINEERED MUTATION	UNP Q99UY8

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mn	0	0
			1	1		
3	A	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		

- Molecule 4 is 5-(HEXAHYDRO-2-OXO-1H-THIENO[3,4-D]IMIDAZOL-6-YL)PENTANAL (three-letter code: BTI) (formula: C₁₀H₁₆N₂O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	S	0	0
			15	10	2	2	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pyruvate carboxylase



V1016
Y1017
E1018
Q1019
T1023
R1024
Y1027
L1030
S1031
L1032
M1042
R1043
L1044
E1049
I1050
E1051
I1052
D1053
K1056
R1057
L1062
I1065
D1069
E1070
N1071
R1074
T1075
M1080
Q1083
R1085
R1086
I1087
Y1088
K1090
D1091
E1092
N1093
VAL
HIS
THR
ASN
ALA
ASN
VAL
LYS
PRO

LYS
ALA
GLY
ASP
LYS
THR
SER
ASN
PRO
SER
HIS
HIS
ILE
GLY
ASP
LEU
LEU
GLN
MET
PRO
GLY
LEU
SER
VAL
SER
VAL
VAL
GLY
GLU
THR
GLU
VAL
VAL
LYS
ASN
GLN
PRO
LEU
ILE
THR

ASN
ASN
GLY
ASP
THR
ILE
ALA
THR
GLY
ASP
LEU
LEU
GLU
ILE
GLY
LYS
ALA
THR
ASP

• Molecule 1: Pyruvate carboxylase

Chain C: 47% 32% 10% 10%

MET
GLY
SER
SER
HIS
HIS
HIS
HIS
HIS
HIS
HIS
SER
SER
SER
GLY
GLY
HIS
MET
ALA
SER
MET
MET
LYS
Q36
I37
L40
L41
L42
V42
A43
N44
R45
R54
L59
D60
Y67
N69
E70
D71
K72
S73
S74
L75
H76
L85
V86
G87
S88
D89
L90
G91
P92

A93
E94
L97
N98
I99
E100
R101
I102
I103
D104
K107
Q108
A109
N110
A113
I114
H115
P116
G117
Y118
G119
F120
L121
S122
E123
N124
E125
Q126
F127
A128
R129
E133
E134
G135
I136
I139
H142
L143
H144
H145
L146
D147
M148
F149
G150
D151
K152
V153
K154
A155
R156
L164

P165
V166
I167
P168
G169
T170
D171
G172
P173
I174
A180
K181
E182
F183
A184
E185
F189
P190
L191
M192
I193
K194
A195
T196
S197
G198
G199
R205
R206
V207
R208
E209
E210
S211
E212
L213
E214
D215
A216
F217
H218
R219
A220
E223
K226
S227
F228
S231
E232
V233
Y234
I235
E236
D237
R237

N241
P242
H259
L260
F261
E262
R263
S266
V267
Q268
R269
R270
H271
V274
V275
A278
P279
S280
G281
G282
Q289
I296
E300
N301
L302
Y303
K304
E305
N306
T309
E311
F320
I323
E324
P327
R328
V329
Q330
V331
I335
M338
I342
D343
L343

K346
T347
Q348
G354
E358
E359
I360
N361
M362
K365
D366
T369
L370
G371
Y372
A373
I374
Q375
C376
R377
I378
T379
T380
E381
D382
P383
L384
K385
D386
F387
Y387
A396
R398
S399
F403
G404
L407
F413
Q414
R496
I418
D423
S424
L425
Y426
V427
K428
L429
S430
D431
T431

H432
A433
I434
S435
F436
K437
Q438
A439
E440
E441
E442
M443
V444
M450
R451
I452
R453
K456
I458
P460
M466
K467
M468
K469
T472
S473
G474
D475
Y476
T477
K479
F480
E486
D489
I490
Q491
F492
S493
L494
D495
L496
G497
T498
K499
E502
Y503
I504
V507
T508
I509

E510
G511
F512
P513
E514
V515
E517
N516
K518
R519
P520
K521
Y524
E525
L526
S528
I529
P530
T531
S534
S535
K536
S538A
F538B
S539
G540
T541
K542
Q543
L544
V548
G549
P550
K551
G552
V553
K558
K559
Q560
D561
V562
L564
L565
T566
D567
T568
F569
T570
R571
D572
A573
H574
Q575

L578
A579
T580
E581
V582
T588
N589
L590
V597
F598
E605
M606
M607
V614
A615
V616
N617
F618
L619
N622
P623
M624
R629
L630
R631
K632
L643
R644
A645
S646
R647
A648
V649
G650
Y651
K652
D653
V654
P655
D656
N657
V658
T659
H660
K661
L671
D672
R675
L676
F677
D678

S679
D684
Q685
E686
K687
V688
N689
Q694
K698
E699
S700
E701
N712
P713
E714
R715
T719
L720
E721
E731
R736
E737
L738
A739
M743
I756
G757
E758
L759
K760
V761
A762
V763
D765
I768
P769
H773
D774
T775
N778
L781
D784
I787
D792

I793
I794
D795
T796
A797
V798
A799
G803
L804
T805
S806
Q807
P808
S809
A810
N811
S812
L813
Y814
N818
P821
R822
H823
I828
E832
L833
L834
Y837
N838
S839
T840
V841
R842
T843
Y844
S845
S846
D847
F848
E849
D852
D853
L854
K855
T861
Y862
Q863
H864
E865
H866
Q870
Y871

S872
N873
L874
S875
V876
Q877
A878
L881
C882
L883
E884
S885
R886
D888
E889
V889
K891
D892
R893
Y894
V897
G902
D903
R904
V905
K906
V907
T908
P909
S910
K912
V913
V914
M917
Y920
N921
V922
Q923
R924
D925
L926
D927
E928
Q929
S930
V931
T932
T933
D934
G935
Y936
K937
L938

D939
F940
P941
V945
S946
K949
P955
G958
F959
R960
K961
V966
L967
L968
K969
G970
Q971
E972
A973
L974
T975
A976
R977
P978
G979
E980
Y981
L982
E983
V985
D986
K989
Y990
R991
E992
L993
L994
E995
V1002
T1003
E1004
I1007
I1008
V1011
L1012
Y1013
P1014
K1015
V1016
Y1017



[illegible]

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	96.57Å 258.52Å 126.90Å 90.00° 109.60° 90.00°	Depositor
Resolution (Å)	30.00 – 3.00 29.72 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (30.00-3.00) 98.4 (29.72-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 3.00Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.194 , 0.262 0.192 , 0.257	Depositor DCC
R_{free} test set	5765 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	79.7	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 46.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32443	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, BTI, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/8504	0.69	3/11500 (0.0%)
1	B	0.46	2/7990 (0.0%)	0.57	0/10811
1	C	0.53	5/8542 (0.1%)	0.61	3/11549 (0.0%)
1	D	0.59	2/7990 (0.0%)	0.68	4/10811 (0.0%)
All	All	0.55	9/33026 (0.0%)	0.64	10/44671 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
1	C	0	1
1	D	0	3
All	All	0	9

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	515	ASN	N-CA	6.54	1.59	1.46
1	B	513	PRO	CA-C	6.53	1.66	1.52
1	C	513	PRO	CA-C	6.13	1.65	1.52
1	C	441	GLU	CG-CD	5.96	1.60	1.51
1	B	515	ASN	N-CA	5.89	1.58	1.46

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	441	GLU	CA-C-N	-7.39	100.94	117.20
1	C	513	PRO	CA-N-CD	7.06	121.59	111.70
1	C	513	PRO	N-CA-CB	-5.95	96.05	102.60
1	D	315	SER	N-CA-CB	-5.93	101.61	110.50
1	D	849	GLU	CA-C-N	5.54	129.38	117.20

There are no chirality outliers.

5 of 9 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1092	GLU	Peptide
1	A	174	ILE	Peptide
1	A	215	ASP	Peptide
1	B	357(B)	GLY	Peptide
1	B	522	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8342	0	8246	393	0
1	B	7838	0	7764	331	0
1	C	8379	0	8284	385	0
1	D	7838	0	7764	365	0
2	A	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	D	15	0	16	4	0
All	All	32443	0	32086	1456	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 1456 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:961:LYS:HD2	1:D:961:LYS:N	1.59	1.14
1:C:437:LYS:HD3	1:C:437:LYS:H	0.98	1.13
1:D:961:LYS:H	1:D:961:LYS:CD	1.59	1.12
1:A:864:HIS:CD2	1:A:866:MET:HG3	1.84	1.11
1:A:866:MET:HE3	1:A:870:GLN:HG2	1.26	1.11

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1048/1173 (89%)	907 (86%)	111 (11%)	30 (3%)	5	28
1	B	985/1173 (84%)	847 (86%)	117 (12%)	21 (2%)	8	38
1	C	1057/1173 (90%)	896 (85%)	113 (11%)	48 (4%)	3	17
1	D	985/1173 (84%)	842 (86%)	110 (11%)	33 (3%)	4	24
All	All	4075/4692 (87%)	3492 (86%)	451 (11%)	132 (3%)	5	26

5 of 132 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	184	ALA
1	A	527	ALA
1	A	880	SER
1	A	999	GLN
1	B	94	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	908/1006 (90%)	730 (80%)	178 (20%)	1	8
1	B	856/1006 (85%)	721 (84%)	135 (16%)	3	14
1	C	910/1006 (90%)	721 (79%)	189 (21%)	1	6
1	D	856/1006 (85%)	728 (85%)	128 (15%)	3	16
All	All	3530/4024 (88%)	2900 (82%)	630 (18%)	2	11

5 of 630 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	907	VAL
1	C	226	LYS
1	D	766	LEU
1	B	934	ASP
1	C	73	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 139 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	960	ASN
1	C	241	ASN
1	D	778	ASN
1	B	999	GLN
1	B	1073	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	1201	-	25,29,29	1.11	2 (8%)	24,45,45	1.52	2 (8%)
4	BTI	D	1201	-	16,16,16	1.79	2 (12%)	21,21,21	2.44	7 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1201	-	-	0/12/32/32	0/3/3/3
4	BTI	D	1201	-	-	0/5/27/27	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1201	BTI	C2-S1	-4.14	1.76	1.82
2	A	1201	ADP	PB-O3A	2.00	1.63	1.60
2	A	1201	ADP	C5-C4	3.27	1.47	1.40
4	D	1201	BTI	O3-C3	5.07	1.34	1.23

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1201	BTI	C6-C5-N3	-6.39	106.68	113.15
2	A	1201	ADP	N3-C2-N1	-5.33	124.22	128.86
4	D	1201	BTI	C2-C4-N2	-3.37	110.00	113.13
2	A	1201	ADP	C4-C5-N7	-2.82	106.68	109.41
4	D	1201	BTI	C2-C4-C5	2.06	110.48	108.78

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1201	BTI	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1052/1173 (89%)	-0.56	20 (1%) 67 37	36, 75, 131, 167	0
1	B	989/1173 (84%)	-0.43	4 (0%) 92 77	59, 105, 154, 233	0
1	C	1059/1173 (90%)	-0.44	9 (0%) 86 64	56, 101, 150, 197	0
1	D	989/1173 (84%)	-0.53	10 (1%) 82 58	41, 82, 173, 267	0
All	All	4089/4692 (87%)	-0.49	43 (1%) 80 55	36, 93, 151, 267	0

The worst 5 of 43 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	240	ASP	4.3
1	A	224	ALA	3.8
1	A	176	SER	3.8
1	D	490	ILE	3.7
1	D	241	ASN	3.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	BTI	D	1201	15/15	0.81	0.43	6.14	128,133,136,136	0
3	MN	A	1202	1/1	0.97	0.30	5.74	83,83,83,83	0
3	MN	C	1201	1/1	0.97	0.29	0.68	105,105,105,105	0
2	ADP	A	1201	27/27	0.87	0.19	-0.04	108,112,144,146	0
3	MN	D	1202	1/1	0.97	0.17	-	79,79,79,79	0
3	MN	B	1201	1/1	0.97	0.19	-	108,108,108,108	0

6.5 Other polymers [i](#)

There are no such residues in this entry.