



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 24, 2017 – 01:02 PM EDT

PDB ID : 3HPY  
Title : Crystal Structure Analysis of the 2,3-dioxygenase LapB from Pseudomonas in the complex with 4-methylcatechol  
Authors : Cho, J.-H.; Rhee, S.  
Deposited on : unknown  
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3233 (1.96-1.92)
Clashscore	112137	3430 (1.96-1.92)
Ramachandran outliers	110173	3395 (1.96-1.92)
Sidechain outliers	110143	3395 (1.96-1.92)
RSRZ outliers	101464	3250 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	<div> <div>4%</div> <div> <div></div> <div>62%</div> <div>28%</div> <div>• • 7%</div> </div> </div>
1	B	309	<div> <div>4%</div> <div> <div></div> <div>64%</div> <div>26%</div> <div>• 7%</div> </div> </div>
1	C	309	<div> <div>11%</div> <div> <div></div> <div>60%</div> <div>33%</div> <div>• •</div> </div> </div>
1	D	309	<div> <div>8%</div> <div> <div></div> <div>58%</div> <div>33%</div> <div>5% •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FE	D	310	-	-	-	X
3	MCT	A	311	-	-	X	-
3	MCT	B	311	-	-	-	X
3	MCT	C	311	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catechol 2,3-dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2300	1464	392	431	13			
1	B	288	Total	C	N	O	S	0	0	0
			2300	1464	392	431	13			
1	C	296	Total	C	N	O	S	0	0	0
			2362	1503	402	444	13			
1	D	296	Total	C	N	O	S	0	0	0
			2362	1503	402	444	13			

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Fe	0	0
			1	1		
2	A	1	Total	Fe	0	0
			1	1		
2	D	1	Total	Fe	0	0
			1	1		
2	C	1	Total	Fe	0	0
			1	1		

- Molecule 3 is 4-METHYLCATECHOL (three-letter code: MCT) (formula: C<sub>7</sub>H<sub>8</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	7	2		
3	B	1	Total	C	O	0	0
			9	7	2		
3	C	1	Total	C	O	0	0
			9	7	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	95	Total	O	0	0
			95	95		
4	B	102	Total	O	0	0
			102	102		
4	C	80	Total	O	0	0
			80	80		
4	D	74	Total	O	0	0
			74	74		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Catechol 2,3-dioxygenase




#### • Molecule 1: Catechol 2,3-dioxygenase




#### • Molecule 1: Catechol 2,3-dioxygenase





● Molecule 1: Catechol 2,3-dioxygenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.10Å 97.60Å 133.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.94 43.51 – 1.94	Depositor EDS
% Data completeness (in resolution range)	78.4 (50.00-1.94) 94.5 (43.51-1.94)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.56 (at 1.94Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.244 , 0.278 0.255 , 0.288	Depositor DCC
$R_{free}$ test set	8863 reflections (10.02%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.7	Xtriage
Anisotropy	0.028	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 45.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	9706	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.18 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 9.8029e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MCT, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/2363	0.76	2/3210 (0.1%)
1	B	0.41	0/2363	0.73	2/3210 (0.1%)
1	C	0.41	0/2427	0.69	1/3298 (0.0%)
1	D	0.47	0/2427	0.72	4/3298 (0.1%)
All	All	0.44	0/9580	0.72	9/13016 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	289	PHE	N-CA-CB	-5.96	99.88	110.60
1	D	3	MET	CG-SD-CE	5.80	109.48	100.20
1	D	249	GLY	N-CA-C	-5.79	98.64	113.10
1	C	186	GLY	N-CA-C	-5.78	98.65	113.10
1	D	269	PHE	N-CA-CB	-5.66	100.41	110.60
1	A	188	SER	N-CA-C	-5.17	97.06	111.00
1	A	95	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	B	248	HIS	CB-CA-C	-5.12	100.16	110.40
1	B	187	ASP	CA-CB-CG	-5.07	102.24	113.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2300	0	2193	86	0
1	B	2300	0	2193	74	0
1	C	2362	0	2248	82	0
1	D	2362	0	2248	93	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	9	0	6	13	0
3	B	9	0	7	1	0
3	C	9	0	6	1	0
4	A	95	0	0	3	0
4	B	102	0	0	1	0
4	C	80	0	0	0	0
4	D	74	0	0	3	0
All	All	9706	0	8901	311	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (311) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:TRP:HZ2	3:A:311:MCT:H2A	0.97	1.13
1:A:193:TRP:CZ2	3:A:311:MCT:H2A	1.86	1.08
1:A:250:VAL:HG23	3:A:311:MCT:H6	1.28	1.07
1:D:150:ILE:HD11	1:D:222:GLU:HG2	1.46	0.95
1:A:193:TRP:HZ2	3:A:311:MCT:C	1.82	0.93
1:D:247:ARG:HG3	1:D:248:HIS:N	1.82	0.92
1:C:215:HIS:HD2	1:C:216:HIS:HD1	1.18	0.90
1:A:250:VAL:CG2	3:A:311:MCT:H6	2.02	0.88
1:D:247:ARG:HG3	1:D:248:HIS:H	1.35	0.86
1:A:193:TRP:CZ2	3:A:311:MCT:C	2.56	0.86
1:D:114:SER:HA	1:D:160:PRO:HD2	1.57	0.85
1:B:215:HIS:HD2	1:B:216:HIS:HD1	1.23	0.85
1:D:66:ILE:HB	1:D:214:LEU:HD22	1.59	0.84
1:D:250:VAL:HG12	1:D:251:THR:HG23	1.61	0.82
1:C:250:VAL:HG12	1:C:251:THR:HG23	1.60	0.81
1:A:254:CYS:O	1:A:269:PHE:HB2	1.81	0.80
1:B:162:ILE:HD12	1:B:205:PHE:HB3	1.65	0.79
1:A:150:ILE:HD11	1:A:222:GLU:HG2	1.66	0.78
1:A:162:ILE:HD12	1:A:205:PHE:HB3	1.65	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:254:CYS:O	1:C:269:PHE:HB2	1.85	0.76
1:B:140:ASN:HD21	1:B:142:GLN:HG3	1.51	0.75
1:D:248:HIS:O	1:D:292:GLY:O	2.05	0.74
1:C:215:HIS:CD2	1:C:216:HIS:HD1	2.05	0.74
1:A:107:ARG:HG2	1:A:121:TYR:HB3	1.70	0.74
1:D:181:VAL:HG11	1:D:289:PHE:CE1	2.23	0.73
1:A:215:HIS:HD2	1:A:216:HIS:HD1	1.33	0.73
1:B:114:SER:HB2	1:B:159:GLY:HA3	1.71	0.73
1:D:200:VAL:HG13	1:D:201:HIS:ND1	2.03	0.73
1:A:19:LEU:HD13	1:A:23:ILE:HD11	1.69	0.72
1:C:35:THR:HG21	1:C:53:HIS:O	1.89	0.72
1:B:255:THR:OG1	1:B:267:GLU:HG3	1.89	0.71
1:D:65:GLY:H	1:D:264:ASN:HD21	1.37	0.71
1:C:179:GLU:HG2	1:C:282:LEU:HB2	1.73	0.71
1:A:250:VAL:HG21	3:A:311:MCT:H1	1.72	0.70
1:A:224:TRP:CZ2	1:B:224:TRP:CZ2	2.80	0.70
1:D:215:HIS:HD2	1:D:216:HIS:HD1	1.38	0.69
1:C:243:ILE:HG22	1:C:257:TYR:HB2	1.75	0.69
1:D:156:LEU:HD21	1:D:206:VAL:HG23	1.73	0.69
1:B:215:HIS:CD2	1:B:216:HIS:HD1	2.09	0.68
1:A:250:VAL:HG23	3:A:311:MCT:C6	2.17	0.68
1:B:65:GLY:H	1:B:264:ASN:HD21	1.42	0.68
1:D:200:VAL:HG21	1:D:251:THR:HB	1.76	0.67
1:C:297:GLN:HE21	1:D:244:GLY:HA3	1.60	0.67
1:C:245:PRO:HG2	1:D:245:PRO:O	1.95	0.67
1:B:243:ILE:HG22	1:B:257:TYR:HB2	1.76	0.66
1:B:229:ARG:HG3	1:D:143:ARG:NH2	2.11	0.66
1:C:18:ASN:HB3	1:C:21:GLU:HG2	1.77	0.65
1:A:210:GLU:HB3	1:A:213:LYS:HE3	1.77	0.65
1:C:129:ASN:HD22	1:C:129:ASN:H	1.45	0.65
1:B:198:HIS:HE1	1:C:198:HIS:H	1.45	0.65
1:D:181:VAL:HG11	1:D:289:PHE:CD1	2.31	0.65
1:D:30:LEU:HG	1:D:32:LEU:HD13	1.78	0.65
1:B:38:ASP:OD2	1:B:42:ARG:HD3	1.97	0.65
1:D:297:GLN:OE1	1:D:297:GLN:C	2.35	0.64
1:C:216:HIS:CE1	3:C:311:MCT:O3	2.51	0.64
1:B:183:SER:HB3	1:B:190:MET:HG2	1.79	0.64
1:C:248:HIS:CE1	1:C:255:THR:HG21	2.35	0.62
1:B:30:LEU:HG	1:B:32:LEU:HD13	1.80	0.61
1:A:114:SER:HA	1:A:160:PRO:HD2	1.82	0.61
1:A:18:ASN:HB3	1:A:21:GLU:HG2	1.81	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:286:TYR:O	1:D:289:PHE:HB2	2.00	0.60
1:D:255:THR:OG1	1:D:267:GLU:HG3	2.00	0.60
1:A:2:ALA:N	1:D:4:THR:O	2.35	0.60
1:D:160:PRO:HA	1:D:207:GLU:OE2	2.02	0.59
1:A:215:HIS:CD2	1:A:216:HIS:HD1	2.18	0.59
1:B:248:HIS:NE2	1:B:255:THR:HG21	2.18	0.59
1:A:156:LEU:HD21	1:A:206:VAL:HG23	1.84	0.59
1:A:260:ASP:HB2	1:A:264:ASN:O	2.03	0.59
1:B:93:THR:HG23	1:B:108:VAL:HG13	1.85	0.58
1:B:255:THR:OG1	1:B:256:ILE:N	2.36	0.58
1:B:179:GLU:HG2	1:B:282:LEU:HB2	1.86	0.58
1:A:38:ASP:OD1	1:A:42:ARG:HD3	2.04	0.58
1:C:156:LEU:HD21	1:C:206:VAL:HG23	1.85	0.57
1:C:15:ARG:HE	1:C:63:THR:HG23	1.70	0.57
1:D:294:ASP:OD2	1:D:296:PRO:HD2	2.04	0.57
1:B:184:PRO:O	1:B:186:GLY:N	2.37	0.57
1:D:83:ASP:OD2	1:D:93:THR:HG21	2.05	0.57
1:A:245:PRO:HG2	1:B:245:PRO:O	2.05	0.56
1:A:251:THR:HB	3:A:311:MCT:H5	1.86	0.56
1:D:91:LEU:HD11	1:D:168:ILE:HD13	1.87	0.56
1:A:19:LEU:O	1:A:23:ILE:HG13	2.05	0.56
1:B:250:VAL:O	1:B:251:THR:HB	2.05	0.56
1:C:100:GLU:HB3	1:C:107:ARG:NH2	2.20	0.56
1:B:183:SER:O	1:B:185:ASP:N	2.39	0.56
1:D:177:LEU:HD21	1:D:180:ARG:HB3	1.87	0.56
1:A:150:ILE:HD11	1:A:222:GLU:CG	2.35	0.56
1:C:255:THR:OG1	1:C:267:GLU:HG3	2.06	0.55
1:C:66:ILE:HG22	1:C:214:LEU:HB2	1.87	0.55
1:A:224:TRP:CD1	1:B:224:TRP:CD1	2.95	0.55
1:B:18:ASN:HD22	1:B:18:ASN:C	2.09	0.55
1:D:200:VAL:HG21	1:D:251:THR:CB	2.36	0.55
1:D:38:ASP:OD2	1:D:42:ARG:HD3	2.06	0.55
1:B:11:HIS:HA	1:B:55:CYS:O	2.07	0.55
1:B:215:HIS:HD2	1:B:216:HIS:ND1	1.99	0.54
1:D:53:HIS:CD2	1:D:103:GLU:HG3	2.42	0.54
1:D:215:HIS:O	1:D:265:ARG:HB3	2.07	0.54
1:A:65:GLY:H	1:A:264:ASN:HD21	1.55	0.54
1:C:247:ARG:HG3	1:C:248:HIS:N	2.23	0.53
1:A:19:LEU:CD1	1:A:23:ILE:HD11	2.36	0.53
1:D:251:THR:O	1:D:272:GLY:HA2	2.07	0.53
1:D:95:ARG:HH11	1:D:95:ARG:HG2	1.73	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ARG:HD2	1:A:119:GLU:OE1	2.08	0.53
1:C:65:GLY:H	1:C:264:ASN:HD21	1.55	0.53
1:B:115:GLY:HA3	1:B:211:LYS:HB2	1.90	0.53
1:C:38:ASP:OD2	1:C:42:ARG:HD3	2.09	0.53
1:C:14:VAL:O	1:C:58:ILE:HA	2.08	0.53
1:D:250:VAL:HG12	1:D:251:THR:CG2	2.38	0.53
1:B:200:VAL:HG21	1:B:251:THR:HG23	1.89	0.53
1:C:162:ILE:HG22	1:C:192:ILE:HD12	1.88	0.53
1:B:198:HIS:CE1	1:C:197:SER:HB2	2.44	0.53
1:D:116:HIS:CD2	1:D:157:LEU:HG	2.43	0.53
1:C:164:GLU:HA	1:C:167:LYS:HE3	1.90	0.53
1:A:116:HIS:CD2	1:A:157:LEU:HG	2.43	0.52
1:A:114:SER:HB2	1:A:159:GLY:HA3	1.90	0.52
1:D:215:HIS:CD2	1:D:216:HIS:HD1	2.24	0.52
1:D:160:PRO:O	1:D:161:ASN:HB2	2.09	0.52
1:D:24:HIS:O	1:D:28:ASN:HB2	2.10	0.52
1:A:30:LEU:HG	1:A:32:LEU:HD13	1.91	0.52
1:B:224:TRP:CZ3	1:B:254:CYS:HB3	2.45	0.51
1:C:15:ARG:HB2	1:C:61:ALA:HB3	1.92	0.51
1:D:245:PRO:HB3	1:D:256:ILE:HD11	1.91	0.51
1:C:5:GLY:HA2	1:C:78:THR:HG21	1.92	0.51
1:A:96:ILE:HG21	1:A:107:ARG:NH2	2.26	0.51
1:A:52:ASP:HB3	1:A:124:LYS:HG2	1.93	0.51
1:C:47:CYS:HB2	1:C:50:GLU:HG3	1.93	0.51
1:B:193:TRP:HZ2	3:B:311:MCT:H2A	1.77	0.50
1:D:149:PRO:HB2	1:D:219:PHE:HB3	1.94	0.49
1:B:215:HIS:O	1:B:265:ARG:HB3	2.12	0.49
1:A:224:TRP:CE2	1:B:224:TRP:CE2	3.00	0.49
1:C:247:ARG:HG3	1:C:248:HIS:O	2.12	0.49
1:D:183:SER:HB3	1:D:190:MET:HG2	1.95	0.49
1:C:245:PRO:O	1:D:245:PRO:HG2	2.12	0.49
1:B:198:HIS:H	1:C:198:HIS:HE1	1.60	0.49
1:B:229:ARG:HG3	1:D:143:ARG:HH22	1.77	0.49
1:A:96:ILE:HD12	1:A:96:ILE:N	2.28	0.49
1:C:129:ASN:HD22	1:C:129:ASN:N	2.04	0.49
1:C:137:ALA:HB1	1:C:138:PRO:HD2	1.95	0.48
1:A:3:MET:HB2	4:A:397:HOH:O	2.12	0.48
1:A:32:LEU:HB3	1:A:45:PHE:HB3	1.95	0.48
1:B:197:SER:HB2	1:C:198:HIS:CE1	2.48	0.48
1:C:297:GLN:HE21	1:D:244:GLY:CA	2.23	0.48
1:A:249:GLY:C	1:A:251:THR:H	2.17	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:GLU:OE1	1:B:250:VAL:HG13	2.13	0.48
1:B:198:HIS:CE1	1:C:198:HIS:H	2.27	0.48
1:C:129:ASN:H	1:C:129:ASN:ND2	2.10	0.48
1:B:223:SER:HA	1:B:270:MET:HE2	1.95	0.48
1:D:162:ILE:HD12	1:D:205:PHE:HB3	1.95	0.48
1:D:129:ASN:H	1:D:129:ASN:HD22	1.62	0.47
1:B:93:THR:CG2	1:B:108:VAL:HG13	2.44	0.47
1:B:242:ASP:HB3	1:B:257:TYR:CB	2.44	0.47
1:C:95:ARG:HH11	1:C:95:ARG:HB2	1.77	0.47
1:C:140:ASN:HD21	1:C:142:GLN:HG3	1.78	0.47
1:D:184:PRO:O	1:D:185:ASP:C	2.52	0.47
1:A:198:HIS:H	1:D:198:HIS:HE1	1.61	0.47
1:A:230:ALA:O	1:A:234:MET:HG3	2.14	0.47
1:A:251:THR:CG2	3:A:311:MCT:H5	2.45	0.47
1:D:255:THR:OG1	1:D:256:ILE:N	2.48	0.47
1:A:210:GLU:CB	1:A:213:LYS:HE3	2.43	0.47
1:A:78:THR:HG22	1:A:82:LEU:HD23	1.96	0.47
1:C:95:ARG:HB2	1:C:95:ARG:NH1	2.29	0.47
1:A:183:SER:HA	1:A:190:MET:HG2	1.96	0.47
1:B:251:THR:O	1:B:252:ARG:HB2	2.15	0.47
1:D:107:ARG:HB3	1:D:121:TYR:HB3	1.97	0.47
1:D:30:LEU:HA	1:D:147:ILE:HD12	1.96	0.47
1:A:160:PRO:O	1:A:161:ASN:HB2	2.15	0.47
1:C:245:PRO:HA	1:C:256:ILE:HG12	1.96	0.46
1:D:177:LEU:HD22	1:D:281:PRO:CB	2.45	0.46
1:C:295:TYR:O	1:C:296:PRO:C	2.50	0.46
1:A:251:THR:CB	3:A:311:MCT:H5	2.45	0.46
1:C:150:ILE:HD12	1:C:150:ILE:N	2.29	0.46
1:A:82:LEU:HD12	1:A:173:LEU:HD12	1.98	0.46
1:C:243:ILE:O	1:C:243:ILE:HG23	2.16	0.46
1:A:136:PRO:HG3	1:D:282:LEU:HD13	1.98	0.46
1:B:107:ARG:HG2	1:B:121:TYR:HB3	1.98	0.46
1:C:44:TYR:CZ	1:C:102:LEU:HB2	2.51	0.46
1:D:223:SER:HA	1:D:270:MET:CE	2.46	0.46
1:A:279:TYR:HB3	1:D:51:ARG:NH1	2.31	0.46
1:C:162:ILE:HD12	1:C:205:PHE:HB3	1.98	0.46
1:D:73:VAL:CG2	1:D:122:ALA:HB2	2.46	0.46
1:B:156:LEU:HB3	1:B:215:HIS:HB3	1.98	0.45
1:C:40:GLN:HB2	1:C:42:ARG:HD2	1.97	0.45
1:D:121:TYR:CE2	1:D:124:LYS:HD2	2.51	0.45
1:A:250:VAL:CG2	3:A:311:MCT:C6	2.85	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:ILE:HG22	1:B:214:LEU:HB2	1.98	0.45
1:C:180:ARG:HD2	1:C:189:ASP:OD1	2.16	0.45
1:B:248:HIS:HE2	1:B:255:THR:HG21	1.82	0.45
1:B:132:SER:O	1:B:136:PRO:HB3	2.16	0.45
1:B:184:PRO:C	1:B:186:GLY:H	2.19	0.45
1:D:129:ASN:H	1:D:129:ASN:ND2	2.15	0.45
1:A:115:GLY:HA3	1:A:211:LYS:HB3	1.99	0.45
1:D:245:PRO:HA	1:D:256:ILE:HG12	1.98	0.45
1:A:214:LEU:HD22	1:A:216:HIS:N	2.32	0.45
1:A:184:PRO:HG3	1:A:286:TYR:CD2	2.52	0.45
1:C:183:SER:HB3	1:C:190:MET:HB2	1.99	0.45
1:D:255:THR:HG1	1:D:267:GLU:HG3	1.81	0.45
1:B:214:LEU:HD22	1:B:215:HIS:N	2.32	0.45
1:D:87:GLN:HA	1:D:91:LEU:O	2.17	0.45
1:C:107:ARG:HD3	1:C:119:GLU:OE1	2.17	0.44
1:D:288:ASN:ND2	1:D:291:GLN:HB3	2.31	0.44
1:C:182:LEU:HD13	1:C:283:SER:HB3	1.98	0.44
1:B:161:ASN:O	1:B:165:VAL:HG23	2.17	0.44
1:D:48:TRP:HD1	4:D:316:HOH:O	1.99	0.44
1:B:129:ASN:ND2	1:B:131:ILE:H	2.16	0.44
1:D:135:ASN:N	1:D:136:PRO:CD	2.81	0.44
1:D:66:ILE:HG22	1:D:214:LEU:HB2	1.99	0.44
1:A:2:ALA:HA	1:D:196:CYS:O	2.17	0.44
1:B:60:GLU:O	1:B:60:GLU:HG3	2.17	0.44
1:A:44:TYR:CE1	1:A:102:LEU:HD12	2.53	0.44
1:B:149:PRO:HB2	1:B:219:PHE:HB3	2.00	0.44
1:B:19:LEU:HB2	1:B:60:GLU:HB3	1.99	0.44
1:A:197:SER:HB2	1:D:198:HIS:CE1	2.53	0.44
1:C:184:PRO:O	1:C:185:ASP:C	2.56	0.44
1:C:81:LYS:HD3	1:C:85:ASP:OD2	2.17	0.44
1:D:161:ASN:O	1:D:165:VAL:HG23	2.18	0.44
1:A:136:PRO:HD2	1:D:284:TRP:CE2	2.52	0.44
1:C:251:THR:O	1:C:272:GLY:HA2	2.17	0.43
1:D:46:LYS:HE2	1:D:127:VAL:CG1	2.47	0.43
1:D:221:LEU:HD22	1:D:268:THR:HB	1.99	0.43
1:C:189:ASP:HB2	1:C:192:ILE:HD11	2.00	0.43
1:C:273:TYR:CD1	1:C:275:PRO:HD3	2.53	0.43
1:D:200:VAL:HA	1:D:275:PRO:HG3	1.99	0.43
1:C:100:GLU:HB3	1:C:107:ARG:HH21	1.82	0.43
1:D:132:SER:O	1:D:136:PRO:HB3	2.17	0.43
1:A:224:TRP:CZ3	1:A:254:CYS:HB3	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:THR:O	1:A:82:LEU:HD23	2.18	0.43
1:B:44:TYR:CD1	1:B:44:TYR:N	2.87	0.43
1:C:255:THR:OG1	1:C:256:ILE:N	2.51	0.43
1:C:32:LEU:HB3	1:C:45:PHE:HB3	2.00	0.43
1:C:96:ILE:HD12	1:C:96:ILE:N	2.33	0.43
1:A:277:PRO:HG3	4:D:344:HOH:O	2.17	0.43
1:B:83:ASP:OD2	1:B:93:THR:HG21	2.19	0.43
1:D:46:LYS:HD2	1:D:52:ASP:O	2.18	0.43
1:A:161:ASN:O	1:A:165:VAL:HG23	2.18	0.43
1:D:181:VAL:HG11	1:D:289:PHE:HE1	1.75	0.43
1:D:47:CYS:HB2	1:D:50:GLU:HG3	1.99	0.43
1:C:183:SER:HB2	1:C:184:PRO:HD2	2.00	0.43
1:C:159:GLY:HA2	1:C:210:GLU:O	2.18	0.43
1:A:129:ASN:HD22	1:A:129:ASN:H	1.66	0.43
1:B:134:VAL:HG22	1:B:135:ASN:ND2	2.33	0.43
1:B:184:PRO:C	1:B:186:GLY:N	2.70	0.43
1:B:255:THR:HB	1:B:269:PHE:HB3	2.00	0.43
1:B:32:LEU:HB3	1:B:45:PHE:HB3	2.00	0.43
1:C:149:PRO:CB	1:C:219:PHE:HB3	2.49	0.43
1:C:16:VAL:O	1:C:60:GLU:HA	2.19	0.43
1:A:185:ASP:C	1:A:187:ASP:N	2.71	0.42
1:B:73:VAL:HG22	1:B:121:TYR:O	2.19	0.42
1:A:116:HIS:CD2	1:A:212:GLY:HA2	2.54	0.42
1:A:214:LEU:HD22	1:A:215:HIS:N	2.34	0.42
1:A:255:THR:OG1	1:A:256:ILE:N	2.51	0.42
1:B:156:LEU:HD21	1:B:206:VAL:HG23	2.00	0.42
1:B:149:PRO:CB	1:B:219:PHE:HB3	2.50	0.42
1:D:137:ALA:HB1	1:D:138:PRO:HD2	2.01	0.42
1:D:240:ASN:HA	4:D:338:HOH:O	2.18	0.42
1:A:181:VAL:HG23	1:A:193:TRP:CZ3	2.54	0.42
1:A:251:THR:HG21	3:A:311:MCT:H5	2.01	0.42
1:B:100:GLU:HB3	1:B:107:ARG:NH2	2.34	0.42
1:B:223:SER:HA	1:B:270:MET:CE	2.49	0.42
1:C:44:TYR:CD2	1:C:57:ILE:HG12	2.54	0.42
1:D:250:VAL:C	1:D:251:THR:HG23	2.40	0.42
1:C:17:LEU:HG	1:C:262:SER:HB3	2.01	0.42
1:D:159:GLY:O	1:D:208:TYR:N	2.52	0.42
1:D:179:GLU:OE1	1:D:250:VAL:HG13	2.18	0.42
1:C:8:ARG:HG2	1:C:8:ARG:HH11	1.85	0.42
1:A:250:VAL:HA	1:A:284:TRP:NE1	2.34	0.42
1:A:255:THR:OG1	1:A:267:GLU:HG3	2.20	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:VAL:O	1:A:60:GLU:HA	2.19	0.42
1:B:242:ASP:HB3	1:B:257:TYR:HB3	2.00	0.42
1:D:107:ARG:HB2	1:D:119:GLU:HG2	2.01	0.42
1:B:76:LYS:O	1:B:80:GLU:HG2	2.20	0.42
1:D:177:LEU:HD22	1:D:281:PRO:HB3	2.01	0.42
1:B:53:HIS:CD2	1:B:103:GLU:HG3	2.55	0.42
1:C:168:ILE:HG22	1:C:173:LEU:CD2	2.49	0.42
1:C:168:ILE:O	1:C:172:VAL:HB	2.19	0.42
1:C:215:HIS:O	1:C:265:ARG:HB3	2.20	0.42
1:C:43:VAL:CG1	1:C:58:ILE:HG13	2.50	0.42
1:D:14:VAL:HG13	1:D:65:GLY:O	2.20	0.42
1:B:129:ASN:HD22	1:B:129:ASN:H	1.68	0.41
1:D:44:TYR:CE1	1:D:102:LEU:HD12	2.55	0.41
1:D:129:ASN:HD22	1:D:129:ASN:N	2.16	0.41
1:D:156:LEU:HB3	1:D:215:HIS:HB3	2.02	0.41
4:A:397:HOH:O	1:D:277:PRO:HG3	2.20	0.41
1:B:163:ALA:O	1:B:167:LYS:HG2	2.19	0.41
1:A:66:ILE:HG22	1:A:214:LEU:HB2	2.03	0.41
1:C:224:TRP:CZ3	1:C:254:CYS:HB3	2.55	0.41
1:C:25:PHE:O	1:C:29:VAL:HB	2.20	0.41
1:A:137:ALA:HB1	1:A:138:PRO:HD2	2.02	0.41
1:A:149:PRO:HB2	1:A:219:PHE:HB3	2.02	0.41
1:A:223:SER:HA	1:A:270:MET:CE	2.50	0.41
1:B:166:GLN:O	1:B:170:THR:HG23	2.21	0.41
1:A:284:TRP:CE3	1:D:135:ASN:HA	2.55	0.41
1:B:217:CYS:HB2	4:B:335:HOH:O	2.20	0.41
1:C:112:LEU:HD11	1:C:169:PHE:HE1	1.86	0.41
1:C:114:SER:O	1:C:211:LYS:HB2	2.20	0.41
1:A:224:TRP:NE1	1:B:224:TRP:CE2	2.88	0.41
1:D:295:TYR:HB3	1:D:296:PRO:HD3	2.03	0.41
1:C:245:PRO:HB3	1:C:256:ILE:HD11	2.02	0.41
1:C:37:ARG:HG2	1:C:43:VAL:HG23	2.03	0.41
1:A:184:PRO:HG3	1:A:286:TYR:CG	2.55	0.41
1:C:11:HIS:HA	1:C:55:CYS:O	2.21	0.41
1:D:101:MET:HG3	1:D:107:ARG:NH2	2.36	0.41
1:A:225:GLU:HG3	4:A:345:HOH:O	2.21	0.40
1:C:157:LEU:HD21	1:C:203:ILE:HD11	2.03	0.40
1:A:250:VAL:HA	1:A:284:TRP:CE2	2.57	0.40
1:A:248:HIS:CD2	1:A:255:THR:HG21	2.56	0.40
1:A:215:HIS:O	1:A:265:ARG:HB3	2.21	0.40
1:D:251:THR:C	1:D:253:GLY:H	2.25	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:HIS:O	1:A:28:ASN:HB2	2.21	0.40
1:C:182:LEU:CD1	1:C:283:SER:HB3	2.51	0.40
1:B:208:TYR:HA	1:B:209:PRO:HD3	1.93	0.40
1:D:114:SER:CA	1:D:160:PRO:HD2	2.39	0.40
1:C:184:PRO:HD3	1:C:286:TYR:CD1	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/309 (93%)	271 (95%)	9 (3%)	6 (2%)	8	1
1	B	286/309 (93%)	270 (94%)	12 (4%)	4 (1%)	13	4
1	C	294/309 (95%)	271 (92%)	21 (7%)	2 (1%)	25	12
1	D	294/309 (95%)	273 (93%)	16 (5%)	5 (2%)	11	2
All	All	1160/1236 (94%)	1085 (94%)	58 (5%)	17 (2%)	12	3

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	184	PRO
1	B	185	ASP
1	B	187	ASP
1	B	244	GLY
1	D	187	ASP
1	A	187	ASP
1	A	251	THR
1	D	185	ASP
1	A	242	ASP
1	C	185	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	209	PRO
1	A	185	ASP
1	C	184	PRO
1	A	184	PRO
1	D	160	PRO
1	D	184	PRO
1	A	250	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/264 (93%)	229 (94%)	16 (6%)	20	7
1	B	245/264 (93%)	232 (95%)	13 (5%)	26	11
1	C	251/264 (95%)	240 (96%)	11 (4%)	33	17
1	D	251/264 (95%)	234 (93%)	17 (7%)	18	6
All	All	992/1056 (94%)	935 (94%)	57 (6%)	24	10

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	THR
1	A	19	LEU
1	A	95	ARG
1	A	120	LEU
1	A	123	GLU
1	A	129	ASN
1	A	156	LEU
1	A	157	LEU
1	A	173	LEU
1	A	177	LEU
1	A	187	ASP
1	A	200	VAL
1	A	214	LEU
1	A	238	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	251	THR
1	A	287	ASP
1	B	18	ASN
1	B	32	LEU
1	B	44	TYR
1	B	60	GLU
1	B	82	LEU
1	B	120	LEU
1	B	123	GLU
1	B	129	ASN
1	B	156	LEU
1	B	157	LEU
1	B	173	LEU
1	B	187	ASP
1	B	200	VAL
1	C	8	ARG
1	C	19	LEU
1	C	95	ARG
1	C	107	ARG
1	C	129	ASN
1	C	157	LEU
1	C	177	LEU
1	C	200	VAL
1	C	247	ARG
1	C	287	ASP
1	C	293	LEU
1	D	8	ARG
1	D	19	LEU
1	D	27	ARG
1	D	62	ASP
1	D	93	THR
1	D	95	ARG
1	D	107	ARG
1	D	129	ASN
1	D	156	LEU
1	D	157	LEU
1	D	160	PRO
1	D	221	LEU
1	D	247	ARG
1	D	248	HIS
1	D	270	MET
1	D	293	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	297	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	129	ASN
1	A	215	HIS
1	A	237	ASN
1	A	264	ASN
1	B	18	ASN
1	B	24	HIS
1	B	28	ASN
1	B	129	ASN
1	B	140	ASN
1	B	198	HIS
1	B	215	HIS
1	B	237	ASN
1	B	240	ASN
1	B	264	ASN
1	B	288	ASN
1	C	28	ASN
1	C	87	GLN
1	C	129	ASN
1	C	166	GLN
1	C	198	HIS
1	C	215	HIS
1	C	240	ASN
1	C	248	HIS
1	C	264	ASN
1	C	288	ASN
1	C	291	GLN
1	C	297	GLN
1	D	18	ASN
1	D	87	GLN
1	D	129	ASN
1	D	198	HIS
1	D	215	HIS
1	D	226	GLN
1	D	237	ASN
1	D	240	ASN
1	D	264	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	MCT	A	311	2	9,9,9	1.36	1 (11%)	12,12,12	1.04	0
3	MCT	B	311	2	9,9,9	1.59	3 (33%)	12,12,12	0.88	0
3	MCT	C	311	2	9,9,9	1.41	1 (11%)	12,12,12	1.02	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MCT	A	311	2	-	0/0/0/0	0/1/1/1
3	MCT	B	311	2	-	0/0/0/0	0/1/1/1
3	MCT	C	311	2	-	0/0/0/0	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	311	MCT	C4-C3	2.01	1.43	1.40
3	B	311	MCT	C5-C4	2.08	1.43	1.39
3	C	311	MCT	C2-C3	2.14	1.41	1.38
3	B	311	MCT	C2-C3	2.30	1.42	1.38
3	A	311	MCT	C4-C3	2.60	1.44	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	311	MCT	C3-C2-C1	-2.01	119.17	121.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	311	MCT	13	0
3	B	311	MCT	1	0
3	C	311	MCT	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	288/309 (93%)	0.49	11 (3%) 41 50	15, 26, 44, 59	0
1	B	288/309 (93%)	0.51	13 (4%) 34 42	16, 27, 39, 58	0
1	C	296/309 (95%)	0.93	33 (11%) 6 9	21, 33, 48, 63	0
1	D	296/309 (95%)	0.77	26 (8%) 11 16	19, 30, 44, 62	0
All	All	1168/1236 (94%)	0.68	83 (7%) 17 24	15, 29, 45, 63	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	185	ASP	8.3
1	C	244	GLY	8.1
1	C	185	ASP	6.8
1	A	289	PHE	6.6
1	B	185	ASP	5.7
1	C	289	PHE	5.4
1	D	187	ASP	5.0
1	B	186	GLY	5.0
1	D	186	GLY	4.8
1	D	244	GLY	4.8
1	B	62	ASP	4.7
1	D	297	GLN	4.6
1	A	224	TRP	4.4
1	A	250	VAL	4.2
1	A	2	ALA	4.2
1	C	186	GLY	3.9
1	C	286	TYR	3.8
1	A	186	GLY	3.7
1	B	244	GLY	3.6
1	A	244	GLY	3.5
1	C	62	ASP	3.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	290	ALA	3.4
1	A	185	ASP	3.4
1	B	243	ILE	3.3
1	A	254	CYS	3.2
1	C	221	LEU	3.1
1	D	243	ILE	3.1
1	D	289	PHE	3.1
1	C	208	TYR	3.1
1	C	190	MET	3.0
1	D	150	ILE	3.0
1	D	248	HIS	2.8
1	D	220	LEU	2.7
1	D	139	TRP	2.6
1	C	184	PRO	2.6
1	D	90	GLY	2.6
1	C	187	ASP	2.6
1	D	62	ASP	2.5
1	A	187	ASP	2.5
1	A	182	LEU	2.5
1	C	183	SER	2.5
1	B	150	ILE	2.4
1	D	190	MET	2.4
1	D	188	SER	2.4
1	D	208	TYR	2.4
1	C	150	ILE	2.4
1	C	269	PHE	2.4
1	C	293	LEU	2.4
1	D	182	LEU	2.4
1	D	24	HIS	2.4
1	B	251	THR	2.3
1	D	17	LEU	2.3
1	C	158	TYR	2.3
1	C	110	PHE	2.3
1	C	243	ILE	2.2
1	D	210	GLU	2.2
1	B	289	PHE	2.2
1	C	19	LEU	2.2
1	C	214	LEU	2.2
1	C	43	VAL	2.2
1	C	161	ASN	2.2
1	C	181	VAL	2.2
1	C	162	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	32	LEU	2.2
1	D	221	LEU	2.2
1	A	251	THR	2.2
1	C	39	ASP	2.2
1	D	184	PRO	2.1
1	C	57	ILE	2.1
1	D	238	GLU	2.1
1	C	47	CYS	2.1
1	C	200	VAL	2.1
1	D	200	VAL	2.1
1	B	287	ASP	2.1
1	C	63	THR	2.1
1	C	91	LEU	2.1
1	C	139	TRP	2.1
1	D	269	PHE	2.1
1	B	190	MET	2.0
1	B	188	SER	2.0
1	B	159	GLY	2.0
1	D	44	TYR	2.0
1	B	4	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FE	D	310	1/1	0.37	0.21	2.57	59,59,59,59	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MCT	B	311	9/9	0.91	0.24	2.57	42,44,47,48	0
3	MCT	C	311	9/9	0.93	0.21	2.00	49,50,50,51	0
3	MCT	A	311	9/9	0.91	0.25	0.84	51,51,53,53	0
2	FE	A	310	1/1	0.96	0.08	-1.32	33,33,33,33	0
2	FE	B	310	1/1	0.97	0.07	-2.78	29,29,29,29	0
2	FE	C	310	1/1	0.97	0.08	-4.62	31,31,31,31	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.