



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 07:12 am GMT

PDB ID : 4HRD
Title : Crystal structure of yeast 20S proteasome in complex with the natural product carmaphycin A
Authors : Trivella, D.B.B.; Stein, M.; Groll, M.
Deposited on : 2012-10-27
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>91%</div> <div>8%</div> </div>
1	O	250	<div> <div>89%</div> <div>10%</div> </div>
2	B	244	<div> <div>86%</div> <div>13%</div> </div>
2	P	244	<div> <div>86%</div> <div>12%</div> </div>
3	C	241	<div> <div>86%</div> <div>12%</div> </div>
3	Q	241	<div> <div>86%</div> <div>12%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	242	
4	R	242	
5	E	233	
5	S	233	
6	F	244	
6	T	244	
7	G	243	
7	U	243	
8	H	222	
8	V	222	
9	I	204	
9	W	204	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	233	
13	a	233	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	OV1	N	301	-	-	-	X
15	OV1	V	301	-	-	-	X

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 50744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome component Y7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome component Y13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome component PRE6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	241	Total	C	N	O	S	0	0	0
			1890	1181	331	374	4			
3	Q	241	Total	C	N	O	S	0	0	0
			1890	1181	331	374	4			

- Molecule 4 is a protein called Proteasome component PUP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	242	Total	C	N	O	S	0	0	0
			1861	1162	314	378	7			
4	R	242	Total	C	N	O	S	0	0	0
			1861	1162	314	378	7			

- Molecule 5 is a protein called Proteasome component PRE5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	233	Total	C	N	O	S	0	0	0
			1795	1129	312	350	4			
5	S	233	Total	C	N	O	S	0	0	0
			1795	1129	312	350	4			

- Molecule 6 is a protein called Proteasome component C1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	244	Total	C	N	O	S	0	0	0
			1896	1205	330	357	4			
6	T	244	Total	C	N	O	S	0	0	0
			1896	1205	330	357	4			

- Molecule 7 is a protein called Proteasome component C7-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	243	Total	C	N	O	S	0	0	0
			1921	1221	322	370	8			
7	U	243	Total	C	N	O	S	0	0	0
			1921	1221	322	370	8			

- Molecule 8 is a protein called Proteasome component PUP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	1	0
			1691	1065	294	325	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome component PUP3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome component C11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	198	Total	C	N	O	S	0	0	0
			1585	1005	269	305	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	198	Total	C	N	O	S	0	0	0
			1585	1005	269	305	6			

- Molecule 11 is a protein called Proteasome component PRE2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome component C5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			


- Molecule 13 is a protein called Proteasome component PRE4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome component PRE3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is N-[(2S)-1-({(2S)-1-{[(2R,3S,4S)-1,3-DIHYDROXY-2,6-DIMETHYLHEPTA N-4-YL]AMINO}-4-[(R)-METHYLSULFINYL]-1-OXOBUTAN-2-YL}AMINO)-3-METHY L-1-OXOBUTAN-2-YL]HEXANAMIDE (three-letter code: OV1) (formula: C₂₅H₄₉N₃O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
15	H	1	Total	C	N	O	S	0	1
			70	50	6	12	2		
15	K	1	Total	C	N	O	S	0	0
			35	25	3	6	1		
15	N	1	Total	C	N	O	S	0	0
			35	25	3	6	1		
15	V	1	Total	C	N	O	S	0	0
			35	25	3	6	1		
15	Y	1	Total	C	N	O	S	0	0
			35	25	3	6	1		
15	b	1	Total	C	N	O	S	0	0
			35	25	3	6	1		

- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	39	Total	O	0	0
			39	39		
16	B	33	Total	O	0	0
			33	33		
16	C	35	Total	O	0	0
			35	35		
16	D	40	Total	O	0	0
			40	40		
16	E	28	Total	O	0	0
			28	28		
16	F	29	Total	O	0	0
			29	29		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	37	Total O 37 37	0	0
16	H	32	Total O 32 32	0	0
16	I	27	Total O 27 27	0	0
16	J	32	Total O 32 32	0	0
16	K	36	Total O 36 36	0	0
16	L	43	Total O 43 43	0	0
16	M	27	Total O 27 27	0	0
16	N	34	Total O 34 34	0	0
16	O	27	Total O 27 27	0	0
16	P	32	Total O 32 32	0	0
16	Q	41	Total O 41 41	0	0
16	R	40	Total O 40 40	0	0
16	S	22	Total O 22 22	0	0
16	T	43	Total O 43 43	0	0
16	U	33	Total O 33 33	0	0
16	V	41	Total O 41 41	0	0
16	W	17	Total O 17 17	0	0
16	X	35	Total O 35 35	0	0
16	Y	30	Total O 30 30	0	0
16	Z	37	Total O 37 37	0	0
16	a	45	Total O 45 45	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	b	39	Total	O	0	0
			39	39		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome component Y7




- Molecule 1: Proteasome component Y7




- Molecule 2: Proteasome component Y13




- Molecule 2: Proteasome component Y13





- Molecule 3: Proteasome component PRE6









• Molecule 3: Proteasome component PRE6





• Molecule 4: Proteasome component PUP2




• Molecule 4: Proteasome component PUP2




• Molecule 5: Proteasome component PRE5





• Molecule 5: Proteasome component PRE5







• Molecule 6: Proteasome component C1




• Molecule 6: Proteasome component C1




• Molecule 7: Proteasome component C7-alpha




• Molecule 7: Proteasome component C7-alpha




• Molecule 8: Proteasome component PUP1





• Molecule 8: Proteasome component PUP1







• Molecule 9: Proteasome component PUP3




• Molecule 9: Proteasome component PUP3





• Molecule 10: Proteasome component C11




• Molecule 10: Proteasome component C11




• Molecule 11: Proteasome component PRE2




• Molecule 11: Proteasome component PRE2





- Molecule 12: Proteasome component C5

Chain L: 90% 9%



- Molecule 12: Proteasome component C5

Chain Z: 93% 5%



- Molecule 13: Proteasome component PRE4

Chain M: 88% 12%



- Molecule 13: Proteasome component PRE4

Chain a: 96%



- Molecule 14: Proteasome component PRE3

Chain N: 91% 7%



- Molecule 14: Proteasome component PRE3

Chain b: 96%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	134.62Å 300.28Å 144.57Å 90.00° 112.49° 90.00°	Depositor
Resolution (Å)	49.59 – 2.80 48.92 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.1 (49.59-2.80) 98.1 (48.92-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.10 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.204 , 0.239 0.205 , 0.237	Depositor DCC
R_{free} test set	12672 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	59.0	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	50744	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OV1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/1952	0.50	0/2642
1	O	0.32	0/1952	0.49	0/2642
2	B	0.33	0/1934	0.50	0/2618
2	P	0.32	0/1934	0.50	0/2618
3	C	0.32	0/1919	0.49	0/2598
3	Q	0.33	0/1919	0.50	0/2598
4	D	0.32	0/1886	0.51	0/2541
4	R	0.33	0/1886	0.51	0/2541
5	E	0.34	0/1823	0.51	0/2463
5	S	0.38	0/1823	0.50	0/2463
6	F	0.34	0/1936	0.48	0/2614
6	T	0.33	0/1936	0.48	0/2614
7	G	0.34	0/1959	0.49	0/2652
7	U	0.34	0/1959	0.48	0/2652
8	H	0.31	0/1722	0.50	0/2336
8	V	0.32	0/1715	0.49	0/2326
9	I	0.34	0/1611	0.50	0/2174
9	W	0.34	0/1611	0.50	0/2174
10	J	0.33	0/1613	0.51	0/2173
10	X	0.32	0/1613	0.49	0/2173
11	K	0.32	0/1681	0.52	1/2274 (0.0%)
11	Y	0.31	0/1681	0.51	1/2274 (0.0%)
12	L	0.34	0/1795	0.50	0/2420
12	Z	0.34	0/1795	0.51	0/2420
13	M	0.33	0/1855	0.51	0/2514
13	a	0.33	0/1855	0.51	0/2514
14	N	0.35	1/1541 (0.1%)	0.49	0/2087
14	b	0.47	1/1541 (0.1%)	0.50	1/2087 (0.0%)
All	All	0.34	2/50447 (0.0%)	0.50	3/68202 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	H	0	2
8	V	0	1
11	K	0	1
11	Y	0	1
14	N	0	1
14	b	0	2
All	All	0	8

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	1	THR	C-N	10.83	1.58	1.34
14	N	2	SER	C-N	5.90	1.47	1.34

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	4	LEU	CA-CB-CG	5.88	128.82	115.30
11	Y	4	LEU	CA-CB-CG	5.58	128.14	115.30
14	b	1	THR	O-C-N	-5.48	113.93	122.70

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
8	H	1[A]	THR	Peptide
8	H	1[B]	THR	Peptide
11	K	1	THR	Peptide
14	N	1	THR	Mainchain
8	V	1	THR	Peptide
11	Y	1	THR	Peptide
14	b	1	THR	Mainchain,Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	14	0
1	O	1915	0	1929	19	0
2	B	1904	0	1904	23	0
2	P	1904	0	1904	20	0
3	C	1890	0	1903	21	0
3	Q	1890	0	1903	23	0
4	D	1861	0	1839	12	0
4	R	1861	0	1839	11	0
5	E	1795	0	1800	15	0
5	S	1795	0	1800	19	0
6	F	1896	0	1889	15	0
6	T	1896	0	1889	15	0
7	G	1921	0	1913	14	0
7	U	1921	0	1913	19	0
8	H	1691	0	1690	16	0
8	V	1684	0	1685	13	0
9	I	1581	0	1574	18	0
9	W	1581	0	1574	14	0
10	J	1585	0	1590	13	0
10	X	1585	0	1590	12	0
11	K	1644	0	1592	22	0
11	Y	1644	0	1592	19	0
12	L	1757	0	1711	16	0
12	Z	1757	0	1711	7	0
13	M	1824	0	1832	15	0
13	a	1824	0	1832	0	0
14	N	1512	0	1478	9	0
14	b	1512	0	1478	0	0
15	H	70	0	94	3	0
15	K	35	0	47	2	0
15	N	35	0	47	0	0
15	V	35	0	47	2	0
15	Y	35	0	47	1	0
15	b	35	0	47	0	0
16	A	39	0	0	0	0
16	B	33	0	0	0	0
16	C	35	0	0	0	0
16	D	40	0	0	2	0
16	E	28	0	0	0	0
16	F	29	0	0	0	0
16	G	37	0	0	0	0
16	H	32	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	I	27	0	0	0	0
16	J	32	0	0	0	0
16	K	36	0	0	1	0
16	L	43	0	0	0	0
16	M	27	0	0	0	0
16	N	34	0	0	0	0
16	O	27	0	0	0	0
16	P	32	0	0	1	0
16	Q	41	0	0	0	0
16	R	40	0	0	0	0
16	S	22	0	0	0	0
16	T	43	0	0	0	0
16	U	33	0	0	0	0
16	V	41	0	0	0	0
16	W	17	0	0	0	0
16	X	35	0	0	0	0
16	Y	30	0	0	0	0
16	Z	37	0	0	0	0
16	a	45	0	0	0	0
16	b	39	0	0	0	0
All	All	50744	0	49612	356	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (356) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:92:ALA:HA	7:G:103:MET:HE2	1.60	0.83
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.48	0.79
7:U:92:ALA:HA	7:U:103:MET:HE2	1.64	0.78
1:A:12:PHE:H	2:B:20:GLN:HE22	1.34	0.76
11:K:33:LYS:HE2	15:K:301:OV1:H14	1.67	0.76
1:O:12:PHE:H	2:P:20:GLN:HE22	1.33	0.76
3:Q:206:LYS:O	3:Q:207:ASN:HB2	1.84	0.74
11:Y:33:LYS:HE2	15:Y:301:OV1:H14	1.68	0.74
3:Q:201:VAL:O	3:Q:202:GLN:HB2	1.86	0.74
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.70	0.74
2:B:122:THR:HG22	3:C:125:ARG:HH21	1.53	0.73
6:F:91:GLU:HG2	6:F:111:ARG:HB3	1.72	0.72
12:Z:195:HIS:HD2	12:Z:197:GLN:H	1.35	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:128:ARG:HH21	7:U:120:THR:HG22	1.55	0.71
2:B:12:PHE:H	3:C:17:GLN:HE22	1.38	0.70
10:J:147:HIS:HB3	10:J:160:LEU:HD11	1.74	0.70
3:C:9:PHE:H	4:D:15:GLN:HE22	1.38	0.69
4:D:30:ILE:HD12	4:D:196:LEU:HG	1.75	0.68
5:S:6:ASP:OD1	5:S:23:TYR:OH	2.08	0.68
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.41	0.67
6:F:31:THR:HG21	6:F:47:GLU:O	1.94	0.67
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.76	0.67
3:Q:160:GLN:HE22	3:Q:170:ARG:HE	1.42	0.66
3:C:160:GLN:HE22	3:C:170:ARG:HE	1.43	0.66
6:T:31:THR:HG21	6:T:47:GLU:O	1.95	0.66
11:Y:209:ASN:H	11:Y:209:ASN:HD22	1.45	0.65
1:O:119:GLN:O	1:O:122:THR:HB	1.95	0.65
10:J:1:MET:HG2	10:J:2:ASP:H	1.62	0.65
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.78	0.64
2:B:124:HIS:HB3	3:C:124:VAL:HG12	1.80	0.64
7:U:187:GLU:HG2	7:U:192:LYS:HB2	1.80	0.64
6:T:91:GLU:HG2	6:T:111:ARG:HB3	1.78	0.63
14:N:36:ARG:HH21	14:N:60:GLN:HE21	1.47	0.63
2:P:122:THR:HG22	3:Q:125:ARG:HH21	1.62	0.63
1:A:128:ARG:HH21	7:G:120:THR:CG2	2.13	0.62
1:O:83:ARG:HE	7:U:114:ASN:HD21	1.48	0.62
12:L:109:THR:HG23	12:L:125:PHE:HB2	1.81	0.62
13:M:14:MET:HG2	13:M:177:ILE:HD11	1.82	0.61
1:A:83:ARG:HE	7:G:114:ASN:HD21	1.48	0.61
3:C:29:THR:HB	3:C:45:GLU:HG3	1.82	0.61
12:L:195:HIS:HD2	12:L:197:GLN:H	1.49	0.60
1:O:187:ASP:O	1:O:191:ILE:HD12	2.02	0.60
11:K:37:ILE:HB	11:K:41:LEU:HB3	1.83	0.60
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.67	0.60
14:N:67:THR:HA	14:N:71:GLY:O	2.01	0.60
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.67	0.60
6:F:32:THR:HB	6:F:164:GLY:H	1.65	0.60
12:Z:109:THR:HG23	12:Z:125:PHE:HB2	1.84	0.59
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.84	0.59
8:V:78:SER:O	8:V:82:MET:HG3	2.03	0.59
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.33	0.59
12:L:49:ASN:HD21	12:L:211:GLY:HA2	1.67	0.58
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.86	0.58
4:D:114:ARG:HD3	16:D:303:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:128:ARG:HH21	7:U:120:THR:CG2	2.17	0.57
6:T:91:GLU:HG3	6:T:111:ARG:HH11	1.68	0.57
1:A:187:ASP:O	1:A:191:ILE:HD12	2.04	0.57
5:S:12:PHE:H	6:T:19:GLN:HE22	1.53	0.57
2:P:146:GLN:HG2	3:Q:57:ILE:HG21	1.85	0.57
6:T:123:ASN:HD22	6:T:124:SER:N	2.02	0.56
11:Y:97:MET:HG2	11:Y:117:SER:HB3	1.87	0.56
6:F:38:CYS:HB2	6:F:183:LEU:O	2.05	0.56
6:T:50:ILE:HD11	6:T:209:GLU:HB2	1.87	0.56
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.86	0.56
1:A:128:ARG:HH21	7:G:120:THR:HG22	1.70	0.56
7:U:103:MET:HE1	7:U:108:LEU:HD13	1.87	0.56
5:S:87:LEU:HD11	5:S:107:ALA:HB1	1.89	0.55
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.71	0.55
10:J:3:ILE:H	10:J:18:SER:HB2	1.72	0.55
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.55	0.55
9:I:120:ILE:HD12	9:I:136:ILE:HG12	1.87	0.55
7:U:148:THR:HG22	7:U:154:TYR:HB2	1.89	0.55
8:V:48:THR:HB	8:V:51:ASP:HB2	1.89	0.55
10:J:33:ASP:OD2	10:J:35:THR:HG22	2.06	0.55
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	1.89	0.55
13:M:15:LYS:HG3	13:M:165:ILE:HD12	1.89	0.55
2:B:146:GLN:HG2	3:C:57:ILE:HG21	1.89	0.54
8:H:112:SER:HB3	8:H:125:LEU:HD13	1.90	0.54
5:S:45:LEU:HB2	5:S:213:ALA:HB3	1.89	0.54
6:T:31:THR:HG23	6:T:47:GLU:HB3	1.88	0.54
3:C:157:TRP:CE2	4:D:51:LEU:HD23	2.43	0.54
11:K:38:ASN:HB2	11:K:39:PRO:HD2	1.90	0.54
11:K:37:ILE:HG23	11:K:60:GLY:HA2	1.90	0.54
2:P:215:ILE:HG12	2:P:226:GLN:HG2	1.90	0.54
5:E:9:THR:HG21	5:E:119:THR:HA	1.90	0.53
10:J:22:THR:HG21	10:X:173:PRO:HB3	1.90	0.53
8:H:148:LYS:O	8:H:152:ILE:HG12	2.09	0.53
5:S:6:ASP:OD1	5:S:23:TYR:CE2	2.61	0.53
3:C:160:GLN:HE21	3:C:161:THR:H	1.57	0.53
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.90	0.53
3:Q:160:GLN:HE21	3:Q:160:GLN:CA	2.21	0.53
3:Q:29:THR:HB	3:Q:45:GLU:HG3	1.91	0.53
4:R:73:LEU:HD12	4:R:131:GLY:HA3	1.91	0.53
9:W:106:PRO:HD2	9:W:123:PHE:HB2	1.90	0.53
2:P:151:ASN:HB2	2:P:152:PRO:HD2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:206:LYS:O	3:Q:207:ASN:CB	2.54	0.52
2:B:200:THR:HG22	2:B:202:SER:H	1.75	0.52
9:I:106:PRO:HD2	9:I:123:PHE:HB2	1.91	0.52
2:B:99:LYS:HG3	9:I:64:GLU:HB3	1.91	0.52
6:F:123:ASN:C	6:F:123:ASN:HD22	2.13	0.52
3:Q:214:LYS:HB2	3:Q:218:ASP:HB3	1.91	0.52
5:S:35:VAL:HG23	5:S:196:ILE:HD12	1.91	0.52
11:K:99:THR:HG22	11:K:115:VAL:HB	1.92	0.52
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	1.92	0.52
14:N:2:SER:HG	14:N:169:SER:CB	2.23	0.51
11:Y:3:THR:HG22	11:Y:16:VAL:HG12	1.92	0.51
14:N:175:MET:HB2	14:N:186:LEU:HB2	1.92	0.51
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.92	0.51
2:B:122:THR:CG2	3:C:125:ARG:HH21	2.21	0.51
4:R:77:ALA:O	4:R:81:ILE:HG12	2.11	0.51
2:P:12:PHE:H	3:Q:17:GLN:HE22	1.59	0.51
12:L:16:ALA:HB2	12:L:122:VAL:HG23	1.93	0.51
6:F:191:GLN:O	6:F:195:ILE:HG12	2.11	0.51
12:L:3:ASN:HD22	12:L:4:PRO:HD2	1.75	0.51
6:T:38:CYS:HB2	6:T:183:LEU:O	2.11	0.51
11:K:3:THR:HG22	11:K:16:VAL:HG12	1.93	0.50
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.93	0.50
2:B:215:ILE:HG12	2:B:226:GLN:HG2	1.92	0.50
7:G:106:ASP:HB3	7:G:146:TYR:CZ	2.46	0.50
5:E:205:LEU:HA	5:E:209:ASN:HD22	1.76	0.50
2:B:35:ILE:HD12	2:B:196:LEU:HG	1.94	0.50
5:E:49:LYS:HB3	5:E:58:TYR:HB3	1.94	0.50
6:F:31:THR:HG23	6:F:47:GLU:HB3	1.92	0.50
8:V:148:LYS:O	8:V:152:ILE:HG12	2.12	0.50
4:D:71:SER:HB3	4:D:164:ILE:HD12	1.94	0.50
12:L:18:GLU:O	12:L:119:LYS:HA	2.12	0.50
11:Y:209:ASN:H	11:Y:209:ASN:ND2	2.08	0.50
9:I:141:ALA:HB2	9:I:177:ASP:HB2	1.94	0.50
1:O:115:ALA:HB1	1:O:154:GLY:O	2.11	0.49
1:O:83:ARG:HE	7:U:114:ASN:ND2	2.10	0.49
9:W:94:LEU:HD11	9:W:106:PRO:HG2	1.93	0.49
5:E:12:PHE:H	6:F:19:GLN:HE22	1.61	0.49
10:J:92:ILE:HG13	10:J:122:LEU:HD23	1.95	0.49
11:K:107:LYS:H	11:K:107:LYS:HD2	1.77	0.49
5:S:185:PRO:O	5:S:189:ILE:HG12	2.13	0.49
10:X:147:HIS:HB3	10:X:160:LEU:HD11	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:W:120:ILE:HD12	9:W:136:ILE:HG12	1.95	0.49
4:D:119:ALA:HB3	4:D:124:ARG:HD3	1.95	0.49
8:H:20:SER:HB3	8:H:28:ASP:HB3	1.95	0.49
11:K:209:ASN:H	11:K:209:ASN:HD22	1.61	0.49
11:Y:37:ILE:HB	11:Y:41:LEU:HB3	1.95	0.49
8:H:38:SER:HB2	8:H:39:PRO:HD2	1.94	0.49
1:A:83:ARG:HH21	7:G:114:ASN:HD22	1.61	0.49
5:S:200:LEU:HD11	5:S:205:LEU:HD22	1.94	0.48
6:T:172:LEU:HB3	7:U:54:LEU:HD21	1.95	0.48
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.43	0.48
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.94	0.48
10:X:195:PHE:HA	10:X:198:GLN:HB2	1.96	0.48
9:I:11:VAL:HG23	9:I:53:THR:HG23	1.95	0.48
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.43	0.48
10:X:1:MET:HE1	10:X:135:TYR:H	1.78	0.48
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.57	0.48
6:T:9:SER:HB2	7:U:126:ARG:HB3	1.95	0.48
9:W:141:ALA:HB2	9:W:177:ASP:HB2	1.94	0.48
11:K:209:ASN:H	11:K:209:ASN:ND2	2.11	0.48
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.44	0.48
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.96	0.47
3:Q:161:THR:HG21	3:Q:169:VAL:HG13	1.96	0.47
2:B:151:ASN:HB2	2:B:152:PRO:HD2	1.94	0.47
7:G:195:GLU:HG3	7:G:235:ARG:HG3	1.96	0.47
2:B:119:GLN:O	2:B:122:THR:HB	2.15	0.47
11:K:1:THR:HG23	11:K:33:LYS:HD3	1.95	0.47
7:G:187:GLU:HG2	7:G:192:LYS:HB2	1.96	0.47
1:A:227:ILE:HG22	1:A:230:ASP:H	1.80	0.47
10:J:92:ILE:HA	10:J:97:PRO:HB3	1.96	0.47
4:D:89:VAL:HG21	11:K:65:LEU:HD13	1.96	0.47
2:B:65:LEU:HD22	2:B:211:GLU:HB3	1.96	0.47
2:P:35:ILE:HD12	2:P:196:LEU:HG	1.96	0.47
9:W:15:THR:HG22	9:W:20:VAL:HG12	1.96	0.47
11:Y:12:ILE:HB	11:Y:180:VAL:HB	1.95	0.47
2:P:69:ASN:HB3	2:P:72:ILE:H	1.80	0.47
9:W:185:VAL:HG21	9:W:196:LYS:HE3	1.96	0.47
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.44	0.47
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.97	0.47
12:L:13:LEU:CD1	12:L:150:LEU:HD21	2.43	0.46
12:L:4:PRO:O	13:M:104:ARG:NH1	2.45	0.46
2:P:149:THR:CG2	2:P:159:TRP:HE1	2.28	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:T:191:GLN:O	6:T:195:ILE:HG12	2.15	0.46
2:B:69:ASN:HB3	2:B:72:ILE:H	1.80	0.46
9:I:65:MET:O	9:I:68:TYR:HB3	2.16	0.46
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.63	0.46
11:Y:37:ILE:HG23	11:Y:60:GLY:HA2	1.97	0.46
5:S:70:GLY:HA3	5:S:221:PHE:CE2	2.50	0.46
8:V:3:ILE:HG22	8:V:16:ALA:HB2	1.98	0.46
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.46	0.46
7:U:149:ASP:HB2	7:U:150:PRO:HD2	1.96	0.46
5:E:185:PRO:O	5:E:189:ILE:HG12	2.16	0.46
6:F:110:ASP:O	6:F:114:GLN:HG2	2.16	0.46
3:Q:41:VAL:HG22	3:Q:212:VAL:HG22	1.98	0.46
4:R:89:VAL:HG21	11:Y:65:LEU:HD13	1.98	0.46
10:X:25:ILE:HG22	10:X:25:ILE:O	2.16	0.46
8:H:35:HIS:CB	8:H:56:THR:HG21	2.43	0.46
13:M:179:ASN:HD22	13:M:182:ARG:HH11	1.63	0.46
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.46	0.46
3:C:77:ASN:HD22	3:C:77:ASN:N	2.14	0.46
10:J:195:PHE:HA	10:J:198:GLN:HB2	1.98	0.46
3:C:214:LYS:HB2	3:C:218:ASP:HB3	1.97	0.45
8:H:168:GLY:O	15:H:301[A]:OV1:H23	2.16	0.45
13:M:11:VAL:HG23	13:M:54:SER:HB3	1.98	0.45
6:T:123:ASN:HD22	6:T:123:ASN:C	2.16	0.45
5:E:231:LYS:H	5:E:231:LYS:HD2	1.81	0.45
5:S:80:ALA:HB2	5:S:129:VAL:HG21	1.98	0.45
7:U:106:ASP:HB3	7:U:146:TYR:CZ	2.51	0.45
10:X:19:LYS:HD3	10:X:180:ILE:HG13	1.98	0.45
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.51	0.45
4:D:73:LEU:HD12	4:D:131:GLY:HA3	1.99	0.45
1:A:83:ARG:HE	7:G:114:ASN:ND2	2.11	0.45
11:Y:38:ASN:HB2	11:Y:39:PRO:HD2	1.98	0.45
5:E:92:ASN:HD21	12:L:70:ASN:HD21	1.64	0.45
1:O:66:LEU:HD12	1:O:235:PHE:CD2	2.52	0.45
1:O:83:ARG:HH21	7:U:114:ASN:HD22	1.63	0.45
1:A:222:LEU:HD13	1:A:232:GLY:HA2	1.98	0.45
5:E:178:PHE:HA	5:E:181:ILE:HG12	1.99	0.45
12:L:8:ASN:HA	12:L:30:ILE:O	2.16	0.45
2:B:139:TYR:CD1	2:B:224:VAL:HG21	2.52	0.45
8:V:49:ALA:HB2	15:V:301:OV1:H17	1.98	0.45
2:B:48:GLU:OE2	2:B:200:THR:HG23	2.17	0.45
6:F:66:VAL:HG22	6:F:89:ARG:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:75:SER:HA	11:K:105:THR:HG21	1.99	0.45
1:O:26:THR:O	1:O:30:GLN:HG2	2.17	0.45
5:S:6:ASP:OD1	5:S:23:TYR:CZ	2.70	0.45
3:Q:92:GLN:HG3	10:X:66:LEU:HB2	1.99	0.44
1:O:64:VAL:HG11	1:O:212:ALA:HB3	1.99	0.44
9:W:15:THR:HG23	9:W:120:ILE:HG12	1.99	0.44
4:D:77:ALA:O	4:D:81:ILE:HG12	2.16	0.44
1:O:110:LEU:O	1:O:114:VAL:HG23	2.18	0.44
4:R:30:ILE:HD12	4:R:196:LEU:HG	1.98	0.44
2:B:21:VAL:HG11	2:B:153:SER:HB3	1.99	0.44
12:Z:49:ASN:HD21	12:Z:211:GLY:HA2	1.83	0.44
5:E:206:THR:H	5:E:209:ASN:HB3	1.82	0.44
10:J:173:PRO:HB3	10:X:22:THR:HG21	2.00	0.44
11:K:89:GLN:HG3	16:K:416:HOH:O	2.18	0.44
5:S:70:GLY:HA3	5:S:221:PHE:CZ	2.53	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.18	0.44
9:I:20:VAL:HG23	9:I:189:ILE:HB	2.00	0.44
2:P:18:LEU:HD13	2:P:122:THR:HG23	2.00	0.44
4:R:59:ILE:HG22	4:R:220:PHE:HZ	1.82	0.44
6:F:98:LEU:O	14:N:80:SER:HB3	2.18	0.43
13:M:53:ILE:HB	13:M:60:MET:HG3	2.00	0.43
4:D:44:LYS:HE3	4:D:210:GLN:HB2	2.00	0.43
12:L:42:LYS:HB3	12:L:42:LYS:HE2	1.86	0.43
7:U:78:ILE:N	7:U:79:PRO:HD2	2.33	0.43
10:X:119:ILE:HA	10:X:124:THR:O	2.18	0.43
11:Y:5:ALA:HA	11:Y:13:ILE:O	2.18	0.43
5:E:131:LEU:HB2	5:E:146:PHE:HB3	2.00	0.43
6:F:91:GLU:HG3	6:F:111:ARG:HH11	1.84	0.43
2:P:119:GLN:O	2:P:122:THR:HB	2.18	0.43
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.49	0.43
13:M:140:PRO:HB3	13:M:165:ILE:HD11	2.00	0.43
14:N:20:THR:HG23	14:N:31:THR:OG1	2.19	0.43
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.54	0.43
10:X:39:SER:HB2	10:X:40:PRO:HD2	2.01	0.43
11:Y:78:ALA:O	11:Y:82:ILE:HG12	2.18	0.43
9:I:189:ILE:HD13	9:I:194:VAL:HG13	2.00	0.43
13:M:16:TYR:CE2	13:M:170:VAL:HG22	2.53	0.43
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.01	0.43
2:P:149:THR:HG22	2:P:159:TRP:HE1	1.83	0.43
8:V:210:THR:HG21	9:W:167:SER:HB3	2.00	0.43
3:C:160:GLN:NE2	3:C:161:THR:H	2.15	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:168:GLY:O	15:H:301[B]:OV1:H23	2.18	0.43
11:K:158:LYS:HB2	11:K:177:LEU:HD11	1.99	0.43
6:T:32:THR:HB	6:T:164:GLY:H	1.84	0.43
5:E:99:ASN:HB2	13:M:94:GLU:HG2	2.01	0.43
13:M:156:ARG:HH11	8:V:165:ASN:HD22	1.67	0.43
1:O:21:ILE:HD11	1:O:122:THR:HG23	2.01	0.43
3:C:101:PRO:HB2	3:C:138:PRO:HG3	2.00	0.43
9:I:87:THR:HG23	9:I:123:PHE:CZ	2.53	0.43
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.01	0.43
6:F:9:SER:HB2	7:G:126:ARG:HB3	2.01	0.43
5:S:38:ARG:NH1	5:S:39:SER:O	2.52	0.43
4:R:191:LEU:O	4:R:195:ILE:HD12	2.18	0.43
5:S:178:PHE:HA	5:S:181:ILE:HG12	2.01	0.43
10:X:15:LEU:HD12	10:X:43:LEU:HD23	2.01	0.43
4:D:191:LEU:O	4:D:195:ILE:HD12	2.18	0.42
10:J:152:MET:SD	10:J:160:LEU:HD22	2.59	0.42
2:P:218:GLY:HA3	2:P:221:ASP:HB3	2.01	0.42
5:S:131:LEU:HB2	5:S:146:PHE:HB3	2.01	0.42
5:S:197:SER:HA	5:S:200:LEU:HG	2.01	0.42
8:H:34:LEU:HD22	8:H:174:ASP:HB3	2.01	0.42
9:I:94:LEU:HD11	9:I:106:PRO:HG2	2.01	0.42
13:M:27:LEU:HD11	13:M:34:LEU:HB3	2.01	0.42
9:I:7:ASN:HA	9:I:29:GLY:O	2.19	0.42
11:Y:114:TYR:O	11:Y:121:ARG:HA	2.20	0.42
12:Z:100:LYS:O	12:Z:104:PRO:HA	2.19	0.42
10:J:158:LEU:HD21	10:J:183:ILE:HD11	2.02	0.42
11:K:197:PHE:HZ	11:K:210:VAL:HG21	1.84	0.42
1:O:68:THR:HB	1:O:69:PRO:HD2	2.01	0.42
6:T:63:ILE:HB	6:T:226:PHE:HE2	1.84	0.42
7:U:66:ILE:HG21	7:U:108:LEU:HD21	2.00	0.42
8:V:7:LYS:HG3	8:V:123:TYR:HA	2.00	0.42
11:Y:7:ARG:HD2	11:Y:110:PRO:O	2.19	0.42
11:K:163:ALA:HB1	10:X:142:SER:HB2	2.02	0.42
11:Y:75:SER:HA	11:Y:105:THR:HG21	2.02	0.42
5:E:99:ASN:HA	5:E:99:ASN:HD22	1.70	0.42
8:V:113:ILE:HG12	8:V:119:THR:HG22	2.02	0.42
3:C:142:GLU:HA	3:C:143:PRO:HD3	1.84	0.42
2:P:70:ASP:HB2	16:P:321:HOH:O	2.19	0.42
7:G:73:VAL:HG12	7:G:133:THR:HB	2.02	0.42
11:K:12:ILE:HB	11:K:180:VAL:HB	2.02	0.42
3:Q:46:ARG:HB2	3:Q:207:ASN:HA	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:78:ILE:N	7:G:79:PRO:HD2	2.35	0.42
16:D:323:HOH:O	12:L:79:HIS:HE1	2.02	0.42
1:A:115:ALA:HB1	1:A:154:GLY:O	2.20	0.41
4:D:37:GLY:HA2	4:D:145:TYR:CE1	2.54	0.41
11:K:25:TRP:CH2	12:L:144:SER:HA	2.55	0.41
4:R:32:ILE:HD12	4:R:192:VAL:HG23	2.01	0.41
4:R:161:ALA:HB3	5:S:55:LEU:HD23	2.01	0.41
1:O:55:LEU:HD12	7:U:170:THR:HG23	2.00	0.41
8:V:163:ILE:HG23	8:V:170:GLY:HA2	2.02	0.41
8:H:8:PHE:HB3	8:H:151:ALA:HB2	2.01	0.41
1:A:122:THR:HG22	2:B:128:ARG:HE	1.86	0.41
2:B:149:THR:HG22	2:B:159:TRP:HE1	1.85	0.41
2:B:162:ILE:HG13	2:B:163:SER:N	2.35	0.41
9:I:58:ASP:OD1	10:J:93:ARG:NH2	2.54	0.41
11:K:114:TYR:O	11:K:121:ARG:HA	2.20	0.41
11:K:49:ALA:HB2	15:K:301:OV1:H17	2.03	0.41
5:E:68:HIS:HE1	5:E:102:LEU:O	2.03	0.41
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.41
13:M:129:TYR:HE1	13:M:144:THR:HG22	1.86	0.41
2:P:69:ASN:HA	2:P:69:ASN:HD22	1.65	0.41
5:S:6:ASP:OD1	5:S:23:TYR:HE2	2.03	0.41
11:Y:100:MET:HB2	11:Y:100:MET:HE2	1.94	0.41
11:Y:45:MET:HB3	11:Y:52:CYS:HB3	2.02	0.41
1:A:10:THR:O	2:B:128:ARG:HD3	2.20	0.41
6:F:117:GLN:HB3	6:F:117:GLN:HE21	1.73	0.41
6:F:123:ASN:HD22	6:F:124:SER:N	2.19	0.41
3:Q:35:LYS:HD3	3:Q:158:SER:HA	2.03	0.41
3:Q:179:ARG:HH22	4:R:52:GLU:HA	1.84	0.41
7:U:117:GLN:O	7:U:120:THR:HB	2.20	0.41
9:I:148:MET:SD	12:Z:148:PRO:HB2	2.60	0.41
5:E:92:ASN:ND2	12:L:70:ASN:HD21	2.18	0.41
1:A:149:GLN:O	1:A:156:TYR:HA	2.20	0.41
11:K:211:ILE:HD11	9:W:38:LYS:HG2	2.03	0.41
13:M:193:ARG:HG3	13:M:214:VAL:HB	2.01	0.41
3:Q:160:GLN:NE2	3:Q:170:ARG:HE	2.14	0.41
1:A:28:VAL:HG11	1:A:133:SER:HB2	2.03	0.41
5:E:95:SER:O	5:E:99:ASN:HA	2.21	0.41
3:Q:155:SER:HB2	4:R:51:LEU:HD21	2.02	0.41
9:W:22:ILE:HG12	9:W:42:ILE:HD12	2.03	0.41
12:L:10:GLY:HA2	12:L:26:ASP:OD1	2.21	0.41
3:C:201:VAL:HG11	3:C:207:ASN:HB3	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:2:SER:OG	14:N:169:SER:HB3	2.21	0.40
5:S:147:GLN:HA	5:S:148:PRO:HD3	1.92	0.40
3:C:160:GLN:NE2	3:C:160:GLN:HA	2.35	0.40
8:H:172:ASN:HD22	8:H:192:THR:HA	1.86	0.40
8:H:84:LYS:HG3	8:H:85:GLN:N	2.36	0.40
10:J:172:MET:HA	10:J:173:PRO:HD3	1.85	0.40
2:P:180:LYS:O	2:P:183:MET:HG3	2.21	0.40
15:V:301:OV1:H37	9:W:124:ASP:HB3	2.02	0.40
8:H:215:GLU:HG3	9:I:197:ARG:HG2	2.04	0.40
9:I:22:ILE:HG12	9:I:42:ILE:HD12	2.02	0.40
15:H:301[A]:OV1:H11	15:H:301[A]:OV1:H25	1.90	0.40
8:H:3:ILE:HG22	8:H:16:ALA:HB2	2.04	0.40
11:K:128:CYS:HB2	11:K:137:TYR:CE1	2.56	0.40
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.02	0.40
12:Z:207:VAL:HG22	12:Z:212:VAL:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	5 (2%)	1 (0%)	38	72
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/244 (99%)	234 (97%)	8 (3%)	0	100	100
2	P	242/244 (99%)	233 (96%)	7 (3%)	2 (1%)	22	55
3	C	239/241 (99%)	233 (98%)	5 (2%)	1 (0%)	38	72
3	Q	239/241 (99%)	231 (97%)	5 (2%)	3 (1%)	14	41
4	D	240/242 (99%)	234 (98%)	6 (2%)	0	100	100
4	R	240/242 (99%)	231 (96%)	9 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	E	231/233 (99%)	223 (96%)	7 (3%)	1 (0%)	38	72
5	S	231/233 (99%)	223 (96%)	7 (3%)	1 (0%)	38	72
6	F	242/244 (99%)	230 (95%)	11 (4%)	1 (0%)	38	72
6	T	242/244 (99%)	232 (96%)	10 (4%)	0	100	100
7	G	241/243 (99%)	235 (98%)	6 (2%)	0	100	100
7	U	241/243 (99%)	236 (98%)	4 (2%)	1 (0%)	38	72
8	H	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
8	V	220/222 (99%)	210 (96%)	9 (4%)	1 (0%)	32	67
9	I	202/204 (99%)	196 (97%)	6 (3%)	0	100	100
9	W	202/204 (99%)	196 (97%)	6 (3%)	0	100	100
10	J	196/198 (99%)	190 (97%)	5 (3%)	1 (0%)	32	67
10	X	196/198 (99%)	190 (97%)	6 (3%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	205 (98%)	5 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	212 (96%)	8 (4%)	0	100	100
13	M	231/233 (99%)	222 (96%)	9 (4%)	0	100	100
13	a	231/233 (99%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	6 (3%)	1 (0%)	32	67
All	All	6312/6368 (99%)	6112 (97%)	186 (3%)	14 (0%)	51	83

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	P	218	GLY
3	Q	207	ASN
5	E	3	ASN
3	Q	202	GLN
7	U	2	GLY
14	b	39	ASP
3	C	203	THR
2	P	50	LYS
3	Q	203	THR
8	V	171	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2	THR
5	S	3	ASN
6	F	243	ILE
10	J	9	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	204 (98%)	5 (2%)	54	85
1	O	209/209 (100%)	204 (98%)	5 (2%)	54	85
2	B	203/203 (100%)	194 (96%)	9 (4%)	33	67
2	P	203/203 (100%)	193 (95%)	10 (5%)	29	62
3	C	213/213 (100%)	204 (96%)	9 (4%)	34	68
3	Q	213/213 (100%)	204 (96%)	9 (4%)	34	68
4	D	198/198 (100%)	190 (96%)	8 (4%)	36	70
4	R	198/198 (100%)	190 (96%)	8 (4%)	36	70
5	E	192/192 (100%)	179 (93%)	13 (7%)	18	47
5	S	192/192 (100%)	179 (93%)	13 (7%)	18	47
6	F	201/201 (100%)	189 (94%)	12 (6%)	22	54
6	T	201/201 (100%)	192 (96%)	9 (4%)	32	66
7	G	207/207 (100%)	199 (96%)	8 (4%)	37	71
7	U	207/207 (100%)	197 (95%)	10 (5%)	30	63
8	H	182/181 (101%)	175 (96%)	7 (4%)	38	72
8	V	181/181 (100%)	177 (98%)	4 (2%)	57	87
9	I	172/172 (100%)	168 (98%)	4 (2%)	56	86
9	W	172/172 (100%)	167 (97%)	5 (3%)	48	81
10	J	175/175 (100%)	170 (97%)	5 (3%)	48	81
10	X	175/175 (100%)	168 (96%)	7 (4%)	36	70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	K	169/169 (100%)	159 (94%)	10 (6%)	23	54
11	Y	169/169 (100%)	160 (95%)	9 (5%)	26	59
12	L	185/185 (100%)	182 (98%)	3 (2%)	68	91
12	Z	185/185 (100%)	180 (97%)	5 (3%)	50	83
13	M	199/199 (100%)	194 (98%)	5 (2%)	53	84
13	a	199/199 (100%)	189 (95%)	10 (5%)	28	62
14	N	162/162 (100%)	156 (96%)	6 (4%)	39	73
14	b	162/162 (100%)	156 (96%)	6 (4%)	39	73
All	All	5333/5332 (100%)	5119 (96%)	214 (4%)	36	70

All (214) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	62	SER
1	A	133	SER
1	A	157	PHE
1	A	184	GLU
2	B	55	LEU
2	B	60	THR
2	B	69	ASN
2	B	108	GLU
2	B	119	GLN
2	B	149	THR
2	B	184	LYS
2	B	191	LEU
2	B	200	THR
3	C	4	ARG
3	C	15	ILE
3	C	19	GLU
3	C	55	THR
3	C	61	LYS
3	C	77	ASN
3	C	160	GLN
3	C	169	VAL
3	C	185	THR
4	D	4	VAL
4	D	20	LEU
4	D	124	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	155	THR
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
5	E	9	THR
5	E	29	LYS
5	E	59	GLN
5	E	71	LEU
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	184	ASN
5	E	188	LEU
5	E	207	VAL
5	E	227	GLU
5	E	231	LYS
6	F	39	ASN
6	F	51	THR
6	F	117	GLN
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	186	ARG
6	F	203	ASN
6	F	214	TRP
6	F	221	ASN
6	F	228	LYS
6	F	243	ILE
7	G	68	ARG
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	120	THR
7	G	166	GLN
7	G	221	LYS
7	G	235	ARG
8	H	20	SER
8	H	22	GLN
8	H	30	ASN
8	H	34	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	H	56	THR
8	H	68	LEU
8	H	120	ASP
9	I	37	ASN
9	I	81	ILE
9	I	171	LEU
9	I	182	TRP
10	J	71	GLU
10	J	78	GLN
10	J	92	ILE
10	J	136	SER
10	J	196	GLN
11	K	4	LEU
11	K	9	GLN
11	K	41	LEU
11	K	65	LEU
11	K	73	ARG
11	K	87	VAL
11	K	99	THR
11	K	107	LYS
11	K	148	LEU
11	K	209	ASN
12	L	3	ASN
12	L	49	ASN
12	L	109	THR
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	226	LYS
14	N	2	SER
14	N	80	SER
14	N	83	LYS
14	N	84	GLU
14	N	105	LYS
14	N	119	VAL
1	O	2	THR
1	O	30	GLN
1	O	62	SER
1	O	133	SER
1	O	157	PHE
2	P	54	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	55	LEU
2	P	62	THR
2	P	69	ASN
2	P	74	VAL
2	P	119	GLN
2	P	184	LYS
2	P	191	LEU
2	P	200	THR
2	P	216	ARG
3	Q	4	ARG
3	Q	15	ILE
3	Q	19	GLU
3	Q	51	LYS
3	Q	61	LYS
3	Q	160	GLN
3	Q	169	VAL
3	Q	185	THR
3	Q	206	LYS
4	R	4	VAL
4	R	20	LEU
4	R	59	ILE
4	R	94	TYR
4	R	124	ARG
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
5	S	8	ASP
5	S	9	THR
5	S	29	LYS
5	S	30	GLN
5	S	59	GLN
5	S	71	LEU
5	S	99	ASN
5	S	118	ASN
5	S	184	ASN
5	S	196	ILE
5	S	201	ARG
5	S	227	GLU
5	S	231	LYS
6	T	39	ASN
6	T	117	GLN
6	T	123	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	148	GLU
6	T	181	GLU
6	T	186	ARG
6	T	203	ASN
6	T	214	TRP
6	T	228	LYS
7	U	68	ARG
7	U	83	ASN
7	U	115	LEU
7	U	154	TYR
7	U	166	GLN
7	U	201	MET
7	U	203	ASP
7	U	207	THR
7	U	221	LYS
7	U	235	ARG
8	V	30	ASN
8	V	56	THR
8	V	68	LEU
8	V	144	GLN
9	W	37	ASN
9	W	81	ILE
9	W	171	LEU
9	W	182	TRP
9	W	185	VAL
10	X	1	MET
10	X	22	THR
10	X	35	THR
10	X	71	GLU
10	X	78	GLN
10	X	92	ILE
10	X	174	MET
11	Y	4	LEU
11	Y	9	GLN
11	Y	65	LEU
11	Y	87	VAL
11	Y	89	GLN
11	Y	99	THR
11	Y	100	MET
11	Y	148	LEU
11	Y	209	ASN
12	Z	13	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	49	ASN
12	Z	53	SER
12	Z	108	HIS
12	Z	109	THR
13	a	10	SER
13	a	12	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	159	VAL
13	a	161	ARG
13	a	170	VAL
13	a	171	GLN
13	a	226	LYS
14	b	83	LYS
14	b	105	LYS
14	b	115	LEU
14	b	119	VAL
14	b	149	GLU
14	b	178	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (146) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	94	HIS
2	B	20	GLN
2	B	69	ASN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	241	GLN
4	D	15	GLN
4	D	100	ASN
4	D	160	ASN
4	D	198	GLN
4	D	225	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
5	E	198	GLN
5	E	209	ASN
6	F	19	GLN
6	F	39	ASN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
7	G	6	HIS
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
7	G	186	ASN
7	G	231	ASN
8	H	30	ASN
8	H	66	HIS
8	H	144	GLN
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
9	I	88	GLN
9	I	156	ASN
10	J	37	GLN
10	J	55	GLN
10	J	78	GLN
10	J	86	GLN
10	J	118	GLN
10	J	191	GLN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
12	L	49	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	70	ASN
12	L	108	HIS
12	L	195	HIS
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	171	GLN
13	M	179	ASN
13	M	213	GLN
14	N	60	GLN
14	N	161	GLN
1	O	30	GLN
1	O	94	HIS
2	P	20	GLN
2	P	69	ASN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	155	ASN
3	Q	17	GLN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
3	Q	236	GLN
4	R	15	GLN
4	R	100	ASN
4	R	146	GLN
4	R	160	ASN
4	R	198	GLN
4	R	210	GLN
4	R	225	ASN
5	S	30	GLN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	39	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	143	HIS
6	T	244	ASN
7	U	6	HIS
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	175	ASN
7	U	186	ASN
8	V	30	ASN
8	V	66	HIS
8	V	91	GLN
8	V	165	ASN
8	V	172	ASN
8	V	189	ASN
9	W	37	ASN
10	X	55	GLN
10	X	78	GLN
10	X	118	GLN
10	X	147	HIS
10	X	191	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	209	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	80	ASN
12	Z	195	HIS
13	a	2	GLN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	171	GLN
13	a	179	ASN
13	a	213	GLN
14	b	69	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	157	HIS
14	b	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
15	OV1	H	301[A]	8	34,34,34	1.38	7 (20%)	39,44,44	1.80	5 (12%)
15	OV1	H	301[B]	8	34,34,34	1.51	9 (26%)	39,44,44	1.72	5 (12%)
15	OV1	K	301	11	34,34,34	0.61	1 (2%)	39,44,44	1.58	4 (10%)
15	OV1	N	301	14	34,34,34	0.82	1 (2%)	39,44,44	2.11	5 (12%)
15	OV1	V	301	8	34,34,34	0.53	0	39,44,44	1.53	3 (7%)
15	OV1	Y	301	11	34,34,34	0.61	1 (2%)	39,44,44	1.48	3 (7%)
15	OV1	b	301	14	34,34,34	0.58	1 (2%)	39,44,44	1.23	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	OV1	H	301[A]	8	-	0/48/48/48	0/0/0/0
15	OV1	H	301[B]	8	-	0/48/48/48	0/0/0/0
15	OV1	K	301	11	-	0/48/48/48	0/0/0/0
15	OV1	N	301	14	-	0/48/48/48	0/0/0/0
15	OV1	V	301	8	-	0/48/48/48	0/0/0/0
15	OV1	Y	301	11	-	0/48/48/48	0/0/0/0
15	OV1	b	301	14	-	0/48/48/48	0/0/0/0

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	H	301[B]	OV1	C6-C10	-2.85	1.46	1.52
15	H	301[A]	OV1	C6-C10	-2.78	1.46	1.52
15	H	301[A]	OV1	O1-C5	-2.54	1.17	1.23
15	H	301[B]	OV1	O1-C5	-2.54	1.17	1.23
15	H	301[B]	OV1	C5-N1	-2.53	1.28	1.34
15	H	301[A]	OV1	C24-C22	-2.48	1.50	1.52
15	H	301[B]	OV1	O2-C10	-2.47	1.18	1.23
15	H	301[A]	OV1	C5-N1	-2.47	1.29	1.34
15	H	301[A]	OV1	O2-C10	-2.43	1.18	1.23
15	H	301[B]	OV1	C24-C22	-2.39	1.50	1.52
15	H	301[A]	OV1	C6-N1	-2.35	1.40	1.45
15	H	301[B]	OV1	C6-N1	-2.34	1.40	1.45
15	H	301[B]	OV1	C13-S1	-2.23	1.70	1.80
15	Y	301	OV1	C13-S1	-2.16	1.70	1.80
15	H	301[A]	OV1	O3-C15	-2.15	1.19	1.23
15	K	301	OV1	C13-S1	-2.15	1.70	1.80
15	H	301[B]	OV1	O3-C15	-2.15	1.19	1.23
15	H	301[B]	OV1	O8-S1	-2.10	1.44	1.50
15	b	301	OV1	C13-S1	-2.09	1.70	1.80
15	N	301	OV1	C16-N3	3.30	1.52	1.46

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	N	301	OV1	C25-C16-N3	-9.59	97.58	110.17
15	K	301	OV1	C25-C16-N3	-5.97	102.33	110.17
15	V	301	OV1	C25-C16-N3	-5.79	102.57	110.17
15	Y	301	OV1	C25-C16-N3	-5.46	103.01	110.17
15	H	301[A]	OV1	C7-C6-N1	-5.30	98.10	111.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	H	301[B]	OV1	C7-C6-N1	-5.15	98.47	111.42
15	H	301[B]	OV1	C25-C16-N3	-2.67	106.66	110.17
15	N	301	OV1	O4-C17-C16	-2.54	102.92	108.98
15	H	301[A]	OV1	O2-C10-C6	-2.47	115.68	120.67
15	K	301	OV1	C23-C22-C24	-2.38	106.86	109.87
15	H	301[B]	OV1	O2-C10-C6	-2.30	116.03	120.67
15	H	301[A]	OV1	C1-C4-C5	-2.16	107.25	113.32
15	b	301	OV1	C7-C6-N1	-2.16	106.00	111.42
15	H	301[B]	OV1	C1-C4-C5	-2.15	107.30	113.32
15	b	301	OV1	C25-C16-N3	-2.05	107.48	110.17
15	H	301[A]	OV1	O8-S1-C14	2.07	110.43	106.20
15	V	301	OV1	O8-S1-C14	2.11	110.52	106.20
15	N	301	OV1	C16-N3-C15	2.15	127.01	123.16
15	Y	301	OV1	O8-S1-C14	2.20	110.69	106.20
15	K	301	OV1	O8-S1-C14	2.43	111.17	106.20
15	N	301	OV1	O4-C17-C22	2.47	114.46	109.82
15	b	301	OV1	C6-N1-C5	2.87	127.31	121.78
15	K	301	OV1	C14-S1-C13	5.13	109.38	97.71
15	Y	301	OV1	C14-S1-C13	5.28	109.72	97.71
15	b	301	OV1	C14-S1-C13	5.34	109.86	97.71
15	V	301	OV1	C14-S1-C13	6.09	111.56	97.71
15	H	301[B]	OV1	C14-S1-C13	6.29	112.03	97.71
15	N	301	OV1	C14-S1-C13	6.68	112.91	97.71
15	H	301[A]	OV1	C14-S1-C13	7.34	114.41	97.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	H	301[A]	OV1	2	0
15	H	301[B]	OV1	1	0
15	K	301	OV1	2	0
15	V	301	OV1	2	0
15	Y	301	OV1	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.37	3 (1%) 79 72	44, 60, 86, 101	0
1	O	250/250 (100%)	-0.25	4 (1%) 72 65	48, 64, 91, 106	0
2	B	244/244 (100%)	-0.33	4 (1%) 72 65	45, 60, 90, 99	0
2	P	244/244 (100%)	-0.17	4 (1%) 72 65	51, 65, 89, 104	0
3	C	241/241 (100%)	-0.17	6 (2%) 58 47	45, 64, 102, 132	0
3	Q	241/241 (100%)	0.06	10 (4%) 38 27	52, 77, 116, 148	0
4	D	242/242 (100%)	-0.24	7 (2%) 52 41	49, 64, 87, 110	0
4	R	242/242 (100%)	-0.19	7 (2%) 52 41	54, 69, 94, 116	0
5	E	233/233 (100%)	-0.09	6 (2%) 56 45	52, 69, 96, 104	0
5	S	233/233 (100%)	-0.07	7 (3%) 51 39	48, 74, 101, 108	0
6	F	244/244 (100%)	-0.26	4 (1%) 72 65	47, 66, 94, 116	0
6	T	244/244 (100%)	-0.23	2 (0%) 86 81	49, 66, 93, 114	0
7	G	243/243 (100%)	-0.35	2 (0%) 86 81	45, 62, 88, 108	0
7	U	243/243 (100%)	-0.35	3 (1%) 79 72	48, 62, 83, 102	0
8	H	222/222 (100%)	-0.42	1 (0%) 90 88	43, 54, 72, 92	0
8	V	222/222 (100%)	-0.40	2 (0%) 84 79	41, 54, 72, 96	0
9	I	204/204 (100%)	-0.41	1 (0%) 90 88	41, 52, 72, 77	0
9	W	204/204 (100%)	-0.34	0 100 100	43, 53, 72, 77	0
10	J	198/198 (100%)	-0.38	3 (1%) 74 67	40, 53, 72, 89	0
10	X	198/198 (100%)	-0.40	4 (2%) 65 56	45, 57, 74, 90	0
11	K	212/212 (100%)	-0.43	1 (0%) 90 88	39, 51, 71, 78	0
11	Y	212/212 (100%)	-0.45	0 100 100	44, 54, 75, 83	0
12	L	222/222 (100%)	-0.50	0 100 100	40, 54, 70, 81	0
12	Z	222/222 (100%)	-0.41	0 100 100	41, 56, 74, 85	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
13	M	233/233 (100%)	-0.43	1 (0%)	92	90	42, 56, 71, 77	0
13	a	233/233 (100%)	-0.54	1 (0%)	92	90	40, 54, 68, 73	0
14	N	196/196 (100%)	-0.44	1 (0%)	90	88	42, 52, 71, 80	0
14	b	196/196 (100%)	-0.41	0	100	100	42, 51, 71, 77	0
All	All	6368/6368 (100%)	-0.31	84 (1%)	77	71	39, 59, 91, 148	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	R	121	GLY	6.7
2	P	220	ASN	6.5
1	O	1	MET	5.6
10	J	197	ALA	5.6
4	D	119	ALA	5.3
4	D	120	SER	5.2
5	E	233	ILE	5.1
4	R	120	SER	5.0
2	P	219	ALA	4.7
2	B	220	ASN	4.6
3	Q	205	ALA	4.6
4	R	118	GLY	4.5
5	E	1	PHE	4.5
4	D	121	GLY	4.3
1	A	1	MET	4.1
4	R	119	ALA	4.1
10	J	198	GLN	4.1
8	V	221	CYS	3.9
3	Q	203	THR	3.9
10	X	197	ALA	3.9
7	U	243	ASP	3.7
13	M	1	THR	3.7
8	V	222	ASP	3.7
4	D	124	ARG	3.6
5	E	202	ASP	3.6
6	F	1	GLY	3.5
10	X	198	GLN	3.5
2	B	51	VAL	3.4
1	A	250	LEU	3.3
7	G	243	ASP	3.3
2	B	219	ALA	3.3
6	T	1	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	1	ALA	3.2
5	S	233	ILE	3.2
4	D	118	GLY	3.2
4	R	124	ARG	3.1
1	O	250	LEU	3.1
5	S	1	PHE	3.0
13	a	1	THR	3.0
3	Q	202	GLN	3.0
3	Q	175	LYS	3.0
8	H	221	CYS	3.0
3	C	205	ALA	2.9
6	T	2	THR	2.9
1	O	249	ALA	2.9
3	C	50	LEU	2.8
3	Q	50	LEU	2.8
10	J	1	MET	2.8
3	Q	238	LYS	2.7
1	O	248	GLU	2.7
3	C	241	GLN	2.7
6	F	202	ASP	2.6
4	D	122	GLU	2.6
4	D	125	LEU	2.6
3	Q	235	GLU	2.6
3	C	203	THR	2.6
7	U	2	GLY	2.5
5	S	173	ARG	2.5
11	K	212	GLY	2.5
4	R	125	LEU	2.4
3	Q	239	GLN	2.3
3	C	238	LYS	2.3
5	E	201	ARG	2.3
9	I	192	ASP	2.3
14	N	195	GLN	2.3
5	S	204	SER	2.3
4	R	122	GLU	2.3
5	S	2	ARG	2.3
5	S	202	ASP	2.2
6	F	241	LYS	2.2
10	X	194	ASP	2.2
3	Q	231	VAL	2.2
7	G	188	GLU	2.2
1	A	249	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	S	201	ARG	2.2
5	E	192	GLY	2.1
5	E	204	SER	2.1
6	F	203	ASN	2.1
3	Q	236	GLN	2.1
2	B	237	ILE	2.1
2	P	221	ASP	2.1
2	P	223	GLU	2.0
3	C	235	GLU	2.0
10	X	196	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
15	OV1	N	301	35/35	0.90	0.22	2.79	46,52,61,62	0
15	OV1	V	301	35/35	0.92	0.20	2.06	51,53,63,64	0
15	OV1	H	301[A]	35/35	0.93	0.20	1.53	49,50,54,55	35
15	OV1	H	301[B]	35/35	0.93	0.20	1.48	41,44,48,49	35
15	OV1	K	301	35/35	0.93	0.19	1.30	42,47,56,58	0
15	OV1	b	301	35/35	0.92	0.20	1.27	46,51,60,62	0
15	OV1	Y	301	35/35	0.95	0.15	-0.12	45,49,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.