



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2017 – 04:09 PM EDT

PDB ID : 3HY1  
Title : Crystal Structure of catalytic fragment of E. coli AlaRS G237A in complex with SerSA  
Authors : Guo, M.; Yang, X.-L.; Schimmel, P.  
Deposited on : unknown  
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	441	
1	B	441	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alanyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	440	Total	C	N	O	S	0	0	0
			3505	2210	617	663	15			
1	B	420	Total	C	N	O	S	0	0	0
			3355	2122	591	627	15			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	104	LEU	HIS	ENGINEERED	UNP P00957
A	108	LEU	GLN	ENGINEERED	UNP P00957
A	112	LEU	GLU	ENGINEERED	UNP P00957
A	237	ALA	GLY	ENGINEERED	UNP P00957
B	104	LEU	HIS	ENGINEERED	UNP P00957
B	108	LEU	GLN	ENGINEERED	UNP P00957
B	112	LEU	GLU	ENGINEERED	UNP P00957
B	237	ALA	GLY	ENGINEERED	UNP P00957

- Molecule 2 is 5'-O-(N-(L-SERYL)-SULFAMOYL)ADENOSINE (three-letter code: SSA) (formula: C<sub>13</sub>H<sub>19</sub>N<sub>7</sub>O<sub>8</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			29	13	7	8	1		

- Molecule 3 is 2-HYDROXYETHYL DISULFIDE (three-letter code: HED) (formula:  $\text{C}_4\text{H}_{10}\text{O}_2\text{S}_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	45	Total	O	0	0
			45	45		
7	B	28	Total	O	0	0
			28	28		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Alanyl-tRNA synthetase



#### • Molecule 1: Alanyl-tRNA synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.31Å 117.09Å 150.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.47 – 2.79 46.45 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.47-2.79) 99.8 (46.45-2.79)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.13 (at 2.81Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.229 , 0.266 0.222 , 0.254	Depositor DCC
$R_{free}$ test set	1727 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	57.2	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 44.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6988	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HED, MG, SSA, SO4, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/3583	0.49	1/4844 (0.0%)
1	B	0.32	1/3426 (0.0%)	0.47	1/4629 (0.0%)
All	All	0.33	1/7009 (0.0%)	0.48	2/9473 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	157	GLY	N-CA	5.15	1.53	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	72	GLY	N-CA-C	-7.39	94.61	113.10
1	A	163	PRO	C-N-CA	-6.30	105.96	121.70

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	120	PHE	Peptide
1	A	163	PRO	Peptide
1	B	430	GLU	Peptide
1	B	431	GLN	Peptide
1	B	434	ARG	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3505	0	3396	72	0
1	B	3355	0	3270	105	0
2	A	29	0	19	3	0
3	A	8	0	10	0	0
4	A	5	0	0	0	0
5	A	1	0	0	0	0
6	B	12	0	12	1	0
7	A	45	0	0	2	0
7	B	28	0	0	2	0
All	All	6988	0	6707	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:LYS:HE3	1:B:137:GLU:HB3	1.24	1.10
1:A:158:ASP:OD2	1:A:164:TYR:HB3	1.50	1.08
1:B:350:ARG:HG3	1:B:350:ARG:HH11	1.14	1.04
1:B:350:ARG:HH11	1:B:350:ARG:CG	1.73	1.02
1:B:47:LYS:HG3	1:B:172:MET:CE	1.89	1.01
1:B:47:LYS:HG3	1:B:172:MET:HE1	1.47	0.97
1:A:235:ASP:OD1	2:A:442:SSA:OG	1.86	0.94
1:B:49:VAL:HA	1:B:54:ASP:O	1.71	0.91
1:B:47:LYS:CG	1:B:172:MET:CE	2.52	0.88
1:B:43:MET:HB3	1:B:235:ASP:OD1	1.74	0.87

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:ARG:HG3	1:B:350:ARG:NH1	1.86	0.86
1:B:102:PHE:HZ	1:B:217:GLN:HG2	1.43	0.83
1:A:33:ASP:HB3	1:A:35:THR:OG1	1.79	0.83
1:A:97:SER:O	1:A:233:SER:HB3	1.82	0.79
1:B:118:LYS:O	1:B:118:LYS:HD3	1.83	0.79
1:B:53:LEU:N	1:B:53:LEU:HD23	1.97	0.79
1:B:128:TRP:CD2	1:B:152:ARG:HG2	2.16	0.79
1:A:158:ASP:OD2	1:A:164:TYR:CB	2.29	0.77
1:B:128:TRP:CE3	1:B:152:ARG:HG2	2.19	0.77
1:B:69:ARG:HB3	1:B:74:HIS:O	1.83	0.77
1:B:47:LYS:CG	1:B:172:MET:HE1	2.12	0.77
1:B:103:LYS:HE3	1:B:137:GLU:CB	2.11	0.76
1:B:103:LYS:CE	1:B:137:GLU:HB3	2.11	0.73
1:B:47:LYS:HG3	1:B:172:MET:HE3	1.70	0.72
1:A:160:LYS:HB2	1:A:165:ALA:CB	2.21	0.70
1:B:133:GLU:HG2	1:B:155:ARG:HB3	1.72	0.70
1:B:60:ARG:NE	1:B:100:ASP:OD1	2.21	0.70
1:A:125:GLU:O	1:A:152:ARG:NH1	2.26	0.69
1:A:160:LYS:HB2	1:A:165:ALA:HB1	1.75	0.69
1:B:171:GLN:HG2	1:B:220:ARG:HH22	1.57	0.68
1:A:120:PHE:HD2	1:A:120:PHE:O	1.75	0.67
1:B:137:GLU:O	1:B:141:ILE:HG12	1.95	0.67
1:B:427:ALA:O	1:B:431:GLN:HB2	1.95	0.66
1:B:149:PRO:HB2	1:B:151:GLU:HG2	1.77	0.66
1:A:20:HIS:CD2	1:A:60:ARG:HB2	2.31	0.66
1:A:104:LEU:HD11	1:A:145:GLU:HG2	1.79	0.65
1:A:354:GLN:HG3	7:A:459:HOH:O	1.96	0.64
1:A:85:ARG:NH1	1:A:203:ASP:O	2.24	0.64
1:B:427:ALA:O	1:B:431:GLN:CB	2.46	0.64
1:A:126:ARG:HD2	1:A:187:ASP:O	1.99	0.63
1:A:54:ASP:OD2	1:A:56:ARG:NH2	2.22	0.62
1:A:235:ASP:OD1	1:A:235:ASP:C	2.39	0.61
1:B:120:PHE:CD1	1:B:120:PHE:N	2.67	0.61
1:B:118:LYS:O	1:B:118:LYS:CD	2.48	0.61
1:B:102:PHE:CZ	1:B:217:GLN:HG2	2.31	0.61
1:A:142:TRP:CE3	1:A:148:ILE:HD12	2.37	0.60
1:B:274:ASP:CG	1:B:276:SER:OG	2.40	0.60
1:A:2:LYS:NZ	1:B:9:GLN:OE1	2.34	0.60
1:B:315:ARG:HA	1:B:407:LEU:HD13	1.84	0.60
1:B:304:ASN:CG	1:B:305:ARG:H	2.05	0.59
1:B:69:ARG:NH1	1:B:76:ASP:OD2	2.35	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:GLY:O	1:B:159:ASN:N	2.31	0.59
1:B:97:SER:HB3	1:B:101:TYR:CE2	2.38	0.58
1:A:120:PHE:CD2	1:A:120:PHE:O	2.55	0.58
1:B:432:ARG:NE	1:B:432:ARG:HA	2.18	0.58
1:A:54:ASP:C	1:A:54:ASP:OD1	2.43	0.58
1:B:162:ALA:HB1	1:B:163:PRO:HD2	1.85	0.58
1:A:343:SER:OG	1:B:6:GLU:OE2	2.22	0.58
1:A:221:GLN:HE21	1:A:227:GLU:CD	2.07	0.57
1:B:350:ARG:CG	1:B:350:ARG:NH1	2.44	0.57
1:A:361:THR:O	1:A:365:GLN:HG3	2.05	0.57
1:B:185:PHE:CE2	1:B:209:GLU:HG2	2.39	0.57
1:A:220:ARG:HG3	7:A:489:HOH:O	2.06	0.56
1:B:47:LYS:HG2	1:B:172:MET:CE	2.34	0.56
1:A:68:VAL:HA	1:A:88:THR:O	2.05	0.56
1:B:97:SER:HB2	1:B:100:ASP:HB3	1.86	0.56
1:A:157:GLY:O	1:A:159:ASN:N	2.39	0.55
1:B:416:ASN:O	1:B:416:ASN:ND2	2.36	0.55
1:B:158:ASP:OD2	1:B:164:TYR:N	2.22	0.55
1:B:103:LYS:HE2	1:B:141:ILE:HD11	1.89	0.54
1:A:262:LEU:O	1:A:266:VAL:HG23	2.08	0.54
1:B:430:GLU:O	1:B:431:GLN:C	2.46	0.54
1:B:37:LEU:HD21	1:B:308:VAL:HG21	1.90	0.54
1:B:116:SER:O	1:B:120:PHE:O	2.26	0.54
1:A:158:ASP:HB3	1:A:164:TYR:HA	1.89	0.53
1:A:412:CYS:HB3	1:A:417:ILE:HB	1.91	0.53
1:B:156:ILE:HG22	1:B:157:GLY:H	1.74	0.53
1:A:158:ASP:OD2	1:A:164:TYR:CA	2.57	0.53
1:B:69:ARG:HH11	1:B:76:ASP:CG	2.12	0.52
1:A:15:PHE:O	1:A:20:HIS:HB2	2.09	0.52
1:B:113:LEU:HD12	1:B:119:TRP:HB3	1.92	0.52
1:A:237:ALA:HB3	2:A:442:SSA:H5'1	1.92	0.52
1:B:275:LEU:CD2	1:B:275:LEU:N	2.72	0.52
1:A:190:ASP:OD1	1:A:190:ASP:N	2.39	0.51
1:B:320:GLY:HA3	1:B:329:PHE:CZ	2.45	0.51
1:B:53:LEU:N	1:B:53:LEU:CD2	2.62	0.51
1:A:36:LEU:HD12	1:A:37:LEU:H	1.75	0.51
1:A:396:ARG:NH1	1:A:400:THR:OG1	2.44	0.51
1:A:258:LEU:HD23	1:A:259:PHE:N	2.25	0.51
1:A:132:TYR:OH	1:A:158:ASP:OD2	2.27	0.50
1:B:158:ASP:HA	1:B:166:SER:HB2	1.92	0.50
1:A:301:SER:OG	1:A:302:ASN:N	2.45	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:301:SER:HB3	1:A:306:GLY:HA3	1.94	0.50
1:B:387:ASP:O	1:B:417:ILE:HG23	2.11	0.50
1:B:53:LEU:H	1:B:53:LEU:CD2	2.22	0.49
1:B:213:ILE:HG23	1:B:236:THR:HG22	1.94	0.49
1:A:320:GLY:HA3	1:A:329:PHE:CZ	2.47	0.49
1:A:343:SER:O	1:A:346:GLU:HG3	2.12	0.49
1:B:160:LYS:HB2	1:B:165:ALA:O	2.13	0.49
1:B:304:ASN:CG	1:B:305:ARG:N	2.66	0.49
1:B:120:PHE:HB3	1:B:247:LEU:HD21	1.94	0.49
1:A:164:TYR:N	1:A:164:TYR:CD2	2.72	0.48
1:A:159:ASN:OD1	1:A:159:ASN:C	2.51	0.48
1:B:429:GLU:CD	1:B:433:ARG:HD3	2.34	0.48
1:A:143:GLU:OE2	1:A:144:LYS:HE3	2.14	0.48
1:A:143:GLU:OE1	1:A:150:ARG:NE	2.39	0.48
1:B:126:ARG:HG2	1:B:187:ASP:O	2.13	0.48
1:B:274:ASP:OD2	1:B:276:SER:OG	2.32	0.48
1:A:258:LEU:HB2	1:A:340:VAL:HB	1.95	0.47
1:A:235:ASP:CG	2:A:442:SSA:OG	2.51	0.47
1:A:84:ALA:HB1	1:A:252:SER:HA	1.95	0.47
1:B:84:ALA:HB1	1:B:252:SER:HA	1.95	0.47
1:A:33:ASP:OD2	1:A:33:ASP:N	2.48	0.47
1:B:116:SER:HB3	1:B:119:TRP:HD1	1.80	0.47
1:A:253:ASN:O	1:A:256:ILE:HG12	2.15	0.47
1:A:54:ASP:OD1	1:A:55:LYS:N	2.48	0.47
6:B:442:MES:H32	6:B:442:MES:H82	1.55	0.47
1:B:148:ILE:HG12	1:B:149:PRO:HD2	1.98	0.46
1:B:429:GLU:O	1:B:430:GLU:C	2.52	0.46
1:A:36:LEU:HD12	1:A:37:LEU:N	2.31	0.46
1:B:118:LYS:C	1:B:118:LYS:CD	2.83	0.46
1:B:156:ILE:HG22	1:B:157:GLY:N	2.31	0.46
1:B:158:ASP:N	1:B:158:ASP:OD1	2.46	0.46
1:B:53:LEU:H	1:B:53:LEU:HD23	1.75	0.46
1:A:220:ARG:NH1	1:A:224:GLY:O	2.45	0.46
1:B:412:CYS:HB3	1:B:417:ILE:HB	1.98	0.45
1:B:99:GLY:HA2	1:B:232:PRO:O	2.16	0.45
1:A:351:GLN:H	1:A:351:GLN:HG2	1.53	0.45
1:B:88:THR:OG1	1:B:289:SER:OG	2.34	0.45
1:A:160:LYS:HB2	1:A:165:ALA:HB3	1.99	0.45
1:A:366:PHE:CE2	1:A:370:LEU:HD13	2.52	0.44
1:B:395:PHE:CE2	1:B:431:GLN:HG2	2.52	0.44
1:B:404:PRO:O	1:B:407:LEU:HB3	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:ARG:HG3	1:A:90:PHE:HE2	1.82	0.44
1:B:51:LEU:HD23	1:B:51:LEU:HA	1.83	0.44
1:A:148:ILE:HG23	1:A:149:PRO:HD2	1.99	0.44
1:B:9:GLN:NE2	1:B:13:ASP:OD1	2.51	0.44
1:B:387:ASP:OD1	1:B:387:ASP:N	2.51	0.44
1:A:158:ASP:OD2	1:A:164:TYR:HA	2.17	0.44
1:A:37:LEU:O	1:A:38:PHE:CD1	2.70	0.44
1:A:85:ARG:HD3	1:A:205:ASP:OD1	2.18	0.44
1:A:82:TYR:CE2	1:A:413:ARG:NH1	2.86	0.44
1:B:33:ASP:OD1	1:B:35:THR:OG1	2.34	0.43
1:B:431:GLN:HG3	1:B:432:ARG:HE	1.83	0.43
1:B:360:LYS:O	1:B:364:GLU:HB2	2.18	0.43
1:A:93:LEU:HD21	1:A:240:LEU:HD13	2.00	0.43
1:B:216:MET:O	1:B:229:LEU:HD12	2.18	0.43
1:A:137:GLU:O	1:A:141:ILE:HG13	2.18	0.43
1:B:118:LYS:C	1:B:118:LYS:HD3	2.35	0.43
1:B:396:ARG:NH1	7:B:468:HOH:O	2.51	0.43
1:A:13:ASP:OD2	1:B:13:ASP:HB2	2.19	0.42
1:B:382:ALA:C	1:B:384:LEU:H	2.21	0.42
1:A:97:SER:HB3	1:A:234:VAL:HB	2.02	0.42
1:B:107:ILE:HD11	1:B:141:ILE:HG22	2.02	0.42
1:B:416:ASN:C	1:B:416:ASN:HD22	2.19	0.42
1:B:47:LYS:CG	1:B:172:MET:HE3	2.38	0.42
1:A:221:GLN:NE2	1:A:227:GLU:OE1	2.53	0.42
1:B:429:GLU:OE2	1:B:433:ARG:HD3	2.20	0.41
1:A:28:LEU:HD22	1:A:68:VAL:HG23	2.01	0.41
1:A:13:ASP:OD2	1:B:13:ASP:CB	2.68	0.41
1:B:354:GLN:H	1:B:354:GLN:CD	2.23	0.41
1:B:69:ARG:NH1	1:B:76:ASP:CG	2.73	0.41
1:B:15:PHE:O	1:B:20:HIS:HB2	2.20	0.41
1:B:429:GLU:OE1	1:B:433:ARG:HD3	2.20	0.41
1:B:68:VAL:HA	1:B:88:THR:O	2.20	0.41
1:B:427:ALA:O	1:B:431:GLN:HB3	2.20	0.41
1:B:428:MET:O	1:B:432:ARG:HB2	2.21	0.41
1:A:258:LEU:O	1:A:262:LEU:HB2	2.22	0.40
1:B:262:LEU:O	1:B:266:VAL:HG23	2.22	0.40
1:A:183:GLU:HG3	1:A:212:ASN:ND2	2.36	0.40
1:B:274:ASP:C	1:B:276:SER:N	2.74	0.40
1:B:397:LEU:O	1:B:403:PHE:HB2	2.21	0.40
1:A:192:ILE:HB	1:A:206:ARG:HB2	2.03	0.40
1:B:322:MET:HG3	7:B:466:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	438/441 (99%)	421 (96%)	15 (3%)	2 (0%)	32	67
1	B	416/441 (94%)	394 (95%)	22 (5%)	0	100	100
All	All	854/882 (97%)	815 (95%)	37 (4%)	2 (0%)	51	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	222	ALA
1	A	164	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/369 (100%)	346 (94%)	22 (6%)	22	54
1	B	352/369 (95%)	331 (94%)	21 (6%)	22	54
All	All	720/738 (98%)	677 (94%)	43 (6%)	22	54

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	33	ASP
1	A	35	THR
1	A	60	ARG
1	A	73	LYS
1	A	102	PHE
1	A	120	PHE
1	A	164	TYR
1	A	174	ASP
1	A	190	ASP
1	A	201	GLU
1	A	203	ASP
1	A	235	ASP
1	A	236	THR
1	A	258	LEU
1	A	286	HIS
1	A	347	ASP
1	A	351	GLN
1	A	364	GLU
1	A	396	ARG
1	A	419	VAL
1	A	428	MET
1	B	40	ASN
1	B	53	LEU
1	B	73	LYS
1	B	115	THR
1	B	120	PHE
1	B	136	ASP
1	B	148	ILE
1	B	151	GLU
1	B	158	ASP
1	B	275	LEU
1	B	286	HIS
1	B	326	LYS
1	B	347	ASP
1	B	350	ARG
1	B	354	GLN
1	B	376	LEU
1	B	392	GLU
1	B	405	VAL
1	B	413	ARG
1	B	416	ASN
1	B	432	ARG



Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	40	ASN
1	A	221	GLN
1	A	251	ASN
1	B	74	HIS
1	B	221	GLN
1	B	251	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SSA	A	442	-	27,31,31	1.24	3 (11%)	28,46,46	2.61	4 (14%)
3	HED	A	443	-	7,7,7	0.27	0	6,6,6	0.70	0
4	SO4	A	444	-	4,4,4	0.14	0	6,6,6	0.06	0
6	MES	B	442	-	12,12,12	2.17	1 (8%)	14,16,16	2.68	8 (57%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SSA	A	442	-	-	0/16/37/37	0/3/3/3
3	HED	A	443	-	-	0/5/5/5	0/0/0/0
4	SO4	A	444	-	-	0/0/0/0	0/0/0/0
6	MES	B	442	-	-	0/6/14/14	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	442	MES	C8-S	-7.24	1.66	1.77
2	A	442	SSA	O1S-S1	2.05	1.44	1.42
2	A	442	SSA	C5-C4	3.06	1.47	1.40
2	A	442	SSA	O5'-S1	3.19	1.63	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	442	SSA	O2S-S1-O1S	-11.32	109.74	121.30
2	A	442	SSA	N3-C2-N1	-5.93	123.69	128.86
6	B	442	MES	C6-C5-N4	-3.58	105.10	110.11
6	B	442	MES	C2-C3-N4	-3.04	105.85	110.11
2	A	442	SSA	C4-C5-N7	-2.64	106.86	109.41
2	A	442	SSA	OG-CB-CA	-2.37	105.28	111.10
6	B	442	MES	O3S-S-C8	2.74	109.42	106.06
6	B	442	MES	O2S-S-C8	2.92	109.30	106.79
6	B	442	MES	O1S-S-C8	3.18	109.52	106.79
6	B	442	MES	C7-N4-C5	3.24	119.56	111.26
6	B	442	MES	C7-N4-C3	3.54	120.32	111.26
6	B	442	MES	C5-N4-C3	4.97	120.12	108.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	442	SSA	3	0
6	B	442	MES	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	440/441 (99%)	0.00	9 (2%) 65 56	32, 48, 73, 81	0
1	B	420/441 (95%)	0.16	15 (3%) 43 32	37, 54, 75, 91	0
All	All	860/882 (97%)	0.08	24 (2%) 53 43	32, 52, 74, 91	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	54	ASP	4.4
1	A	222	ALA	4.0
1	B	207	TYR	3.9
1	B	55	LYS	3.6
1	B	326	LYS	3.2
1	A	189	GLY	3.2
1	B	227	GLU	3.0
1	A	224	GLY	2.9
1	B	103	LYS	2.9
1	B	251	ASN	2.8
1	A	385	SER	2.7
1	B	432	ARG	2.7
1	A	190	ASP	2.6
1	A	350	ARG	2.5
1	B	230	PRO	2.5
1	A	346	GLU	2.5
1	B	274	ASP	2.5
1	B	372	ARG	2.4
1	B	188	HIS	2.4
1	B	85	ARG	2.3
1	A	200	PRO	2.1
1	A	221	GLN	2.1
1	B	206	ARG	2.1
1	B	154	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SSA	A	442	29/29	0.98	0.15	-0.31	39,40,42,45	0
6	MES	B	442	12/12	0.93	0.15	-0.76	64,64,66,66	0
3	HED	A	443	8/8	0.84	0.23	-	60,62,63,63	0
5	MG	A	445	1/1	0.63	0.56	-	64,64,64,64	0
4	SO4	A	444	5/5	0.96	0.13	-	66,67,67,67	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.