



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 24, 2017 – 10:07 AM EDT

PDB ID : 3I54  
Title : Crystal structure of MtbCRP in complex with cAMP  
Authors : Reddy, M.C.; Palaninathan, S.K.; Bruning, J.B.; Thurman, C.; Smith, D.;  
Sacchettini, J.C.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : unknown  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	<div> <div>0.5%</div> <div> <div></div> <div>79%</div> <div>9%</div> <div>••</div> <div>10%</div> </div> </div>
1	B	249	<div> <div>5%</div> <div> <div></div> <div>69%</div> <div>18%</div> <div>•</div> <div>12%</div> </div> </div>
1	C	249	<div> <div>4%</div> <div> <div></div> <div>66%</div> <div>16%</div> <div>•</div> <div>17%</div> </div> </div>
1	D	249	<div> <div>8%</div> <div> <div></div> <div>68%</div> <div>20%</div> <div>••</div> <div>8%</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcriptional regulator, Crp/Fnr family.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total	C	N	O	S	0	0	0
			1693	1064	308	317	4			
1	B	219	Total	C	N	O	S	0	0	0
			1616	1020	294	298	4			
1	C	206	Total	C	N	O	S	0	1	0
			1568	982	290	293	3			
1	D	228	Total	C	N	O	S	0	1	0
			1685	1059	308	314	4			

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	EXPRESSION TAG	UNP O69644
A	-23	GLY	-	EXPRESSION TAG	UNP O69644
A	-22	SER	-	EXPRESSION TAG	UNP O69644
A	-21	SER	-	EXPRESSION TAG	UNP O69644
A	-20	HIS	-	EXPRESSION TAG	UNP O69644
A	-19	HIS	-	EXPRESSION TAG	UNP O69644
A	-18	HIS	-	EXPRESSION TAG	UNP O69644
A	-17	HIS	-	EXPRESSION TAG	UNP O69644
A	-16	HIS	-	EXPRESSION TAG	UNP O69644
A	-15	HIS	-	EXPRESSION TAG	UNP O69644
A	-14	SER	-	EXPRESSION TAG	UNP O69644
A	-13	SER	-	EXPRESSION TAG	UNP O69644
A	-12	GLY	-	EXPRESSION TAG	UNP O69644
A	-11	LEU	-	EXPRESSION TAG	UNP O69644
A	-10	GLY	-	EXPRESSION TAG	UNP O69644
A	-9	GLY	-	EXPRESSION TAG	UNP O69644
A	-8	THR	-	EXPRESSION TAG	UNP O69644
A	-7	GLU	-	EXPRESSION TAG	UNP O69644
A	-6	ASN	-	EXPRESSION TAG	UNP O69644
A	-5	LEU	-	EXPRESSION TAG	UNP O69644
A	-4	TYR	-	EXPRESSION TAG	UNP O69644

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	PHE	-	EXPRESSION TAG	UNP O69644
A	-2	GLN	-	EXPRESSION TAG	UNP O69644
A	-1	SER	-	EXPRESSION TAG	UNP O69644
A	0	HIS	-	EXPRESSION TAG	UNP O69644
B	-24	MET	-	EXPRESSION TAG	UNP O69644
B	-23	GLY	-	EXPRESSION TAG	UNP O69644
B	-22	SER	-	EXPRESSION TAG	UNP O69644
B	-21	SER	-	EXPRESSION TAG	UNP O69644
B	-20	HIS	-	EXPRESSION TAG	UNP O69644
B	-19	HIS	-	EXPRESSION TAG	UNP O69644
B	-18	HIS	-	EXPRESSION TAG	UNP O69644
B	-17	HIS	-	EXPRESSION TAG	UNP O69644
B	-16	HIS	-	EXPRESSION TAG	UNP O69644
B	-15	HIS	-	EXPRESSION TAG	UNP O69644
B	-14	SER	-	EXPRESSION TAG	UNP O69644
B	-13	SER	-	EXPRESSION TAG	UNP O69644
B	-12	GLY	-	EXPRESSION TAG	UNP O69644
B	-11	LEU	-	EXPRESSION TAG	UNP O69644
B	-10	GLY	-	EXPRESSION TAG	UNP O69644
B	-9	GLY	-	EXPRESSION TAG	UNP O69644
B	-8	THR	-	EXPRESSION TAG	UNP O69644
B	-7	GLU	-	EXPRESSION TAG	UNP O69644
B	-6	ASN	-	EXPRESSION TAG	UNP O69644
B	-5	LEU	-	EXPRESSION TAG	UNP O69644
B	-4	TYR	-	EXPRESSION TAG	UNP O69644
B	-3	PHE	-	EXPRESSION TAG	UNP O69644
B	-2	GLN	-	EXPRESSION TAG	UNP O69644
B	-1	SER	-	EXPRESSION TAG	UNP O69644
B	0	HIS	-	EXPRESSION TAG	UNP O69644
C	-24	MET	-	EXPRESSION TAG	UNP O69644
C	-23	GLY	-	EXPRESSION TAG	UNP O69644
C	-22	SER	-	EXPRESSION TAG	UNP O69644
C	-21	SER	-	EXPRESSION TAG	UNP O69644
C	-20	HIS	-	EXPRESSION TAG	UNP O69644
C	-19	HIS	-	EXPRESSION TAG	UNP O69644
C	-18	HIS	-	EXPRESSION TAG	UNP O69644
C	-17	HIS	-	EXPRESSION TAG	UNP O69644
C	-16	HIS	-	EXPRESSION TAG	UNP O69644
C	-15	HIS	-	EXPRESSION TAG	UNP O69644
C	-14	SER	-	EXPRESSION TAG	UNP O69644
C	-13	SER	-	EXPRESSION TAG	UNP O69644
C	-12	GLY	-	EXPRESSION TAG	UNP O69644

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-11	LEU	-	EXPRESSION TAG	UNP O69644
C	-10	GLY	-	EXPRESSION TAG	UNP O69644
C	-9	GLY	-	EXPRESSION TAG	UNP O69644
C	-8	THR	-	EXPRESSION TAG	UNP O69644
C	-7	GLU	-	EXPRESSION TAG	UNP O69644
C	-6	ASN	-	EXPRESSION TAG	UNP O69644
C	-5	LEU	-	EXPRESSION TAG	UNP O69644
C	-4	TYR	-	EXPRESSION TAG	UNP O69644
C	-3	PHE	-	EXPRESSION TAG	UNP O69644
C	-2	GLN	-	EXPRESSION TAG	UNP O69644
C	-1	SER	-	EXPRESSION TAG	UNP O69644
C	0	HIS	-	EXPRESSION TAG	UNP O69644
D	-24	MET	-	EXPRESSION TAG	UNP O69644
D	-23	GLY	-	EXPRESSION TAG	UNP O69644
D	-22	SER	-	EXPRESSION TAG	UNP O69644
D	-21	SER	-	EXPRESSION TAG	UNP O69644
D	-20	HIS	-	EXPRESSION TAG	UNP O69644
D	-19	HIS	-	EXPRESSION TAG	UNP O69644
D	-18	HIS	-	EXPRESSION TAG	UNP O69644
D	-17	HIS	-	EXPRESSION TAG	UNP O69644
D	-16	HIS	-	EXPRESSION TAG	UNP O69644
D	-15	HIS	-	EXPRESSION TAG	UNP O69644
D	-14	SER	-	EXPRESSION TAG	UNP O69644
D	-13	SER	-	EXPRESSION TAG	UNP O69644
D	-12	GLY	-	EXPRESSION TAG	UNP O69644
D	-11	LEU	-	EXPRESSION TAG	UNP O69644
D	-10	GLY	-	EXPRESSION TAG	UNP O69644
D	-9	GLY	-	EXPRESSION TAG	UNP O69644
D	-8	THR	-	EXPRESSION TAG	UNP O69644
D	-7	GLU	-	EXPRESSION TAG	UNP O69644
D	-6	ASN	-	EXPRESSION TAG	UNP O69644
D	-5	LEU	-	EXPRESSION TAG	UNP O69644
D	-4	TYR	-	EXPRESSION TAG	UNP O69644
D	-3	PHE	-	EXPRESSION TAG	UNP O69644
D	-2	GLN	-	EXPRESSION TAG	UNP O69644
D	-1	SER	-	EXPRESSION TAG	UNP O69644
D	0	HIS	-	EXPRESSION TAG	UNP O69644

- Molecule 2 is ADENOSINE-3',5'-CYCLIC-MONOPHOSPHATE (three-letter code: CMP) (formula: C<sub>10</sub>H<sub>12</sub>N<sub>5</sub>O<sub>6</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			22	10	5	6	1		
2	B	1	Total	C	N	O	P	0	0
			22	10	5	6	1		
2	C	1	Total	C	N	O	P	0	0
			22	10	5	6	1		
2	D	1	Total	C	N	O	P	0	0
			22	10	5	6	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	26	Total	O	0	0
			26	26		
3	B	16	Total	O	0	0
			16	16		
3	C	35	Total	O	0	0
			35	35		
3	D	25	Total	O	0	0
			25	25		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transcriptional regulator, Crp/Fnr family




- Molecule 1: Transcriptional regulator, Crp/Fnr family



- Molecule 1: Transcriptional regulator, Crp/Fnr family



- Molecule 1: Transcriptional regulator, Crp/Fnr family



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.25Å 96.33Å 79.25Å 90.00° 113.46° 90.00°	Depositor
Resolution (Å)	48.17 – 2.20 48.17 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.6 (48.17-2.20) 97.6 (48.17-2.20)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.49 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.211 , 0.266 0.213 , 0.263	Depositor DCC
$R_{free}$ test set	2366 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	51.0	Xtriage
Anisotropy	0.203	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 57.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6752	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.75	0/1719	0.91	6/2327 (0.3%)
1	B	0.67	1/1640 (0.1%)	0.83	4/2222 (0.2%)
1	C	0.78	0/1596	0.91	4/2163 (0.2%)
1	D	0.79	1/1715 (0.1%)	0.90	6/2328 (0.3%)
All	All	0.75	2/6670 (0.0%)	0.89	20/9040 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	3
1	B	1	1
1	C	1	3
1	D	2	4
All	All	5	11

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	15	GLU	CA-CB	-6.05	1.40	1.53
1	B	72	MET	CG-SD	-5.83	1.66	1.81

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	22	LEU	CA-CB-CG	7.85	133.35	115.30
1	D	16	PRO	N-CA-C	7.52	131.66	112.10
1	A	160	ARG	NE-CZ-NH2	-7.48	116.56	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	45	ASP	N-CA-C	-7.04	91.99	111.00
1	B	130	ARG	NE-CZ-NH2	-7.04	116.78	120.30
1	A	20	ALA	N-CA-C	-6.84	92.53	111.00
1	C	20	ALA	N-CA-C	5.96	127.08	111.00
1	B	22	LEU	N-CA-C	5.70	126.39	111.00
1	C	130	ARG	NE-CZ-NH2	-5.69	117.46	120.30
1	D	16	PRO	CB-CA-C	5.66	126.16	112.00
1	D	46	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	D	33	ARG	NE-CZ-NH2	5.56	123.08	120.30
1	D	13	GLY	N-CA-C	-5.50	99.34	113.10
1	B	47	LEU	CA-CB-CG	5.45	127.84	115.30
1	B	116	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	A	222	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	A	17	SER	N-CA-C	5.26	125.21	111.00
1	A	7	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	C	183	LEU	CB-CG-CD2	-5.12	102.30	111.00
1	A	17	SER	CB-CA-C	5.09	119.78	110.10

All (5) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	17	SER	CA
1	B	22	LEU	CA
1	C	20	ALA	CA
1	D	15	GLU	CA
1	D	16	PRO	CA

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	-1	SER	Peptide
1	A	15	GLU	Peptide
1	A	19	ILE	Peptide
1	B	15	GLU	Peptide
1	C	22	LEU	Peptide
1	C	43	PRO	Peptide
1	C	44	GLY	Peptide
1	D	13	GLY	Peptide
1	D	14	VAL	Peptide
1	D	17	SER	Mainchain,Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1693	0	1676	16	0
1	B	1616	0	1554	39	0
1	C	1568	0	1556	34	0
1	D	1685	0	1639	54	0
2	A	22	0	11	1	0
2	B	22	0	11	2	0
2	C	22	0	11	2	0
2	D	22	0	11	1	0
3	A	26	0	0	0	0
3	B	16	0	0	1	0
3	C	35	0	0	1	0
3	D	25	0	0	0	0
All	All	6752	0	6469	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:CMP:H2	2:A:301:CMP:C2	0.97	1.50
2:B:301:CMP:C2	2:B:301:CMP:H2	0.97	1.49
2:D:301:CMP:C2	2:D:301:CMP:H2	0.97	1.49
2:C:301:CMP:H2	2:C:301:CMP:C2	0.97	1.48
1:C:22:LEU:HD23	1:C:112[B]:TRP:CD2	1.81	1.14
1:B:168:ALA:HB1	1:B:169:LEU:HB2	1.36	1.05
1:D:1:MET:O	1:D:5:LEU:HD13	1.56	1.05
1:B:168:ALA:HB1	1:B:169:LEU:CB	2.00	0.91
1:C:22:LEU:HD23	1:C:112[B]:TRP:CE2	2.12	0.85
1:C:22:LEU:CD2	1:C:112[B]:TRP:CD2	2.61	0.84
1:B:112:TRP:HD1	1:B:119:ILE:HD13	1.48	0.78
1:D:11:PHE:O	1:D:14:VAL:HA	1.83	0.78
1:C:132:ARG:NH1	1:D:85:ASP:OD2	2.19	0.76
1:D:16:PRO:HB3	1:D:17:SER:CB	2.15	0.76
1:D:18:ALA:O	1:D:22:LEU:HD23	1.87	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:112:TRP:CD1	1:B:119:ILE:HD13	2.22	0.74
1:D:16:PRO:HB3	1:D:17:SER:HB3	1.73	0.70
1:D:63:ASP:N	1:D:63:ASP:OD1	2.24	0.70
1:D:184:VAL:HG12	1:D:184:VAL:O	1.92	0.67
1:A:14:VAL:HG12	1:A:15:GLU:H	1.60	0.66
1:C:206:LEU:HD23	1:C:211:VAL:HG22	1.77	0.66
1:C:47:LEU:HD21	1:C:109:LEU:HD13	1.77	0.66
1:B:11:PHE:O	1:B:12:GLN:CB	2.45	0.65
1:D:155:LEU:HD11	1:D:220:ALA:HA	1.78	0.64
1:D:178:GLU:OE2	1:D:188:ARG:NE	2.31	0.64
1:D:57:ILE:HD11	1:D:72:MET:HG2	1.80	0.64
1:C:22:LEU:HD21	1:C:112[B]:TRP:HA	1.80	0.64
1:C:90:THR:CG2	1:D:132:ARG:HG2	2.27	0.64
1:C:22:LEU:CD2	1:C:112[B]:TRP:CG	2.81	0.64
1:D:184:VAL:CG1	1:D:184:VAL:O	2.46	0.63
1:C:22:LEU:HD23	1:C:112[B]:TRP:CE3	2.33	0.62
1:D:59:ARG:HD2	1:D:69:LEU:HD11	1.81	0.62
1:A:132:ARG:NH1	1:B:85:ASP:OD2	2.33	0.62
1:C:22:LEU:HD21	1:C:112[A]:TRP:HA	1.82	0.61
1:B:1:MET:HE3	1:B:102:VAL:HG21	1.82	0.61
1:B:4:ILE:HD13	1:B:51:ILE:O	2.01	0.61
1:D:173:HIS:HE2	1:D:211:VAL:HG23	1.65	0.60
1:C:138:LEU:HD23	1:C:138:LEU:O	2.00	0.60
1:A:69:LEU:HD22	3:B:231:HOH:O	2.00	0.60
1:C:22:LEU:HD21	1:C:112[B]:TRP:CG	2.38	0.59
1:B:40:GLU:OE1	1:B:59:ARG:O	2.20	0.59
1:D:155:LEU:O	1:D:158:ALA:HB3	2.02	0.59
1:D:18:ALA:O	1:D:22:LEU:CD2	2.49	0.59
1:B:1:MET:CE	1:B:102:VAL:HG21	2.32	0.58
1:C:90:THR:HG21	1:D:132:ARG:HG2	1.86	0.58
1:D:10:ILE:CD1	1:D:112:TRP:CH2	2.87	0.58
1:D:57:ILE:CD1	1:D:72:MET:HG2	2.33	0.57
1:A:136:ASN:OD1	1:B:59:ARG:NH1	2.37	0.57
1:A:61:ALA:HB1	1:A:62:PRO:HD2	1.86	0.57
1:B:0:HIS:CE1	1:B:4:ILE:HD11	2.40	0.56
1:D:57:ILE:HD11	1:D:72:MET:CG	2.36	0.56
1:A:222:ARG:O	1:A:223:ALA:CB	2.53	0.56
1:C:85:ASP:OD2	1:D:132:ARG:NH1	2.38	0.56
1:D:146:VAL:HG11	1:D:190:THR:HB	1.87	0.56
1:B:57:ILE:HD13	1:B:72:MET:HE3	1.88	0.56
1:C:138:LEU:HD23	1:C:138:LEU:C	2.26	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:GLY:O	1:B:83:ILE:HD13	2.06	0.55
1:B:5:LEU:CD1	1:B:51:ILE:HD11	2.35	0.55
1:D:52:SER:OG	1:D:100[A]:ARG:HG3	2.06	0.55
1:B:90:THR:HG22	2:B:301:CMP:H5'1	1.87	0.55
1:B:144:THR:HG22	1:B:145:ASP:O	2.07	0.55
1:A:47:LEU:HD23	1:A:83:ILE:HD12	1.88	0.54
1:C:80:GLU:OE1	2:C:301:CMP:O2'	2.25	0.54
1:A:14:VAL:HG12	1:A:15:GLU:N	2.21	0.53
1:D:113:ILE:CD1	1:D:119:ILE:HG21	2.38	0.53
1:B:15:GLU:N	1:B:18:ALA:HB3	2.23	0.53
1:B:59:ARG:O	1:B:60:ARG:CB	2.54	0.53
1:A:19:ILE:HB	1:A:112:TRP:CZ2	2.44	0.53
1:B:1:MET:HE3	1:B:5:LEU:HD21	1.91	0.52
1:C:132:ARG:HE	1:D:90:THR:CG2	2.22	0.52
1:C:146:VAL:O	1:C:150:VAL:HG23	2.10	0.52
1:D:113:ILE:CD1	1:D:119:ILE:CG2	2.88	0.52
1:A:47:LEU:HD21	1:A:109:LEU:HD22	1.91	0.52
1:D:-2:GLN:HE21	1:D:17:SER:HB2	1.73	0.52
1:C:90:THR:HG22	1:D:132:ARG:HG2	1.92	0.51
1:B:4:ILE:CD1	1:B:51:ILE:O	2.58	0.51
1:D:13:GLY:O	1:D:14:VAL:CB	2.58	0.51
1:A:16:PRO:HA	1:A:17:SER:HB3	1.94	0.50
1:C:23:THR:O	1:C:24:LYS:CB	2.59	0.50
1:B:158:ALA:HA	1:B:171:VAL:HG22	1.93	0.50
1:C:25:GLN:NE2	3:C:230:HOH:O	2.38	0.49
1:D:151:ALA:HB1	1:D:219:LEU:HD12	1.95	0.49
1:B:5:LEU:HD13	1:B:51:ILE:HD11	1.93	0.49
1:B:181:ALA:HA	1:B:191:VAL:HG21	1.96	0.48
1:D:113:ILE:HD12	1:D:119:ILE:HB	1.95	0.48
1:C:119:ILE:N	1:C:119:ILE:HD13	2.28	0.48
1:D:158:ALA:HA	1:D:171:VAL:HG22	1.96	0.48
1:B:146:VAL:O	1:B:150:VAL:HG23	2.14	0.48
1:C:132:ARG:HG2	1:D:90:THR:HG21	1.96	0.47
1:D:57:ILE:N	1:D:57:ILE:HD12	2.29	0.47
1:D:155:LEU:CD1	1:D:220:ALA:HA	2.45	0.47
1:D:113:ILE:HD11	1:D:119:ILE:HG21	1.97	0.47
1:B:168:ALA:CB	1:B:169:LEU:HB2	2.26	0.47
1:A:187:SER:OG	1:A:190:THR:OG1	2.32	0.46
1:D:125:ARG:HD3	1:D:129:ARG:HH21	1.80	0.46
1:D:158:ALA:HB1	1:D:169:LEU:CD2	2.45	0.46
1:A:16:PRO:HA	1:A:17:SER:CB	2.45	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:ALA:HB2	1:B:171:VAL:HG21	1.98	0.46
1:C:45:ASP:HB3	1:C:89:ARG:NH1	2.31	0.46
1:D:47:LEU:HD23	1:D:83:ILE:HD12	1.97	0.46
1:B:179:GLU:O	1:B:183:LEU:CD2	2.63	0.45
1:B:179:GLU:O	1:B:183:LEU:HD23	2.16	0.45
1:D:113:ILE:HD12	1:D:119:ILE:CG2	2.46	0.45
1:D:151:ALA:HB1	1:D:219:LEU:CD1	2.46	0.45
1:D:16:PRO:CB	1:D:18:ALA:H	2.29	0.45
1:B:131:LEU:HA	1:B:131:LEU:HD12	1.75	0.45
1:D:138:LEU:C	1:D:138:LEU:HD23	2.37	0.45
1:C:71:ILE:CD1	1:C:175:LEU:HD21	2.47	0.45
1:C:154:LEU:HA	1:C:154:LEU:HD23	1.78	0.44
1:D:41:GLY:O	1:D:88:PRO:HB3	2.17	0.44
1:D:174:ASP:HA	1:D:209:LYS:HB3	1.99	0.44
1:B:206:LEU:HD12	1:B:211:VAL:HG22	1.99	0.44
1:B:195:LEU:HD22	1:B:206:LEU:HD11	1.99	0.44
1:C:181:ALA:HA	1:C:191:VAL:HG21	2.00	0.44
1:D:204:ILE:CD1	1:D:206:LEU:HD21	2.48	0.43
1:A:184:VAL:HG12	1:A:184:VAL:O	2.17	0.43
1:A:146:VAL:HB	1:A:147:PRO:HD3	2.01	0.43
1:C:215:ASP:OD2	1:C:218:ARG:HD2	2.18	0.43
1:D:113:ILE:N	1:D:113:ILE:HD13	2.34	0.43
1:C:197:ASP:O	1:C:201:ARG:HG3	2.18	0.42
1:B:5:LEU:HD13	1:B:51:ILE:CD1	2.49	0.42
1:D:16:PRO:HB2	1:D:18:ALA:H	1.83	0.42
1:B:150:VAL:HA	1:B:184:VAL:HG21	2.01	0.42
1:B:164:GLN:HE21	1:B:169:LEU:HD13	1.85	0.42
1:D:113:ILE:HD11	1:D:119:ILE:CG2	2.50	0.42
1:D:204:ILE:HD12	1:D:206:LEU:HD21	2.01	0.41
1:A:19:ILE:H	1:A:19:ILE:HG12	1.65	0.41
1:D:181:ALA:HA	1:D:191:VAL:HG21	2.01	0.41
1:C:73:GLY:HA3	1:C:161:PHE:HE1	1.85	0.41
1:C:84:PHE:CE1	1:C:109:LEU:HD21	2.55	0.41
1:C:124:LEU:HD23	1:D:127:LEU:HD12	2.02	0.41
1:B:158:ALA:HB1	1:B:169:LEU:HD21	2.03	0.41
1:B:5:LEU:HD11	1:B:51:ILE:HD11	2.03	0.40
1:B:90:THR:HG23	1:B:91:SER:OG	2.21	0.40
1:B:48:TYR:CD2	1:B:103:SER:HB3	2.56	0.40
1:C:155:LEU:CD1	1:C:220:ALA:HA	2.51	0.40
1:D:10:ILE:CD1	1:D:112:TRP:HH2	2.34	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/249 (88%)	210 (96%)	5 (2%)	5 (2%)	7	4
1	B	211/249 (85%)	198 (94%)	12 (6%)	1 (0%)	32	34
1	C	205/249 (82%)	197 (96%)	6 (3%)	2 (1%)	18	16
1	D	227/249 (91%)	218 (96%)	5 (2%)	4 (2%)	10	6
All	All	863/996 (87%)	823 (95%)	28 (3%)	12 (1%)	13	10

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	15	GLU
1	A	17	SER
1	C	23	THR
1	C	45	ASP
1	D	14	VAL
1	D	16	PRO
1	A	14	VAL
1	B	20	ALA
1	D	15	GLU
1	A	18	ALA
1	D	17	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/204 (83%)	168 (99%)	1 (1%)	89	94
1	B	153/204 (75%)	151 (99%)	2 (1%)	73	85
1	C	158/204 (78%)	153 (97%)	5 (3%)	44	56
1	D	164/204 (80%)	155 (94%)	9 (6%)	25	29
All	All	644/816 (79%)	627 (97%)	17 (3%)	51	64

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ILE
1	B	90	THR
1	B	216	SER
1	C	22	LEU
1	C	23	THR
1	C	83	ILE
1	C	100	ARG
1	C	188	ARG
1	D	12	GLN
1	D	16	PRO
1	D	22	LEU
1	D	59	ARG
1	D	63	ASP
1	D	98	GLU
1	D	183	LEU
1	D	190	THR
1	D	197	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	164	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	CMP	A	301	-	21,25,25	1.35	4 (19%)	22,39,39	2.63	4 (18%)
2	CMP	B	301	-	21,25,25	1.51	3 (14%)	22,39,39	2.51	8 (36%)
2	CMP	C	301	-	21,25,25	1.41	3 (14%)	22,39,39	1.99	5 (22%)
2	CMP	D	301	-	21,25,25	1.55	4 (19%)	22,39,39	2.56	9 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CMP	A	301	-	-	0/0/31/31	0/4/4/4
2	CMP	B	301	-	-	0/0/31/31	0/4/4/4
2	CMP	C	301	-	-	0/0/31/31	0/4/4/4
2	CMP	D	301	-	-	0/0/31/31	0/4/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	CMP	O5'-C5'	-2.95	1.41	1.46
2	B	301	CMP	O5'-C5'	-2.88	1.41	1.46
2	D	301	CMP	C5-N7	-2.03	1.32	1.39
2	A	301	CMP	C2-N1	2.02	1.37	1.33
2	A	301	CMP	C2-N3	2.06	1.35	1.32
2	C	301	CMP	P-O3'	2.26	1.61	1.58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	CMP	C2-N3	2.74	1.36	1.32
2	A	301	CMP	C5-C4	2.75	1.46	1.40
2	D	301	CMP	C5-C4	2.99	1.47	1.40
2	C	301	CMP	C5-C4	3.40	1.48	1.40
2	B	301	CMP	P-O3'	3.41	1.63	1.58
2	B	301	CMP	C5-C4	3.88	1.49	1.40
2	A	301	CMP	P-O3'	4.07	1.64	1.58
2	D	301	CMP	P-O3'	4.16	1.65	1.58

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	CMP	N3-C2-N1	-7.67	122.17	128.86
2	D	301	CMP	N3-C2-N1	-5.55	124.03	128.86
2	B	301	CMP	O5'-P-O3'	-5.46	98.47	105.81
2	D	301	CMP	O3'-C3'-C4'	-5.29	106.61	110.69
2	B	301	CMP	N3-C2-N1	-5.24	124.30	128.86
2	D	301	CMP	O5'-P-O3'	-4.45	99.82	105.81
2	B	301	CMP	O3'-C3'-C4'	-4.40	107.30	110.69
2	C	301	CMP	N3-C2-N1	-4.32	125.09	128.86
2	D	301	CMP	C4-C5-N7	-4.02	105.53	109.41
2	D	301	CMP	C4'-O4'-C1'	-3.71	105.81	109.77
2	B	301	CMP	C4-C5-N7	-3.08	106.43	109.41
2	B	301	CMP	C4'-O4'-C1'	-2.58	107.02	109.77
2	D	301	CMP	C2'-C3'-C4'	-2.56	98.64	103.23
2	A	301	CMP	O5'-P-O3'	-2.50	102.45	105.81
2	B	301	CMP	O4'-C4'-C3'	-2.28	99.79	104.81
2	C	301	CMP	O3'-C3'-C4'	-2.22	108.97	110.69
2	D	301	CMP	O2P-P-O1P	2.08	115.38	108.63
2	C	301	CMP	C2-N1-C6	2.11	122.46	118.77
2	B	301	CMP	O2P-P-O1P	2.33	116.21	108.63
2	D	301	CMP	N6-C6-N1	2.35	123.43	118.77
2	C	301	CMP	O2P-P-O1P	2.36	116.30	108.63
2	D	301	CMP	O3'-C3'-C2'	3.00	118.67	115.67
2	A	301	CMP	O2P-P-O1P	3.15	118.86	108.63
2	B	301	CMP	O3'-C3'-C2'	5.00	120.67	115.67
2	C	301	CMP	O3'-C3'-C2'	5.67	121.34	115.67
2	A	301	CMP	O3'-C3'-C2'	7.51	123.18	115.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	CMP	1	0
2	B	301	CMP	2	0
2	C	301	CMP	2	0
2	D	301	CMP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	224/249 (89%)	0.10	3 (1%) 77 75	20, 33, 43, 53	0
1	B	219/249 (87%)	0.27	12 (5%) 26 25	22, 34, 41, 46	0
1	C	206/249 (82%)	0.10	9 (4%) 35 33	21, 33, 43, 69	0
1	D	228/249 (91%)	0.34	20 (8%) 11 9	19, 32, 42, 47	0
All	All	877/996 (88%)	0.21	44 (5%) 30 28	19, 33, 43, 69	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	167	GLY	7.5
1	D	168	ALA	6.4
1	B	200	HIS	4.8
1	D	147	PRO	4.4
1	B	206	LEU	4.1
1	D	203	TRP	3.9
1	B	195	LEU	3.9
1	D	195	LEU	3.9
1	B	185	GLY	3.7
1	D	167	GLY	3.7
1	A	112	TRP	3.7
1	D	13	GLY	3.6
1	B	203	TRP	3.4
1	A	114	ALA	3.2
1	D	151	ALA	3.1
1	A	115	ASP	3.1
1	D	219	LEU	3.1
1	C	112[A]	TRP	3.1
1	B	60	ARG	2.8
1	C	223	ALA	2.8
1	C	115	ASP	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	208	GLY	2.8
1	B	166	GLY	2.7
1	D	146	VAL	2.7
1	D	199	ALA	2.6
1	D	200	HIS	2.6
1	C	166	GLY	2.6
1	D	223	ALA	2.6
1	B	168	ALA	2.4
1	D	169	LEU	2.3
1	C	168	ALA	2.3
1	D	211	VAL	2.3
1	C	143	PHE	2.3
1	D	166	GLY	2.2
1	D	-4	TYR	2.2
1	D	202	GLY	2.2
1	B	205	ARG	2.2
1	C	200	HIS	2.1
1	C	21	ALA	2.1
1	D	131	LEU	2.1
1	B	191	VAL	2.1
1	D	62	PRO	2.0
1	B	218	ARG	2.0
1	B	22	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CMP	C	301	22/22	0.98	0.13	-0.68	36,41,42,42	0
2	CMP	A	301	22/22	0.98	0.12	-0.98	40,47,49,50	0
2	CMP	D	301	22/22	0.98	0.11	-1.30	34,39,40,41	0
2	CMP	B	301	22/22	0.95	0.10	-1.57	41,46,48,48	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.