



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 24, 2017 – 11:20 AM EDT

PDB ID : 3I56  
Title : Co-crystal structure of Triacetyloleandomycin Bound to the Large Ribosomal Subunit  
Authors : Gurel, G.; Blaha, G.; Steitz, T.A.; Moore, P.B.  
Deposited on : unknown  
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1586 (2.90-2.90)
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)
RSRZ outliers	101464	1596 (2.90-2.90)
RNA backbone	2435	1004 (3.20-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>15%</div> <div>..</div> </div> </div>
2	B	338	<div> <div></div> <div> <div>81%</div> <div>17%</div> <div>.</div> </div> </div>
3	C	246	<div> <div></div> <div> <div>83%</div> <div>15%</div> <div>.</div> </div> </div>
4	D	177	<div> <div>18%</div> <div> <div>64%</div> <div>14%</div> <div>..</div> <div>21%</div> </div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	178	
6	F	120	
7	G	348	
8	H	174	
9	I	162	
10	J	145	
11	K	132	
12	L	165	
13	M	194	
14	N	187	
15	O	116	
16	P	149	
17	Q	96	
18	R	155	
19	S	85	
20	T	120	
21	U	66	
22	V	71	
23	W	154	
24	X	92	
25	Y	241	
26	Z	116	
27	1	57	
28	2	50	
29	3	92	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
30	0	2923	
31	9	122	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	MG	0	8001	-	-	-	X
32	MG	0	8002	-	-	-	X
32	MG	0	8009	-	-	-	X
32	MG	0	8010	-	-	-	X
32	MG	0	8011	-	-	-	X
32	MG	0	8028	-	-	-	X
32	MG	0	8034	-	-	-	X
32	MG	0	8041	-	-	-	X
32	MG	0	8044	-	-	-	X
32	MG	0	8047	-	-	-	X
32	MG	0	8052	-	-	-	X
32	MG	0	8062	-	-	-	X
32	MG	0	8070	-	-	-	X
32	MG	9	8040	-	-	-	X
32	MG	A	8051	-	-	-	X
32	MG	K	8054	-	-	-	X
32	MG	Y	8086	-	-	-	X
33	CL	0	8805	-	-	-	X
33	CL	0	8815	-	-	-	X
33	CL	K	8812	-	-	X	-
34	SR	0	8902	-	-	-	X
34	SR	0	8904	-	-	-	X
34	SR	0	8908	-	-	-	X
34	SR	0	8921	-	-	-	X
34	SR	0	8943	-	-	-	X
34	SR	0	8947	-	-	-	X
34	SR	0	8949	-	-	-	X
34	SR	0	8962	-	-	-	X
34	SR	0	8969	-	-	-	X
34	SR	0	8985	-	-	-	X
34	SR	1	8913	-	-	-	X
34	SR	A	8929	-	-	-	X
34	SR	B	8987	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
35	NA	0	8502	-	-	-	X
35	NA	0	8507	-	-	-	X
35	NA	0	8519	-	-	-	X
35	NA	0	8522	-	-	-	X
35	NA	0	8523	-	-	-	X
35	NA	0	8527	-	-	-	X
35	NA	0	8530	-	-	-	X
35	NA	0	8542	-	-	-	X
35	NA	0	8547	-	-	-	X
35	NA	0	8548	-	-	-	X
35	NA	0	8553	-	-	-	X
35	NA	0	8555	-	-	-	X
35	NA	0	8556	-	-	-	X
35	NA	0	8557	-	-	-	X
35	NA	0	8559	-	-	-	X
35	NA	0	8560	-	-	-	X
35	NA	0	8562	-	-	-	X
35	NA	0	8563	-	-	-	X
35	NA	0	8564	-	-	-	X
35	NA	0	8565	-	-	-	X
35	NA	0	8568	-	-	-	X
35	NA	0	8571	-	-	-	X
35	NA	9	8572	-	-	-	X
35	NA	B	8552	-	-	-	X
35	NA	R	8533	-	-	-	X
35	NA	R	8575	-	-	-	X
37	K	0	8401	-	-	-	X
38	TAO	0	2924	X	-	-	X

## 2 Entry composition

There are 39 unique types of molecules in this entry. The entry contains 99181 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	237	Total	C	N	O	S	0	0	0
			1753	1072	352	324	5			

- Molecule 2 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	337	Total	C	N	O	S	0	0	0
			2625	1616	493	511	5			

- Molecule 3 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	246	Total	C	N	O	S	0	0	0
			1860	1130	345	384	1			

- Molecule 4 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	140	Total	C	N	O	S	0	0	0
			1094	685	195	210	4			

- Molecule 5 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	172	Total	C	N	O	S	0	0	0
			1357	840	224	289	4			

- Molecule 6 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	119	Total	C	N	O	S	0	0	0
			890	551	141	197	1			

- Molecule 7 is a protein called 50S ribosomal protein L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	29	Total	C	N	O	S	0	0	0
			240	149	39	51	1			

- Molecule 8 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	160	Total	C	N	O	S	0	0	0
			1283	798	240	239	6			

- Molecule 9 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	70	Total	C	N	O	S	0	0	0
			519	323	81	114	1			

- Molecule 10 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	142	Total	C	N	O	S	0	0	0
			1120	696	199	222	3			

- Molecule 11 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	132	Total	C	N	O	S	0	0	0
			994	609	189	192	4			

- Molecule 12 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	L	145	Total	C	N	O	0	0	0
			1118	670	222	226			

- Molecule 13 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	194	Total	C	N	O	S	0	0	0
			1559	943	333	282	1			

- Molecule 14 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	186	Total	C	N	O	S	0	0	0
			1445	895	262	286	2			

- Molecule 15 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	115	Total	C	N	O		0	0	0
			865	529	161	175				

- Molecule 16 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	143	Total	C	N	O		0	0	0
			1136	683	229	224				

- Molecule 17 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	95	Total	C	N	O		0	0	0
			735	450	141	144				

- Molecule 18 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	R	150	Total	C	N	O	S	0	0	0
			1149	713	209	223	4			

- Molecule 19 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	S	81	Total	C	N	O	S	0	0	0
			641	389	111	138	3			

- Molecule 20 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	T	119	Total	C	N	O		0	0	0
			950	568	180	202				

- Molecule 21 is a protein called 50S ribosomal protein L24e.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 22 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 23 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 24 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 25 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	Y	142	Total	C	N	O		0	0	0
			1130	686	228	216				

- Molecule 26 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	73	Total	C	N	O	S	0	0	0
			573	343	113	112	5			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	1	MET	-	EXPRESSION TAG	UNP P60619
Z	2	SER	-	EXPRESSION TAG	UNP P60619
Z	3	PRO	-	EXPRESSION TAG	UNP P60619
Z	4	ARG	-	EXPRESSION TAG	UNP P60619
Z	5	ALA	-	EXPRESSION TAG	UNP P60619
Z	6	ARG	-	EXPRESSION TAG	UNP P60619

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
Z	7	ARG	-	EXPRESSION TAG	UNP P60619
Z	8	GLU	-	EXPRESSION TAG	UNP P60619
Z	9	PRO	-	EXPRESSION TAG	UNP P60619
Z	10	ASN	-	EXPRESSION TAG	UNP P60619
Z	11	LEU	-	EXPRESSION TAG	UNP P60619
Z	12	GLU	-	EXPRESSION TAG	UNP P60619
Z	13	GLY	-	EXPRESSION TAG	UNP P60619
Z	14	LEU	-	EXPRESSION TAG	UNP P60619
Z	15	MET	-	EXPRESSION TAG	UNP P60619
Z	16	TRP	-	EXPRESSION TAG	UNP P60619
Z	17	PRO	-	EXPRESSION TAG	UNP P60619
Z	18	LEU	-	EXPRESSION TAG	UNP P60619
Z	19	GLY	-	EXPRESSION TAG	UNP P60619
Z	20	GLY	-	EXPRESSION TAG	UNP P60619
Z	21	GLN	-	EXPRESSION TAG	UNP P60619
Z	22	GLN	-	EXPRESSION TAG	UNP P60619
Z	23	THR	-	EXPRESSION TAG	UNP P60619
Z	24	THR	-	EXPRESSION TAG	UNP P60619

- Molecule 27 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			

- Molecule 28 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	46	Total	C	N	O	S	0	0	0
			396	239	89	67	1			

- Molecule 29 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 30 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	0	2754	Total	C	N	O	P	0	0	0
			59020	26349	10873	19053	2745			

- Molecule 31 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	9	122	Total	C	N	O	P	0	0	0
			2599	1160	471	847	121			

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
32	0	82	Total	Mg	0	0
			82	82		
32	9	2	Total	Mg	0	0
			2	2		
32	K	1	Total	Mg	0	0
			1	1		
32	B	2	Total	Mg	0	0
			2	2		
32	C	1	Total	Mg	0	0
			1	1		
32	A	2	Total	Mg	0	0
			2	2		
32	T	1	Total	Mg	0	0
			1	1		
32	2	1	Total	Mg	0	0
			1	1		
32	Y	1	Total	Mg	0	0
			1	1		

- Molecule 33 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	0	7	Total	Cl	0	0
			7	7		
33	J	3	Total	Cl	0	0
			3	3		
33	Q	1	Total	Cl	0	0
			1	1		
33	K	1	Total	Cl	0	0
			1	1		
33	B	1	Total	Cl	0	0
			1	1		
33	A	1	Total	Cl	0	0
			1	1		
33	N	1	Total	Cl	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	O	1	Total 1	Cl 1	0	0
33	R	1	Total 1	Cl 1	0	0
33	Y	1	Total 1	Cl 1	0	0
33	L	2	Total 2	Cl 2	0	0
33	3	1	Total 1	Cl 1	0	0
33	M	1	Total 1	Cl 1	0	0

- Molecule 34 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	91	Total 91	Sr 91	0	0
34	9	2	Total 2	Sr 2	0	0
34	1	2	Total 2	Sr 2	0	0
34	H	1	Total 1	Sr 1	0	0
34	B	2	Total 2	Sr 2	0	0
34	3	3	Total 3	Sr 3	0	0
34	A	3	Total 3	Sr 3	0	0
34	T	1	Total 1	Sr 1	0	0
34	R	1	Total 1	Sr 1	0	0
34	Y	1	Total 1	Sr 1	0	0
34	S	1	Total 1	Sr 1	0	0

- Molecule 35 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
35	0	60	Total Na 60 60	0	0
35	J	1	Total Na 1 1	0	0
35	Q	1	Total Na 1 1	0	0
35	H	1	Total Na 1 1	0	0
35	B	1	Total Na 1 1	0	0
35	C	3	Total Na 3 3	0	0
35	2	1	Total Na 1 1	0	0
35	R	3	Total Na 3 3	0	0
35	9	2	Total Na 2 2	0	0
35	S	1	Total Na 1 1	0	0
35	M	1	Total Na 1 1	0	0


- Molecule 36 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
36	O	1	Total Cd 1 1	0	0
36	Z	1	Total Cd 1 1	0	0
36	1	1	Total Cd 1 1	0	0
36	3	1	Total Cd 1 1	0	0
36	U	1	Total Cd 1 1	0	0

- Molecule 37 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
37	0	2	Total K 2 2	0	0

- Molecule 38 is TROLEANDOMYCIN (three-letter code: TAO) (formula: C<sub>41</sub>H<sub>67</sub>NO<sub>15</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
38	0	1	Total	C	N	O	0	0
			57	41	1	15		

- Molecule 39 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	A	106	Total	O	0	0
			106	106		
39	B	135	Total	O	0	0
			135	135		
39	C	168	Total	O	0	0
			168	168		
39	D	45	Total	O	0	0
			45	45		
39	E	40	Total	O	0	0
			40	40		
39	F	23	Total	O	0	0
			23	23		
39	G	18	Total	O	0	0
			18	18		
39	H	71	Total	O	0	0
			71	71		
39	I	7	Total	O	0	0
			7	7		
39	J	46	Total	O	0	0
			46	46		
39	K	52	Total	O	0	0
			52	52		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	L	87	Total 87	O 87	0	0
39	M	123	Total 123	O 123	0	0
39	N	66	Total 66	O 66	0	0
39	O	44	Total 44	O 44	0	0
39	P	55	Total 55	O 55	0	0
39	Q	42	Total 42	O 42	0	0
39	R	78	Total 78	O 78	0	0
39	S	28	Total 28	O 28	0	0
39	T	35	Total 35	O 35	0	0
39	U	26	Total 26	O 26	0	0
39	V	11	Total 11	O 11	0	0
39	W	66	Total 66	O 66	0	0
39	X	22	Total 22	O 22	0	0
39	Y	94	Total 94	O 94	0	0
39	Z	27	Total 27	O 27	0	0
39	1	49	Total 49	O 49	0	0
39	2	34	Total 34	O 34	0	0
39	3	62	Total 62	O 62	0	0
39	0	6021	Total 6021	O 6021	0	0
39	9	142	Total 142	O 142	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2P




- Molecule 2: 50S ribosomal protein L3P



- Molecule 3: 50S ribosomal protein L4P








- Molecule 4: 50S ribosomal protein L5P










Chain O:  91% 8%




- Molecule 16: 50S ribosomal protein L19e

Chain P:  83% 13%





- Molecule 17: 50S ribosomal protein L21e

Chain Q:  88% 11%




- Molecule 18: 50S ribosomal protein L22P

Chain R:  86% 10%





- Molecule 19: 50S ribosomal protein L23P

Chain S:  76% 19% 5%




- Molecule 20: 50S ribosomal protein L24P

Chain T:  81% 17% 2%





- Molecule 21: 50S ribosomal protein L24e

Chain U:  73% 6% 20%




- Molecule 22: 50S ribosomal protein L29P

Chain V:  76% 15% 8% 14%




- Molecule 23: 50S ribosomal protein L30P

Chain W: 81% 18%





- Molecule 24: 50S ribosomal protein L31e

Chain X: 73% 15% 11%



- Molecule 25: 50S ribosomal protein L32e


Chain Y: 55% 41%



GLU

- Molecule 26: 50S ribosomal protein L37Ae

Chain Z: 57% 5% 37%



- Molecule 27: 50S ribosomal protein L37e

Chain 1: 77% 19%




- Molecule 28: 50S ribosomal protein L39e


Chain 2: 66% 26% 8%




• Molecule 29: 50S ribosomal protein L44E





• Molecule 30: 23S ribosomal RNA







• Molecule 31: 5S ribosomal RNA



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	212.43Å 300.77Å 575.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.90 85.79 – 2.41	Depositor EDS
% Data completeness (in resolution range)	84.3 (50.00-2.90) 90.7 (85.79-2.41)	Depositor EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.00 (at 2.42Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.191 , 0.243 0.189 , 0.236	Depositor DCC
$R_{free}$ test set	3322 reflections (0.99%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.3	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 63.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	99181	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.49% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, OMG, CL, SR, NA, K, CD, OMU, UR3, 1MA, TAO, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.49	0/1786	0.76	0/2408
2	B	0.53	0/2690	0.76	0/3652
3	C	0.54	0/1885	0.76	0/2552
4	D	0.63	0/1111	0.74	2/1498 (0.1%)
5	E	0.59	0/1382	0.70	0/1880
6	F	0.53	0/901	0.72	0/1224
7	G	0.51	0/241	0.63	0/324
8	H	0.59	0/1303	0.77	0/1743
9	I	0.59	0/526	0.68	0/716
10	J	0.61	0/1136	0.74	0/1530
11	K	0.50	0/1004	0.78	0/1351
12	L	0.50	0/1130	0.76	0/1509
13	M	0.50	0/1583	0.74	0/2116
14	N	0.54	0/1474	0.79	0/1999
15	O	0.49	0/874	0.72	1/1181 (0.1%)
16	P	0.54	0/1147	0.65	0/1528
17	Q	0.51	0/749	0.77	0/1005
18	R	0.57	0/1172	0.73	0/1578
19	S	0.52	0/648	0.66	0/875
20	T	0.49	0/958	0.75	1/1289 (0.1%)
21	U	0.56	0/417	0.69	0/562
22	V	0.44	0/502	0.71	0/675
23	W	0.52	0/1219	0.76	1/1655 (0.1%)
24	X	0.53	0/664	0.76	0/895
25	Y	0.49	0/1146	0.74	0/1536
26	Z	0.62	0/584	0.77	0/781
27	1	0.55	0/438	0.74	0/578
28	2	0.45	0/401	0.69	0/529
29	3	0.55	0/771	0.68	0/1024
30	0	0.41	0/65957	0.69	12/102867 (0.0%)
31	9	0.36	0/2904	0.69	1/4526 (0.0%)
All	All	0.45	0/98703	0.70	18/147586 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
23	W	0	1
30	0	0	35
31	9	0	2
All	All	0	38

There are no bond length outliers.

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	0	1504	A	C1'-O4'-C4'	-6.21	104.93	109.90
30	0	2291	A	N9-C1'-C2'	6.13	121.97	114.00
30	0	871	G	C5'-C4'-O4'	-6.06	101.83	109.10
30	0	1942	A	C5'-C4'-C3'	5.87	125.38	116.00
31	9	39	U	N1-C1'-C2'	5.60	121.29	114.00

There are no chirality outliers.

5 of 38 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
30	0	396	U	Sidechain
30	0	458	G	Sidechain
30	0	482	G	Sidechain
30	0	49	A	Sidechain
23	W	90	TYR	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1753	0	1766	22	0
2	B	2625	0	2533	35	0
3	C	1860	0	1813	28	0
4	D	1094	0	1085	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	1357	0	1266	14	0
6	F	890	0	843	5	0
7	G	240	0	231	0	0
8	H	1283	0	1292	17	0
9	I	519	0	500	6	0
10	J	1120	0	1098	15	0
11	K	994	0	1027	11	0
12	L	1118	0	1076	11	0
13	M	1559	0	1573	18	0
14	N	1445	0	1401	13	0
15	O	865	0	873	7	0
16	P	1136	0	1123	12	0
17	Q	735	0	729	9	0
18	R	1149	0	1122	11	0
19	S	641	0	605	8	0
20	T	950	0	924	10	0
21	U	410	0	364	4	0
22	V	499	0	511	7	0
23	W	1196	0	1137	20	0
24	X	654	0	653	7	0
25	Y	1130	0	1133	10	0
26	Z	573	0	531	5	0
27	1	431	0	426	14	0
28	2	396	0	413	10	0
29	3	755	0	728	9	0
30	0	59020	0	29812	1178	0
31	9	2599	0	1325	71	0
32	0	82	0	0	0	0
32	2	1	0	0	0	0
32	9	2	0	0	0	0
32	A	2	0	0	0	0
32	B	2	0	0	0	0
32	C	1	0	0	0	0
32	K	1	0	0	0	0
32	T	1	0	0	0	0
32	Y	1	0	0	0	0
33	0	7	0	0	0	0
33	3	1	0	0	0	0
33	A	1	0	0	0	0
33	B	1	0	0	0	0
33	J	3	0	0	0	0
33	K	1	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
33	L	2	0	0	0	0
33	M	1	0	0	0	0
33	N	1	0	0	0	0
33	O	1	0	0	0	0
33	Q	1	0	0	0	0
33	R	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	91	0	0	0	0
34	1	2	0	0	0	0
34	3	3	0	0	0	0
34	9	2	0	0	0	0
34	A	3	0	0	0	0
34	B	2	0	0	0	0
34	H	1	0	0	0	0
34	R	1	0	0	0	0
34	S	1	0	0	0	0
34	T	1	0	0	0	0
34	Y	1	0	0	0	0
35	0	60	0	0	0	0
35	2	1	0	0	0	0
35	9	2	0	0	0	0
35	B	1	0	0	0	0
35	C	3	0	0	0	0
35	H	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0
35	R	3	0	0	0	0
35	S	1	0	0	0	0
36	1	1	0	0	0	0
36	3	1	0	0	0	0
36	O	1	0	0	0	0
36	U	1	0	0	0	0
36	Z	1	0	0	0	0
37	0	2	0	0	0	0
38	0	57	0	67	14	0
39	0	6021	0	0	144	0
39	1	49	0	0	0	0
39	2	34	0	0	0	0
39	3	62	0	0	0	0
39	9	142	0	0	3	0
39	A	106	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
39	B	135	0	0	4	0
39	C	168	0	0	2	0
39	D	45	0	0	0	0
39	E	40	0	0	1	0
39	F	23	0	0	0	0
39	G	18	0	0	0	0
39	H	71	0	0	1	0
39	I	7	0	0	0	0
39	J	46	0	0	1	0
39	K	52	0	0	0	0
39	L	87	0	0	2	0
39	M	123	0	0	0	0
39	N	66	0	0	2	0
39	O	44	0	0	1	0
39	P	55	0	0	0	0
39	Q	42	0	0	0	0
39	R	78	0	0	2	0
39	S	28	0	0	0	0
39	T	35	0	0	1	0
39	U	26	0	0	0	0
39	V	11	0	0	0	0
39	W	66	0	0	1	0
39	X	22	0	0	0	0
39	Y	94	0	0	3	0
39	Z	27	0	0	0	0
All	All	99181	0	59980	1428	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 1428 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:0:1160:G:H5'	30:0:1161:A:H5'	1.25	1.16
30:0:871:G:H8	30:0:871:G:H5'	1.06	1.08
30:0:871:G:C8	30:0:871:G:H5'	1.90	1.06
30:0:2717:C:H2'	30:0:2718:C:H5''	1.42	1.01
10:J:82:THR:HG23	30:0:1242:A:H5'	1.42	1.01

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	235/240 (98%)	219 (93%)	14 (6%)	2 (1%)	20	54
2	B	335/338 (99%)	306 (91%)	26 (8%)	3 (1%)	20	54
3	C	244/246 (99%)	225 (92%)	19 (8%)	0	100	100
4	D	134/177 (76%)	121 (90%)	10 (8%)	3 (2%)	8	29
5	E	170/178 (96%)	160 (94%)	10 (6%)	0	100	100
6	F	117/120 (98%)	108 (92%)	6 (5%)	3 (3%)	6	24
7	G	25/348 (7%)	25 (100%)	0	0	100	100
8	H	156/174 (90%)	146 (94%)	9 (6%)	1 (1%)	28	64
9	I	68/162 (42%)	62 (91%)	6 (9%)	0	100	100
10	J	140/145 (97%)	133 (95%)	6 (4%)	1 (1%)	25	60
11	K	130/132 (98%)	124 (95%)	6 (5%)	0	100	100
12	L	141/165 (86%)	131 (93%)	10 (7%)	0	100	100
13	M	192/194 (99%)	185 (96%)	7 (4%)	0	100	100
14	N	184/187 (98%)	171 (93%)	8 (4%)	5 (3%)	6	23
15	O	113/116 (97%)	109 (96%)	4 (4%)	0	100	100
16	P	141/149 (95%)	140 (99%)	1 (1%)	0	100	100
17	Q	93/96 (97%)	88 (95%)	4 (4%)	1 (1%)	17	48
18	R	148/155 (96%)	140 (95%)	7 (5%)	1 (1%)	25	60
19	S	79/85 (93%)	77 (98%)	2 (2%)	0	100	100
20	T	117/120 (98%)	111 (95%)	4 (3%)	2 (2%)	11	36
21	U	51/66 (77%)	49 (96%)	2 (4%)	0	100	100
22	V	63/71 (89%)	60 (95%)	3 (5%)	0	100	100
23	W	152/154 (99%)	148 (97%)	4 (3%)	0	100	100
24	X	80/92 (87%)	76 (95%)	2 (2%)	2 (2%)	6	25
25	Y	140/241 (58%)	137 (98%)	3 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	Z	71/116 (61%)	62 (87%)	9 (13%)	0	100	100
27	1	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
28	2	42/50 (84%)	41 (98%)	1 (2%)	0	100	100
29	3	90/92 (98%)	86 (96%)	4 (4%)	0	100	100
All	All	3705/4466 (83%)	3492 (94%)	189 (5%)	24 (1%)	28	64

5 of 24 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
4	D	137	PRO
6	F	101	ALA
10	J	5	GLU
14	N	154	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/182 (98%)	165 (92%)	14 (8%)	15	39
2	B	282/283 (100%)	265 (94%)	17 (6%)	22	54
3	C	193/193 (100%)	175 (91%)	18 (9%)	10	31
4	D	117/148 (79%)	107 (92%)	10 (8%)	12	35
5	E	152/156 (97%)	147 (97%)	5 (3%)	43	77
6	F	93/94 (99%)	91 (98%)	2 (2%)	57	86
7	G	27/282 (10%)	26 (96%)	1 (4%)	39	74
8	H	134/143 (94%)	128 (96%)	6 (4%)	32	66
9	I	58/130 (45%)	57 (98%)	1 (2%)	66	89
10	J	118/121 (98%)	109 (92%)	9 (8%)	15	41
11	K	106/106 (100%)	101 (95%)	5 (5%)	30	65
12	L	113/127 (89%)	107 (95%)	6 (5%)	26	60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	M	158/158 (100%)	153 (97%)	5 (3%)	44	78
14	N	149/150 (99%)	143 (96%)	6 (4%)	36	71
15	O	93/94 (99%)	91 (98%)	2 (2%)	57	86
16	P	113/117 (97%)	108 (96%)	5 (4%)	33	67
17	Q	79/80 (99%)	75 (95%)	4 (5%)	28	62
18	R	117/122 (96%)	115 (98%)	2 (2%)	66	89
19	S	71/74 (96%)	68 (96%)	3 (4%)	34	69
20	T	105/106 (99%)	96 (91%)	9 (9%)	12	35
21	U	44/52 (85%)	43 (98%)	1 (2%)	56	85
22	V	51/57 (90%)	49 (96%)	2 (4%)	37	72
23	W	130/130 (100%)	124 (95%)	6 (5%)	31	65
24	X	66/74 (89%)	60 (91%)	6 (9%)	11	32
25	Y	120/196 (61%)	118 (98%)	2 (2%)	66	89
26	Z	60/94 (64%)	59 (98%)	1 (2%)	66	89
27	1	46/47 (98%)	45 (98%)	1 (2%)	57	86
28	2	42/46 (91%)	41 (98%)	1 (2%)	54	84
29	3	79/79 (100%)	74 (94%)	5 (6%)	21	51
All	All	3095/3641 (85%)	2940 (95%)	155 (5%)	28	62

5 of 155 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	H	87	LYS
11	K	107	THR
24	X	82	GLU
8	H	169	GLU
10	J	107	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 68 such sidechains are listed below:

Mol	Chain	Res	Type
16	P	50	GLN
18	R	98	ASN
28	2	18	ASN
16	P	57	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
17	Q	16	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	0	2745/2923 (93%)	235 (8%)	22 (0%)
31	9	121/122 (99%)	16 (13%)	1 (0%)
All	All	2866/3045 (94%)	251 (8%)	23 (0%)

5 of 251 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	0	31	C
30	0	67	A
30	0	69	A
30	0	70	A
30	0	71	G

5 of 23 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
30	0	1237	U
30	0	1352	A
30	0	2791	U
30	0	1246	A
30	0	1377	C

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
30	OMU	0	2587	30,35	14,22,23	1.00	1 (7%)	18,31,34	3.68	2 (11%)
30	OMG	0	2588	30	18,26,27	1.06	1 (5%)	22,38,41	2.48	4 (18%)
30	UR3	0	2619	30	14,22,23	0.71	0	16,32,35	0.71	0
30	PSU	0	2621	30	16,21,22	1.60	3 (18%)	20,30,33	6.04	4 (20%)
30	1MA	0	628	30	16,25,26	1.00	1 (6%)	13,37,40	1.20	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	OMU	0	2587	30,35	-	0/5/27/28	0/2/2/2
30	OMG	0	2588	30	-	0/5/27/28	0/3/3/3
30	UR3	0	2619	30	-	0/3/25/26	0/2/2/2
30	PSU	0	2621	30	-	0/7/25/26	0/2/2/2
30	1MA	0	628	30	-	0/3/25/26	0/3/3/3

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	0	2621	PSU	C5-C1'	-4.81	1.48	1.52
30	0	2621	PSU	C4-N3	2.46	1.37	1.33
30	0	2587	OMU	C4-N3	2.56	1.37	1.33
30	0	2621	PSU	C2-N1	2.61	1.43	1.38
30	0	628	1MA	C6-N6	2.92	1.34	1.27

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	0	2621	PSU	N1-C2-N3	-18.86	114.84	128.40
30	0	2621	PSU	C5-C4-N3	-12.71	115.00	125.43
30	0	2588	OMG	C5-C6-N1	-8.43	111.48	123.48
30	0	628	1MA	C2-N3-C4	-3.68	110.76	116.41
30	0	2587	OMU	C5-C4-N3	-3.45	114.89	123.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	0	2619	UR3	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 306 ligands modelled in this entry, 305 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
38	TAO	0	2924	-	58,60,60	0.65	0	75,89,89	1.81	14 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	TAO	0	2924	-	2/2/24/24	0/77/113/113	0/3/4/4

There are no bond length outliers.

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	0	2924	TAO	C17-O23-C27	-4.57	110.42	117.48
38	0	2924	TAO	C51-O54-C55	-4.21	111.12	117.72
38	0	2924	TAO	C24-O18-C14	-3.50	109.47	118.00
38	0	2924	TAO	C3-C7-C10	-3.44	111.11	117.47
38	0	2924	TAO	C9-O11-C15	-3.31	112.53	117.72

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
38	0	2924	TAO	C10
38	0	2924	TAO	C9

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	0	2924	TAO	14	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	237/240 (98%)	-0.33	5 (2%) 64 60	19, 43, 83, 105	0
2	B	337/338 (99%)	-0.47	0 100 100	17, 47, 75, 90	0
3	C	246/246 (100%)	-0.39	0 100 100	12, 41, 66, 78	0
4	D	140/177 (79%)	0.97	31 (22%) 1 0	51, 92, 120, 131	0
5	E	172/178 (96%)	-0.19	4 (2%) 61 57	39, 62, 89, 96	0
6	F	119/120 (99%)	0.39	10 (8%) 12 8	43, 70, 104, 120	0
7	G	29/348 (8%)	0.80	3 (10%) 7 5	62, 88, 97, 98	0
8	H	160/174 (91%)	-0.36	0 100 100	24, 48, 85, 99	0
9	I	70/162 (43%)	3.16	51 (72%) 0 0	124, 138, 160, 161	0
10	J	142/145 (97%)	-0.51	1 (0%) 87 86	25, 43, 65, 80	0
11	K	132/132 (100%)	-0.54	0 100 100	25, 43, 68, 75	0
12	L	145/165 (87%)	0.06	6 (4%) 38 32	13, 60, 107, 118	0
13	M	194/194 (100%)	-0.61	0 100 100	22, 36, 55, 62	0
14	N	186/187 (99%)	0.08	8 (4%) 36 31	32, 58, 111, 119	0
15	O	115/116 (99%)	-0.38	0 100 100	30, 49, 66, 74	0
16	P	143/149 (95%)	-0.42	0 100 100	30, 49, 64, 67	0
17	Q	95/96 (98%)	-0.60	0 100 100	25, 36, 51, 71	0
18	R	150/155 (96%)	-0.64	0 100 100	21, 37, 61, 73	0
19	S	81/85 (95%)	-0.08	1 (1%) 79 77	35, 57, 74, 82	0
20	T	119/120 (99%)	-0.17	2 (1%) 70 68	32, 53, 80, 100	0
21	U	53/66 (80%)	-0.51	0 100 100	30, 49, 70, 74	0
22	V	65/71 (91%)	0.90	10 (15%) 2 1	49, 72, 108, 116	0
23	W	154/154 (100%)	-0.66	0 100 100	26, 40, 59, 70	0
24	X	82/92 (89%)	-0.22	1 (1%) 79 77	36, 49, 73, 84	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
25	Y	142/241 (58%)	-0.52	1 (0%) 87 86	18, 39, 64, 81	0
26	Z	73/116 (62%)	-0.32	1 (1%) 75 74	34, 54, 77, 93	0
27	1	56/57 (98%)	-0.63	0 100 100	16, 26, 35, 43	0
28	2	46/50 (92%)	-0.16	0 100 100	29, 56, 81, 98	0
29	3	92/92 (100%)	-0.41	0 100 100	27, 47, 62, 73	0
30	0	2749/2923 (94%)	-0.67	8 (0%) 93 93	11, 36, 81, 154	0
31	9	122/122 (100%)	-0.76	2 (1%) 72 70	22, 51, 78, 129	0
All	All	6646/7511 (88%)	-0.41	145 (2%) 62 59	11, 44, 93, 161	0

The worst 5 of 145 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
9	I	112	LEU	9.2
9	I	97	VAL	8.9
9	I	72	GLU	8.0
22	V	40	PRO	7.4
9	I	109	PRO	7.3

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
30	1MA	0	628	23/24	0.98	0.14	-	13,18,20,21	0
30	OMU	0	2587	21/22	0.98	0.11	-	22,25,29,32	0
30	PSU	0	2621	20/21	0.98	0.13	-	18,19,25,25	0
30	OMG	0	2588	24/25	0.98	0.13	-	20,23,24,28	0
30	UR3	0	2619	21/22	0.98	0.12	-	21,24,26,29	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
35	NA	0	8565	1/1	0.67	1.07	71.39	79,79,79,79	0
35	NA	0	8507	1/1	0.80	0.58	52.70	68,68,68,68	0
35	NA	0	8564	1/1	0.86	0.94	45.78	91,91,91,91	0
32	MG	9	8040	1/1	0.92	0.64	44.60	71,71,71,71	0
35	NA	0	8519	1/1	0.62	0.37	39.27	76,76,76,76	0
35	NA	0	8559	1/1	0.82	0.34	36.42	94,94,94,94	0
35	NA	9	8572	1/1	0.76	0.68	34.63	103,103,103,103	0
35	NA	0	8522	1/1	0.87	0.84	28.96	73,73,73,73	0
34	SR	0	8943	1/1	0.78	0.38	26.41	179,179,179,179	0
38	TAO	0	2924	57/57	0.80	0.35	25.75	83,95,107,109	0
35	NA	0	8557	1/1	0.45	0.24	23.53	89,89,89,89	0
37	K	0	8401	1/1	0.82	0.41	22.37	150,150,150,150	0
32	MG	0	8034	1/1	0.65	0.50	22.06	60,60,60,60	0
35	NA	0	8560	1/1	0.65	0.45	19.63	104,104,104,104	0
35	NA	0	8553	1/1	0.88	0.41	17.88	59,59,59,59	0
35	NA	0	8523	1/1	0.98	0.29	15.80	46,46,46,46	0
32	MG	0	8010	1/1	0.99	0.29	14.64	3,3,3,3	0
32	MG	0	8062	1/1	0.96	0.32	13.32	64,64,64,64	0
35	NA	0	8568	1/1	0.73	0.44	13.16	46,46,46,46	0
35	NA	0	8562	1/1	0.94	0.28	12.74	45,45,45,45	0
34	SR	1	8913	1/1	0.95	0.35	12.72	179,179,179,179	0
35	NA	R	8575	1/1	0.97	0.40	12.48	65,65,65,65	0
34	SR	0	8904	1/1	0.86	0.34	12.43	200,200,200,200	0
34	SR	0	8949	1/1	0.58	0.20	12.06	132,132,132,132	0
35	NA	0	8502	1/1	0.72	0.29	11.82	54,54,54,54	0
35	NA	0	8530	1/1	0.89	0.36	11.67	46,46,46,46	0
34	SR	0	8969	1/1	0.84	0.25	11.25	181,181,181,181	0
32	MG	0	8041	1/1	0.96	0.24	10.76	28,28,28,28	0
35	NA	B	8552	1/1	0.97	0.23	10.46	56,56,56,56	0
33	CL	0	8815	1/1	0.95	0.22	9.46	72,72,72,72	0
35	NA	0	8548	1/1	0.19	0.23	9.12	59,59,59,59	0
35	NA	0	8542	1/1	0.97	0.30	9.02	36,36,36,36	0
35	NA	0	8555	1/1	0.82	0.37	9.00	38,38,38,38	0
34	SR	A	8929	1/1	0.44	0.46	8.34	174,174,174,174	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	0	8052	1/1	0.79	0.23	7.95	59,59,59,59	0
32	MG	0	8044	1/1	0.98	0.27	7.82	38,38,38,38	0
34	SR	0	8908	1/1	0.23	0.26	7.73	200,200,200,200	0
32	MG	K	8054	1/1	0.91	0.27	7.70	62,62,62,62	0
35	NA	0	8556	1/1	0.90	0.32	6.81	41,41,41,41	0
34	SR	0	8962	1/1	0.73	0.26	6.71	197,197,197,197	0
35	NA	0	8571	1/1	0.75	0.21	6.53	73,73,73,73	0
32	MG	0	8009	1/1	0.98	0.22	6.43	15,15,15,15	0
35	NA	0	8547	1/1	0.89	0.21	5.79	49,49,49,49	0
33	CL	0	8805	1/1	0.94	0.18	5.57	62,62,62,62	0
35	NA	0	8527	1/1	0.97	0.21	5.52	44,44,44,44	0
32	MG	0	8028	1/1	0.94	0.18	5.49	16,16,16,16	0
32	MG	A	8051	1/1	0.95	0.46	5.22	117,117,117,117	0
34	SR	0	8985	1/1	0.96	0.14	5.14	128,128,128,128	0
32	MG	0	8047	1/1	0.95	0.25	4.92	34,34,34,34	0
32	MG	0	8011	1/1	0.99	0.23	4.86	1,1,1,1	0
35	NA	0	8563	1/1	0.97	0.21	4.48	61,61,61,61	0
34	SR	0	8902	1/1	0.92	0.18	4.19	107,107,107,107	0
32	MG	0	8070	1/1	0.98	0.18	4.17	31,31,31,31	0
32	MG	0	8002	1/1	0.88	0.16	3.62	14,14,14,14	0
32	MG	Y	8086	1/1	0.98	0.19	3.36	69,69,69,69	0
34	SR	B	8987	1/1	0.42	0.29	3.36	199,199,199,199	0
34	SR	0	8947	1/1	0.78	0.32	2.60	200,200,200,200	0
35	NA	R	8533	1/1	0.96	0.20	2.37	51,51,51,51	0
32	MG	0	8001	1/1	0.99	0.16	2.20	2,2,2,2	0
34	SR	0	8921	1/1	0.85	0.14	2.14	155,155,155,155	0
35	NA	0	8517	1/1	0.99	0.15	1.95	14,14,14,14	0
32	MG	0	8004	1/1	0.91	0.18	1.94	23,23,23,23	0
37	K	0	8402	1/1	0.95	0.17	1.48	78,78,78,78	0
33	CL	0	8816	1/1	0.96	0.18	1.46	60,60,60,60	0
32	MG	A	8050	1/1	0.88	0.16	1.44	18,18,18,18	0
32	MG	B	8043	1/1	0.85	0.13	1.37	37,37,37,37	0
32	MG	0	8014	1/1	0.99	0.12	1.21	15,15,15,15	0
35	NA	J	8538	1/1	0.45	0.22	0.66	49,49,49,49	0
34	SR	0	8948	1/1	0.87	0.11	0.61	94,94,94,94	0
35	NA	0	8537	1/1	0.95	0.14	0.30	22,22,22,22	0
34	SR	0	8992	1/1	0.83	0.13	0.24	151,151,151,151	0
32	MG	C	8012	1/1	0.98	0.15	0.12	10,10,10,10	0
34	SR	H	8972	1/1	0.85	0.14	-0.00	131,131,131,131	0
36	CD	1	8702	1/1	0.98	0.12	-0.21	58,58,58,58	0
32	MG	0	8003	1/1	0.97	0.12	-0.23	16,16,16,16	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
35	NA	0	8534	1/1	0.95	0.14	-0.32	15,15,15,15	0
32	MG	0	8088	1/1	0.96	0.12	-0.36	33,33,33,33	0
34	SR	0	8936	1/1	0.91	0.11	-0.37	100,100,100,100	0
32	MG	0	8053	1/1	0.71	0.11	-0.40	78,78,78,78	0
36	CD	U	8701	1/1	0.99	0.11	-0.42	58,58,58,58	0
33	CL	O	8808	1/1	0.95	0.13	-0.54	68,68,68,68	0
35	NA	0	8569	1/1	0.96	0.12	-0.60	40,40,40,40	0
35	NA	R	8532	1/1	0.78	0.12	-0.62	39,39,39,39	0
35	NA	0	8504	1/1	0.97	0.13	-0.69	18,18,18,18	0
35	NA	Q	8540	1/1	0.81	0.11	-0.74	34,34,34,34	0
35	NA	M	8539	1/1	0.86	0.10	-0.85	19,19,19,19	0
33	CL	J	8821	1/1	0.93	0.10	-0.88	61,61,61,61	0
36	CD	Z	8703	1/1	1.00	0.12	-0.90	55,55,55,55	0
32	MG	0	8025	1/1	0.97	0.10	-0.92	10,10,10,10	0
34	SR	0	8910	1/1	0.72	0.10	-1.12	92,92,92,92	0
36	CD	3	8704	1/1	0.99	0.10	-1.26	56,56,56,56	0
32	MG	0	8058	1/1	0.99	0.08	-1.44	1,1,1,1	0
35	NA	0	8528	1/1	0.84	0.09	-1.45	49,49,49,49	0
32	MG	0	8065	1/1	0.97	0.09	-1.79	16,16,16,16	0
33	CL	3	8804	1/1	0.96	0.11	-2.02	59,59,59,59	0
33	CL	K	8812	1/1	0.96	0.07	-2.04	39,39,39,39	0
32	MG	0	8008	1/1	0.96	0.09	-2.08	8,8,8,8	0
33	CL	M	8818	1/1	0.98	0.06	-2.17	36,36,36,36	0
35	NA	2	8515	1/1	0.99	0.09	-2.22	19,19,19,19	0
33	CL	L	8810	1/1	0.87	0.08	-2.32	69,69,69,69	0
34	SR	0	8975	1/1	0.97	0.06	-2.59	131,131,131,131	0
33	CL	B	8819	1/1	0.98	0.10	-3.15	42,42,42,42	0
32	MG	0	8013	1/1	0.98	0.09	-3.62	11,11,11,11	0
32	MG	T	8057	1/1	0.92	0.05	-3.77	60,60,60,60	0
32	MG	0	8006	1/1	0.95	0.06	-3.80	7,7,7,7	0
35	NA	0	8521	1/1	0.87	0.08	-4.60	28,28,28,28	0
32	MG	0	8075	1/1	0.91	0.06	-8.00	32,32,32,32	0
34	SR	0	8967	1/1	0.92	0.24	-	191,191,191,191	0
32	MG	0	8046	1/1	0.95	0.12	-	25,25,25,25	0
33	CL	0	8803	1/1	0.94	0.14	-	50,50,50,50	0
36	CD	O	8705	1/1	0.98	0.09	-	91,91,91,91	0
35	NA	0	8535	1/1	0.45	0.39	-	68,68,68,68	0
34	SR	9	9003	1/1	0.80	0.23	-	195,195,195,195	0
33	CL	N	8807	1/1	0.97	0.14	-	45,45,45,45	0
32	MG	0	8090	1/1	0.97	0.16	-	50,50,50,50	0
35	NA	0	8573	1/1	0.92	0.26	-	65,65,65,65	0
32	MG	0	8072	1/1	0.93	0.21	-	44,44,44,44	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	0	8005	1/1	0.87	0.21	-	26,26,26,26	0
35	NA	C	8554	1/1	0.99	0.51	-	52,52,52,52	0
32	MG	0	8037	1/1	0.58	0.94	-	88,88,88,88	0
34	SR	A	8930	1/1	0.08	2.72	-	200,200,200,200	0
33	CL	J	8801	1/1	0.93	0.09	-	58,58,58,58	0
32	MG	0	8068	1/1	0.90	0.13	-	54,54,54,54	0
34	SR	3	8999	1/1	0.45	0.23	-	200,200,200,200	0
34	SR	0	8965	1/1	0.27	0.09	-	143,143,143,143	0
32	MG	0	8084	1/1	0.97	0.16	-	37,37,37,37	0
34	SR	0	8958	1/1	0.67	0.10	-	147,147,147,147	0
34	SR	0	8963	1/1	0.94	0.20	-	182,182,182,182	0
34	SR	0	8966	1/1	0.27	0.27	-	178,178,178,178	0
34	SR	0	8976	1/1	0.97	0.20	-	195,195,195,195	0
32	MG	0	8093	1/1	0.92	0.05	-	13,13,13,13	0
32	MG	0	8029	1/1	0.89	0.23	-	111,111,111,111	0
34	SR	0	8986	1/1	0.80	1.33	-	200,200,200,200	0
34	SR	0	8970	1/1	0.51	0.46	-	200,200,200,200	0
32	MG	0	8059	1/1	0.83	0.11	-	33,33,33,33	0
35	NA	0	8541	1/1	0.93	0.73	-	86,86,86,86	0
34	SR	0	8956	1/1	0.64	0.10	-	147,147,147,147	0
32	MG	0	8076	1/1	0.99	0.05	-	9,9,9,9	0
34	SR	0	8903	1/1	0.23	0.12	-	168,168,168,168	0
34	SR	Y	9002	1/1	0.58	0.40	-	200,200,200,200	0
34	SR	0	8945	1/1	0.70	0.09	-	131,131,131,131	0
32	MG	2	8060	1/1	0.70	0.28	-	67,67,67,67	0
32	MG	0	8035	1/1	0.88	0.21	-	65,65,65,65	0
34	SR	3	8953	1/1	0.88	0.21	-	200,200,200,200	0
32	MG	0	8018	1/1	0.95	0.26	-	53,53,53,53	0
34	SR	S	8961	1/1	0.94	0.21	-	165,165,165,165	0
32	MG	0	8036	1/1	0.77	0.08	-	46,46,46,46	0
35	NA	0	8512	1/1	0.95	0.30	-	32,32,32,32	0
34	SR	0	8968	1/1	0.55	0.14	-	170,170,170,170	0
32	MG	0	8085	1/1	0.96	0.14	-	51,51,51,51	0
34	SR	0	8909	1/1	0.70	0.25	-	189,189,189,189	0
34	SR	0	8938	1/1	-0.47	0.70	-	200,200,200,200	0
34	SR	0	8919	1/1	0.59	0.40	-	188,188,188,188	0
34	SR	0	8982	1/1	0.57	1.21	-	200,200,200,200	0
33	CL	0	8813	1/1	0.98	0.06	-	43,43,43,43	0
34	SR	0	8925	1/1	0.57	0.18	-	178,178,178,178	0
32	MG	0	8031	1/1	0.94	0.10	-	69,69,69,69	0
32	MG	0	8066	1/1	0.96	0.40	-	87,87,87,87	0
33	CL	A	8809	1/1	0.98	0.12	-	86,86,86,86	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
34	SR	0	8928	1/1	-0.11	1.41	-	200,200,200,200	0
34	SR	0	8926	1/1	0.40	0.39	-	199,199,199,199	0
32	MG	0	8082	1/1	0.85	0.33	-	39,39,39,39	0
32	MG	0	8020	1/1	0.82	0.11	-	36,36,36,36	0
32	MG	0	8032	1/1	0.90	0.09	-	47,47,47,47	0
34	SR	0	8934	1/1	0.57	0.75	-	168,168,168,168	0
34	SR	1	8952	1/1	0.48	0.68	-	200,200,200,200	0
32	MG	0	8039	1/1	0.77	0.31	-	56,56,56,56	0
34	SR	0	9004	1/1	0.51	0.53	-	200,200,200,200	0
34	SR	0	8905	1/1	0.90	0.21	-	161,161,161,161	0
35	NA	0	8511	1/1	0.44	0.20	-	56,56,56,56	0
33	CL	0	8817	1/1	0.98	0.07	-	57,57,57,57	0
35	NA	0	8531	1/1	0.84	0.22	-	47,47,47,47	0
34	SR	0	8989	1/1	0.82	0.69	-	200,200,200,200	0
35	NA	0	8536	1/1	0.94	0.16	-	46,46,46,46	0
34	SR	0	8906	1/1	0.83	0.40	-	191,191,191,191	0
32	MG	0	8061	1/1	0.98	0.17	-	23,23,23,23	0
35	NA	0	8514	1/1	0.98	0.40	-	40,40,40,40	0
32	MG	0	8091	1/1	0.09	0.29	-	79,79,79,79	0
35	NA	0	8544	1/1	0.96	0.19	-	49,49,49,49	0
32	MG	9	8074	1/1	0.90	0.08	-	45,45,45,45	0
32	MG	0	8024	1/1	0.97	0.27	-	43,43,43,43	0
35	NA	0	8526	1/1	0.85	0.09	-	51,51,51,51	0
32	MG	0	8021	1/1	0.94	0.07	-	16,16,16,16	0
35	NA	0	8549	1/1	0.77	0.43	-	60,60,60,60	0
34	SR	0	8917	1/1	0.82	0.62	-	199,199,199,199	0
35	NA	0	8561	1/1	0.81	0.46	-	52,52,52,52	0
32	MG	0	8019	1/1	0.92	0.25	-	1,1,1,1	0
35	NA	0	8545	1/1	0.95	0.18	-	41,41,41,41	0
35	NA	0	8513	1/1	0.97	0.14	-	34,34,34,34	0
33	CL	R	8806	1/1	0.97	0.07	-	32,32,32,32	0
35	NA	0	8570	1/1	0.65	0.53	-	81,81,81,81	0
32	MG	0	8023	1/1	0.94	0.13	-	14,14,14,14	0
35	NA	S	8510	1/1	0.77	0.18	-	35,35,35,35	0
32	MG	0	8055	1/1	0.88	0.15	-	49,49,49,49	0
34	SR	0	8983	1/1	0.84	0.35	-	170,170,170,170	0
34	SR	0	8901	1/1	0.53	0.12	-	73,73,73,73	0
34	SR	0	8991	1/1	0.38	0.10	-	162,162,162,162	0
33	CL	Q	8811	1/1	0.98	0.04	-	51,51,51,51	0
32	MG	0	8015	1/1	0.99	0.15	-	5,5,5,5	0
34	SR	9	8980	1/1	0.10	0.39	-	200,200,200,200	0
34	SR	0	8940	1/1	0.85	0.28	-	159,159,159,159	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
34	SR	0	8916	1/1	0.75	0.34	-	178,178,178,178	0
35	NA	C	8558	1/1	0.61	0.45	-	33,33,33,33	0
34	SR	0	8918	1/1	0.94	0.12	-	122,122,122,122	0
32	MG	0	8073	1/1	0.95	0.10	-	47,47,47,47	0
32	MG	0	8092	1/1	0.86	0.06	-	61,61,61,61	0
32	MG	0	8045	1/1	0.95	0.11	-	13,13,13,13	0
34	SR	0	8990	1/1	0.84	0.08	-	91,91,91,91	0
35	NA	0	8567	1/1	0.76	0.46	-	63,63,63,63	0
34	SR	0	8964	1/1	0.62	0.41	-	188,188,188,188	0
34	SR	0	9000	1/1	0.15	1.21	-	200,200,200,200	0
34	SR	0	9008	1/1	0.87	0.08	-	135,135,135,135	0
32	MG	0	8069	1/1	0.89	0.34	-	38,38,38,38	0
32	MG	B	8042	1/1	0.94	0.14	-	41,41,41,41	0
34	SR	0	8937	1/1	0.93	0.28	-	155,155,155,155	0
32	MG	0	8048	1/1	0.99	0.27	-	44,44,44,44	0
32	MG	0	8087	1/1	0.97	0.09	-	14,14,14,14	0
34	SR	0	9007	1/1	0.84	0.41	-	200,200,200,200	0
35	NA	C	8503	1/1	0.93	0.17	-	31,31,31,31	0
34	SR	0	8998	1/1	0.71	0.37	-	196,196,196,196	0
34	SR	0	8959	1/1	-0.06	0.67	-	195,195,195,195	0
34	SR	0	8981	1/1	0.84	0.50	-	200,200,200,200	0
34	SR	0	8957	1/1	0.84	0.75	-	200,200,200,200	0
34	SR	0	8955	1/1	0.83	0.13	-	184,184,184,184	0
35	NA	0	8509	1/1	0.22	0.33	-	53,53,53,53	0
34	SR	0	8954	1/1	0.70	0.87	-	198,198,198,198	0
32	MG	0	8067	1/1	0.94	0.37	-	51,51,51,51	0
32	MG	0	8016	1/1	0.99	0.22	-	2,2,2,2	0
34	SR	0	9005	1/1	0.83	0.24	-	190,190,190,190	0
32	MG	0	8056	1/1	0.88	0.19	-	37,37,37,37	0
32	MG	0	8033	1/1	0.91	0.12	-	78,78,78,78	0
34	SR	0	8942	1/1	0.74	0.33	-	162,162,162,162	0
34	SR	0	8922	1/1	0.45	0.55	-	155,155,155,155	0
32	MG	0	8083	1/1	0.77	0.09	-	41,41,41,41	0
34	SR	T	8939	1/1	0.58	0.64	-	200,200,200,200	0
32	MG	0	8049	1/1	0.86	0.32	-	43,43,43,43	0
34	SR	0	8946	1/1	0.70	0.39	-	190,190,190,190	0
32	MG	0	8038	1/1	0.96	0.07	-	52,52,52,52	0
32	MG	0	8089	1/1	0.94	0.27	-	56,56,56,56	0
35	NA	0	8525	1/1	0.12	1.04	-	107,107,107,107	0
34	SR	0	8995	1/1	0.56	0.38	-	164,164,164,164	0
32	MG	0	8080	1/1	0.97	0.16	-	39,39,39,39	0
33	CL	0	8822	1/1	0.89	0.10	-	59,59,59,59	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
32	MG	0	8064	1/1	0.96	0.14	-	29,29,29,29	0
32	MG	0	8081	1/1	0.84	0.49	-	94,94,94,94	0
34	SR	0	8941	1/1	0.94	0.20	-	180,180,180,180	0
34	SR	0	8951	1/1	0.96	0.14	-	164,164,164,164	0
35	NA	0	8546	1/1	0.83	0.68	-	106,106,106,106	0
34	SR	0	8923	1/1	0.72	0.59	-	165,165,165,165	0
34	SR	0	8979	1/1	0.71	0.09	-	180,180,180,180	0
34	SR	0	8933	1/1	0.47	0.14	-	137,137,137,137	0
35	NA	H	8518	1/1	0.99	0.13	-	48,48,48,48	0
34	SR	0	8978	1/1	0.81	0.78	-	200,200,200,200	0
35	NA	0	8501	1/1	0.87	0.25	-	29,29,29,29	0
32	MG	0	8078	1/1	0.94	0.17	-	28,28,28,28	0
32	MG	0	8007	1/1	0.96	0.17	-	3,3,3,3	0
34	SR	3	8932	1/1	0.71	0.11	-	133,133,133,133	0
35	NA	0	8550	1/1	0.90	0.12	-	25,25,25,25	0
32	MG	0	8027	1/1	0.80	0.16	-	37,37,37,37	0
32	MG	0	8022	1/1	0.96	0.13	-	20,20,20,20	0
34	SR	0	9001	1/1	0.80	0.70	-	187,187,187,187	0
34	SR	0	8911	1/1	0.35	0.39	-	200,200,200,200	0
34	SR	0	8915	1/1	0.86	0.14	-	200,200,200,200	0
32	MG	0	8030	1/1	0.94	0.30	-	45,45,45,45	0
35	NA	0	8508	1/1	0.90	0.75	-	41,41,41,41	0
35	NA	0	8520	1/1	0.85	0.11	-	44,44,44,44	0
34	SR	0	8960	1/1	0.68	0.35	-	200,200,200,200	0
34	SR	A	8993	1/1	0.03	0.21	-	200,200,200,200	0
34	SR	0	8977	1/1	0.72	0.12	-	194,194,194,194	0
32	MG	0	8071	1/1	0.88	0.44	-	136,136,136,136	0
34	SR	0	8931	1/1	0.66	0.16	-	193,193,193,193	0
34	SR	0	8996	1/1	0.86	0.62	-	200,200,200,200	0
34	SR	0	8994	1/1	0.85	0.23	-	192,192,192,192	0
34	SR	0	8927	1/1	0.67	0.23	-	184,184,184,184	0
33	CL	Y	8820	1/1	0.93	0.09	-	33,33,33,33	0
34	SR	B	8950	1/1	0.53	0.62	-	196,196,196,196	0
32	MG	0	8063	1/1	0.89	0.12	-	47,47,47,47	0
33	CL	L	8814	1/1	0.92	0.19	-	51,51,51,51	0
35	NA	0	8551	1/1	0.93	0.13	-	36,36,36,36	0
34	SR	0	8935	1/1	0.32	0.11	-	159,159,159,159	0
34	SR	0	8944	1/1	0.86	0.21	-	200,200,200,200	0
34	SR	0	8971	1/1	0.82	0.10	-	195,195,195,195	0
35	NA	0	8574	1/1	0.89	0.28	-	52,52,52,52	0
35	NA	0	8516	1/1	0.94	0.12	-	18,18,18,18	0
34	SR	0	8973	1/1	0.68	0.14	-	178,178,178,178	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
34	SR	0	8997	1/1	0.40	1.19	-	200,200,200,200	0
34	SR	0	8984	1/1	0.36	0.08	-	170,170,170,170	0
35	NA	9	8543	1/1	0.95	0.09	-	22,22,22,22	0
33	CL	J	8802	1/1	0.84	0.07	-	66,66,66,66	0
34	SR	0	8907	1/1	0.26	0.22	-	180,180,180,180	0
32	MG	0	8079	1/1	0.90	0.15	-	51,51,51,51	0
34	SR	0	9006	1/1	0.18	0.41	-	192,192,192,192	0
34	SR	R	8912	1/1	0.88	0.11	-	157,157,157,157	0
35	NA	0	8506	1/1	0.90	0.31	-	50,50,50,50	0
34	SR	0	8988	1/1	0.67	0.19	-	177,177,177,177	0
35	NA	0	8505	1/1	0.74	0.52	-	31,31,31,31	0
32	MG	0	8026	1/1	0.93	0.11	-	22,22,22,22	0
32	MG	0	8017	1/1	0.98	0.07	-	31,31,31,31	0
34	SR	0	8924	1/1	0.74	0.12	-	184,184,184,184	0
34	SR	0	8920	1/1	0.28	0.55	-	200,200,200,200	0
34	SR	0	8974	1/1	0.93	0.20	-	165,165,165,165	0
32	MG	0	8077	1/1	0.96	0.09	-	36,36,36,36	0
34	SR	0	8914	1/1	0.92	0.49	-	198,198,198,198	0
35	NA	0	8529	1/1	0.74	0.08	-	33,33,33,33	0
35	NA	0	8524	1/1	0.87	0.19	-	43,43,43,43	0
35	NA	0	8566	1/1	0.94	0.15	-	69,69,69,69	0

## 6.5 Other polymers

There are no such residues in this entry.