



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 2, 2017 – 11:20 AM EDT

PDB ID : 5I84  
Title : Structure of the Xanthomonas citri phosphate-binding protein PhoX  
Authors : Pegos, V.R.; Medrano, F.J.; Balan, A.  
Deposited on : unknown  
Resolution : 2.98 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20029824  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20029824


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2168 (3.00-2.96)
Clashscore	112137	2535 (3.00-2.96)
Ramachandran outliers	110173	2451 (3.00-2.96)
Sidechain outliers	110143	2454 (3.00-2.96)
RSRZ outliers	101464	2192 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	335	<div> <div>3%</div> <div>62%</div> <div>30%</div> <div>6%</div> </div>
1	B	335	<div> <div>3%</div> <div>64%</div> <div>25%</div> <div>6%</div> </div>
1	C	335	<div> <div>%</div> <div>60%</div> <div>30%</div> <div>7%</div> </div>
1	D	335	<div> <div>%</div> <div>61%</div> <div>28%</div> <div>6%</div> </div>
1	E	335	<div> <div>2%</div> <div>56%</div> <div>33%</div> <div>6%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	335	
1	G	335	
1	H	335	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	C	402	-	-	X	-
2	PO4	D	401	-	-	X	-
2	PO4	E	402	-	-	X	-

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18875 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphate-binding protein PstS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	B	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	C	312	Total	C	N	O	S	0	0	0
			2323	1493	385	441	4			
1	D	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	E	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	F	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	G	314	Total	C	N	O	S	0	0	0
			2341	1505	389	443	4			
1	H	310	Total	C	N	O	S	0	0	0
			2308	1484	382	438	4			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	6	MET	-	initiating methionine	UNP Q8PM55
A	7	GLY	-	expression tag	UNP Q8PM55
A	8	SER	-	expression tag	UNP Q8PM55
A	9	SER	-	expression tag	UNP Q8PM55
A	10	HIS	-	expression tag	UNP Q8PM55
A	11	HIS	-	expression tag	UNP Q8PM55
A	12	HIS	-	expression tag	UNP Q8PM55
A	13	HIS	-	expression tag	UNP Q8PM55
A	14	HIS	-	expression tag	UNP Q8PM55
A	15	SER	-	expression tag	UNP Q8PM55
A	16	SER	-	expression tag	UNP Q8PM55
A	17	GLY	-	expression tag	UNP Q8PM55
A	18	LEU	-	expression tag	UNP Q8PM55

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	VAL	-	expression tag	UNP Q8PM55
A	20	PRO	-	expression tag	UNP Q8PM55
A	21	ARG	-	expression tag	UNP Q8PM55
A	22	GLY	-	expression tag	UNP Q8PM55
A	23	SER	-	expression tag	UNP Q8PM55
A	24	HIS	-	expression tag	UNP Q8PM55
A	25	MET	-	expression tag	UNP Q8PM55
B	6	MET	-	initiating methionine	UNP Q8PM55
B	7	GLY	-	expression tag	UNP Q8PM55
B	8	SER	-	expression tag	UNP Q8PM55
B	9	SER	-	expression tag	UNP Q8PM55
B	10	HIS	-	expression tag	UNP Q8PM55
B	11	HIS	-	expression tag	UNP Q8PM55
B	12	HIS	-	expression tag	UNP Q8PM55
B	13	HIS	-	expression tag	UNP Q8PM55
B	14	HIS	-	expression tag	UNP Q8PM55
B	15	SER	-	expression tag	UNP Q8PM55
B	16	SER	-	expression tag	UNP Q8PM55
B	17	GLY	-	expression tag	UNP Q8PM55
B	18	LEU	-	expression tag	UNP Q8PM55
B	19	VAL	-	expression tag	UNP Q8PM55
B	20	PRO	-	expression tag	UNP Q8PM55
B	21	ARG	-	expression tag	UNP Q8PM55
B	22	GLY	-	expression tag	UNP Q8PM55
B	23	SER	-	expression tag	UNP Q8PM55
B	24	HIS	-	expression tag	UNP Q8PM55
B	25	MET	-	expression tag	UNP Q8PM55
C	6	MET	-	initiating methionine	UNP Q8PM55
C	7	GLY	-	expression tag	UNP Q8PM55
C	8	SER	-	expression tag	UNP Q8PM55
C	9	SER	-	expression tag	UNP Q8PM55
C	10	HIS	-	expression tag	UNP Q8PM55
C	11	HIS	-	expression tag	UNP Q8PM55
C	12	HIS	-	expression tag	UNP Q8PM55
C	13	HIS	-	expression tag	UNP Q8PM55
C	14	HIS	-	expression tag	UNP Q8PM55
C	15	SER	-	expression tag	UNP Q8PM55
C	16	SER	-	expression tag	UNP Q8PM55
C	17	GLY	-	expression tag	UNP Q8PM55
C	18	LEU	-	expression tag	UNP Q8PM55
C	19	VAL	-	expression tag	UNP Q8PM55
C	20	PRO	-	expression tag	UNP Q8PM55

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	21	ARG	-	expression tag	UNP Q8PM55
C	22	GLY	-	expression tag	UNP Q8PM55
C	23	SER	-	expression tag	UNP Q8PM55
C	24	HIS	-	expression tag	UNP Q8PM55
C	25	MET	-	expression tag	UNP Q8PM55
D	6	MET	-	initiating methionine	UNP Q8PM55
D	7	GLY	-	expression tag	UNP Q8PM55
D	8	SER	-	expression tag	UNP Q8PM55
D	9	SER	-	expression tag	UNP Q8PM55
D	10	HIS	-	expression tag	UNP Q8PM55
D	11	HIS	-	expression tag	UNP Q8PM55
D	12	HIS	-	expression tag	UNP Q8PM55
D	13	HIS	-	expression tag	UNP Q8PM55
D	14	HIS	-	expression tag	UNP Q8PM55
D	15	SER	-	expression tag	UNP Q8PM55
D	16	SER	-	expression tag	UNP Q8PM55
D	17	GLY	-	expression tag	UNP Q8PM55
D	18	LEU	-	expression tag	UNP Q8PM55
D	19	VAL	-	expression tag	UNP Q8PM55
D	20	PRO	-	expression tag	UNP Q8PM55
D	21	ARG	-	expression tag	UNP Q8PM55
D	22	GLY	-	expression tag	UNP Q8PM55
D	23	SER	-	expression tag	UNP Q8PM55
D	24	HIS	-	expression tag	UNP Q8PM55
D	25	MET	-	expression tag	UNP Q8PM55
E	6	MET	-	initiating methionine	UNP Q8PM55
E	7	GLY	-	expression tag	UNP Q8PM55
E	8	SER	-	expression tag	UNP Q8PM55
E	9	SER	-	expression tag	UNP Q8PM55
E	10	HIS	-	expression tag	UNP Q8PM55
E	11	HIS	-	expression tag	UNP Q8PM55
E	12	HIS	-	expression tag	UNP Q8PM55
E	13	HIS	-	expression tag	UNP Q8PM55
E	14	HIS	-	expression tag	UNP Q8PM55
E	15	SER	-	expression tag	UNP Q8PM55
E	16	SER	-	expression tag	UNP Q8PM55
E	17	GLY	-	expression tag	UNP Q8PM55
E	18	LEU	-	expression tag	UNP Q8PM55
E	19	VAL	-	expression tag	UNP Q8PM55
E	20	PRO	-	expression tag	UNP Q8PM55
E	21	ARG	-	expression tag	UNP Q8PM55
E	22	GLY	-	expression tag	UNP Q8PM55

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	23	SER	-	expression tag	UNP Q8PM55
E	24	HIS	-	expression tag	UNP Q8PM55
E	25	MET	-	expression tag	UNP Q8PM55
F	6	MET	-	initiating methionine	UNP Q8PM55
F	7	GLY	-	expression tag	UNP Q8PM55
F	8	SER	-	expression tag	UNP Q8PM55
F	9	SER	-	expression tag	UNP Q8PM55
F	10	HIS	-	expression tag	UNP Q8PM55
F	11	HIS	-	expression tag	UNP Q8PM55
F	12	HIS	-	expression tag	UNP Q8PM55
F	13	HIS	-	expression tag	UNP Q8PM55
F	14	HIS	-	expression tag	UNP Q8PM55
F	15	SER	-	expression tag	UNP Q8PM55
F	16	SER	-	expression tag	UNP Q8PM55
F	17	GLY	-	expression tag	UNP Q8PM55
F	18	LEU	-	expression tag	UNP Q8PM55
F	19	VAL	-	expression tag	UNP Q8PM55
F	20	PRO	-	expression tag	UNP Q8PM55
F	21	ARG	-	expression tag	UNP Q8PM55
F	22	GLY	-	expression tag	UNP Q8PM55
F	23	SER	-	expression tag	UNP Q8PM55
F	24	HIS	-	expression tag	UNP Q8PM55
F	25	MET	-	expression tag	UNP Q8PM55
G	6	MET	-	initiating methionine	UNP Q8PM55
G	7	GLY	-	expression tag	UNP Q8PM55
G	8	SER	-	expression tag	UNP Q8PM55
G	9	SER	-	expression tag	UNP Q8PM55
G	10	HIS	-	expression tag	UNP Q8PM55
G	11	HIS	-	expression tag	UNP Q8PM55
G	12	HIS	-	expression tag	UNP Q8PM55
G	13	HIS	-	expression tag	UNP Q8PM55
G	14	HIS	-	expression tag	UNP Q8PM55
G	15	SER	-	expression tag	UNP Q8PM55
G	16	SER	-	expression tag	UNP Q8PM55
G	17	GLY	-	expression tag	UNP Q8PM55
G	18	LEU	-	expression tag	UNP Q8PM55
G	19	VAL	-	expression tag	UNP Q8PM55
G	20	PRO	-	expression tag	UNP Q8PM55
G	21	ARG	-	expression tag	UNP Q8PM55
G	22	GLY	-	expression tag	UNP Q8PM55
G	23	SER	-	expression tag	UNP Q8PM55
G	24	HIS	-	expression tag	UNP Q8PM55

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	25	MET	-	expression tag	UNP Q8PM55
H	6	MET	-	initiating methionine	UNP Q8PM55
H	7	GLY	-	expression tag	UNP Q8PM55
H	8	SER	-	expression tag	UNP Q8PM55
H	9	SER	-	expression tag	UNP Q8PM55
H	10	HIS	-	expression tag	UNP Q8PM55
H	11	HIS	-	expression tag	UNP Q8PM55
H	12	HIS	-	expression tag	UNP Q8PM55
H	13	HIS	-	expression tag	UNP Q8PM55
H	14	HIS	-	expression tag	UNP Q8PM55
H	15	SER	-	expression tag	UNP Q8PM55
H	16	SER	-	expression tag	UNP Q8PM55
H	17	GLY	-	expression tag	UNP Q8PM55
H	18	LEU	-	expression tag	UNP Q8PM55
H	19	VAL	-	expression tag	UNP Q8PM55
H	20	PRO	-	expression tag	UNP Q8PM55
H	21	ARG	-	expression tag	UNP Q8PM55
H	22	GLY	-	expression tag	UNP Q8PM55
H	23	SER	-	expression tag	UNP Q8PM55
H	24	HIS	-	expression tag	UNP Q8PM55
H	25	MET	-	expression tag	UNP Q8PM55

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	7	Total	O	0	0
			7	7		
3	B	4	Total	O	0	0
			4	4		
3	D	4	Total	O	0	0
			4	4		
3	E	1	Total	O	0	0
			1	1		
3	F	4	Total	O	0	0
			4	4		
3	G	4	Total	O	0	0
			4	4		
3	H	4	Total	O	0	0
			4	4		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Phosphate-binding protein PstS




#### • Molecule 1: Phosphate-binding protein PstS




#### • Molecule 1: Phosphate-binding protein PstS






• Molecule 1: Phosphate-binding protein PstS




• Molecule 1: Phosphate-binding protein PstS




• Molecule 1: Phosphate-binding protein PstS






• Molecule 1: Phosphate-binding protein PstS



• Molecule 1: Phosphate-binding protein PstS



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.56Å 115.64Å 133.32Å 90.00° 90.33° 90.00°	Depositor
Resolution (Å)	17.06 – 2.98 17.06 – 2.98	Depositor EDS
% Data completeness (in resolution range)	92.2 (17.06-2.98) 98.6 (17.06-2.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.53 (at 2.97Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.174 , 0.249 0.195 , 0.269	Depositor DCC
$R_{free}$ test set	2492 reflections (5.30%)	DCC
Wilson B-factor (Å <sup>2</sup> )	48.2	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 43.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.039 for h,-k,-l	Xtriage
Reported twinning fraction	0.615 for H, K, L 0.385 for -h,-k,l	Depositor
Outliers	0 of 49511 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	18875	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.80	0/2400	0.92	2/3269 (0.1%)
1	B	0.86	0/2400	0.96	3/3269 (0.1%)
1	C	0.99	1/2380 (0.0%)	1.07	5/3240 (0.2%)
1	D	0.95	0/2400	1.04	3/3269 (0.1%)
1	E	0.96	0/2400	1.03	4/3269 (0.1%)
1	F	1.04	1/2400 (0.0%)	1.06	3/3269 (0.1%)
1	G	0.89	0/2400	1.05	5/3269 (0.2%)
1	H	0.86	0/2365	0.97	1/3220 (0.0%)
All	All	0.92	2/19145 (0.0%)	1.02	26/26074 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	C	0	2
1	D	0	1
1	F	0	1
1	G	0	3
All	All	0	9

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	305	TRP	CB-CG	-5.28	1.40	1.50
1	C	246	GLU	CG-CD	5.06	1.59	1.51

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	29	THR	CB-CA-C	-9.35	86.35	111.60
1	C	32	GLY	N-CA-C	8.68	134.81	113.10
1	H	304	ARG	NE-CZ-NH1	7.39	123.99	120.30
1	C	304	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	G	29	THR	N-CA-C	6.93	129.72	111.00

There are no chirality outliers.

5 of 9 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	61	GLY	Peptide
1	B	63	GLY	Peptide
1	C	31	ALA	Peptide
1	C	59	SER	Peptide
1	D	198	GLY	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2341	0	2324	73	0
1	B	2341	0	2324	118	1
1	C	2323	0	2305	64	0
1	D	2341	0	2324	81	0
1	E	2341	0	2324	105	0
1	F	2341	0	2324	77	0
1	G	2341	0	2324	118	0
1	H	2308	0	2293	78	0
2	A	20	0	0	0	0
2	B	25	0	0	1	0
2	C	20	0	0	2	0
2	D	25	0	0	4	0
2	E	25	0	0	2	0
2	F	30	0	0	1	0
2	G	10	0	0	0	0
2	H	15	0	0	0	1
3	A	7	0	0	1	0
3	B	4	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	4	0	0	0	0
3	E	1	0	0	0	0
3	F	4	0	0	0	0
3	G	4	0	0	0	0
3	H	4	0	0	0	0
All	All	18875	0	18542	697	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

The worst 5 of 697 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:35:PHE:CE2	1:E:219:GLU:HB2	1.27	1.62
1:E:35:PHE:CE2	1:E:219:GLU:CB	2.20	1.23
1:G:30:GLY:O	1:G:57:TYR:HD1	1.17	1.22
1:G:30:GLY:O	1:G:57:TYR:CD1	1.92	1.22
1:B:35:PHE:CE2	1:B:219:GLU:OE1	1.95	1.19

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:LYS:NZ	2:H:403:PO4:O2[1_554]	1.71	0.49

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	312/335 (93%)	286 (92%)	25 (8%)	1 (0%)	44 80
1	B	312/335 (93%)	277 (89%)	33 (11%)	2 (1%)	28 68

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	308/335 (92%)	279 (91%)	27 (9%)	2 (1%)	28	68
1	D	312/335 (93%)	287 (92%)	23 (7%)	2 (1%)	28	68
1	E	312/335 (93%)	285 (91%)	27 (9%)	0	100	100
1	F	312/335 (93%)	284 (91%)	27 (9%)	1 (0%)	44	80
1	G	312/335 (93%)	275 (88%)	36 (12%)	1 (0%)	44	80
1	H	308/335 (92%)	284 (92%)	21 (7%)	3 (1%)	18	57
All	All	2488/2680 (93%)	2257 (91%)	219 (9%)	12 (0%)	32	72

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	150	PRO
1	C	193	PRO
1	H	60	ILE
1	D	237	ALA
1	F	136	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/255 (93%)	218 (92%)	20 (8%)	13	41
1	B	238/255 (93%)	220 (92%)	18 (8%)	15	47
1	C	236/255 (92%)	207 (88%)	29 (12%)	5	22
1	D	238/255 (93%)	216 (91%)	22 (9%)	11	37
1	E	238/255 (93%)	207 (87%)	31 (13%)	5	20
1	F	238/255 (93%)	202 (85%)	36 (15%)	3	14
1	G	238/255 (93%)	200 (84%)	38 (16%)	3	13
1	H	234/255 (92%)	196 (84%)	38 (16%)	3	12
All	All	1898/2040 (93%)	1666 (88%)	232 (12%)	6	23

5 of 232 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	166	SER
1	F	122	LYS
1	H	224	LEU
1	E	245	ASP
1	E	300	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	329	GLN
1	D	136	ASN
1	H	253	ASN
1	D	95	GLN
1	E	48	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PO4	A	401	-	4,4,4	0.84	0	6,6,6	0.70	0
2	PO4	A	402	-	4,4,4	0.85	0	6,6,6	0.84	0
2	PO4	A	403	-	4,4,4	0.62	0	6,6,6	1.53	2 (33%)
2	PO4	A	404	-	4,4,4	1.12	0	6,6,6	0.67	0
2	PO4	B	401	-	4,4,4	0.77	0	6,6,6	0.93	0
2	PO4	B	402	-	4,4,4	0.75	0	6,6,6	1.42	1 (16%)
2	PO4	B	403	-	4,4,4	0.62	0	6,6,6	0.64	0
2	PO4	B	404	-	4,4,4	0.78	0	6,6,6	0.96	0
2	PO4	B	405	-	4,4,4	0.78	0	6,6,6	1.11	1 (16%)
2	PO4	C	401	-	4,4,4	0.93	0	6,6,6	2.16	3 (50%)
2	PO4	C	402	-	4,4,4	1.74	1 (25%)	6,6,6	1.30	2 (33%)
2	PO4	C	403	-	4,4,4	1.00	0	6,6,6	1.66	2 (33%)
2	PO4	C	404	-	4,4,4	0.94	0	6,6,6	0.78	0
2	PO4	D	401	-	4,4,4	0.76	0	6,6,6	1.19	0
2	PO4	D	402	-	4,4,4	0.96	0	6,6,6	3.10	3 (50%)
2	PO4	D	403	-	4,4,4	0.36	0	6,6,6	2.59	2 (33%)
2	PO4	D	404	-	4,4,4	0.99	0	6,6,6	0.72	0
2	PO4	D	405	-	4,4,4	1.09	0	6,6,6	0.84	0
2	PO4	E	401	-	4,4,4	0.80	0	6,6,6	0.85	0
2	PO4	E	402	-	4,4,4	0.69	0	6,6,6	1.50	0
2	PO4	E	403	-	4,4,4	0.71	0	6,6,6	1.01	0
2	PO4	E	404	-	4,4,4	1.09	0	6,6,6	2.34	3 (50%)
2	PO4	E	405	-	4,4,4	0.84	0	6,6,6	0.96	0
2	PO4	F	401	-	4,4,4	0.88	0	6,6,6	1.47	1 (16%)
2	PO4	F	402	-	4,4,4	0.89	0	6,6,6	0.85	0
2	PO4	F	403	-	4,4,4	0.97	0	6,6,6	1.22	0
2	PO4	F	404	-	4,4,4	1.00	0	6,6,6	1.09	0
2	PO4	F	405	-	4,4,4	1.15	0	6,6,6	0.60	0
2	PO4	F	406	-	4,4,4	0.93	0	6,6,6	1.27	1 (16%)
2	PO4	G	401	-	4,4,4	0.92	0	6,6,6	1.08	0
2	PO4	G	402	-	4,4,4	0.77	0	6,6,6	1.50	1 (16%)
2	PO4	H	401	-	4,4,4	0.96	0	6,6,6	0.41	0
2	PO4	H	402	-	4,4,4	1.21	0	6,6,6	1.53	1 (16%)
2	PO4	H	403	-	4,4,4	0.70	0	6,6,6	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	401	-	-	0/0/0/0	0/0/0/0
2	PO4	A	402	-	-	0/0/0/0	0/0/0/0
2	PO4	A	403	-	-	0/0/0/0	0/0/0/0
2	PO4	A	404	-	-	0/0/0/0	0/0/0/0
2	PO4	B	401	-	-	0/0/0/0	0/0/0/0
2	PO4	B	402	-	-	0/0/0/0	0/0/0/0
2	PO4	B	403	-	-	0/0/0/0	0/0/0/0
2	PO4	B	404	-	-	0/0/0/0	0/0/0/0
2	PO4	B	405	-	-	0/0/0/0	0/0/0/0
2	PO4	C	401	-	-	0/0/0/0	0/0/0/0
2	PO4	C	402	-	-	0/0/0/0	0/0/0/0
2	PO4	C	403	-	-	0/0/0/0	0/0/0/0
2	PO4	C	404	-	-	0/0/0/0	0/0/0/0
2	PO4	D	401	-	-	0/0/0/0	0/0/0/0
2	PO4	D	402	-	-	0/0/0/0	0/0/0/0
2	PO4	D	403	-	-	0/0/0/0	0/0/0/0
2	PO4	D	404	-	-	0/0/0/0	0/0/0/0
2	PO4	D	405	-	-	0/0/0/0	0/0/0/0
2	PO4	E	401	-	-	0/0/0/0	0/0/0/0
2	PO4	E	402	-	-	0/0/0/0	0/0/0/0
2	PO4	E	403	-	-	0/0/0/0	0/0/0/0
2	PO4	E	404	-	-	0/0/0/0	0/0/0/0
2	PO4	E	405	-	-	0/0/0/0	0/0/0/0
2	PO4	F	401	-	-	0/0/0/0	0/0/0/0
2	PO4	F	402	-	-	0/0/0/0	0/0/0/0
2	PO4	F	403	-	-	0/0/0/0	0/0/0/0
2	PO4	F	404	-	-	0/0/0/0	0/0/0/0
2	PO4	F	405	-	-	0/0/0/0	0/0/0/0
2	PO4	F	406	-	-	0/0/0/0	0/0/0/0
2	PO4	G	401	-	-	0/0/0/0	0/0/0/0
2	PO4	G	402	-	-	0/0/0/0	0/0/0/0
2	PO4	H	401	-	-	0/0/0/0	0/0/0/0
2	PO4	H	402	-	-	0/0/0/0	0/0/0/0
2	PO4	H	403	-	-	0/0/0/0	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	402	PO4	P-O4	-2.11	1.46	1.54

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	402	PO4	O4-P-O1	-4.70	90.96	110.97
2	D	403	PO4	O2-P-O1	-3.26	97.09	110.97
2	E	404	PO4	O4-P-O2	-3.01	96.83	107.90
2	C	401	PO4	O4-P-O2	-2.99	96.93	107.90
2	E	404	PO4	O3-P-O1	-2.83	98.94	110.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	404	PO4	1	0
2	C	402	PO4	2	0
2	D	401	PO4	3	0
2	D	402	PO4	1	0
2	E	402	PO4	2	0
2	F	402	PO4	1	0
2	H	403	PO4	0	1

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	314/335 (93%)	0.12	11 (3%) 44 26	35, 53, 72, 97	0
1	B	314/335 (93%)	0.09	9 (2%) 52 32	30, 49, 75, 91	0
1	C	312/335 (93%)	-0.20	5 (1%) 72 51	23, 35, 55, 65	0
1	D	314/335 (93%)	-0.17	5 (1%) 72 51	24, 35, 60, 74	0
1	E	314/335 (93%)	-0.15	7 (2%) 62 41	28, 38, 61, 73	0
1	F	314/335 (93%)	-0.29	8 (2%) 58 37	20, 32, 55, 85	0
1	G	314/335 (93%)	0.05	14 (4%) 34 19	29, 47, 72, 91	0
1	H	310/335 (92%)	0.05	9 (2%) 52 32	31, 49, 83, 101	0
All	All	2506/2680 (93%)	-0.06	68 (2%) 55 34	20, 43, 69, 101	0

The worst 5 of 68 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	226	ASN	4.4
1	H	151	GLU	4.4
1	B	29	THR	4.1
1	G	324	ASP	4.0
1	F	340	HIS	3.9

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	PO4	A	403	5/5	0.91	0.22	1.70	41,51,51,55	0
2	PO4	D	403	5/5	0.94	0.20	1.16	24,32,33,35	0
2	PO4	C	403	5/5	0.95	0.19	0.52	33,37,39,39	0
2	PO4	B	402	5/5	0.97	0.17	0.02	26,26,30,30	0
2	PO4	F	401	5/5	0.94	0.16	-0.06	30,30,36,36	0
2	PO4	F	402	5/5	0.98	0.15	-0.10	35,38,40,41	0
2	PO4	B	405	5/5	0.97	0.18	-0.15	32,32,34,36	0
2	PO4	E	405	5/5	0.96	0.17	-0.28	33,34,37,40	0
2	PO4	E	401	5/5	0.97	0.20	-0.31	29,29,30,31	0
2	PO4	H	403	5/5	0.95	0.17	-0.34	35,47,47,52	0
2	PO4	E	403	5/5	0.97	0.13	-0.78	34,38,40,40	0
2	PO4	D	401	5/5	0.97	0.14	-0.79	30,32,34,39	0
2	PO4	F	404	5/5	0.98	0.13	-0.87	23,24,25,26	0
2	PO4	C	401	5/5	0.98	0.14	-0.91	19,21,21,22	0
2	PO4	F	405	5/5	0.99	0.10	-0.92	21,22,24,25	0
2	PO4	A	402	5/5	0.97	0.15	-0.97	35,35,37,44	0
2	PO4	E	402	5/5	0.98	0.09	-1.09	17,18,19,19	0
2	PO4	A	401	5/5	0.98	0.12	-1.34	36,38,39,41	0
2	PO4	D	402	5/5	0.99	0.11	-1.41	2,2,2,2	0
2	PO4	B	403	5/5	0.97	0.17	-1.45	50,50,53,54	0
2	PO4	H	402	5/5	0.99	0.11	-1.49	19,21,22,24	0
2	PO4	F	403	5/5	0.99	0.10	-1.54	21,23,25,25	0
2	PO4	C	402	5/5	0.99	0.10	-1.60	7,7,8,8	0
2	PO4	H	401	5/5	0.97	0.13	-1.75	39,41,42,43	0
2	PO4	G	402	5/5	0.99	0.09	-1.76	19,20,21,21	0
2	PO4	D	405	5/5	0.97	0.12	-1.78	32,33,38,42	0
2	PO4	G	401	5/5	0.97	0.12	-1.81	50,50,54,57	0
2	PO4	E	404	5/5	0.98	0.12	-1.90	19,20,22,23	0
2	PO4	A	404	5/5	0.98	0.10	-2.20	26,26,29,30	0
2	PO4	B	404	5/5	0.99	0.08	-2.35	32,32,34,34	0
2	PO4	C	404	5/5	0.98	0.10	-	33,33,35,37	0
2	PO4	B	401	5/5	0.96	0.25	-	45,54,56,59	0
2	PO4	F	406	5/5	0.98	0.15	-	23,23,24,24	0
2	PO4	D	404	5/5	0.97	0.14	-	31,35,37,41	0



## 6.5 Other polymers [i](#)

There are no such residues in this entry.