



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 21, 2018 – 11:24 PM EST

PDB ID : 2I9P
Title : Crystal structure of human hydroxyisobutyrate dehydrogenase complexed with NAD⁺
Authors : Kavanagh, K.L.; Papagrigoriou, E.; Salah, E.; Lukacik, P.; Smee, C.; Burgess, N.; von Delft, F.; Weigelt, J.; Arrowsmith, C.; Sundstrom, M.; Edwards, A.; Oppermann, U.; Structural Genomics Consortium (SGC)
Deposited on : 2006-09-06
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4993 (2.58-2.50)
Clashscore	112137	5755 (2.58-2.50)
Ramachandran outliers	110173	5652 (2.58-2.50)
Sidechain outliers	110143	5654 (2.58-2.50)
RSRZ outliers	101464	5026 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	<div> <div>17%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>8%</div> </div> </div>
1	B	319	<div> <div>23%</div> <div> <div></div> <div>79%</div> <div>14%</div> <div>7%</div> </div> </div>
1	C	319	<div> <div>22%</div> <div> <div></div> <div>80%</div> <div>11%</div> <div>8%</div> </div> </div>
1	D	319	<div> <div>19%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>8%</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxyisobutyrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	0	0	0
			2098	1327	346	403	22			
1	B	296	Total	C	N	O	S	0	0	0
			2116	1333	348	413	22			
1	C	293	Total	C	N	O	S	0	1	0
			2088	1318	349	399	22			
1	D	293	Total	C	N	O	S	0	0	0
			2081	1316	343	400	22			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	MET	-	CLONING ARTIFACT	UNP P31937
A	19	HIS	-	CLONING ARTIFACT	UNP P31937
A	20	HIS	-	CLONING ARTIFACT	UNP P31937
A	21	HIS	-	CLONING ARTIFACT	UNP P31937
A	22	HIS	-	CLONING ARTIFACT	UNP P31937
A	23	HIS	-	CLONING ARTIFACT	UNP P31937
A	24	HIS	-	CLONING ARTIFACT	UNP P31937
A	25	SER	-	CLONING ARTIFACT	UNP P31937
A	26	SER	-	CLONING ARTIFACT	UNP P31937
A	27	GLY	-	CLONING ARTIFACT	UNP P31937
A	28	VAL	-	CLONING ARTIFACT	UNP P31937
A	29	ASP	-	CLONING ARTIFACT	UNP P31937
A	30	LEU	-	CLONING ARTIFACT	UNP P31937
A	31	GLY	-	CLONING ARTIFACT	UNP P31937
A	32	THR	-	CLONING ARTIFACT	UNP P31937
A	33	GLU	-	CLONING ARTIFACT	UNP P31937
A	34	ASN	-	CLONING ARTIFACT	UNP P31937
A	35	LEU	-	CLONING ARTIFACT	UNP P31937
A	36	TYR	-	CLONING ARTIFACT	UNP P31937
A	37	PHE	-	CLONING ARTIFACT	UNP P31937
A	38	GLN	-	CLONING ARTIFACT	UNP P31937

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	39	SER	-	CLONING ARTIFACT	UNP P31937
A	40	MET	-	CLONING ARTIFACT	UNP P31937
B	18	MET	-	CLONING ARTIFACT	UNP P31937
B	19	HIS	-	CLONING ARTIFACT	UNP P31937
B	20	HIS	-	CLONING ARTIFACT	UNP P31937
B	21	HIS	-	CLONING ARTIFACT	UNP P31937
B	22	HIS	-	CLONING ARTIFACT	UNP P31937
B	23	HIS	-	CLONING ARTIFACT	UNP P31937
B	24	HIS	-	CLONING ARTIFACT	UNP P31937
B	25	SER	-	CLONING ARTIFACT	UNP P31937
B	26	SER	-	CLONING ARTIFACT	UNP P31937
B	27	GLY	-	CLONING ARTIFACT	UNP P31937
B	28	VAL	-	CLONING ARTIFACT	UNP P31937
B	29	ASP	-	CLONING ARTIFACT	UNP P31937
B	30	LEU	-	CLONING ARTIFACT	UNP P31937
B	31	GLY	-	CLONING ARTIFACT	UNP P31937
B	32	THR	-	CLONING ARTIFACT	UNP P31937
B	33	GLU	-	CLONING ARTIFACT	UNP P31937
B	34	ASN	-	CLONING ARTIFACT	UNP P31937
B	35	LEU	-	CLONING ARTIFACT	UNP P31937
B	36	TYR	-	CLONING ARTIFACT	UNP P31937
B	37	PHE	-	CLONING ARTIFACT	UNP P31937
B	38	GLN	-	CLONING ARTIFACT	UNP P31937
B	39	SER	-	CLONING ARTIFACT	UNP P31937
B	40	MET	-	CLONING ARTIFACT	UNP P31937
C	18	MET	-	CLONING ARTIFACT	UNP P31937
C	19	HIS	-	CLONING ARTIFACT	UNP P31937
C	20	HIS	-	CLONING ARTIFACT	UNP P31937
C	21	HIS	-	CLONING ARTIFACT	UNP P31937
C	22	HIS	-	CLONING ARTIFACT	UNP P31937
C	23	HIS	-	CLONING ARTIFACT	UNP P31937
C	24	HIS	-	CLONING ARTIFACT	UNP P31937
C	25	SER	-	CLONING ARTIFACT	UNP P31937
C	26	SER	-	CLONING ARTIFACT	UNP P31937
C	27	GLY	-	CLONING ARTIFACT	UNP P31937
C	28	VAL	-	CLONING ARTIFACT	UNP P31937
C	29	ASP	-	CLONING ARTIFACT	UNP P31937
C	30	LEU	-	CLONING ARTIFACT	UNP P31937
C	31	GLY	-	CLONING ARTIFACT	UNP P31937
C	32	THR	-	CLONING ARTIFACT	UNP P31937
C	33	GLU	-	CLONING ARTIFACT	UNP P31937
C	34	ASN	-	CLONING ARTIFACT	UNP P31937

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	35	LEU	-	CLONING ARTIFACT	UNP P31937
C	36	TYR	-	CLONING ARTIFACT	UNP P31937
C	37	PHE	-	CLONING ARTIFACT	UNP P31937
C	38	GLN	-	CLONING ARTIFACT	UNP P31937
C	39	SER	-	CLONING ARTIFACT	UNP P31937
C	40	MET	-	CLONING ARTIFACT	UNP P31937
D	18	MET	-	CLONING ARTIFACT	UNP P31937
D	19	HIS	-	CLONING ARTIFACT	UNP P31937
D	20	HIS	-	CLONING ARTIFACT	UNP P31937
D	21	HIS	-	CLONING ARTIFACT	UNP P31937
D	22	HIS	-	CLONING ARTIFACT	UNP P31937
D	23	HIS	-	CLONING ARTIFACT	UNP P31937
D	24	HIS	-	CLONING ARTIFACT	UNP P31937
D	25	SER	-	CLONING ARTIFACT	UNP P31937
D	26	SER	-	CLONING ARTIFACT	UNP P31937
D	27	GLY	-	CLONING ARTIFACT	UNP P31937
D	28	VAL	-	CLONING ARTIFACT	UNP P31937
D	29	ASP	-	CLONING ARTIFACT	UNP P31937
D	30	LEU	-	CLONING ARTIFACT	UNP P31937
D	31	GLY	-	CLONING ARTIFACT	UNP P31937
D	32	THR	-	CLONING ARTIFACT	UNP P31937
D	33	GLU	-	CLONING ARTIFACT	UNP P31937
D	34	ASN	-	CLONING ARTIFACT	UNP P31937
D	35	LEU	-	CLONING ARTIFACT	UNP P31937
D	36	TYR	-	CLONING ARTIFACT	UNP P31937
D	37	PHE	-	CLONING ARTIFACT	UNP P31937
D	38	GLN	-	CLONING ARTIFACT	UNP P31937
D	39	SER	-	CLONING ARTIFACT	UNP P31937
D	40	MET	-	CLONING ARTIFACT	UNP P31937

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 3-hydroxyisobutyrate dehydrogenase




• Molecule 1: 3-hydroxyisobutyrate dehydrogenase



• Molecule 1: 3-hydroxyisobutyrate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.63Å 167.32Å 71.09Å 90.00° 107.80° 90.00°	Depositor
Resolution (Å)	50.00 – 2.55 45.88 – 2.55	Depositor EDS
% Data completeness (in resolution range)	95.5 (50.00-2.55) 95.5 (45.88-2.55)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.174 , 0.220 0.185 , 0.223	Depositor DCC
R_{free} test set	1729 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	51.3	Xtriage
Anisotropy	0.445	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 75.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.039 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8559	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/2132	0.63	1/2885 (0.0%)
1	B	0.57	0/2149	0.65	0/2912
1	C	0.59	0/2125	0.66	1/2880 (0.0%)
1	D	0.59	0/2115	0.67	1/2867 (0.0%)
All	All	0.58	0/8521	0.65	3/11544 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	311	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	250	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	C	311	ARG	NE-CZ-NH2	-5.12	117.74	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2098	0	2070	37	0
1	B	2116	0	2053	39	0
1	C	2088	0	2048	34	0
1	D	2081	0	2033	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	44	0	26	0	0
2	B	44	0	26	1	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
All	All	8559	0	8308	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:47:LEU:HD11	1:D:67:ILE:HG23	1.41	1.03
1:C:305:LEU:HD22	1:D:305:LEU:HD22	1.43	0.97
1:B:45:ILE:HD12	1:B:119:ILE:HD11	1.64	0.79
1:D:47:LEU:HD11	1:D:67:ILE:CG2	2.15	0.77
1:A:239:LEU:HD21	1:B:199:CYS:HA	1.67	0.77
1:A:47:LEU:HD11	1:A:67:ILE:HG23	1.68	0.76
1:D:47:LEU:CD1	1:D:67:ILE:HG23	2.18	0.73
1:D:56:LYS:HA	1:D:59:MET:HE3	1.69	0.72
1:C:272:ASN:HD21	1:C:328:GLN:HE22	1.37	0.69
1:A:305:LEU:HD22	1:B:305:LEU:HD22	1.74	0.68
1:A:105:THR:H	1:A:108:ASN:HD22	1.42	0.67
1:A:47:LEU:CD1	1:A:67:ILE:HG23	2.23	0.67
1:D:147:VAL:HG13	1:D:152:ALA:HB3	1.78	0.65
1:C:173:PHE:HB2	1:C:196:VAL:HG22	1.78	0.64
1:B:45:ILE:HB	1:B:101:THR:HG22	1.79	0.64
1:B:153:VAL:HG11	1:B:181:GLU:HG3	1.79	0.64
1:A:305:LEU:HD11	1:D:305:LEU:HD13	1.80	0.64
1:B:147:VAL:CG1	1:B:152:ALA:HB3	2.29	0.63
1:A:153:VAL:HG11	1:A:181:GLU:HG3	1.79	0.63
1:B:305:LEU:HD21	1:D:305:LEU:HD21	1.80	0.63
1:A:239:LEU:CD2	1:B:199:CYS:HA	2.30	0.61
1:D:177:GLY:HA2	1:D:202:VAL:HG22	1.80	0.61
1:A:171:LEU:HD12	1:A:192:MET:O	2.01	0.61
1:A:173:PHE:CE2	1:A:189:LEU:HD22	2.36	0.60
1:B:147:VAL:HG12	1:B:152:ALA:HB3	1.83	0.60
1:B:56:LYS:HA	1:B:59:MET:HE3	1.84	0.59
1:C:147:VAL:HG13	1:C:152:ALA:HB3	1.86	0.58
1:B:305:LEU:CD1	1:C:305:LEU:HD13	2.34	0.57
1:A:166:ALA:HA	1:A:171:LEU:HD11	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:272:ASN:HB3	1:C:274:GLN:HE21	1.68	0.57
1:D:147:VAL:CG1	1:D:152:ALA:HB3	2.35	0.57
1:A:120:LEU:HD21	1:A:147:VAL:HG22	1.85	0.56
1:D:45:ILE:HB	1:D:101:THR:HG22	1.88	0.56
1:D:47:LEU:CD1	1:D:67:ILE:CG2	2.80	0.56
1:C:56:LYS:HA	1:C:59:MET:HE2	1.88	0.55
1:A:178:VAL:HG23	1:A:181:GLU:HG2	1.89	0.54
1:B:260:VAL:HG22	1:B:327:PHE:CZ	2.42	0.54
1:D:159:VAL:HG12	1:D:173:PHE:CD2	2.42	0.54
1:B:45:ILE:CD1	1:B:119:ILE:HD11	2.35	0.53
1:A:305:LEU:CD2	1:B:305:LEU:HD22	2.39	0.53
1:A:233:LEU:HD23	1:B:296:THR:HG21	1.91	0.53
1:A:305:LEU:HD11	1:C:305:LEU:HD21	1.91	0.53
1:B:221:ILE:HG12	1:B:326:VAL:HG21	1.90	0.52
1:A:235:LEU:CD2	1:B:204:THR:HG22	2.40	0.52
1:D:66:ILE:HD13	1:D:95:LYS:HB2	1.92	0.51
1:B:56:LYS:HA	1:B:59:MET:CE	2.41	0.51
1:C:120:LEU:HD21	1:C:147:VAL:HG22	1.93	0.51
1:B:105:THR:OG1	1:B:106:SER:N	2.45	0.50
1:D:227:MET:O	1:D:231:ILE:HD12	2.11	0.50
1:A:52:ASN:HB3	1:A:53:PRO:CD	2.41	0.50
1:D:271:ASN:O	1:D:274:GLN:HG2	2.12	0.50
1:B:305:LEU:HD13	1:C:305:LEU:HD13	1.93	0.49
1:D:45:ILE:HG22	1:D:103:LEU:HD21	1.94	0.49
1:A:305:LEU:CD1	1:D:305:LEU:HD13	2.42	0.49
1:B:93:ALA:HB2	1:B:119:ILE:HG23	1.95	0.49
1:D:153:VAL:HG11	1:D:181:GLU:HG3	1.93	0.49
1:A:147:VAL:HG13	1:A:152:ALA:HB3	1.95	0.49
1:A:110:ILE:O	1:A:114:SER:OG	2.28	0.49
1:B:134:THR:HB	1:B:284:LYS:NZ	2.27	0.49
1:A:235:LEU:HD23	1:B:204:THR:HG22	1.95	0.48
1:A:92:VAL:HG12	1:A:99:ILE:HD13	1.94	0.48
1:A:221:ILE:HG12	1:A:326:VAL:HG21	1.96	0.48
1:B:143:LEU:O	1:B:147:VAL:HG23	2.13	0.48
1:D:159:VAL:HG12	1:D:173:PHE:CE2	2.49	0.48
1:B:305:LEU:HD13	1:C:305:LEU:CD1	2.44	0.48
1:B:177:GLY:HA2	1:B:202:VAL:HG22	1.95	0.47
1:C:120:LEU:HD21	1:C:147:VAL:CG2	2.44	0.47
1:C:66:ILE:HD13	1:C:95:LYS:HB2	1.94	0.47
1:C:50:MET:HE3	1:C:166:ALA:HB2	1.96	0.47
1:A:105:THR:H	1:A:108:ASN:ND2	2.10	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:ALA:HB2	1:B:202:VAL:HG11	1.95	0.47
1:D:144:ALA:HB2	1:D:202:VAL:HG11	1.96	0.47
1:C:93:ALA:HA	1:C:99:ILE:HD11	1.97	0.47
1:B:156:ASP:HB2	1:B:206:GLN:HE21	1.80	0.47
1:C:65:LEU:HD12	1:C:65:LEU:N	2.30	0.46
1:D:235:LEU:CD1	1:D:240:LEU:HD13	2.46	0.46
1:C:245:ASN:HA	1:C:250[A]:ARG:HB3	1.97	0.46
1:C:305:LEU:CD2	1:D:305:LEU:HD22	2.31	0.46
1:C:175:VAL:HG21	1:C:196:VAL:HG13	1.99	0.45
1:D:235:LEU:HD13	1:D:240:LEU:HD13	1.98	0.45
1:D:92:VAL:HG12	1:D:99:ILE:HD13	1.98	0.45
1:C:63:TYR:O	1:C:65:LEU:HD12	2.16	0.45
1:B:165:ALA:HB3	1:B:171:LEU:HD23	1.98	0.45
1:A:305:LEU:HD21	1:C:305:LEU:HD11	1.98	0.45
1:C:47:LEU:HD11	1:C:67:ILE:HG23	1.99	0.44
1:A:52:ASN:HB3	1:A:53:PRO:HD3	2.00	0.44
1:B:305:LEU:HD21	1:D:305:LEU:HD11	2.00	0.44
1:B:134:THR:HB	1:B:284:LYS:HZ1	1.82	0.44
1:B:286:LEU:HA	1:B:286:LEU:HD23	1.80	0.44
1:C:136:ASP:HB3	1:C:139:VAL:HG23	1.99	0.44
1:B:334:GLU:HG2	1:B:335:THR:N	2.32	0.43
1:D:50:MET:CE	1:D:171:LEU:HD21	2.48	0.43
1:A:45:ILE:HB	1:A:101:THR:HG22	2.00	0.43
1:C:155:MET:CE	1:C:175:VAL:HG12	2.49	0.43
1:C:66:ILE:HD13	1:C:95:LYS:CB	2.48	0.43
1:D:120:LEU:HD21	1:D:147:VAL:HG22	2.01	0.43
1:D:56:LYS:HA	1:D:59:MET:CE	2.43	0.43
1:C:155:MET:HE2	1:C:175:VAL:HG12	2.01	0.43
1:A:66:ILE:HD13	1:A:95:LYS:HB2	1.99	0.42
1:A:233:LEU:CD2	1:B:296:THR:HG21	2.48	0.42
1:D:93:ALA:HB2	1:D:119:ILE:HG23	2.01	0.42
1:B:155:MET:HE2	1:B:176:GLY:O	2.19	0.42
1:A:59:MET:HG3	1:A:65:LEU:HD11	2.02	0.42
1:A:305:LEU:CD1	1:D:305:LEU:CD1	2.98	0.42
1:D:65:LEU:HD23	1:D:67:ILE:HD11	2.02	0.41
1:B:189:LEU:HD23	1:B:192:MET:HE3	2.02	0.41
1:A:216:LEU:HD22	1:B:248:SER:HB2	2.02	0.41
1:B:103:LEU:HD22	2:B:500:NAD:C4A	2.50	0.41
1:C:177:GLY:HA2	1:C:202:VAL:HG23	2.02	0.41
1:C:272:ASN:ND2	1:C:328:GLN:HE22	2.11	0.41
1:C:147:VAL:HG11	1:C:154:PHE:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:163:VAL:O	1:C:166:ALA:HB3	2.21	0.41
1:B:239:LEU:HD21	1:B:243:ILE:HD12	2.03	0.41
1:A:332:GLU:HG3	1:C:315:ALA:CB	2.51	0.41
1:A:256:THR:O	1:A:256:THR:HG22	2.20	0.41
1:A:142:GLU:O	1:A:146:GLU:HG2	2.21	0.40
1:C:179:GLU:HB2	1:C:198:TYR:CZ	2.55	0.40
1:C:120:LEU:CD2	1:C:147:VAL:HG22	2.51	0.40
1:A:332:GLU:HG3	1:C:315:ALA:HB1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/319 (91%)	281 (97%)	10 (3%)	0	100	100
1	B	294/319 (92%)	288 (98%)	6 (2%)	0	100	100
1	C	292/319 (92%)	281 (96%)	11 (4%)	0	100	100
1	D	291/319 (91%)	284 (98%)	7 (2%)	0	100	100
All	All	1168/1276 (92%)	1134 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/253 (85%)	211 (99%)	3 (1%)	71	88
1	B	214/253 (85%)	210 (98%)	4 (2%)	62	83
1	C	212/253 (84%)	206 (97%)	6 (3%)	49	74
1	D	210/253 (83%)	202 (96%)	8 (4%)	38	62
All	All	850/1012 (84%)	829 (98%)	21 (2%)	54	77

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	160	SER
1	A	265	ASP
1	A	305	LEU
1	B	44	PHE
1	B	159	VAL
1	B	180	ASP
1	B	295	SER
1	C	179	GLU
1	C	188	LEU
1	C	250[A]	ARG
1	C	250[B]	ARG
1	C	284	LYS
1	C	305	LEU
1	D	44	PHE
1	D	91	ASP
1	D	160	SER
1	D	180	ASP
1	D	188	LEU
1	D	239	LEU
1	D	292	SER
1	D	331	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
1	B	117	ASN
1	B	170	ASN
1	B	195	ASN
1	C	272	ASN
1	C	274	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	117	ASN
1	D	170	ASN
1	D	195	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	A	500	-	41,48,48	1.63	3 (7%)	43,73,73	1.76	3 (6%)
2	NAD	B	500	-	41,48,48	1.73	3 (7%)	43,73,73	1.77	3 (6%)
2	NAD	C	500	-	41,48,48	1.68	3 (7%)	43,73,73	1.84	2 (4%)
2	NAD	D	500	-	41,48,48	1.60	3 (7%)	43,73,73	1.72	5 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	500	-	-	0/22/62/62	0/5/5/5
2	NAD	B	500	-	-	0/22/62/62	0/5/5/5
2	NAD	C	500	-	-	0/22/62/62	0/5/5/5
2	NAD	D	500	-	-	0/22/62/62	0/5/5/5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	NAD	C2A-N1A	2.50	1.38	1.33
2	C	500	NAD	C2A-N1A	2.61	1.38	1.33
2	D	500	NAD	C2A-N1A	2.69	1.39	1.33
2	B	500	NAD	C2A-N1A	2.77	1.39	1.33
2	A	500	NAD	C2A-N3A	3.25	1.37	1.32
2	B	500	NAD	C2A-N3A	4.01	1.38	1.32
2	C	500	NAD	C2A-N3A	4.04	1.38	1.32
2	D	500	NAD	C2A-N3A	4.24	1.39	1.32
2	D	500	NAD	O7N-C7N	7.97	1.40	1.24
2	C	500	NAD	O7N-C7N	8.56	1.41	1.24
2	A	500	NAD	O7N-C7N	8.65	1.42	1.24
2	B	500	NAD	O7N-C7N	9.02	1.42	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	NAD	N3A-C2A-N1A	-10.29	119.90	128.86
2	B	500	NAD	N3A-C2A-N1A	-9.55	120.54	128.86
2	A	500	NAD	N3A-C2A-N1A	-9.29	120.77	128.86
2	D	500	NAD	N3A-C2A-N1A	-8.68	121.30	128.86
2	A	500	NAD	C4A-C5A-N7A	-3.18	106.33	109.41
2	B	500	NAD	C4A-C5A-N7A	-2.81	106.69	109.41
2	D	500	NAD	C4A-C5A-N7A	-2.61	106.88	109.41
2	D	500	NAD	O3D-C3D-C4D	-2.45	103.93	111.09
2	B	500	NAD	C2N-C3N-C4N	2.09	120.64	118.26
2	C	500	NAD	C2N-C3N-C4N	2.17	120.74	118.26
2	D	500	NAD	O2D-C2D-C3D	2.30	119.21	111.83
2	D	500	NAD	C2N-C3N-C4N	2.53	121.15	118.26
2	A	500	NAD	C2N-C3N-C4N	2.71	121.35	118.26

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	500	NAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/319 (91%)	1.30	55 (18%) 1 1	47, 59, 64, 71	0
1	B	296/319 (92%)	1.65	74 (25%) 1 0	46, 59, 65, 77	0
1	C	293/319 (91%)	1.65	71 (24%) 1 0	47, 59, 65, 75	0
1	D	293/319 (91%)	1.42	62 (21%) 1 1	46, 59, 64, 70	0
All	All	1175/1276 (92%)	1.51	262 (22%) 1 0	46, 59, 65, 77	0

All (262) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	116	ALA	10.6
1	D	116	ALA	9.8
1	B	65	LEU	9.4
1	C	66	ILE	9.4
1	D	41	PRO	9.0
1	B	78	PHE	8.5
1	C	40	MET	8.3
1	C	67	ILE	8.3
1	C	147	VAL	8.3
1	D	117	ASN	8.2
1	B	88	SER	7.8
1	B	42	VAL	7.4
1	A	129	LEU	7.3
1	A	90	ALA	7.2
1	C	68	TYR	7.1
1	C	76	LYS	7.0
1	A	76	LYS	6.9
1	C	123	VAL	6.9
1	C	125	LYS	6.7
1	C	58	LEU	6.4
1	B	165	ALA	6.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	116	ALA	6.4
1	C	100	ILE	6.3
1	A	81	ALA	6.3
1	B	178	VAL	6.2
1	D	152	ALA	6.2
1	B	129	LEU	6.2
1	B	166	ALA	6.1
1	A	78	PHE	6.0
1	B	59	MET	6.0
1	A	67	ILE	6.0
1	B	86	VAL	6.0
1	B	81	ALA	5.9
1	C	55	ALA	5.9
1	B	75	CYS	5.9
1	A	75	CYS	5.7
1	C	153	VAL	5.6
1	D	166	ALA	5.6
1	C	87	SER	5.6
1	A	94	GLU	5.5
1	C	65	LEU	5.5
1	B	89	PRO	5.5
1	B	121	LYS	5.4
1	D	270	ALA	5.4
1	A	40	MET	5.4
1	B	45	ILE	5.3
1	C	78	PHE	5.2
1	C	140	SER	5.2
1	C	47	LEU	5.1
1	B	99	ILE	5.0
1	C	80	ASP	4.8
1	D	114	SER	4.8
1	C	96	ALA	4.8
1	B	154	PHE	4.7
1	C	152	ALA	4.7
1	B	68	TYR	4.6
1	A	91	ASP	4.6
1	A	68	TYR	4.6
1	C	113	TYR	4.6
1	A	88	SER	4.5
1	B	41	PRO	4.5
1	A	87	SER	4.4
1	D	129	LEU	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	198	TYR	4.4
1	A	70	VAL	4.4
1	B	91	ASP	4.4
1	D	44	PHE	4.3
1	D	91	ASP	4.3
1	C	81	ALA	4.3
1	A	72	PRO	4.2
1	D	58	LEU	4.2
1	D	90	ALA	4.2
1	A	63	TYR	4.2
1	A	128	LEU	4.2
1	C	82	GLY	4.2
1	C	127	SER	4.1
1	D	140	SER	4.1
1	B	107	ILE	4.1
1	C	182	PHE	4.1
1	C	154	PHE	4.0
1	B	100	ILE	4.0
1	B	127	SER	4.0
1	C	112	ALA	4.0
1	D	68	TYR	3.9
1	C	88	SER	3.9
1	B	162	GLY	3.8
1	B	128	LEU	3.8
1	C	75	CYS	3.8
1	D	43	GLY	3.8
1	B	58	LEU	3.7
1	B	182	PHE	3.7
1	D	42	VAL	3.7
1	D	70	VAL	3.6
1	D	92	VAL	3.6
1	D	78	PHE	3.6
1	A	189	LEU	3.6
1	C	121	LYS	3.6
1	A	154	PHE	3.6
1	D	45	ILE	3.6
1	C	148	GLU	3.6
1	A	42	VAL	3.5
1	C	126	GLY	3.5
1	D	67	ILE	3.5
1	D	76	LYS	3.5
1	A	194	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	195	ASN	3.5
1	C	74	ALA	3.5
1	B	64	PRO	3.5
1	D	196	VAL	3.5
1	B	98	ARG	3.4
1	B	123	VAL	3.4
1	A	82	GLY	3.4
1	B	103	LEU	3.4
1	D	112	ALA	3.4
1	A	66	ILE	3.3
1	A	155	MET	3.3
1	C	191	CYS	3.3
1	C	119	ILE	3.3
1	C	85	VAL	3.3
1	C	128	LEU	3.3
1	D	127	SER	3.2
1	A	180	ASP	3.2
1	B	125	LYS	3.2
1	C	51	GLY	3.2
1	D	151	GLY	3.2
1	D	177	GLY	3.2
1	D	96	ALA	3.1
1	B	130	ILE	3.1
1	D	69	ASP	3.1
1	A	115	GLY	3.1
1	C	178	VAL	3.1
1	C	271	ASN	3.1
1	C	44	PHE	3.1
1	D	93	ALA	3.1
1	B	267	VAL	3.1
1	A	153	VAL	3.0
1	B	44	PHE	3.0
1	C	95	LYS	3.0
1	A	204	THR	2.9
1	D	82	GLY	2.9
1	D	59	MET	2.9
1	A	198	TYR	2.8
1	D	40	MET	2.8
1	A	55	ALA	2.8
1	A	52	ASN	2.8
1	B	202	VAL	2.8
1	B	120	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	305	LEU	2.8
1	B	151	GLY	2.8
1	B	191	CYS	2.8
1	B	260	VAL	2.8
1	B	131	ASP	2.8
1	C	305	LEU	2.7
1	D	180	ASP	2.7
1	C	84	GLN	2.7
1	B	117	ASN	2.7
1	A	69	ASP	2.7
1	A	303	GLY	2.7
1	C	190	GLY	2.7
1	A	123	VAL	2.7
1	A	89	PRO	2.7
1	B	74	ALA	2.7
1	D	154	PHE	2.7
1	B	54	MET	2.7
1	D	61	HIS	2.7
1	B	63	TYR	2.7
1	A	100	ILE	2.6
1	C	97	ASP	2.6
1	A	248	SER	2.6
1	B	111	GLU	2.6
1	C	79	GLN	2.6
1	D	72	PRO	2.6
1	A	140	SER	2.6
1	C	61	HIS	2.6
1	D	115	GLY	2.6
1	C	63	TYR	2.6
1	A	97	ASP	2.6
1	B	55	ALA	2.6
1	D	60	LYS	2.6
1	B	168	SER	2.6
1	A	270	ALA	2.5
1	D	123	VAL	2.5
1	B	43	GLY	2.5
1	C	69	ASP	2.5
1	B	92	VAL	2.5
1	D	163	VAL	2.5
1	B	94	GLU	2.5
1	B	164	GLY	2.5
1	C	117	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	115	GLY	2.4
1	B	335	THR	2.4
1	B	47	LEU	2.4
1	A	160	SER	2.4
1	C	42	VAL	2.4
1	D	125	LYS	2.4
1	D	86	VAL	2.4
1	A	191	CYS	2.4
1	D	234	GLY	2.4
1	B	149	LYS	2.4
1	D	246	MET	2.4
1	D	75	CYS	2.4
1	B	79	GLN	2.4
1	D	89	PRO	2.4
1	C	199	CYS	2.4
1	C	116	ALA	2.3
1	D	47	LEU	2.3
1	D	84	GLN	2.3
1	D	66	ILE	2.3
1	B	101	THR	2.3
1	C	151	GLY	2.3
1	B	152	ALA	2.3
1	D	79	GLN	2.3
1	C	159	VAL	2.3
1	C	202	VAL	2.3
1	B	71	PHE	2.3
1	D	46	GLY	2.3
1	B	113	TYR	2.3
1	B	177	GLY	2.3
1	A	163	VAL	2.2
1	D	147	VAL	2.2
1	C	50	MET	2.2
1	B	142	GLU	2.2
1	A	144	ALA	2.2
1	C	130	ILE	2.2
1	A	58	LEU	2.2
1	B	189	LEU	2.2
1	C	270	ALA	2.2
1	D	198	TYR	2.2
1	A	147	VAL	2.2
1	A	41	PRO	2.2
1	A	193	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	110	ILE	2.1
1	A	44	PHE	2.1
1	A	182	PHE	2.1
1	C	240	LEU	2.1
1	C	304	SER	2.1
1	C	77	GLU	2.1
1	C	303	GLY	2.1
1	D	191	CYS	2.1
1	D	278	GLY	2.1
1	B	82	GLY	2.1
1	B	159	VAL	2.1
1	B	118	GLY	2.1
1	A	312	MET	2.1
1	C	226	ALA	2.1
1	B	83	GLU	2.1
1	B	188	LEU	2.1
1	C	217	ALA	2.1
1	B	233	LEU	2.1
1	D	251	CYS	2.1
1	A	145	LYS	2.1
1	D	185	ALA	2.0
1	A	271	ASN	2.0
1	C	132	SER	2.0
1	C	180	ASP	2.0
1	D	80	ASP	2.0
1	D	172	THR	2.0
1	B	231	ILE	2.0
1	A	80	ASP	2.0
1	C	201	ALA	2.0
1	D	302	LEU	2.0
1	B	148	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAD	B	500	44/44	0.86	0.29	0.31	73,90,104,106	0
2	NAD	C	500	44/44	0.86	0.28	0.25	67,86,102,107	0
2	NAD	A	500	44/44	0.91	0.24	0.18	53,67,81,82	0
2	NAD	D	500	44/44	0.92	0.26	0.18	59,71,93,96	0

6.5 Other polymers [i](#)

There are no such residues in this entry.