



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 03:16 pm GMT

PDB ID : 1IA9
Title : CRYSTAL STRUCTURE OF THE ATYPICAL PROTEIN KINASE DOMAIN OF A TRP CA-CHANNEL, CHAK (AMPPNP COMPLEX)
Authors : Yamaguchi, H.; Matsushita, M.; Nairn, A.C.; Kuriyan, J.
Deposited on : 2001-03-22
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	<div> <div>8%</div> <div>66%</div> <div>28%</div> <div>..</div> </div>
1	B	280	<div> <div>10%</div> <div>69%</div> <div>25%</div> <div>6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DTT	B	2000	-	-	X	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4816 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TRANSIENT RECEPTOR POTENTIAL-RELATED PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2229	1421	382	410	16			
1	B	280	Total	C	N	O	S	0	0	0
			2262	1439	387	420	16			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 4 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: $C_4H_{10}O_2S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			8	4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	133	Total	O	0	0
			133	133		
5	B	120	Total	O	0	0
			120	120		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TRANSIENT RECEPTOR POTENTIAL-RELATED PROTEIN



• Molecule 1: TRANSIENT RECEPTOR POTENTIAL-RELATED PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	109.27Å 136.55Å 113.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.66 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 89.9 (19.66-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	6.80	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.35 (at 2.01Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.240 , 0.294 0.245 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 83.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4816	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ANP, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/2282	0.60	0/3086
1	B	0.32	0/2316	0.59	0/3134
All	All	0.33	0/4598	0.60	0/6220

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2229	0	2205	105	0
1	B	2262	0	2230	82	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	31	0	13	2	0
3	B	31	0	13	0	0
4	B	8	0	9	7	0
5	A	133	0	0	6	0
5	B	120	0	0	7	0
All	All	4816	0	4470	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 19.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1692:LYS:H	1:A:1692:LYS:HE3	1.16	1.06
1:A:1801:ILE:HD12	1:A:1801:ILE:H	1.26	0.98
1:A:1614:LYS:HD3	1:A:1617:MET:HG3	1.51	0.93
1:B:1825:ASN:HD22	1:B:1828:THR:H	1.08	0.93
1:B:1769:VAL:HA	5:B:3173:HOH:O	1.70	0.92
1:B:1820:PRO:HG2	1:B:1824:ARG:HH21	1.32	0.92
1:A:1621:LEU:HB3	1:A:1652:VAL:HG21	1.54	0.88
1:A:1614:LYS:HD3	1:A:1617:MET:CG	2.06	0.86
1:B:1614:LYS:H	1:B:1614:LYS:HD2	1.39	0.85
1:A:1594:ASN:H	1:A:1594:ASN:HD22	1.21	0.84
1:A:1784:LYS:H	1:A:1785:ARG:NH2	1.77	0.83
1:B:1825:ASN:ND2	1:B:1828:THR:H	1.79	0.78
1:B:1825:ASN:HD22	1:B:1828:THR:N	1.84	0.76
1:B:1696:TYR:HB2	1:B:1745:ILE:HD12	1.66	0.76
1:A:1602:GLN:CD	1:A:1602:GLN:H	1.89	0.75
1:A:1579:PRO:HD3	4:B:2000:DTT:H11	1.68	0.73
1:A:1784:LYS:H	1:A:1785:ARG:HH21	1.33	0.73
1:B:1614:LYS:N	1:B:1614:LYS:HD2	2.05	0.71
1:B:1820:PRO:CG	1:B:1824:ARG:HH21	2.04	0.71
1:B:1602:GLN:CD	1:B:1602:GLN:H	1.93	0.71
1:B:1709:HIS:H	1:B:1709:HIS:CD2	2.09	0.70
1:A:1573:VAL:HB	1:B:1602:GLN:O	1.92	0.70
1:A:1760:GLU:OE1	5:A:3253:HOH:O	2.10	0.69
1:A:1692:LYS:H	1:A:1692:LYS:CE	1.99	0.69
1:A:1692:LYS:N	1:A:1692:LYS:HE3	2.00	0.69
1:B:1785:ARG:HB2	1:B:1788:ASP:HB2	1.74	0.69
1:B:1726:ARG:NH1	5:B:3173:HOH:O	2.25	0.69
1:A:1661:LYS:HG2	1:A:1662:GLU:H	1.57	0.69
1:B:1656:TRP:CH2	1:B:1787:CYS:HB3	2.28	0.69
1:B:1680:GLN:O	1:B:1683:THR:HG22	1.92	0.69
1:A:1573:VAL:HG22	5:A:3111:HOH:O	1.93	0.68
1:A:1779:ILE:HG12	1:A:1796:LEU:HD21	1.76	0.67
1:B:1696:TYR:HB2	1:B:1745:ILE:CD1	2.25	0.66
1:A:1786:SER:HA	1:A:1789:MET:HB2	1.78	0.66
1:A:1621:LEU:HD21	1:A:1795:ASN:ND2	2.10	0.66
1:B:1821:ASP:O	1:B:1824:ARG:HG2	1.95	0.66
1:B:1610:GLU:HB2	1:B:1628:LEU:HB3	1.78	0.66
1:A:1594:ASN:HD22	1:A:1594:ASN:N	1.90	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1576:ARG:HD3	1:B:1603:LEU:CD2	2.28	0.64
1:A:1684:PHE:O	1:A:1688:GLN:HG2	1.98	0.64
1:A:1783:GLU:HG2	1:A:1788:ASP:O	1.98	0.64
1:B:1616:GLU:HB3	1:B:1623:ARG:HG3	1.79	0.64
1:A:1790:VAL:HG11	1:A:1794:ALA:HB3	1.80	0.63
1:A:1647:SER:HB3	1:A:1715:PHE:CD2	2.34	0.63
1:A:1783:GLU:HG3	1:A:1785:ARG:HE	1.65	0.62
1:A:1575:PRO:CB	4:B:2000:DTT:S1	2.88	0.62
1:B:1688:GLN:HG2	1:B:1689:MET:HG3	1.81	0.62
1:A:1785:ARG:HG3	1:A:1788:ASP:OD2	1.99	0.62
1:A:1614:LYS:HD3	1:A:1617:MET:SD	2.40	0.61
1:A:1801:ILE:CD1	1:A:1801:ILE:H	2.01	0.61
1:A:1784:LYS:H	1:A:1785:ARG:CZ	2.13	0.60
1:B:1709:HIS:CD2	1:B:1709:HIS:N	2.70	0.60
1:B:1801:ILE:HD12	1:B:1801:ILE:H	1.67	0.60
1:A:1621:LEU:HD21	1:A:1795:ASN:HD21	1.66	0.60
1:A:1576:ARG:HD3	1:B:1603:LEU:HD22	1.84	0.60
1:A:1790:VAL:HG22	1:A:1796:LEU:HD22	1.84	0.60
1:A:1617:MET:HB2	1:A:1624:ALA:HB3	1.82	0.60
1:B:1623:ARG:NH2	1:B:1649:LEU:HD11	2.17	0.59
1:A:1575:PRO:HG2	4:B:2000:DTT:S1	2.41	0.59
1:A:1551:TYR:CG	1:A:1552:TYR:N	2.70	0.59
1:A:1784:LYS:N	1:A:1785:ARG:HH21	2.00	0.59
1:A:1576:ARG:HG3	1:B:1603:LEU:HD11	1.83	0.58
1:B:1649:LEU:HB3	1:B:1651:GLU:OE2	2.03	0.58
1:B:1821:ASP:OD2	1:B:1823:LYS:HB2	2.04	0.58
1:B:1660:TYR:OH	1:B:1671:ARG:HD2	2.03	0.58
1:B:1568:ILE:HG23	1:B:1569:PRO:HD2	1.86	0.58
1:B:1630:THR:O	1:B:1639:SER:HB2	2.04	0.58
1:B:1820:PRO:HB2	1:B:1824:ARG:HE	1.68	0.58
1:B:1638:LYS:O	1:B:1641:HIS:HB2	2.03	0.58
1:A:1575:PRO:HB2	4:B:2000:DTT:S1	2.43	0.57
1:B:1592:ILE:N	1:B:1592:ILE:HD12	2.20	0.57
1:B:1713:GLN:HG3	1:B:1715:PHE:CZ	2.39	0.57
1:A:1619:GLY:HA3	3:A:2002:ANP:O1B	2.04	0.56
1:A:1699:ARG:NH2	1:A:1701:LEU:HD23	2.20	0.56
1:A:1761:LEU:HD11	1:B:1562:MET:HE2	1.88	0.56
1:B:1612:LEU:HD21	1:B:1642:LEU:HD21	1.87	0.56
1:A:1602:GLN:NE2	1:A:1603:LEU:H	2.04	0.56
1:B:1586:GLU:OE2	1:B:1601:SER:HA	2.06	0.56
1:A:1699:ARG:NE	5:A:3074:HOH:O	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1602:GLN:HE21	1:A:1603:LEU:H	1.56	0.54
1:A:1660:TYR:HA	1:A:1661:LYS:HE3	1.89	0.54
1:A:1680:GLN:HG3	5:A:3218:HOH:O	2.08	0.54
1:A:1813:CYS:HB2	5:A:3005:HOH:O	2.07	0.54
1:A:1626:LYS:HE2	1:A:1720:CYS:SG	2.47	0.53
1:B:1687:ASN:HA	1:B:1690:LYS:HD3	1.90	0.52
1:A:1579:PRO:HD3	4:B:2000:DTT:C1	2.38	0.52
1:A:1602:GLN:N	1:A:1602:GLN:CD	2.60	0.52
1:A:1756:TYR:CE2	1:B:1553:TYR:HB3	2.45	0.52
1:A:1685:ALA:O	1:A:1689:MET:HG2	2.10	0.52
1:B:1651:GLU:CD	1:B:1651:GLU:H	2.13	0.52
1:A:1602:GLN:O	1:B:1573:VAL:HG22	2.10	0.51
1:B:1602:GLN:CD	1:B:1602:GLN:N	2.65	0.50
1:B:1550:ASN:ND2	1:B:1552:TYR:CD2	2.78	0.50
1:A:1608:LYS:HE3	1:B:1606:CYS:SG	2.52	0.50
1:A:1617:MET:N	1:A:1624:ALA:O	2.45	0.50
1:A:1672:GLU:HA	1:A:1672:GLU:OE1	2.12	0.50
1:A:1691:PRO:HD2	1:A:1694:ILE:HD12	1.93	0.50
1:A:1783:GLU:HB3	1:A:1789:MET:HG3	1.93	0.50
1:A:1565:SER:HB3	1:B:1791:PHE:CZ	2.47	0.49
1:A:1661:LYS:H	1:A:1661:LYS:CD	2.26	0.49
1:A:1614:LYS:HB3	1:A:1617:MET:N	2.28	0.48
1:B:1617:MET:O	1:B:1623:ARG:HD3	2.13	0.48
1:B:1789:MET:HE2	1:B:1796:LEU:HD12	1.95	0.48
1:A:1621:LEU:HB3	1:A:1652:VAL:CG2	2.36	0.48
1:B:1608:LYS:NZ	1:B:1631:TRP:HE1	2.09	0.48
1:B:1673:ILE:HG12	1:B:1703:VAL:CG1	2.45	0.47
1:B:1673:ILE:HG12	1:B:1703:VAL:HG12	1.96	0.47
1:A:1663:ASP:HB3	1:A:1666:LEU:HB3	1.96	0.47
1:B:1645:ILE:HG23	1:B:1715:PHE:HB3	1.97	0.47
1:B:1621:LEU:HB3	1:B:1652:VAL:HG21	1.97	0.47
1:B:1661:LYS:NZ	1:B:1661:LYS:HA	2.30	0.47
1:A:1617:MET:CE	1:A:1644:ILE:HD12	2.45	0.47
1:A:1576:ARG:HD3	1:B:1603:LEU:HD21	1.96	0.47
1:A:1784:LYS:H	1:A:1785:ARG:NE	2.13	0.47
1:A:1563:ARG:O	1:A:1566:GLN:HG2	2.15	0.46
1:A:1784:LYS:N	1:A:1785:ARG:NH2	2.56	0.46
1:A:1706:LEU:C	1:A:1706:LEU:HD23	2.36	0.46
1:A:1646:LYS:NZ	3:A:2002:ANP:O2A	2.44	0.46
1:A:1779:ILE:CG1	1:A:1796:LEU:HD21	2.44	0.46
1:A:1575:PRO:CG	4:B:2000:DTT:S1	3.03	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1695:PRO:HG2	1:A:1696:TYR:H	1.81	0.45
1:A:1783:GLU:HG3	1:A:1785:ARG:NE	2.30	0.45
1:A:1638:LYS:O	1:A:1641:HIS:HB2	2.16	0.45
1:A:1821:ASP:O	1:A:1824:ARG:HD3	2.16	0.45
1:B:1649:LEU:HB2	1:B:1652:VAL:HG23	1.99	0.45
1:B:1556:VAL:HG23	5:B:3152:HOH:O	2.16	0.45
1:B:1698:PRO:HG3	1:B:1746:MET:HE2	1.99	0.45
1:B:1687:ASN:ND2	1:B:1699:ARG:NH2	2.63	0.45
1:B:1552:TYR:N	1:B:1552:TYR:CD1	2.84	0.44
1:B:1780:LYS:HE2	1:B:1788:ASP:O	2.17	0.44
1:B:1783:GLU:OE1	1:B:1783:GLU:HA	2.18	0.44
1:B:1602:GLN:N	1:B:1602:GLN:OE1	2.45	0.44
1:B:1740:ASN:OD1	1:B:1743:GLU:HG3	2.16	0.44
1:A:1790:VAL:HG21	1:A:1796:LEU:HD13	1.99	0.44
1:A:1821:ASP:OD2	1:A:1823:LYS:HB2	2.17	0.44
1:A:1594:ASN:N	1:A:1594:ASN:ND2	2.61	0.44
1:A:1622:ARG:HG3	1:A:1647:SER:O	2.18	0.43
1:A:1656:TRP:CG	1:A:1668:LEU:HD21	2.52	0.43
1:B:1698:PRO:HG3	1:B:1746:MET:CE	2.49	0.43
1:A:1602:GLN:H	1:A:1602:GLN:NE2	2.16	0.43
1:A:1589:SER:HB3	1:A:1596:SER:HB2	2.01	0.43
1:B:1803:ASN:ND2	5:B:3244:HOH:O	2.52	0.43
1:B:1821:ASP:OD2	1:B:1823:LYS:HE3	2.19	0.42
1:A:1790:VAL:HG11	1:A:1794:ALA:CB	2.46	0.42
1:B:1616:GLU:CB	1:B:1623:ARG:HG3	2.47	0.42
1:A:1594:ASN:H	1:A:1594:ASN:ND2	1.99	0.42
1:A:1584:ARG:NH1	5:A:3009:HOH:O	2.52	0.42
1:A:1743:GLU:O	1:A:1747:LEU:HG	2.20	0.42
1:A:1661:LYS:H	1:A:1661:LYS:HD3	1.84	0.42
1:A:1751:HIS:CD2	1:A:1822:LEU:HD21	2.54	0.42
1:A:1576:ARG:HG3	1:B:1603:LEU:CD1	2.50	0.42
1:A:1573:VAL:HG12	1:B:1603:LEU:HD12	2.02	0.42
1:B:1820:PRO:HG2	1:B:1824:ARG:NH2	2.15	0.42
1:A:1690:LYS:NZ	1:A:1697:SER:OG	2.53	0.41
1:A:1783:GLU:HA	1:A:1785:ARG:HH21	1.85	0.41
1:B:1683:THR:HG23	5:B:3156:HOH:O	2.20	0.41
1:B:1551:TYR:O	1:B:1552:TYR:O	2.38	0.41
1:B:1621:LEU:HD11	5:B:3037:HOH:O	2.20	0.41
1:B:1825:ASN:HD22	1:B:1828:THR:CB	2.33	0.41
1:B:1823:LYS:HE2	5:B:3144:HOH:O	2.20	0.41
1:A:1647:SER:HB3	1:A:1715:PHE:HD2	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1803:ASN:HA	1:A:1803:ASN:HD22	1.60	0.41
1:A:1575:PRO:O	4:B:2000:DTT:S4	2.79	0.41
1:A:1558:ARG:HE	1:B:1760:GLU:CD	2.24	0.41
1:B:1583:TYR:HB2	1:B:1705:LEU:HB3	2.02	0.41
1:A:1738:PRO:HB2	1:A:1744:GLU:HG3	2.03	0.41
1:A:1576:ARG:HH11	1:A:1576:ARG:HG2	1.86	0.41
1:A:1783:GLU:HG2	1:A:1788:ASP:HB2	2.03	0.41
1:B:1626:LYS:HE2	1:B:1720:CYS:SG	2.61	0.41
1:A:1575:PRO:HG3	1:B:1581:THR:HG23	2.04	0.40
1:B:1780:LYS:HB3	1:B:1783:GLU:HB2	2.02	0.40
1:A:1617:MET:HE1	1:A:1644:ILE:HD12	2.04	0.40
1:A:1614:LYS:CD	1:A:1617:MET:HG3	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/280 (97%)	257 (94%)	11 (4%)	4 (2%)	12	5
1	B	278/280 (99%)	264 (95%)	11 (4%)	3 (1%)	17	9
All	All	550/560 (98%)	521 (95%)	22 (4%)	7 (1%)	14	7

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1552	TYR
1	A	1695	PRO
1	A	1696	TYR
1	A	1824	ARG
1	B	1786	SER
1	A	1661	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1574	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/253 (98%)	230 (92%)	19 (8%)	15	10
1	B	253/253 (100%)	232 (92%)	21 (8%)	13	8
All	All	502/506 (99%)	462 (92%)	40 (8%)	14	9

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1562	MET
1	A	1566	GLN
1	A	1594	ASN
1	A	1610	GLU
1	A	1621	LEU
1	A	1622	ARG
1	A	1638	LYS
1	A	1649	LEU
1	A	1651	GLU
1	A	1654	ASN
1	A	1661	LYS
1	A	1689	MET
1	A	1692	LYS
1	A	1710	SER
1	A	1724	GLU
1	A	1765	ASP
1	A	1785	ARG
1	A	1799	ASP
1	A	1801	ILE
1	B	1551	TYR
1	B	1552	TYR
1	B	1553	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1574	PRO
1	B	1576	ARG
1	B	1602	GLN
1	B	1608	LYS
1	B	1612	LEU
1	B	1614	LYS
1	B	1621	LEU
1	B	1623	ARG
1	B	1630	THR
1	B	1688	GLN
1	B	1699	ARG
1	B	1709	HIS
1	B	1710	SER
1	B	1726	ARG
1	B	1783	GLU
1	B	1789	MET
1	B	1795	ASN
1	B	1798	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1559	ASN
1	A	1566	GLN
1	A	1594	ASN
1	A	1595	ASN
1	A	1602	GLN
1	A	1795	ASN
1	A	1803	ASN
1	B	1559	ASN
1	B	1688	GLN
1	B	1709	HIS
1	B	1731	ASN
1	B	1825	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ANP	A	2002	-	29,33,33	1.90	8 (27%)	28,52,52	2.55	5 (17%)
4	DTT	B	2000	1	7,7,7	1.13	1 (14%)	4,8,8	1.85	2 (50%)
3	ANP	B	2003	-	29,33,33	1.88	8 (27%)	28,52,52	2.41	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	2002	-	-	1/13/38/38	0/3/3/3
4	DTT	B	2000	1	-	0/8/8/8	0/0/0/0
3	ANP	B	2003	-	-	0/13/38/38	0/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2003	ANP	PB-N3B	-5.29	1.49	1.63
3	A	2002	ANP	PB-N3B	-4.57	1.51	1.63
3	B	2003	ANP	PB-O3A	-3.58	1.54	1.59
3	B	2003	ANP	PG-N3B	-3.40	1.54	1.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2002	ANP	PG-N3B	-2.89	1.55	1.63
3	A	2002	ANP	PG-O3G	-2.67	1.49	1.56
3	B	2003	ANP	C5-N7	-2.62	1.30	1.39
3	B	2003	ANP	PG-O3G	-2.51	1.49	1.56
3	A	2002	ANP	C5-N7	-2.47	1.31	1.39
3	A	2002	ANP	C2-N3	2.11	1.35	1.32
4	B	2000	DTT	C3-C2	2.15	1.58	1.53
3	B	2003	ANP	O4'-C1'	2.27	1.44	1.41
3	A	2002	ANP	PB-O2B	2.66	1.64	1.56
3	B	2003	ANP	PB-O1B	2.74	1.49	1.46
3	B	2003	ANP	PG-O1G	3.00	1.49	1.46
3	A	2002	ANP	PG-O1G	3.06	1.49	1.46
3	A	2002	ANP	O4'-C1'	4.83	1.47	1.41

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2003	ANP	N3-C2-N1	-11.63	118.73	128.86
3	A	2002	ANP	N3-C2-N1	-11.34	118.98	128.86
3	B	2003	ANP	O1G-PG-N3B	-3.23	106.96	111.79
3	A	2002	ANP	O1G-PG-N3B	-2.80	107.60	111.79
3	A	2002	ANP	C4-C5-N7	-2.64	106.86	109.41
3	B	2003	ANP	C4-C5-N7	-2.18	107.31	109.41
4	B	2000	DTT	O2-C2-C3	2.03	113.82	109.77
4	B	2000	DTT	C3-C4-S4	3.04	123.73	114.43
3	A	2002	ANP	O3A-PB-N3B	3.23	115.56	106.59
3	A	2002	ANP	PA-O3A-PB	3.72	145.52	132.38

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2002	ANP	O1B-PB-N3B-PG

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2002	ANP	2	0
4	B	2000	DTT	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	276/280 (98%)	0.42	23 (8%)	12 12	25, 43, 72, 81	0
1	B	280/280 (100%)	0.54	28 (10%)	8 8	25, 47, 73, 86	0
All	All	556/560 (99%)	0.48	51 (9%)	10 10	25, 45, 73, 86	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1549	THR	8.3
1	A	1551	TYR	8.1
1	A	1658	SER	5.4
1	B	1575	PRO	5.1
1	B	1786	SER	4.1
1	B	1711	ALA	3.9
1	B	1552	TYR	3.7
1	A	1784	LYS	3.7
1	B	1785	ARG	3.6
1	A	1711	ALA	3.6
1	B	1784	LYS	3.5
1	A	1552	TYR	3.5
1	B	1710	SER	3.4
1	B	1828	THR	3.4
1	B	1712	GLY	3.4
1	B	1825	ASN	3.3
1	A	1614	LYS	3.3
1	B	1550	ASN	3.2
1	B	1574	PRO	3.1
1	A	1787	CYS	3.1
1	B	1658	SER	3.0
1	A	1661	LYS	3.0
1	A	1709	HIS	3.0
1	A	1654	ASN	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1710	SER	2.8
1	A	1785	ARG	2.8
1	B	1662	GLU	2.8
1	A	1788	ASP	2.7
1	A	1649	LEU	2.7
1	B	1709	HIS	2.6
1	A	1825	ASN	2.6
1	A	1799	ASP	2.6
1	B	1824	ARG	2.6
1	B	1651	GLU	2.5
1	A	1739	THR	2.5
1	B	1695	PRO	2.4
1	B	1798	GLU	2.4
1	B	1650	PRO	2.4
1	B	1576	ARG	2.4
1	B	1661	LYS	2.4
1	A	1662	GLU	2.3
1	A	1786	SER	2.3
1	B	1654	ASN	2.2
1	B	1694	ILE	2.2
1	A	1617	MET	2.2
1	A	1828	THR	2.2
1	A	1749	PHE	2.1
1	B	1620	GLY	2.1
1	B	1582	VAL	2.1
1	A	1620	GLY	2.0
1	B	1571	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	DTT	B	2000	8/8	0.81	0.27	3.17	63,77,82,88	0
3	ANP	A	2002	31/31	0.89	0.16	0.29	29,47,81,84	0
3	ANP	B	2003	31/31	0.95	0.12	-0.41	35,44,59,63	0
2	ZN	A	2001	1/1	0.99	0.10	-1.04	37,37,37,37	0
2	ZN	B	2001	1/1	0.98	0.07	-2.61	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.