



# Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Mar 2, 2017 – 11:28 am GMT

PDB ID : 3J3Z  
EMDB ID: : EMD-5673  
Title : Structure of MA28-7 neutralizing antibody Fab fragment from electron cryo-  
microscopy of enterovirus 71 complexed with a Fab fragment  
Authors : Lee, H.; Cifuentes, J.O.; Ashley, R.E.; Conway, J.F.; Makhov, A.M.; Tano, Y.;  
Shimizu, H.; Nishimura, Y.; Hafenstein, S.  
Deposited on : 2013-05-21  
Resolution : 23.40 Å(reported)  
Based on PDB ID : 3GK8

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report  
for a publicly released PDB/EMDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

MolProbity : 4.02b-467  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc29047


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 23.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	125131	1336
Ramachandran outliers	121729	1120
Sidechain outliers	121581	1026

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	L	214	
2	H	220	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3283 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MA28-7 neutralizing antibody light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L	214	Total	C	N	O	S	0	0
			1636	1025	274	330	7		


- Molecule 2 is a protein called MA28-7 neutralizing antibody heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	220	Total	C	N	O	S	0	0
			1647	1044	278	320	5		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: MA28-7 neutralizing antibody light chain



- Molecule 2: MA28-7 neutralizing antibody heavy chain



## 4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	27026	Depositor
Resolution determination method	FSC at 0.5 cut-off	Depositor
CTF correction method	Each	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	15	Depositor
Minimum defocus (nm)	1900	Depositor
Maximum defocus (nm)	6120	Depositor
Magnification	48425	Depositor
Image detector	Kodak SO163 film	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 2$	RMSZ	$\# Z  > 2$
1	L	0.40	0/1674	0.64	0/2275
2	H	0.38	0/1692	0.65	1/2307 (0.0%)
All	All	0.39	0/3366	0.65	1/4582 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	56	GLY	N-CA-C	-6.70	96.36	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1636	0	1569	36	0
2	H	1647	0	1601	86	0
All	All	3283	0	3170	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:151:GLY:HA2	2:H:180:LEU:CB	1.75	1.15
2:H:151:GLY:CA	2:H:180:LEU:HB3	1.88	1.04
2:H:179:ASP:O	2:H:180:LEU:HD23	1.58	1.02
2:H:151:GLY:C	2:H:180:LEU:HB3	1.84	0.95
2:H:151:GLY:HA2	2:H:180:LEU:HB3	1.41	0.94
1:L:160:LEU:HD13	2:H:176:VAL:HG21	1.47	0.94
2:H:163:SER:H	2:H:202:ASN:HD21	1.14	0.91
2:H:151:GLY:HA2	2:H:180:LEU:HB2	1.50	0.90
2:H:74:LYS:HG3	2:H:75:SER:H	1.40	0.85
2:H:82:LEU:HD13	2:H:83:ASN:H	1.41	0.84
1:L:13:THR:HG22	1:L:14:SER:H	1.48	0.79
2:H:177:LEU:O	2:H:178:ALA:CB	2.32	0.77
2:H:69:THR:N	2:H:82:LEU:HD11	1.99	0.76
2:H:30:THR:HA	2:H:53:PRO:HG2	1.67	0.75
2:H:163:SER:H	2:H:202:ASN:ND2	1.84	0.75
2:H:178:ALA:O	2:H:179:ASP:HB2	1.87	0.74
2:H:125:PRO:HB3	2:H:152:TYR:HB3	1.70	0.74
1:L:179:LEU:HG	1:L:181:LEU:HD21	1.73	0.70
2:H:151:GLY:O	2:H:180:LEU:HD13	1.90	0.70
2:H:82:LEU:HD23	2:H:84:ARG:HG2	1.74	0.69
2:H:82:LEU:HD22	2:H:83:ASN:N	2.08	0.68
2:H:151:GLY:CA	2:H:180:LEU:CB	2.54	0.68
1:L:150:ILE:HD11	1:L:179:LEU:HD21	1.76	0.68
1:L:210:ASN:HB2	1:L:213:ALA:HB3	1.74	0.68
2:H:65:LYS:CD	2:H:66:GLY:H	2.11	0.64
2:H:177:LEU:O	2:H:178:ALA:HB2	1.97	0.63
1:L:122:SER:O	1:L:126:THR:HG23	1.99	0.62
1:L:13:THR:HG21	1:L:78:VAL:HG21	1.81	0.62
2:H:69:THR:H	2:H:82:LEU:CG	2.13	0.62
2:H:180:LEU:O	2:H:181:TYR:C	2.39	0.61
2:H:84:ARG:HH11	2:H:84:ARG:HA	1.65	0.60
1:L:160:LEU:HD13	2:H:176:VAL:CG2	2.25	0.60
2:H:39:GLN:HB2	2:H:45:LEU:HD23	1.82	0.60
2:H:82:LEU:CD2	2:H:84:ARG:HG2	2.31	0.59
2:H:40:ARG:HE	2:H:43:GLN:HE21	1.50	0.59
1:L:13:THR:HG22	1:L:14:SER:N	2.17	0.59
2:H:82:LEU:HD12	2:H:82:LEU:H	1.69	0.58
2:H:10:VAL:HG11	2:H:18:VAL:HG11	1.86	0.57
2:H:65:LYS:HD2	2:H:66:GLY:N	2.20	0.56
2:H:65:LYS:HD2	2:H:66:GLY:H	1.70	0.56
2:H:69:THR:H	2:H:82:LEU:HD21	1.69	0.56
2:H:74:LYS:HG3	2:H:75:SER:N	2.18	0.56

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:179:LEU:HG	1:L:181:LEU:CD2	2.36	0.56
2:H:82:LEU:CD1	2:H:82:LEU:N	2.70	0.55
2:H:69:THR:O	2:H:82:LEU:HG	2.07	0.55
2:H:36:TRP:CE3	2:H:81:GLN:HG3	2.43	0.54
2:H:67:LYS:HA	2:H:84:ARG:HB2	1.90	0.54
2:H:8:GLU:HG3	2:H:9:LEU:HD13	1.91	0.53
1:L:83:LEU:HD11	1:L:106:ILE:HD11	1.91	0.53
2:H:40:ARG:HG2	2:H:91:ALA:HB2	1.90	0.53
1:L:50:SER:OG	1:L:53:ASN:ND2	2.39	0.53
2:H:29:PHE:CE2	2:H:53:PRO:HB3	2.44	0.53
1:L:37:GLN:HB2	1:L:47:LEU:HD11	1.90	0.53
2:H:82:LEU:HD13	2:H:83:ASN:N	2.17	0.52
1:L:10:PHE:CE1	1:L:142:LYS:HE2	2.44	0.52
1:L:120:PRO:HB2	1:L:125:LEU:HD21	1.91	0.52
2:H:162:ASN:ND2	2:H:200:THR:H	2.08	0.52
2:H:51:ILE:HG21	2:H:72:THR:HG23	1.92	0.52
2:H:39:GLN:O	2:H:91:ALA:HB1	2.09	0.51
1:L:189:HIS:O	1:L:211:ARG:HD3	2.10	0.51
2:H:69:THR:H	2:H:82:LEU:CD2	2.24	0.51
2:H:11:LYS:HE2	2:H:154:PRO:HG3	1.92	0.51
2:H:9:LEU:HD22	2:H:9:LEU:C	2.32	0.51
2:H:68:ALA:HA	2:H:82:LEU:HD11	1.93	0.50
1:L:160:LEU:C	1:L:160:LEU:HD12	2.32	0.50
2:H:69:THR:OG1	2:H:82:LEU:HG	2.11	0.50
2:H:4:LEU:HD23	2:H:24:ALA:HA	1.93	0.50
1:L:30:ASN:OD1	1:L:31:THR:HG22	2.12	0.50
2:H:180:LEU:O	2:H:181:TYR:O	2.30	0.49
1:L:181:LEU:N	1:L:181:LEU:HD22	2.27	0.49
2:H:71:THR:HG23	2:H:80:TYR:HB2	1.93	0.49
2:H:7:THR:OG1	2:H:21:SER:HB3	2.12	0.49
2:H:30:THR:HA	2:H:53:PRO:CG	2.41	0.49
2:H:69:THR:H	2:H:82:LEU:HD11	1.74	0.49
2:H:177:LEU:O	2:H:178:ALA:HB3	2.12	0.48
2:H:18:VAL:O	2:H:82:LEU:O	2.31	0.48
1:L:2:ILE:HD13	1:L:29:VAL:HG12	1.95	0.48
1:L:113:PRO:HB3	1:L:139:PHE:HB3	1.96	0.48
2:H:69:THR:N	2:H:82:LEU:CD1	2.72	0.48
2:H:151:GLY:HA2	2:H:180:LEU:CD1	2.43	0.48
2:H:51:ILE:HD11	2:H:70:LEU:HB3	1.96	0.48
2:H:82:LEU:CD1	2:H:82:LEU:H	2.25	0.48
2:H:13:GLY:O	2:H:15:SER:N	2.48	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:69:THR:H	2:H:82:LEU:CD1	2.28	0.47
2:H:135:GLY:HA3	2:H:218:PRO:HB3	1.97	0.47
2:H:81:GLN:HE21	2:H:81:GLN:C	2.18	0.46
1:L:183:LYS:O	1:L:187:GLU:HG3	2.15	0.46
1:L:91:HIS:HB2	2:H:104:TYR:HB2	1.97	0.46
1:L:83:LEU:HD13	1:L:106:ILE:HG12	1.97	0.46
2:H:177:LEU:HD12	2:H:178:ALA:H	1.79	0.46
2:H:183:LEU:HD12	2:H:183:LEU:C	2.36	0.46
2:H:178:ALA:O	2:H:179:ASP:CB	2.61	0.45
2:H:54:GLY:O	2:H:55:ASP:HB3	2.17	0.45
1:L:2:ILE:HD13	1:L:29:VAL:CG1	2.47	0.45
2:H:51:ILE:CD1	2:H:70:LEU:HB3	2.47	0.45
1:L:2:ILE:HD11	1:L:93:THR:HG22	1.99	0.45
1:L:149:ALA:HB3	1:L:193:THR:HB	1.99	0.44
2:H:20:LEU:N	2:H:20:LEU:HD12	2.33	0.44
2:H:68:ALA:C	2:H:82:LEU:HD11	2.36	0.44
1:L:59:PRO:HG2	1:L:62:PHE:CD1	2.53	0.43
1:L:121:SER:O	1:L:125:LEU:HD22	2.18	0.43
1:L:48:ILE:HG21	1:L:64:ALA:HB3	2.01	0.43
2:H:177:LEU:HD13	2:H:177:LEU:HA	1.92	0.43
2:H:62:GLU:H	2:H:62:GLU:HG3	1.63	0.43
2:H:76:SER:O	2:H:78:THR:HG23	2.18	0.43
2:H:177:LEU:HD12	2:H:178:ALA:N	2.33	0.42
2:H:125:PRO:CB	2:H:152:TYR:HB3	2.44	0.42
2:H:173:PHE:HA	2:H:174:PRO:HD3	1.92	0.42
1:L:205:ILE:HD12	1:L:205:ILE:H	1.85	0.42
1:L:47:LEU:O	1:L:48:ILE:HD13	2.19	0.41
1:L:120:PRO:O	2:H:219:ARG:NH2	2.52	0.41
1:L:91:HIS:HA	1:L:96:TRP:CE3	2.55	0.41
2:H:151:GLY:CA	2:H:180:LEU:CD1	2.98	0.41
2:H:68:ALA:CA	2:H:82:LEU:HD11	2.50	0.41
2:H:90:SER:O	2:H:91:ALA:HB2	2.21	0.41
1:L:63:THR:CG2	1:L:64:ALA:N	2.84	0.40
1:L:167:ASP:OD2	1:L:169:LYS:HB2	2.22	0.40
2:H:12:PRO:HB3	2:H:18:VAL:CG2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	212/214 (99%)	204 (96%)	8 (4%)	0	100	100
2	H	218/220 (99%)	187 (86%)	17 (8%)	14 (6%)	1	22
All	All	430/434 (99%)	391 (91%)	25 (6%)	14 (3%)	8	35

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	65	LYS
2	H	137	ALA
2	H	177	LEU
2	H	178	ALA
2	H	15	SER
2	H	87	SER
2	H	181	TYR
2	H	14	ALA
2	H	55	ASP
2	H	86	THR
2	H	76	SER
2	H	83	ASN
2	H	135	GLY
2	H	59	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	180/180 (100%)	173 (96%)	7 (4%)	37	66
2	H	176/176 (100%)	162 (92%)	14 (8%)	14	45
All	All	356/356 (100%)	335 (94%)	21 (6%)	27	55

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	17	ASP
1	L	72	THR
1	L	89	GLN
1	L	105	GLU
1	L	125	LEU
1	L	142	LYS
1	L	160	LEU
2	H	9	LEU
2	H	50	TRP
2	H	62	GLU
2	H	65	LYS
2	H	71	THR
2	H	81	GLN
2	H	82	LEU
2	H	88	GLU
2	H	150	LYS
2	H	156	PRO
2	H	166	LEU
2	H	177	LEU
2	H	179	ASP
2	H	219	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	27	GLN
1	L	42	GLN
1	L	53	ASN
1	L	161	ASN
2	H	43	GLN
2	H	81	GLN
2	H	162	ASN
2	H	202	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

### 5.7 Other polymers ⓘ

There are no such residues in this entry.

### 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.