



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 2, 2017 – 02:12 PM EDT

PDB ID : 5J5H
Title : X-RAY STRUCTURE OF ACETYLCHOLINE BINDING PROTEIN (ACHBP) IN COMPLEX WITH 6-(2-methoxyphenyl)-N4,N4-bis[(pyridin-2-yl)methyl]pyrimidine-2,4-diamine
Authors : Kaczanowska, K.; Harel, M.; Camacho Hernandez, A.G.; Taylor, P.
Deposited on : unknown
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029824
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 0% 66% 25% 6% </div> </div>
1	B	218	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 2% 70% 25% 3% </div> </div>
1	C	218	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 0% 72% 20% 7% </div> </div>
1	D	218	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 0% 69% 24% 5% </div> </div>
1	E	218	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; padding: 0 5px;"> 0% 62% 28% 6% </div> </div>

Continued on next page...

Mol	Chain	Length	Quality of chain
1	F	218	<div> <div>3%</div> <div>75%</div> <div>22%</div> <div>• •</div> </div>
1	G	218	<div> <div>•%</div> <div>72%</div> <div>24%</div> <div>•</div> </div>
1	H	218	<div> <div>2%</div> <div>76%</div> <div>18%</div> <div>• •</div> </div>
1	I	218	<div> <div>•%</div> <div>69%</div> <div>19%</div> <div>• • 7%</div> </div>
1	J	218	<div> <div></div> <div>73%</div> <div>18%</div> <div>• 6%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 17280 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholine-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	204	Total	C	N	O	S	0	2	0
			1645	1030	282	328	5			
1	B	211	Total	C	N	O	S	0	0	0
			1694	1058	288	343	5			
1	C	203	Total	C	N	O	S	0	0	0
			1626	1019	278	324	5			
1	D	207	Total	C	N	O	S	0	1	0
			1665	1040	286	334	5			
1	E	206	Total	C	N	O	S	0	2	0
			1665	1041	287	332	5			
1	F	212	Total	C	N	O	S	0	0	0
			1702	1062	289	346	5			
1	G	212	Total	C	N	O	S	0	0	0
			1702	1062	289	346	5			
1	H	210	Total	C	N	O	S	0	0	0
			1682	1049	287	341	5			
1	I	202	Total	C	N	O	S	0	0	0
			1616	1013	277	321	5			
1	J	205	Total	C	N	O	S	0	1	0
			1648	1031	286	326	5			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ASP	-	expression tag	UNP P58154
A	-6	TYR	-	expression tag	UNP P58154
A	-5	LYS	-	expression tag	UNP P58154
A	-4	ASP	-	expression tag	UNP P58154
A	-3	ASP	-	expression tag	UNP P58154
A	-2	ASP	-	expression tag	UNP P58154
A	-1	ASP	-	expression tag	UNP P58154
A	0	LYS	-	expression tag	UNP P58154
B	-7	ASP	-	expression tag	UNP P58154

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	TYR	-	expression tag	UNP P58154
B	-5	LYS	-	expression tag	UNP P58154
B	-4	ASP	-	expression tag	UNP P58154
B	-3	ASP	-	expression tag	UNP P58154
B	-2	ASP	-	expression tag	UNP P58154
B	-1	ASP	-	expression tag	UNP P58154
B	0	LYS	-	expression tag	UNP P58154
C	-7	ASP	-	expression tag	UNP P58154
C	-6	TYR	-	expression tag	UNP P58154
C	-5	LYS	-	expression tag	UNP P58154
C	-4	ASP	-	expression tag	UNP P58154
C	-3	ASP	-	expression tag	UNP P58154
C	-2	ASP	-	expression tag	UNP P58154
C	-1	ASP	-	expression tag	UNP P58154
C	0	LYS	-	expression tag	UNP P58154
D	-7	ASP	-	expression tag	UNP P58154
D	-6	TYR	-	expression tag	UNP P58154
D	-5	LYS	-	expression tag	UNP P58154
D	-4	ASP	-	expression tag	UNP P58154
D	-3	ASP	-	expression tag	UNP P58154
D	-2	ASP	-	expression tag	UNP P58154
D	-1	ASP	-	expression tag	UNP P58154
D	0	LYS	-	expression tag	UNP P58154
E	-7	ASP	-	expression tag	UNP P58154
E	-6	TYR	-	expression tag	UNP P58154
E	-5	LYS	-	expression tag	UNP P58154
E	-4	ASP	-	expression tag	UNP P58154
E	-3	ASP	-	expression tag	UNP P58154
E	-2	ASP	-	expression tag	UNP P58154
E	-1	ASP	-	expression tag	UNP P58154
E	0	LYS	-	expression tag	UNP P58154
F	-7	ASP	-	expression tag	UNP P58154
F	-6	TYR	-	expression tag	UNP P58154
F	-5	LYS	-	expression tag	UNP P58154
F	-4	ASP	-	expression tag	UNP P58154
F	-3	ASP	-	expression tag	UNP P58154
F	-2	ASP	-	expression tag	UNP P58154
F	-1	ASP	-	expression tag	UNP P58154
F	0	LYS	-	expression tag	UNP P58154
G	-7	ASP	-	expression tag	UNP P58154
G	-6	TYR	-	expression tag	UNP P58154
G	-5	LYS	-	expression tag	UNP P58154

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-4	ASP	-	expression tag	UNP P58154
G	-3	ASP	-	expression tag	UNP P58154
G	-2	ASP	-	expression tag	UNP P58154
G	-1	ASP	-	expression tag	UNP P58154
G	0	LYS	-	expression tag	UNP P58154
H	-7	ASP	-	expression tag	UNP P58154
H	-6	TYR	-	expression tag	UNP P58154
H	-5	LYS	-	expression tag	UNP P58154
H	-4	ASP	-	expression tag	UNP P58154
H	-3	ASP	-	expression tag	UNP P58154
H	-2	ASP	-	expression tag	UNP P58154
H	-1	ASP	-	expression tag	UNP P58154
H	0	LYS	-	expression tag	UNP P58154
I	-7	ASP	-	expression tag	UNP P58154
I	-6	TYR	-	expression tag	UNP P58154
I	-5	LYS	-	expression tag	UNP P58154
I	-4	ASP	-	expression tag	UNP P58154
I	-3	ASP	-	expression tag	UNP P58154
I	-2	ASP	-	expression tag	UNP P58154
I	-1	ASP	-	expression tag	UNP P58154
I	0	LYS	-	expression tag	UNP P58154
J	-7	ASP	-	expression tag	UNP P58154
J	-6	TYR	-	expression tag	UNP P58154
J	-5	LYS	-	expression tag	UNP P58154
J	-4	ASP	-	expression tag	UNP P58154
J	-3	ASP	-	expression tag	UNP P58154
J	-2	ASP	-	expression tag	UNP P58154
J	-1	ASP	-	expression tag	UNP P58154
J	0	LYS	-	expression tag	UNP P58154

- Molecule 2 is 6-(2-methoxyphenyl)-N 4 ,N 4 -bis[(pyridin-2-yl)methyl]pyrimidine-2,4-diamine (three-letter code: 6GK) (formula: C₂₃H₂₂N₆O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			30	23	6	1		
2	B	1	Total	C	N	O	0	0
			30	23	6	1		
2	C	1	Total	C	N	O	0	0
			30	23	6	1		
2	D	1	Total	C	N	O	0	0
			30	23	6	1		
2	D	1	Total	C	N	O	0	0
			30	23	6	1		
2	F	1	Total	C	N	O	0	0
			30	23	6	1		
2	G	1	Total	C	N	O	0	0
			30	23	6	1		
2	G	1	Total	C	N	O	0	0
			30	23	6	1		
2	I	1	Total	C	N	O	0	0
			30	23	6	1		
2	J	1	Total	C	N	O	0	0
			30	23	6	1		

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	H	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		
3	J	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	C	1	Total	O	P	0	0
			5	4	1		
4	C	1	Total	O	P	0	0
			5	4	1		
4	D	1	Total	O	P	0	0
			5	4	1		
4	F	1	Total	O	P	0	0
			5	4	1		
4	F	1	Total	O	P	0	0
			5	4	1		
4	F	1	Total	O	P	0	0
			5	4	1		
4	H	1	Total	O	P	0	0
			5	4	1		
4	I	1	Total	O	P	0	0
			5	4	1		
4	J	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	12	Total	O	0	0
			12	12		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	15	Total 15	O 15	0	0
5	C	15	Total 15	O 15	0	0
5	D	20	Total 20	O 20	0	0
5	E	12	Total 12	O 12	0	0
5	F	19	Total 19	O 19	0	0
5	G	15	Total 15	O 15	0	0
5	H	14	Total 14	O 14	0	0
5	I	9	Total 9	O 9	0	0
5	J	9	Total 9	O 9	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acetylcholine-binding protein



• Molecule 1: Acetylcholine-binding protein




• Molecule 1: Acetylcholine-binding protein




• Molecule 1: Acetylcholine-binding protein









• Molecule 1: Acetylcholine-binding protein





• Molecule 1: Acetylcholine-binding protein




• Molecule 1: Acetylcholine-binding protein




• Molecule 1: Acetylcholine-binding protein



- Molecule 1: Acetylcholine-binding protein



- Molecule 1: Acetylcholine-binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.73Å 130.44Å 107.69Å 90.00° 103.32° 90.00°	Depositor
Resolution (Å)	48.63 – 2.70 48.63 – 2.33	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.63-2.70) 95.6 (48.63-2.33)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.32Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.222 , 0.297 0.222 , 0.297	Depositor DCC
R_{free} test set	1295 reflections (1.67%)	DCC
Wilson B-factor (Å ²)	56.8	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 15.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	0.477 for l,-k,h	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	17280	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAG, 6GK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	0/1686	0.64	1/2297 (0.0%)
1	B	0.55	1/1731 (0.1%)	0.73	3/2361 (0.1%)
1	C	0.50	0/1661	0.63	0/2265
1	D	0.52	0/1704	0.67	1/2324 (0.0%)
1	E	0.50	0/1703	0.64	0/2319
1	F	0.49	0/1739	0.61	0/2372
1	G	0.49	0/1739	0.63	0/2372
1	H	0.51	0/1718	0.66	0/2343
1	I	0.51	0/1651	0.73	4/2250 (0.2%)
1	J	0.49	0/1686	0.67	1/2296 (0.0%)
All	All	0.50	1/17018 (0.0%)	0.66	10/23199 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1
1	I	0	2
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	24	ASP	CB-CG	5.36	1.63	1.51

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	23	ARG	NE-CZ-NH1	-8.87	115.86	120.30
1	B	23	ARG	NE-CZ-NH2	7.76	124.18	120.30
1	I	25	ARG	NE-CZ-NH2	-6.79	116.90	120.30
1	A	161	ASP	CB-CG-OD1	6.59	124.23	118.30
1	I	25	ARG	NE-CZ-NH1	6.29	123.44	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	131	GLU	Peptide
1	I	21	THR	Peptide
1	I	22	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1645	0	1595	43	0
1	B	1694	0	1628	41	0
1	C	1626	0	1576	40	0
1	D	1665	0	1611	40	0
1	E	1665	0	1613	54	0
1	F	1702	0	1632	38	0
1	G	1702	0	1632	41	0
1	H	1682	0	1619	34	0
1	I	1616	0	1565	43	0
1	J	1648	0	1603	38	0
2	A	30	0	0	0	0
2	B	30	0	0	1	0
2	C	30	0	0	3	0
2	D	60	0	0	2	0
2	F	30	0	0	0	0
2	G	60	0	0	1	0
2	I	30	0	0	0	0
2	J	30	0	0	0	0
3	A	14	0	13	0	0
3	B	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	14	0	13	0	0
3	D	14	0	13	0	0
3	E	14	0	13	0	0
3	F	14	0	13	0	0
3	G	14	0	13	0	0
3	H	14	0	13	0	0
3	I	14	0	13	0	0
3	J	14	0	13	0	0
4	A	10	0	0	1	0
4	C	10	0	0	1	0
4	D	5	0	0	0	0
4	F	15	0	0	0	0
4	H	5	0	0	1	0
4	I	5	0	0	0	0
4	J	5	0	0	0	0
5	A	12	0	0	1	0
5	B	15	0	0	0	0
5	C	15	0	0	3	0
5	D	20	0	0	0	0
5	E	12	0	0	0	0
5	F	19	0	0	0	0
5	G	15	0	0	3	0
5	H	14	0	0	0	0
5	I	9	0	0	0	0
5	J	9	0	0	1	0
All	All	17280	0	16204	359	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 359 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:23:ARG:HG2	1:I:25:ARG:HG2	1.43	0.98
1:B:131:GLU:HA	1:B:202:ARG:HD3	1.45	0.98
1:F:20:PRO:HA	1:G:0:LYS:HE2	1.52	0.91
1:E:22:GLN:HG3	1:E:23:ARG:HB2	1.55	0.89
1:G:44:ILE:HG22	1:H:170:ARG:HD2	1.54	0.87

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	202/218 (93%)	194 (96%)	6 (3%)	2 (1%)	18	43
1	B	209/218 (96%)	198 (95%)	8 (4%)	3 (1%)	13	33
1	C	199/218 (91%)	194 (98%)	3 (2%)	2 (1%)	18	43
1	D	206/218 (94%)	197 (96%)	7 (3%)	2 (1%)	18	43
1	E	204/218 (94%)	187 (92%)	10 (5%)	7 (3%)	4	10
1	F	210/218 (96%)	204 (97%)	4 (2%)	2 (1%)	18	43
1	G	210/218 (96%)	196 (93%)	12 (6%)	2 (1%)	18	43
1	H	208/218 (95%)	197 (95%)	10 (5%)	1 (0%)	32	60
1	I	198/218 (91%)	186 (94%)	10 (5%)	2 (1%)	18	43
1	J	202/218 (93%)	190 (94%)	11 (5%)	1 (0%)	32	60
All	All	2048/2180 (94%)	1943 (95%)	81 (4%)	24 (1%)	15	37

5 of 24 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	162	SER
1	D	-1	ASP
1	E	162	SER
1	G	-3	ASP
1	I	22	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/204 (94%)	183 (95%)	9 (5%)	30	60
1	B	198/204 (97%)	189 (96%)	9 (4%)	32	62
1	C	190/204 (93%)	187 (98%)	3 (2%)	68	89
1	D	195/204 (96%)	188 (96%)	7 (4%)	40	70
1	E	194/204 (95%)	184 (95%)	10 (5%)	27	55
1	F	199/204 (98%)	192 (96%)	7 (4%)	41	72
1	G	199/204 (98%)	193 (97%)	6 (3%)	46	76
1	H	197/204 (97%)	192 (98%)	5 (2%)	53	82
1	I	188/204 (92%)	181 (96%)	7 (4%)	39	70
1	J	192/204 (94%)	184 (96%)	8 (4%)	34	65
All	All	1944/2040 (95%)	1873 (96%)	71 (4%)	41	70

5 of 71 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	61	ARG
1	F	24	ASP
1	J	110	GLU
1	E	120[A]	ARG
1	E	187	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	181	ASN
1	F	200	ASN
1	I	200	ASN
1	E	69	HIS
1	H	69	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	6GK	A	301	-	33,33,33	1.96	6 (18%)	43,44,44	2.22	12 (27%)
3	NAG	A	302	1	14,14,15	0.39	0	15,19,21	0.74	0
4	PO4	A	303	-	4,4,4	0.74	0	6,6,6	0.60	0
4	PO4	A	304	-	4,4,4	0.71	0	6,6,6	0.50	0
2	6GK	B	301	-	33,33,33	2.04	6 (18%)	43,44,44	2.52	15 (34%)
3	NAG	B	302	1	14,14,15	0.22	0	15,19,21	0.49	0
2	6GK	C	301	-	33,33,33	1.97	5 (15%)	43,44,44	2.33	13 (30%)
3	NAG	C	302	1	14,14,15	0.39	0	15,19,21	0.56	0
4	PO4	C	303	-	4,4,4	0.77	0	6,6,6	0.43	0
4	PO4	C	304	-	4,4,4	0.75	0	6,6,6	0.53	0
2	6GK	D	301	-	33,33,33	1.95	5 (15%)	43,44,44	2.19	15 (34%)
2	6GK	D	302	-	33,33,33	1.82	5 (15%)	43,44,44	2.47	13 (30%)
3	NAG	D	303	1	14,14,15	0.87	1 (7%)	15,19,21	0.94	1 (6%)
4	PO4	D	304	-	4,4,4	0.65	0	6,6,6	0.54	0
3	NAG	E	301	1	14,14,15	0.53	0	15,19,21	0.65	0
2	6GK	F	301	-	33,33,33	2.01	5 (15%)	43,44,44	2.45	14 (32%)
3	NAG	F	302	1	14,14,15	0.33	0	15,19,21	0.71	1 (6%)
4	PO4	F	303	-	4,4,4	0.70	0	6,6,6	0.44	0
4	PO4	F	304	-	4,4,4	1.02	0	6,6,6	0.36	0
4	PO4	F	305	-	4,4,4	0.65	0	6,6,6	0.55	0
2	6GK	G	301	-	33,33,33	1.98	5 (15%)	43,44,44	2.28	14 (32%)
2	6GK	G	302	-	33,33,33	2.07	5 (15%)	43,44,44	2.31	15 (34%)
3	NAG	G	303	1	14,14,15	0.28	0	15,19,21	0.43	0
3	NAG	H	301	1	14,14,15	0.75	1 (7%)	15,19,21	0.82	1 (6%)
4	PO4	H	302	-	4,4,4	0.75	0	6,6,6	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	6GK	I	301	-	33,33,33	1.86	5 (15%)	43,44,44	2.52	14 (32%)
3	NAG	I	302	1	14,14,15	0.57	0	15,19,21	0.60	0
4	PO4	I	303	-	4,4,4	0.69	0	6,6,6	0.41	0
2	6GK	J	301	-	33,33,33	1.96	6 (18%)	43,44,44	2.32	10 (23%)
3	NAG	J	302	1	14,14,15	0.36	0	15,19,21	0.76	1 (6%)
4	PO4	J	303	-	4,4,4	0.71	0	6,6,6	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6GK	A	301	-	-	0/18/18/18	0/4/4/4
3	NAG	A	302	1	-	0/6/23/26	0/1/1/1
4	PO4	A	303	-	-	0/0/0/0	0/0/0/0
4	PO4	A	304	-	-	0/0/0/0	0/0/0/0
2	6GK	B	301	-	-	0/18/18/18	0/4/4/4
3	NAG	B	302	1	-	0/6/23/26	0/1/1/1
2	6GK	C	301	-	-	0/18/18/18	0/4/4/4
3	NAG	C	302	1	-	0/6/23/26	0/1/1/1
4	PO4	C	303	-	-	0/0/0/0	0/0/0/0
4	PO4	C	304	-	-	0/0/0/0	0/0/0/0
2	6GK	D	301	-	-	0/18/18/18	0/4/4/4
2	6GK	D	302	-	-	0/18/18/18	0/4/4/4
3	NAG	D	303	1	-	0/6/23/26	0/1/1/1
4	PO4	D	304	-	-	0/0/0/0	0/0/0/0
3	NAG	E	301	1	-	0/6/23/26	0/1/1/1
2	6GK	F	301	-	-	0/18/18/18	0/4/4/4
3	NAG	F	302	1	-	0/6/23/26	0/1/1/1
4	PO4	F	303	-	-	0/0/0/0	0/0/0/0
4	PO4	F	304	-	-	0/0/0/0	0/0/0/0
4	PO4	F	305	-	-	0/0/0/0	0/0/0/0
2	6GK	G	301	-	-	0/18/18/18	0/4/4/4
2	6GK	G	302	-	-	0/18/18/18	0/4/4/4
3	NAG	G	303	1	-	0/6/23/26	0/1/1/1
3	NAG	H	301	1	-	0/6/23/26	0/1/1/1
4	PO4	H	302	-	-	0/0/0/0	0/0/0/0
2	6GK	I	301	-	-	0/18/18/18	0/4/4/4
3	NAG	I	302	1	-	0/6/23/26	0/1/1/1
4	PO4	I	303	-	-	0/0/0/0	0/0/0/0
2	6GK	J	301	-	-	0/18/18/18	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	J	302	1	-	0/6/23/26	0/1/1/1
4	PO4	J	303	-	-	0/0/0/0	0/0/0/0

The worst 5 of 55 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	6GK	C18-C19	-7.38	1.39	1.51
2	F	301	6GK	C18-C19	-7.24	1.39	1.51
2	G	302	6GK	C18-C19	-7.22	1.39	1.51
2	D	301	6GK	C18-C19	-6.86	1.40	1.51
2	G	302	6GK	C12-C13	-6.85	1.40	1.51

The worst 5 of 139 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	6GK	C01-O01-C02	-5.61	109.46	117.54
2	D	302	6GK	C01-O01-C02	-5.27	109.95	117.54
2	D	301	6GK	C01-O01-C02	-5.08	110.23	117.54
2	J	301	6GK	C01-O01-C02	-5.01	110.33	117.54
2	C	301	6GK	C01-O01-C02	-4.97	110.39	117.54

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	304	PO4	1	0
2	B	301	6GK	1	0
2	C	301	6GK	3	0
4	C	304	PO4	1	0
2	D	301	6GK	1	0
2	D	302	6GK	1	0
2	G	301	6GK	1	0
4	H	302	PO4	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	204/218 (93%)	0.02	2 (0%) 82 82	30, 55, 82, 99	0
1	B	211/218 (96%)	0.03	4 (1%) 67 68	34, 53, 84, 109	0
1	C	203/218 (93%)	-0.13	1 (0%) 90 92	31, 53, 79, 93	0
1	D	207/218 (94%)	-0.06	2 (0%) 82 82	31, 50, 78, 93	0
1	E	206/218 (94%)	-0.01	2 (0%) 82 82	33, 52, 84, 96	0
1	F	212/218 (97%)	0.13	6 (2%) 53 54	33, 53, 85, 106	0
1	G	212/218 (97%)	-0.11	2 (0%) 84 85	31, 54, 86, 104	0
1	H	210/218 (96%)	-0.02	5 (2%) 59 60	27, 49, 78, 102	0
1	I	202/218 (92%)	-0.03	2 (0%) 82 82	32, 53, 85, 96	0
1	J	205/218 (94%)	-0.03	1 (0%) 90 92	24, 55, 80, 97	0
All	All	2072/2180 (95%)	-0.02	27 (1%) 77 78	24, 53, 82, 109	0

The worst 5 of 27 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	161	ASP	3.4
1	B	68	SER	3.1
1	H	184	THR	3.0
1	I	-2	ASP	2.9
1	E	43	GLU	2.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	6GK	G	302	30/30	0.91	0.20	1.41	36,44,52,56	0
2	6GK	B	301	30/30	0.92	0.21	1.32	43,49,58,59	0
4	PO4	H	302	5/5	0.89	0.16	0.88	38,47,56,57	0
2	6GK	G	301	30/30	0.90	0.19	0.68	37,44,53,60	0
2	6GK	D	302	30/30	0.92	0.19	0.32	38,51,59,63	0
2	6GK	J	301	30/30	0.92	0.20	0.21	42,53,58,63	0
2	6GK	F	301	30/30	0.92	0.17	0.07	39,50,58,64	0
2	6GK	C	301	30/30	0.90	0.16	-0.01	33,43,52,55	0
2	6GK	A	301	30/30	0.91	0.16	-0.24	44,55,63,65	0
3	NAG	E	301	14/15	0.83	0.21	-0.42	79,87,90,91	0
4	PO4	F	304	5/5	0.98	0.14	-0.51	44,44,49,53	0
4	PO4	F	305	5/5	0.92	0.15	-0.57	51,55,66,76	0
2	6GK	I	301	30/30	0.93	0.15	-0.66	38,47,52,57	0
2	6GK	D	301	30/30	0.92	0.14	-0.69	33,42,49,50	0
4	PO4	J	303	5/5	0.93	0.12	-1.01	50,51,56,61	0
4	PO4	F	303	5/5	0.98	0.14	-1.02	49,50,55,57	0
4	PO4	D	304	5/5	0.98	0.12	-1.14	40,48,52,54	0
4	PO4	A	303	5/5	0.95	0.12	-1.40	52,54,57,62	0
4	PO4	A	304	5/5	0.93	0.12	-1.57	45,51,56,61	0
4	PO4	I	303	5/5	0.98	0.11	-1.79	44,47,51,57	0
4	PO4	C	304	5/5	0.97	0.10	-1.95	41,46,49,55	0
4	PO4	C	303	5/5	0.98	0.12	-2.27	45,46,53,54	0
3	NAG	J	302	14/15	0.82	0.24	-	77,93,98,104	0
3	NAG	H	301	14/15	0.72	0.23	-	85,90,95,96	0
3	NAG	A	302	14/15	0.52	0.34	-	95,102,106,106	0
3	NAG	F	302	14/15	0.78	0.16	-	86,95,103,103	0
3	NAG	B	302	14/15	0.56	0.28	-	81,94,100,101	0
3	NAG	D	303	14/15	0.77	0.25	-	87,98,106,107	0
3	NAG	I	302	14/15	0.77	0.26	-	87,93,98,99	0
3	NAG	G	303	14/15	0.80	0.18	-	83,94,101,111	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	C	302	14/15	0.83	0.22	-	86,92,97,105	0

6.5 Other polymers [i](#)

There are no such residues in this entry.