



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 27, 2017 – 08:07 PM EDT

PDB ID : 1JBP
Title : Crystal Structure of the Catalytic Subunit of cAMP-dependent Protein Kinase Complexed with a Substrate Peptide, ADP and Detergent
Authors : Madhusudan; Trafny, E.A.; Xuong, N.H.; Adams, J.A.; Ten Eyck, L.F.; Taylor, S.S.; Sowadski, J.M.
Deposited on : unknown
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	350	
2	S	20	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CAMP-DEPENDENT PROTEIN KINASE, ALPHA-CATALYTIC SUBUNIT.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	E	342	Total	C	N	O	P	S	0	0	0
			2711	1756	450	494	3	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	10	SEP	SER	MODIFIED RESIDUE	UNP P05132
E	197	TPO	THR	MODIFIED RESIDUE	UNP P05132
E	242	GLU	GLN	CONFLICT	UNP P05132
E	338	SEP	SER	MODIFIED RESIDUE	UNP P05132

- Molecule 2 is a protein called CAMP-DEPENDENT PROTEIN KINASE INHIBITOR, MUSCLE/BRAIN FORM.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	S	20	Total	C	N	O	0	0	0
			155	93	31	31			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
S	376	ALA	ASN	ENGINEERED	UNP P27776
S	377	SER	ALA	ENGINEERED	UNP P27776

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is N-OCTANE (three-letter code: OCT) (formula: C₈H₁₈).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total	C	0	0
			8	8		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	149	Total 149	O 149	0	0
5	S	19	Total 19	O 19	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CAMP-DEPENDENT PROTEIN KINASE, ALPHA-CATALYTIC SUBUNIT



• Molecule 2: CAMP-DEPENDENT PROTEIN KINASE INHIBITOR, MUSCLE/BRAIN FORM



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.96 Å 76.11 Å 81.00 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.20)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.175 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3069	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, OCT, ADP, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	1.01	16/2747 (0.6%)	1.39	30/3717 (0.8%)
2	S	0.93	0/157	1.72	7/209 (3.3%)
All	All	1.01	16/2904 (0.6%)	1.41	37/3926 (0.9%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	121	GLU	CD-OE2	8.62	1.35	1.25
1	E	13	GLU	CD-OE2	7.51	1.33	1.25
1	E	170	GLU	CD-OE2	6.63	1.32	1.25
1	E	248	GLU	CD-OE2	6.50	1.32	1.25
1	E	91	GLU	CD-OE2	6.32	1.32	1.25
1	E	349	GLU	CD-OE2	6.17	1.32	1.25
1	E	155	GLU	CD-OE1	-5.74	1.19	1.25
1	E	332	GLU	CD-OE2	5.67	1.31	1.25
1	E	203	GLU	CD-OE2	5.49	1.31	1.25
1	E	127	GLU	CD-OE2	5.47	1.31	1.25
1	E	341	GLU	CD-OE2	5.36	1.31	1.25
1	E	155	GLU	CD-OE2	5.36	1.31	1.25
1	E	208	GLU	CD-OE1	-5.25	1.19	1.25
1	E	107	GLU	CD-OE2	5.17	1.31	1.25
1	E	86	GLU	CD-OE2	5.04	1.31	1.25
1	E	230	GLU	CD-OE1	-5.03	1.20	1.25

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	133	ARG	NE-CZ-NH2	-10.92	114.84	120.30
1	E	133	ARG	NE-CZ-NH1	10.19	125.39	120.30
2	S	363	TYR	CB-CG-CD2	-9.49	115.31	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	267	ASP	CB-CG-OD1	8.05	125.55	118.30
1	E	164	TYR	C-N-CA	-7.88	102.00	121.70
1	E	175	ASP	CB-CG-OD2	-7.60	111.46	118.30
1	E	241	ASP	CB-CG-OD2	-7.45	111.60	118.30
1	E	323	ASP	CB-CG-OD2	-7.44	111.60	118.30
1	E	290	ASP	CB-CG-OD2	-7.36	111.68	118.30
1	E	175	ASP	CB-CG-OD1	7.23	124.81	118.30
1	E	12	GLN	N-CA-C	-6.90	92.36	111.00
1	E	301	ASP	CB-CG-OD1	6.89	124.51	118.30
1	E	112	ASP	CB-CG-OD1	6.53	124.18	118.30
1	E	267	ASP	CB-CG-OD2	-6.40	112.54	118.30
1	E	323	ASP	CB-CG-OD1	6.31	123.98	118.30
2	S	363	TYR	CB-CG-CD1	6.27	124.76	121.00
1	E	25	ASP	CB-CG-OD1	6.26	123.94	118.30
1	E	163	ILE	CB-CA-C	-6.09	99.42	111.60
2	S	380	ASP	CB-CG-OD1	6.03	123.73	118.30
2	S	365	ASP	CB-CG-OD1	6.03	123.72	118.30
1	E	25	ASP	CB-CG-OD2	-6.01	112.89	118.30
1	E	161	ASP	CB-CG-OD2	-5.98	112.92	118.30
1	E	255	VAL	CB-CA-C	-5.94	100.12	111.40
1	E	41	ASP	CB-CG-OD2	-5.87	113.02	118.30
2	S	380	ASP	CB-CG-OD2	-5.75	113.13	118.30
1	E	56	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	E	329	ASP	CB-CG-OD1	5.65	123.39	118.30
1	E	112	ASP	CB-CG-OD2	-5.54	113.31	118.30
1	E	134	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	E	165	ARG	NE-CZ-NH2	-5.39	117.61	120.30
2	S	365	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	E	204	TYR	CB-CG-CD2	5.20	124.12	121.00
2	S	375	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	E	324	THR	N-CA-CB	-5.18	100.45	110.30
1	E	164	TYR	O-C-N	-5.08	114.57	122.70
1	E	41	ASP	CB-CG-OD1	5.06	122.85	118.30
1	E	241	ASP	CB-CG-OD1	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2711	0	2593	91	0
2	S	155	0	145	4	0
3	E	27	0	12	3	0
4	E	8	0	18	0	0
5	E	149	0	0	9	0
5	S	19	0	0	0	0
All	All	3069	0	2768	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:285:LYS:HD3	1:E:286:ASN:H	1.12	1.12
1:E:73:ILE:HD13	1:E:335:ILE:HD11	1.51	0.93
1:E:285:LYS:HD3	1:E:286:ASN:N	1.87	0.88
1:E:268:LEU:HD22	1:E:272:LEU:HD22	1.55	0.88
1:E:210:ILE:HD13	1:E:247:TYR:HB3	1.59	0.84
1:E:305:ILE:HD13	1:E:310:VAL:HG21	1.66	0.78
1:E:134:ARG:HD2	5:E:479:HOH:O	1.85	0.76
1:E:11:GLU:C	1:E:12:GLN:O	2.15	0.73
1:E:236:PRO:HG2	1:E:239:PHE:HB3	1.69	0.73
1:E:142:HIS:CD2	1:E:313:PRO:HG2	2.26	0.71
1:E:104:VAL:HB	5:E:388:HOH:O	1.89	0.71
1:E:131:HIS:O	1:E:135:ILE:HG13	1.89	0.70
1:E:107:GLU:HB3	1:E:108:PHE:CD2	2.28	0.68
1:E:286:ASN:O	1:E:289:ASN:HB2	1.93	0.68
1:E:189:LYS:HG2	1:E:191:VAL:HG13	1.75	0.68
1:E:295:LYS:H	1:E:295:LYS:HD3	1.60	0.67
1:E:284:LEU:HB2	1:E:285:LYS:HD2	1.77	0.67
1:E:189:LYS:HE2	1:E:191:VAL:CG1	2.25	0.66
1:E:50:GLY:HA2	1:E:330:TYR:CE1	2.30	0.66
1:E:305:ILE:CD1	1:E:310:VAL:HG21	2.25	0.65
1:E:12:GLN:O	1:E:14:SER:N	2.28	0.65
1:E:200:GLY:O	2:S:378:ILE:HG13	1.97	0.65
1:E:52:GLY:HA3	3:E:381:ADP:O2B	1.98	0.64
1:E:103:LEU:HD22	1:E:185:PHE:HZ	1.62	0.64
1:E:305:ILE:HD13	1:E:310:VAL:CG2	2.31	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:47:LYS:HD3	1:E:324:THR:HG21	1.82	0.61
1:E:52:GLY:HA3	3:E:381:ADP:PB	2.41	0.60
1:E:284:LEU:HD12	1:E:284:LEU:N	2.15	0.60
1:E:303:ILE:O	1:E:307:GLN:HG3	1.99	0.60
1:E:247:TYR:O	1:E:251:VAL:HG22	2.01	0.60
1:E:284:LEU:H	1:E:284:LEU:HD12	1.66	0.59
1:E:92:LYS:HE3	1:E:350:PHE:OXT	2.02	0.59
1:E:326:ASN:HB2	5:E:410:HOH:O	2.01	0.59
1:E:262:SER:HB2	5:E:462:HOH:O	2.03	0.57
1:E:9:GLY:N	5:E:514:HOH:O	2.36	0.57
1:E:240:ALA:HB3	1:E:246:ILE:HG13	1.86	0.57
1:E:284:LEU:HD13	1:E:290:ASP:OD1	2.05	0.56
1:E:44:ASP:OD1	1:E:63:LYS:HE3	2.06	0.56
1:E:104:VAL:HG13	1:E:121:GLU:OE2	2.05	0.55
1:E:164:TYR:O	1:E:220:ASP:OD1	2.24	0.55
1:E:202:PRO:HA	1:E:205:LEU:HD22	1.88	0.55
1:E:277:LEU:HD12	1:E:277:LEU:N	2.21	0.55
1:E:221:TRP:CH2	1:E:288:VAL:HG23	2.41	0.54
2:S:379:HIS:O	2:S:380:ASP:OXT	2.25	0.54
1:E:295:LYS:H	1:E:295:LYS:CD	2.17	0.54
1:E:85:ILE:O	1:E:89:LEU:HG	2.07	0.54
1:E:216:ASN:HB2	5:E:542:HOH:O	2.08	0.54
1:E:158:HIS:HE1	1:E:220:ASP:OD2	1.92	0.53
1:E:50:GLY:HA2	1:E:330:TYR:CZ	2.45	0.52
1:E:10:SEP:O	1:E:12:GLN:O	2.27	0.51
1:E:203:GLU:OE2	2:S:371:ARG:HD3	2.10	0.51
1:E:323:ASP:OD2	1:E:325:SER:OG	2.30	0.50
1:E:277:LEU:H	1:E:277:LEU:CD1	2.24	0.50
1:E:323:ASP:CG	1:E:325:SER:HG	2.15	0.50
1:E:11:GLU:O	1:E:12:GLN:O	2.30	0.49
1:E:80:VAL:HG22	1:E:85:ILE:HD11	1.94	0.49
1:E:47:LYS:HE3	5:E:384:HOH:O	2.13	0.49
1:E:52:GLY:HA3	3:E:381:ADP:O3B	2.13	0.49
1:E:113:ASN:ND2	1:E:341:GLU:HB2	2.30	0.47
1:E:244:ILE:O	1:E:248:GLU:HG3	2.16	0.46
1:E:175:ASP:OD1	1:E:179:TYR:N	2.45	0.46
1:E:277:LEU:N	1:E:277:LEU:CD1	2.79	0.46
1:E:180:ILE:HG23	1:E:181:GLN:N	2.31	0.45
1:E:195:THR:CG2	1:E:215:TYR:CE1	3.00	0.45
1:E:62:HIS:HD2	1:E:65:SER:OG	1.99	0.45
1:E:335:ILE:O	1:E:335:ILE:HG22	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:59:LEU:HD22	1:E:60:VAL:N	2.33	0.44
1:E:191:VAL:HG23	1:E:191:VAL:O	2.17	0.44
1:E:157:LEU:O	1:E:162:LEU:HB2	2.16	0.44
1:E:272:LEU:HA	1:E:272:LEU:HD12	1.78	0.44
1:E:107:GLU:N	1:E:119:VAL:O	2.39	0.44
1:E:243:PRO:O	1:E:246:ILE:HB	2.18	0.44
1:E:95:LEU:HA	1:E:95:LEU:HD23	1.77	0.44
1:E:47:LYS:CE	1:E:324:THR:HG21	2.48	0.44
1:E:319:LYS:O	1:E:323:ASP:HB2	2.18	0.43
1:E:47:LYS:CD	1:E:324:THR:HG21	2.48	0.43
1:E:122:TYR:CE2	1:E:124:ALA:HB2	2.54	0.43
1:E:197:TPO:HG23	1:E:198:LEU:N	2.32	0.43
1:E:195:THR:HG23	1:E:215:TYR:CZ	2.54	0.43
1:E:59:LEU:HA	1:E:59:LEU:HD23	1.82	0.43
1:E:39:GLN:OE1	1:E:42:GLN:HG3	2.19	0.42
1:E:277:LEU:HD12	1:E:277:LEU:H	1.83	0.42
1:E:285:LYS:N	1:E:285:LYS:CD	2.81	0.42
1:E:338:SEP:C	1:E:340:ASN:H	2.33	0.42
1:E:192:LYS:NZ	5:E:490:HOH:O	2.54	0.41
1:E:25:ASP:N	1:E:25:ASP:OD2	2.53	0.41
1:E:32:THR:N	1:E:33:PRO:HD3	2.36	0.41
1:E:342:LYS:HA	1:E:342:LYS:HD3	1.76	0.41
1:E:75:ASP:O	1:E:79:VAL:HG23	2.21	0.41
1:E:228:ILE:O	1:E:229:TYR:C	2.58	0.40
2:S:371:ARG:HH11	2:S:371:ARG:HD3	1.67	0.40
1:E:273:LEU:HA	1:E:273:LEU:HD23	1.86	0.40
1:E:324:THR:HG23	5:E:384:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	337/350 (96%)	317 (94%)	18 (5%)	2 (1%)	28	29
2	S	18/20 (90%)	18 (100%)	0	0	100	100
All	All	355/370 (96%)	335 (94%)	18 (5%)	2 (1%)	28	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	12	GLN
1	E	53	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	271/302 (90%)	235 (87%)	36 (13%)	4	3
2	S	15/15 (100%)	14 (93%)	1 (7%)	19	21
All	All	286/317 (90%)	249 (87%)	37 (13%)	5	4

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	13	GLU
1	E	19	LEU
1	E	27	LEU
1	E	36	ASN
1	E	39	GLN
1	E	40	LEU
1	E	54	PHE
1	E	59	LEU
1	E	60	VAL
1	E	61	LYS
1	E	75	ASP
1	E	95	LEU
1	E	114	SER
1	E	120	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	121	GLU
1	E	160	LEU
1	E	162	LEU
1	E	163	ILE
1	E	180	ILE
1	E	198	LEU
1	E	205	LEU
1	E	210	ILE
1	E	244	ILE
1	E	245	GLN
1	E	268	LEU
1	E	269	LEU
1	E	272	LEU
1	E	278	THR
1	E	284	LEU
1	E	285	LYS
1	E	288	VAL
1	E	295	LYS
1	E	299	THR
1	E	335	ILE
1	E	343	CYS
1	E	348	THR
2	S	380	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	62	HIS
1	E	67	ASN
1	E	99	ASN
1	E	113	ASN
1	E	158	HIS
1	E	271	ASN
1	E	286	ASN
2	S	379	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SEP	E	10	1	9,9,10	0.99	0	9,12,14	2.33	2 (22%)
1	TPO	E	197	1	9,10,11	1.07	1 (11%)	10,14,16	1.78	4 (40%)
1	SEP	E	338	1	9,9,10	0.96	0	9,12,14	2.77	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	E	10	1	-	0/5/8/10	0/0/0/0
1	TPO	E	197	1	-	0/8/11/13	0/0/0/0
1	SEP	E	338	1	-	0/5/8/10	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	197	TPO	P-O3P	-2.04	1.46	1.54

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	338	SEP	O3P-P-O2P	-4.20	90.65	107.61
1	E	197	TPO	O3P-P-O1P	-2.96	98.90	110.50
1	E	197	TPO	CG2-CB-CA	-2.35	108.85	113.22
1	E	10	SEP	O-C-CA	-2.08	119.28	125.02
1	E	197	TPO	C-CA-N	2.40	114.69	109.86
1	E	197	TPO	O3P-P-O2P	2.63	118.21	107.61
1	E	338	SEP	OG-CB-CA	2.92	111.05	108.17
1	E	338	SEP	O3P-P-O1P	6.11	134.43	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	10	SEP	OG-CB-CA	6.36	114.44	108.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	10	SEP	1	0
1	E	197	TPO	1	0
1	E	338	SEP	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ADP	E	381	-	25,29,29	0.99	2 (8%)	24,45,45	0.91	0
4	OCT	E	382	-	7,7,7	0.57	0	6,6,6	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	E	381	-	-	0/12/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OCT	E	382	-	-	0/5/5/5	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	381	ADP	C8-N7	-2.29	1.30	1.34
3	E	381	ADP	PB-O3B	2.11	1.63	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	381	ADP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.