



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 05:18 pm GMT

PDB ID : 4JKK  
Title : Crystal Structure of Streptococcus agalactiae beta-glucuronidase in space group I222  
Authors : Wallace, B.D.; Redinbo, M.R.  
Deposited on : 2013-03-09  
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2542 (2.60-2.60)
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	602	<div> <div></div> <div>67%</div> <div>27%</div> <div>• •</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5121 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	588	Total	C	N	O	S	0	7	0
			4825	3092	811	901	21			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q8E0N2
A	-1	ASN	-	EXPRESSION TAG	UNP Q8E0N2
A	0	ALA	-	EXPRESSION TAG	UNP Q8E0N2

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	295	Total	O	0	0
			295	295		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Beta-glucuronidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.81Å 83.83Å 199.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.67 – 2.59 41.91 – 2.59	Depositor EDS
% Data completeness (in resolution range)	98.3 (99.67-2.59) 98.4 (41.91-2.59)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.33 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.146 , 0.215 0.144 , 0.216	Depositor DCC
$R_{free}$ test set	938 reflections (5.46%)	DCC
Wilson B-factor (Å <sup>2</sup> )	17.9	Xtriage
Anisotropy	0.425	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 47.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5121	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.73	3/4964 (0.1%)	0.72	1/6733 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	36[A]	GLU	CB-CG	5.43	1.62	1.52
1	A	36[C]	GLU	CB-CG	5.43	1.62	1.52
1	A	494	ASP	CB-CG	5.38	1.63	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	10	ARG	NE-CZ-NH2	-5.06	117.77	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4825	0	4702	133	0
2	A	1	0	0	0	0
3	A	295	0	0	23	0
All	All	5121	0	4702	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36[A]:GLU:HG3	3:A:957:HOH:O	1.10	1.23
1:A:370:ASP:HB3	1:A:371:ASN:HA	1.44	0.96
1:A:441:ASN:HD21	1:A:463:ARG:HH12	1.14	0.96
1:A:36[A]:GLU:CG	3:A:957:HOH:O	1.77	0.95
1:A:425[A]:LYS:NZ	3:A:960:HOH:O	2.03	0.90
1:A:358:GLN:NE2	3:A:908:HOH:O	2.07	0.85
1:A:417:HIS:H	1:A:451:GLN:HE21	1.22	0.84
1:A:552:GLU:OE1	3:A:981:HOH:O	1.95	0.83
1:A:439:LEU:HD13	1:A:452:VAL:HG11	1.59	0.83
1:A:132:ASP:HB3	1:A:134:THR:H	1.43	0.82
1:A:489:GLN:HE22	1:A:538:PRO:HD2	1.45	0.82
1:A:370:ASP:HB3	1:A:371:ASN:CA	2.12	0.80
1:A:45:ASN:HD21	1:A:165:ALA:H	1.30	0.78
1:A:441:ASN:ND2	1:A:463:ARG:HH12	1.80	0.78
1:A:350:GLU:HB3	1:A:404:VAL:HB	1.65	0.78
1:A:595:LYS:H	1:A:596:ASN:HA	1.46	0.78
1:A:383:HIS:HD2	1:A:419:TYR:OH	1.67	0.77
1:A:494:ASP:HA	3:A:918:HOH:O	1.84	0.77
1:A:446:THR:HG23	1:A:448:ASP:OD1	1.86	0.76
1:A:562:GLY:N	3:A:981:HOH:O	2.21	0.73
1:A:21:PHE:O	1:A:36[C]:GLU:HB2	1.89	0.71
1:A:91:TYR:HB2	1:A:124:SER:HB2	1.73	0.70
1:A:595:LYS:N	1:A:596:ASN:HA	2.08	0.68
1:A:371:ASN:CG	1:A:372:GLY:H	1.97	0.67
1:A:467:TRP:CZ2	1:A:505:ASP:HB2	2.30	0.67
1:A:48:MET:HE3	1:A:53:LYS:HE3	1.77	0.66
1:A:86:HIS:HE1	1:A:163:ASN:OD1	1.78	0.66
1:A:23:LEU:HD11	1:A:48:MET:HE2	1.78	0.65
1:A:51:LYS:HE2	1:A:55:ASP:OD2	1.97	0.64
1:A:425[A]:LYS:HG2	1:A:426:LEU:N	2.14	0.62
1:A:148:ASP:N	1:A:149:GLY:HA2	2.15	0.62
1:A:550:ASP:OD2	1:A:564:HIS:HD2	1.84	0.61
1:A:327:THR:HG21	1:A:337:MET:HE1	1.81	0.61
1:A:380:LYS:HE2	1:A:384:GLU:OE2	2.02	0.60
1:A:341:ASP:CG	1:A:398:PRO:HD2	2.21	0.60
1:A:562:GLY:CA	3:A:981:HOH:O	2.48	0.60
1:A:456:VAL:O	1:A:495:LYS:HE3	2.02	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:422:PRO:HA	1:A:425[A]:LYS:HD3	1.83	0.59
1:A:100:HIS:HD2	3:A:836:HOH:O	1.85	0.59
1:A:194:LEU:HG	1:A:284:ARG:NH1	2.18	0.58
1:A:350:GLU:CB	1:A:404:VAL:HB	2.34	0.58
1:A:140:ASN:HB2	1:A:156:ARG:HB3	1.86	0.58
1:A:446:THR:OG1	1:A:447:PRO:HD2	2.03	0.58
1:A:249:THR:HB	1:A:267:ASN:OD1	2.04	0.57
1:A:292:PHE:HE1	1:A:567:LEU:HD22	1.69	0.57
1:A:249:THR:HG22	3:A:863:HOH:O	2.04	0.57
1:A:93:ASP:OD2	1:A:115:LYS:HE3	2.03	0.57
1:A:182[A]:PHE:HE1	1:A:206:ASN:ND2	2.04	0.55
1:A:206:ASN:N	1:A:206:ASN:OD1	2.39	0.55
1:A:341:ASP:OD1	1:A:398:PRO:HD2	2.07	0.55
1:A:594:LYS:O	1:A:595:LYS:CB	2.54	0.54
1:A:489:GLN:HE21	1:A:539:ASN:HB2	1.72	0.54
1:A:314:LEU:HD22	1:A:339:LEU:HD13	1.89	0.53
1:A:439:LEU:HD13	1:A:452:VAL:CG1	2.36	0.53
1:A:240:TRP:CZ2	1:A:344:GLY:HA2	2.44	0.52
1:A:133:TYR:HB3	1:A:376:LEU:O	2.09	0.52
1:A:403:TRP:HB3	1:A:427:TYR:CE1	2.44	0.52
1:A:27:ASN:HD22	1:A:28:PRO:HD2	1.74	0.52
1:A:594:LYS:O	1:A:595:LYS:CG	2.58	0.52
1:A:72:SER:OG	1:A:74:ASP:OD1	2.28	0.52
1:A:595:LYS:H	1:A:596:ASN:CA	2.19	0.52
1:A:332:TYR:HB2	1:A:337:MET:CE	2.40	0.51
1:A:100:HIS:HE1	1:A:389:GLU:OE1	1.93	0.51
1:A:441:ASN:HD22	1:A:463:ARG:HH22	1.58	0.51
1:A:174:MET:HG3	3:A:838:HOH:O	2.10	0.51
1:A:177:PRO:HG3	3:A:932:HOH:O	2.11	0.51
1:A:512:SER:HB3	3:A:716:HOH:O	2.10	0.51
1:A:279:GLN:NE2	1:A:593:ASN:HD21	2.09	0.50
1:A:371:ASN:CG	1:A:372:GLY:N	2.64	0.50
1:A:218:ASP:HB2	1:A:246:TYR:OH	2.11	0.50
1:A:561:GLN:C	3:A:981:HOH:O	2.47	0.50
1:A:563:ASN:ND2	1:A:565:LYS:H	2.10	0.50
1:A:563:ASN:HD22	1:A:565:LYS:H	1.61	0.48
1:A:36[A]:GLU:HG2	3:A:957:HOH:O	1.78	0.48
1:A:482:ARG:HD2	3:A:917:HOH:O	2.14	0.48
1:A:350:GLU:HB3	1:A:404:VAL:CB	2.40	0.48
1:A:421[B]:GLU:HB3	1:A:422:PRO:HD3	1.96	0.48
1:A:383:HIS:CD2	1:A:419:TYR:OH	2.57	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:408:GLU:HB3	1:A:442:ILE:HG23	1.96	0.47
1:A:9:THR:O	1:A:177:PRO:HD3	2.14	0.47
1:A:289:PHE:HB2	1:A:542:GLY:HA3	1.96	0.47
1:A:43:SER:OG	1:A:168:HIS:CE1	2.68	0.47
1:A:442:ILE:HG13	3:A:827:HOH:O	2.15	0.47
1:A:489:GLN:HE22	1:A:538:PRO:CD	2.21	0.47
1:A:595:LYS:N	1:A:596:ASN:CA	2.77	0.47
1:A:489:GLN:NE2	1:A:539:ASN:H	2.11	0.47
1:A:146:GLN:C	1:A:148:ASP:H	2.18	0.46
1:A:48:MET:HE3	1:A:53:LYS:CE	2.43	0.46
1:A:443:LEU:HD22	1:A:443:LEU:O	2.15	0.46
1:A:298:THR:CG2	3:A:857:HOH:O	2.62	0.46
1:A:253:GLU:HG2	1:A:263:VAL:HG23	1.97	0.46
1:A:290:LYS:HD2	1:A:585:TRP:CD1	2.51	0.46
1:A:594:LYS:O	1:A:595:LYS:HB3	2.16	0.45
1:A:279:GLN:NE2	1:A:593:ASN:ND2	2.65	0.45
1:A:370:ASP:N	1:A:371:ASN:HB2	2.32	0.45
1:A:287:ILE:HD13	1:A:287:ILE:HA	1.88	0.45
1:A:146:GLN:O	1:A:147:GLU:HB2	2.17	0.45
1:A:446:THR:HG23	1:A:449:ARG:HG3	1.99	0.45
1:A:182[B]:PHE:CZ	1:A:204:GLU:OE1	2.70	0.44
1:A:531:HIS:HB3	1:A:584:ARG:NH2	2.32	0.44
1:A:160:ASP:O	1:A:160:ASP:CG	2.53	0.44
1:A:446:THR:CG2	1:A:449:ARG:HG3	2.47	0.44
1:A:85:THR:HA	1:A:86:HIS:HA	1.69	0.44
1:A:552:GLU:HA	1:A:552:GLU:OE1	2.17	0.44
1:A:513:THR:HG22	1:A:514:TRP:CD1	2.52	0.44
1:A:494:ASP:CA	3:A:918:HOH:O	2.55	0.44
1:A:328:SER:HA	1:A:329:HIS:HA	1.72	0.44
1:A:442:ILE:H	1:A:442:ILE:HG13	1.58	0.44
1:A:408:GLU:N	1:A:409:PRO:CD	2.81	0.43
1:A:507:LEU:HB2	1:A:510:LEU:HD22	1.98	0.43
1:A:535:ASP:OD2	1:A:584:ARG:NH2	2.52	0.43
1:A:391:VAL:O	1:A:395:LYS:HB3	2.18	0.43
1:A:481:ILE:HG23	1:A:533:VAL:HG21	2.01	0.43
1:A:494:ASP:HB3	3:A:918:HOH:O	2.18	0.43
1:A:61:TRP:CH2	1:A:126:CYS:HB2	2.54	0.42
1:A:132:ASP:HB2	1:A:135:THR:HG23	2.00	0.42
1:A:511:HIS:HD2	1:A:521:GLU:OE2	2.01	0.42
1:A:588:ILE:HA	1:A:589:PRO:HD3	1.92	0.42
1:A:479:VAL:O	1:A:483:LYS:HB2	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:THR:CG2	1:A:301:ASN:HB2	2.51	0.41
1:A:243:LEU:HD13	1:A:243:LEU:HA	1.85	0.41
1:A:117:ASN:HB2	3:A:898:HOH:O	2.20	0.41
1:A:61:TRP:CZ3	1:A:126:CYS:HB2	2.56	0.41
1:A:157:GLU:CD	1:A:157:GLU:H	2.22	0.41
1:A:298:THR:HG21	3:A:857:HOH:O	2.20	0.41
1:A:428:LYS:HE2	1:A:437:VAL:HG12	2.02	0.41
1:A:82:GLY:O	1:A:83:SER:HB3	2.21	0.41
1:A:199:LEU:HD21	1:A:270:LEU:HD21	2.02	0.41
1:A:157:GLU:OE2	1:A:554[B]:ASN:ND2	2.54	0.41
1:A:84:VAL:O	1:A:103:GLY:HA2	2.20	0.41
1:A:234:LEU:HD23	1:A:234:LEU:HA	1.92	0.40
1:A:31:LEU:HD23	3:A:846:HOH:O	2.21	0.40
1:A:492:PHE:HB3	1:A:495:LYS:HD2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	591/602 (98%)	563 (95%)	26 (4%)	2 (0%)	44 70

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	595	LYS
1	A	371	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	532/545 (98%)	489 (92%)	43 (8%)	14	26

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	1	MET
1	A	2	LEU
1	A	6	LEU
1	A	8	LYS
1	A	15	LEU
1	A	27	ASN
1	A	31	LEU
1	A	97	VAL
1	A	144	ILE
1	A	152	LYS
1	A	156	ARG
1	A	172	LYS
1	A	200	HIS
1	A	226	GLU
1	A	244	ASN
1	A	249	THR
1	A	259	GLN
1	A	260	LEU
1	A	271	ARG
1	A	290	LYS
1	A	298	THR
1	A	328	SER
1	A	336	MET
1	A	339	LEU
1	A	395	LYS
1	A	405	VAL
1	A	425[A]	LYS
1	A	425[B]	LYS
1	A	437	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	441	ASN
1	A	442	ILE
1	A	444	MET
1	A	483	LYS
1	A	500	THR
1	A	502	TYR
1	A	513	THR
1	A	556	MET
1	A	558	LEU
1	A	563	ASN
1	A	572	ARG
1	A	579	LYS
1	A	593	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	27	ASN
1	A	45	ASN
1	A	86	HIS
1	A	87	GLN
1	A	100	HIS
1	A	168	HIS
1	A	179	ASN
1	A	238	HIS
1	A	244	ASN
1	A	279	GLN
1	A	301	ASN
1	A	315	ASN
1	A	329	HIS
1	A	383	HIS
1	A	417	HIS
1	A	441	ASN
1	A	451	GLN
1	A	462	ASN
1	A	471	HIS
1	A	489	GLN
1	A	511	HIS
1	A	539	ASN
1	A	561	GLN
1	A	563	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	564	HIS
1	A	593	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	588/602 (97%)	-0.52	9 (1%) 74 69	2, 12, 29, 51	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	149	GLY	4.5
1	A	596	ASN	3.0
1	A	148	ASP	3.0
1	A	150	SER	3.0
1	A	448	ASP	2.8
1	A	258	ASN	2.7
1	A	370	ASP	2.6
1	A	151	ILE	2.2
1	A	147	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	A	601	1/1	0.97	0.10	-1.83	10,10,10,10	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.