



Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 10:41 pm GMT

PDB ID : 2K39
Title : Recognition dynamics up to microseconds revealed from RDC derived ubiquitin ensemble in solution
Authors : Lange, O.F.; Lakomek, N.A.; Fares, C.; Schroder, G.; Walter, K.; Becker, S.; Meiler, J.; Grubmuller, H.; Griesinger, C.; de Groot, B.L.
Deposited on : 2008-04-25

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : trunk28760
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	76	

2 Ensemble composition and analysis

This entry contains 116 models. Model 79 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:71 (71)	0.57	79

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 42, 44, 46, 47, 48, 50, 51, 52, 53, 54, 56, 57, 58, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 114, 115, 116
2	39, 59, 113
3	43, 72, 97
4	49, 55
5	30, 45
Single-model clusters	4; 22; 71

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1231 atoms, of which 629 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Ubiquitin.


Mol	Chain	Residues	Atoms						Trace
1	A	76	Total	C	H	N	O	S	0
			1231	378	629	105	118	1	

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Ubiquitin




4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.


4.2.1 Score per residue for model 1

- Molecule 1: Ubiquitin




4.2.2 Score per residue for model 2

- Molecule 1: Ubiquitin




4.2.3 Score per residue for model 3

- Molecule 1: Ubiquitin




4.2.4 Score per residue for model 4

- Molecule 1: Ubiquitin




4.2.5 Score per residue for model 5

- Molecule 1: Ubiquitin




4.2.6 Score per residue for model 6

- Molecule 1: Ubiquitin




4.2.7 Score per residue for model 7

- Molecule 1: Ubiquitin




4.2.8 Score per residue for model 8

- Molecule 1: Ubiquitin




4.2.9 Score per residue for model 9

- Molecule 1: Ubiquitin




4.2.10 Score per residue for model 10

- Molecule 1: Ubiquitin




4.2.11 Score per residue for model 11

- Molecule 1: Ubiquitin




4.2.12 Score per residue for model 12

- Molecule 1: Ubiquitin




4.2.13 Score per residue for model 13

- Molecule 1: Ubiquitin




4.2.14 Score per residue for model 14

- Molecule 1: Ubiquitin




4.2.15 Score per residue for model 15

- Molecule 1: Ubiquitin




4.2.16 Score per residue for model 16

- Molecule 1: Ubiquitin




4.2.17 Score per residue for model 17

- Molecule 1: Ubiquitin




4.2.18 Score per residue for model 18

- Molecule 1: Ubiquitin




4.2.19 Score per residue for model 19

- Molecule 1: Ubiquitin




4.2.20 Score per residue for model 20

- Molecule 1: Ubiquitin




4.2.21 Score per residue for model 21

- Molecule 1: Ubiquitin




4.2.22 Score per residue for model 22

- Molecule 1: Ubiquitin




4.2.23 Score per residue for model 23

- Molecule 1: Ubiquitin




4.2.24 Score per residue for model 24

- Molecule 1: Ubiquitin




4.2.25 Score per residue for model 25

- Molecule 1: Ubiquitin




4.2.26 Score per residue for model 26

- Molecule 1: Ubiquitin




4.2.27 Score per residue for model 27

- Molecule 1: Ubiquitin




4.2.28 Score per residue for model 28

- Molecule 1: Ubiquitin




4.2.29 Score per residue for model 29

- Molecule 1: Ubiquitin




4.2.30 Score per residue for model 30

- Molecule 1: Ubiquitin




4.2.31 Score per residue for model 31

- Molecule 1: Ubiquitin




4.2.32 Score per residue for model 32

- Molecule 1: Ubiquitin




4.2.33 Score per residue for model 33

- Molecule 1: Ubiquitin




4.2.34 Score per residue for model 34

- Molecule 1: Ubiquitin




4.2.35 Score per residue for model 35

- Molecule 1: Ubiquitin




4.2.36 Score per residue for model 36

- Molecule 1: Ubiquitin




4.2.37 Score per residue for model 37

- Molecule 1: Ubiquitin




4.2.38 Score per residue for model 38

- Molecule 1: Ubiquitin




4.2.39 Score per residue for model 39

- Molecule 1: Ubiquitin




4.2.40 Score per residue for model 40

- Molecule 1: Ubiquitin




4.2.41 Score per residue for model 41

- Molecule 1: Ubiquitin




4.2.42 Score per residue for model 42

- Molecule 1: Ubiquitin




4.2.43 Score per residue for model 43

- Molecule 1: Ubiquitin




4.2.44 Score per residue for model 44

- Molecule 1: Ubiquitin




4.2.45 Score per residue for model 45

- Molecule 1: Ubiquitin




4.2.46 Score per residue for model 46

- Molecule 1: Ubiquitin




4.2.47 Score per residue for model 47

- Molecule 1: Ubiquitin




4.2.48 Score per residue for model 48

- Molecule 1: Ubiquitin




4.2.49 Score per residue for model 49

- Molecule 1: Ubiquitin




4.2.50 Score per residue for model 50

- Molecule 1: Ubiquitin




4.2.51 Score per residue for model 51

- Molecule 1: Ubiquitin




4.2.52 Score per residue for model 52

- Molecule 1: Ubiquitin




4.2.53 Score per residue for model 53

- Molecule 1: Ubiquitin




4.2.54 Score per residue for model 54

- Molecule 1: Ubiquitin




4.2.55 Score per residue for model 55

- Molecule 1: Ubiquitin




4.2.56 Score per residue for model 56

- Molecule 1: Ubiquitin




4.2.57 Score per residue for model 57

- Molecule 1: Ubiquitin




4.2.58 Score per residue for model 58

- Molecule 1: Ubiquitin




4.2.59 Score per residue for model 59

- Molecule 1: Ubiquitin




4.2.60 Score per residue for model 60

- Molecule 1: Ubiquitin




4.2.61 Score per residue for model 61

- Molecule 1: Ubiquitin




4.2.62 Score per residue for model 62

- Molecule 1: Ubiquitin




4.2.63 Score per residue for model 63

- Molecule 1: Ubiquitin




4.2.64 Score per residue for model 64

- Molecule 1: Ubiquitin




4.2.65 Score per residue for model 65

- Molecule 1: Ubiquitin




4.2.66 Score per residue for model 66

- Molecule 1: Ubiquitin




4.2.67 Score per residue for model 67

- Molecule 1: Ubiquitin




4.2.68 Score per residue for model 68

- Molecule 1: Ubiquitin




4.2.69 Score per residue for model 69

- Molecule 1: Ubiquitin




4.2.70 Score per residue for model 70

- Molecule 1: Ubiquitin




4.2.71 Score per residue for model 71

- Molecule 1: Ubiquitin




4.2.72 Score per residue for model 72

- Molecule 1: Ubiquitin




4.2.73 Score per residue for model 73

- Molecule 1: Ubiquitin




4.2.74 Score per residue for model 74

- Molecule 1: Ubiquitin




4.2.75 Score per residue for model 75

- Molecule 1: Ubiquitin




4.2.76 Score per residue for model 76

- Molecule 1: Ubiquitin




4.2.77 Score per residue for model 77

- Molecule 1: Ubiquitin




4.2.78 Score per residue for model 78

- Molecule 1: Ubiquitin




4.2.79 Score per residue for model 79 (medoid)

- Molecule 1: Ubiquitin




4.2.80 Score per residue for model 80

- Molecule 1: Ubiquitin




4.2.81 Score per residue for model 81

- Molecule 1: Ubiquitin




4.2.82 Score per residue for model 82

- Molecule 1: Ubiquitin




4.2.83 Score per residue for model 83

- Molecule 1: Ubiquitin




4.2.84 Score per residue for model 84

- Molecule 1: Ubiquitin




4.2.85 Score per residue for model 85

- Molecule 1: Ubiquitin




4.2.86 Score per residue for model 86

- Molecule 1: Ubiquitin




4.2.87 Score per residue for model 87

- Molecule 1: Ubiquitin




4.2.88 Score per residue for model 88

- Molecule 1: Ubiquitin




4.2.89 Score per residue for model 89

- Molecule 1: Ubiquitin




4.2.90 Score per residue for model 90

- Molecule 1: Ubiquitin




4.2.91 Score per residue for model 91

- Molecule 1: Ubiquitin




4.2.92 Score per residue for model 92

- Molecule 1: Ubiquitin




4.2.93 Score per residue for model 93

- Molecule 1: Ubiquitin




4.2.94 Score per residue for model 94

- Molecule 1: Ubiquitin




4.2.95 Score per residue for model 95

- Molecule 1: Ubiquitin




4.2.96 Score per residue for model 96

- Molecule 1: Ubiquitin




4.2.97 Score per residue for model 97

- Molecule 1: Ubiquitin




4.2.98 Score per residue for model 98

- Molecule 1: Ubiquitin




4.2.99 Score per residue for model 99

- Molecule 1: Ubiquitin




4.2.100 Score per residue for model 100

- Molecule 1: Ubiquitin




4.2.101 Score per residue for model 101

- Molecule 1: Ubiquitin




4.2.102 Score per residue for model 102

- Molecule 1: Ubiquitin




4.2.103 Score per residue for model 103

- Molecule 1: Ubiquitin




4.2.104 Score per residue for model 104

- Molecule 1: Ubiquitin




4.2.105 Score per residue for model 105

- Molecule 1: Ubiquitin




4.2.106 Score per residue for model 106

- Molecule 1: Ubiquitin




4.2.107 Score per residue for model 107

- Molecule 1: Ubiquitin




4.2.108 Score per residue for model 108

- Molecule 1: Ubiquitin




4.2.109 Score per residue for model 109

- Molecule 1: Ubiquitin




4.2.110 Score per residue for model 110

- Molecule 1: Ubiquitin




4.2.111 Score per residue for model 111

- Molecule 1: Ubiquitin




4.2.112 Score per residue for model 112

- Molecule 1: Ubiquitin




4.2.113 Score per residue for model 113

- Molecule 1: Ubiquitin




4.2.114 Score per residue for model 114

- Molecule 1: Ubiquitin




4.2.115 Score per residue for model 115

- Molecule 1: Ubiquitin



4.2.116 Score per residue for model 116

- Molecule 1: Ubiquitin



5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: *simulated annealing*.

Of the 1000 calculated structures, 116 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
GROMACS	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.50±0.01	0±0/570 (0.0±0.0%)	1.95±0.08	13±3/770 (1.6±0.5%)
All	All	0.50	0/66120 (0.0%)	1.95	1455/89320 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.2±1.0
All	All	0	143

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	42	ARG	NE-CZ-NH2	-18.63	110.98	120.30	22	60
1	A	42	ARG	NE-CZ-NH1	18.09	129.34	120.30	112	53
1	A	54	ARG	NE-CZ-NH2	-16.76	111.92	120.30	5	48
1	A	54	ARG	NE-CZ-NH1	16.19	128.40	120.30	51	53
1	A	45	PHE	CB-CG-CD2	-15.33	110.07	120.80	2	21
1	A	59	TYR	CB-CG-CD1	-15.25	111.85	121.00	62	38
1	A	4	PHE	CB-CG-CD1	-12.51	112.04	120.80	37	20
1	A	52	ASP	CB-CG-OD1	11.53	128.68	118.30	85	20
1	A	32	ASP	CB-CG-OD2	-11.32	108.11	118.30	50	12
1	A	45	PHE	CB-CG-CD1	-10.98	113.11	120.80	57	28
1	A	17	VAL	CA-CB-CG2	10.72	126.99	110.90	83	13
1	A	46	ALA	CB-CA-C	10.67	126.10	110.10	9	12
1	A	52	ASP	CB-CG-OD2	-10.35	108.99	118.30	85	17
1	A	59	TYR	CB-CG-CD2	-10.05	114.97	121.00	48	33
1	A	42	ARG	NH1-CZ-NH2	-9.68	108.75	119.40	10	16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	4	PHE	CB-CG-CD2	9.44	127.41	120.80	91	30
1	A	42	ARG	CD-NE-CZ	9.39	136.74	123.60	19	23
1	A	4	PHE	CD1-CE1-CZ	-9.35	108.88	120.10	27	2
1	A	59	TYR	CG-CD1-CE1	-9.23	113.91	121.30	75	9
1	A	21	ASP	CB-CG-OD2	9.21	126.59	118.30	77	14
1	A	51	GLU	OE1-CD-OE2	-9.18	112.29	123.30	88	8
1	A	54	ARG	CD-NE-CZ	9.17	136.44	123.60	73	19
1	A	4	PHE	CG-CD1-CE1	9.17	130.88	120.80	27	1
1	A	58	ASP	CB-CG-OD1	9.15	126.54	118.30	47	17
1	A	9	THR	CA-CB-CG2	9.05	125.07	112.40	104	7
1	A	12	THR	CA-CB-CG2	8.99	124.99	112.40	40	6
1	A	26	VAL	CA-CB-CG1	8.96	124.34	110.90	63	13
1	A	39	ASP	CB-CG-OD1	8.84	126.26	118.30	36	29
1	A	34	GLU	OE1-CD-OE2	-8.73	112.82	123.30	52	12
1	A	43	LEU	CB-CA-C	8.57	126.48	110.20	55	4
1	A	58	ASP	CB-CG-OD2	-8.56	110.60	118.30	75	15
1	A	19	PRO	N-CA-CB	8.52	113.52	103.30	60	10
1	A	59	TYR	CG-CD2-CE2	8.47	128.08	121.30	103	20
1	A	32	ASP	CB-CG-OD1	8.41	125.87	118.30	12	18
1	A	59	TYR	CD1-CE1-CZ	-8.21	112.41	119.80	19	7
1	A	71	LEU	CB-CA-C	8.17	125.72	110.20	99	4
1	A	5	VAL	CA-CB-CG2	8.06	122.99	110.90	31	4
1	A	68	HIS	CA-CB-CG	8.01	127.21	113.60	30	4
1	A	21	ASP	CB-CG-OD1	7.95	125.45	118.30	61	22
1	A	39	ASP	CB-CG-OD2	-7.89	111.20	118.30	59	16
1	A	54	ARG	NH1-CZ-NH2	-7.72	110.90	119.40	18	12
1	A	59	TYR	CZ-CE2-CD2	-7.68	112.89	119.80	19	8
1	A	50	LEU	CB-CG-CD2	7.66	124.03	111.00	5	5
1	A	8	LEU	CB-CG-CD2	7.62	123.96	111.00	90	3
1	A	59	TYR	CD1-CG-CD2	7.61	126.27	117.90	82	9
1	A	7	THR	CA-CB-CG2	7.60	123.04	112.40	34	7
1	A	15	LEU	CB-CG-CD1	7.51	123.77	111.00	27	3
1	A	38	PRO	N-CA-CB	7.46	112.25	103.30	29	12
1	A	37	PRO	N-CA-CB	7.45	112.24	103.30	57	3
1	A	5	VAL	CA-CB-CG1	7.44	122.06	110.90	38	10
1	A	33	LYS	CA-CB-CG	7.41	129.71	113.40	24	2
1	A	66	THR	CA-CB-CG2	7.35	122.69	112.40	42	6
1	A	20	SER	N-CA-CB	-7.25	99.63	110.50	92	24
1	A	39	ASP	CA-CB-CG	7.24	129.33	113.40	88	3
1	A	2	GLN	N-CA-CB	-7.23	97.58	110.60	97	2
1	A	19	PRO	N-CD-CG	7.21	114.02	103.20	69	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	70	VAL	CB-CA-C	7.21	125.10	111.40	94	5
1	A	56	LEU	CB-CG-CD2	7.11	123.09	111.00	106	5
1	A	70	VAL	CA-CB-CG1	7.07	121.51	110.90	28	11
1	A	9	THR	CA-CB-OG1	7.05	123.80	109.00	47	2
1	A	1	MET	CG-SD-CE	7.04	111.47	100.20	12	3
1	A	14	THR	CA-CB-CG2	6.99	122.18	112.40	92	4
1	A	16	GLU	OE1-CD-OE2	-6.97	114.94	123.30	17	6
1	A	37	PRO	N-CD-CG	6.95	113.63	103.20	66	9
1	A	59	TYR	CB-CA-C	-6.92	96.55	110.40	7	1
1	A	64	GLU	OE1-CD-OE2	6.92	131.60	123.30	6	10
1	A	13	ILE	CA-CB-CG1	6.87	124.06	111.00	8	6
1	A	59	TYR	C-N-CA	6.86	138.84	121.70	58	4
1	A	18	GLU	N-CA-CB	-6.73	98.48	110.60	79	3
1	A	45	PHE	O-C-N	-6.70	111.99	122.70	101	2
1	A	12	THR	CA-CB-OG1	6.69	123.05	109.00	9	4
1	A	5	VAL	CB-CA-C	6.69	124.11	111.40	116	3
1	A	45	PHE	C-N-CA	6.66	138.36	121.70	65	1
1	A	28	ALA	N-CA-CB	-6.65	100.78	110.10	97	4
1	A	24	GLU	OE1-CD-OE2	-6.64	115.33	123.30	49	7
1	A	38	PRO	N-CD-CG	6.64	113.16	103.20	51	9
1	A	46	ALA	C-N-CA	6.63	136.23	122.30	17	2
1	A	39	ASP	CB-CA-C	6.63	123.65	110.40	73	1
1	A	46	ALA	N-CA-CB	6.62	119.37	110.10	21	9
1	A	70	VAL	CA-CB-CG2	6.60	120.80	110.90	29	9
1	A	55	THR	CA-CB-CG2	6.59	121.62	112.40	114	6
1	A	1	MET	CA-CB-CG	6.56	124.45	113.30	93	2
1	A	44	ILE	CA-CB-CG1	6.54	123.43	111.00	17	4
1	A	33	LYS	N-CA-CB	-6.54	98.83	110.60	28	1
1	A	37	PRO	CA-N-CD	-6.51	102.38	111.50	20	1
1	A	3	ILE	O-C-N	-6.51	112.29	122.70	79	1
1	A	5	VAL	CG1-CB-CG2	-6.49	100.51	110.90	95	3
1	A	66	THR	OG1-CB-CG2	-6.49	95.08	110.00	92	3
1	A	8	LEU	CB-CG-CD1	6.48	122.02	111.00	5	3
1	A	12	THR	OG1-CB-CG2	-6.45	95.16	110.00	65	3
1	A	56	LEU	CB-CA-C	6.45	122.45	110.20	46	2
1	A	58	ASP	CB-CA-C	-6.44	97.52	110.40	16	1
1	A	7	THR	OG1-CB-CG2	-6.44	95.19	110.00	93	1
1	A	14	THR	N-CA-CB	-6.43	98.08	110.30	100	2
1	A	18	GLU	OE1-CD-OE2	-6.43	115.58	123.30	82	6
1	A	7	THR	CA-CB-OG1	6.40	122.44	109.00	68	6
1	A	68	HIS	CB-CA-C	6.39	123.19	110.40	109	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	39	ASP	N-CA-CB	-6.35	99.17	110.60	102	4
1	A	28	ALA	O-C-N	6.35	132.86	122.70	74	1
1	A	4	PHE	CB-CA-C	-6.34	97.73	110.40	13	1
1	A	51	GLU	C-N-CA	6.34	137.54	121.70	77	3
1	A	71	LEU	CB-CG-CD1	6.34	121.77	111.00	43	6
1	A	67	LEU	CB-CG-CD2	6.32	121.74	111.00	46	5
1	A	1	MET	O-C-N	-6.29	112.64	122.70	76	2
1	A	45	PHE	CD1-CE1-CZ	-6.28	112.56	120.10	80	2
1	A	22	THR	CA-CB-OG1	6.28	122.18	109.00	108	3
1	A	32	ASP	CB-CA-C	6.28	122.95	110.40	25	4
1	A	43	LEU	CB-CG-CD1	6.28	121.67	111.00	116	1
1	A	28	ALA	CB-CA-C	6.27	119.50	110.10	23	6
1	A	42	ARG	CB-CG-CD	6.26	127.86	111.60	41	1
1	A	27	LYS	N-CA-CB	6.25	121.85	110.60	61	2
1	A	64	GLU	CB-CA-C	6.23	122.87	110.40	25	8
1	A	60	ASN	CB-CA-C	6.23	122.86	110.40	64	2
1	A	19	PRO	C-N-CA	6.23	137.28	121.70	96	3
1	A	3	ILE	CA-CB-CG1	6.21	122.81	111.00	1	2
1	A	22	THR	N-CA-CB	-6.21	98.50	110.30	77	1
1	A	26	VAL	CA-CB-CG2	6.19	120.18	110.90	48	4
1	A	31	GLN	CA-CB-CG	6.17	126.98	113.40	22	1
1	A	10	GLY	O-C-N	6.17	132.58	122.70	92	2
1	A	40	GLN	N-CA-CB	-6.15	99.53	110.60	74	5
1	A	69	LEU	CB-CG-CD1	6.15	121.45	111.00	116	2
1	A	17	VAL	CA-CB-CG1	6.13	120.09	110.90	45	6
1	A	26	VAL	CG1-CB-CG2	6.12	120.69	110.90	69	5
1	A	31	GLN	O-C-N	-6.12	112.91	122.70	38	1
1	A	54	ARG	O-C-N	-6.12	112.91	122.70	58	1
1	A	40	GLN	C-N-CA	6.11	136.98	121.70	22	2
1	A	34	GLU	CB-CA-C	6.11	122.62	110.40	22	2
1	A	9	THR	C-N-CA	6.10	135.11	122.30	11	2
1	A	52	ASP	OD1-CG-OD2	-6.09	111.72	123.30	68	1
1	A	23	ILE	CA-CB-CG2	6.06	123.03	110.90	76	3
1	A	65	SER	O-C-N	6.06	132.39	122.70	35	1
1	A	26	VAL	CB-CA-C	6.06	122.91	111.40	91	1
1	A	56	LEU	CB-CG-CD1	6.05	121.29	111.00	100	2
1	A	29	LYS	O-C-N	-6.03	113.05	122.70	6	1
1	A	22	THR	CA-CB-CG2	6.03	120.83	112.40	76	7
1	A	17	VAL	CB-CA-C	6.02	122.84	111.40	51	1
1	A	67	LEU	CB-CG-CD1	6.01	121.22	111.00	70	3
1	A	55	THR	CA-CB-OG1	6.00	121.61	109.00	109	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	16	GLU	CA-CB-CG	5.99	126.58	113.40	87	5
1	A	69	LEU	CA-CB-CG	5.99	129.08	115.30	76	1
1	A	8	LEU	CA-CB-CG	5.98	129.06	115.30	96	2
1	A	70	VAL	O-C-N	-5.97	113.14	122.70	114	2
1	A	44	ILE	CA-CB-CG2	5.97	122.85	110.90	33	2
1	A	57	SER	N-CA-CB	-5.96	101.56	110.50	113	6
1	A	51	GLU	N-CA-CB	-5.96	99.87	110.60	66	1
1	A	27	LYS	O-C-N	5.96	132.23	122.70	112	2
1	A	19	PRO	CA-N-CD	5.95	120.04	111.70	78	3
1	A	41	GLN	CA-CB-CG	5.95	126.49	113.40	72	2
1	A	2	GLN	CA-CB-CG	5.89	126.37	113.40	92	3
1	A	29	LYS	N-CA-CB	-5.89	100.00	110.60	46	2
1	A	62	GLN	C-N-CA	5.89	136.41	121.70	10	2
1	A	32	ASP	OD1-CG-OD2	-5.89	112.12	123.30	12	1
1	A	54	ARG	CA-CB-CG	5.88	126.35	113.40	42	5
1	A	7	THR	O-C-N	-5.88	113.30	122.70	111	1
1	A	25	ASN	O-C-N	-5.86	113.33	122.70	20	1
1	A	6	LYS	N-CA-CB	-5.83	100.10	110.60	33	1
1	A	62	GLN	N-CA-CB	5.82	121.08	110.60	98	1
1	A	32	ASP	O-C-N	-5.82	113.39	122.70	88	1
1	A	45	PHE	CB-CA-C	5.79	121.98	110.40	52	2
1	A	24	GLU	CA-CB-CG	5.78	126.11	113.40	104	2
1	A	23	ILE	CA-CB-CG1	5.77	121.96	111.00	40	3
1	A	50	LEU	CB-CG-CD1	5.77	120.81	111.00	67	4
1	A	9	THR	N-CA-CB	-5.76	99.35	110.30	1	3
1	A	63	LYS	CB-CA-C	5.76	121.92	110.40	1	1
1	A	11	LYS	CB-CA-C	-5.76	98.89	110.40	91	2
1	A	34	GLU	N-CA-CB	-5.75	100.24	110.60	94	2
1	A	52	ASP	CA-C-N	5.75	127.71	116.20	104	2
1	A	39	ASP	OD1-CG-OD2	-5.75	112.37	123.30	18	2
1	A	21	ASP	N-CA-CB	5.75	120.95	110.60	39	2
1	A	9	THR	O-C-N	-5.74	113.45	123.20	49	2
1	A	31	GLN	C-N-CA	5.74	136.04	121.70	109	3
1	A	59	TYR	O-C-N	-5.73	113.53	122.70	114	2
1	A	10	GLY	C-N-CA	5.73	136.02	121.70	18	2
1	A	34	GLU	C-N-CA	5.72	134.31	122.30	83	2
1	A	52	ASP	N-CA-CB	5.72	120.89	110.60	102	4
1	A	68	HIS	N-CA-CB	-5.70	100.33	110.60	45	4
1	A	42	ARG	CB-CA-C	5.70	121.80	110.40	28	5
1	A	49	GLN	CA-CB-CG	5.67	125.87	113.40	108	2
1	A	7	THR	C-N-CA	5.67	135.86	121.70	12	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	48	LYS	CB-CA-C	5.64	121.69	110.40	50	4
1	A	65	SER	CB-CA-C	-5.64	99.38	110.10	19	1
1	A	36	ILE	CA-CB-CG2	5.63	122.16	110.90	28	4
1	A	67	LEU	CA-CB-CG	5.63	128.25	115.30	71	1
1	A	70	VAL	C-N-CA	5.63	135.78	121.70	82	2
1	A	70	VAL	CG1-CB-CG2	-5.62	101.91	110.90	112	2
1	A	52	ASP	CB-CA-C	-5.62	99.16	110.40	39	2
1	A	43	LEU	CB-CG-CD2	5.61	120.54	111.00	83	2
1	A	71	LEU	C-N-CA	5.61	135.71	121.70	72	4
1	A	45	PHE	N-CA-CB	-5.59	100.53	110.60	74	1
1	A	69	LEU	CB-CA-C	5.59	120.81	110.20	78	3
1	A	29	LYS	C-N-CA	5.58	135.65	121.70	22	1
1	A	27	LYS	CA-CB-CG	5.57	125.65	113.40	59	1
1	A	57	SER	O-C-N	-5.57	113.79	122.70	64	1
1	A	14	THR	OG1-CB-CG2	-5.57	97.20	110.00	56	2
1	A	64	GLU	N-CA-CB	5.56	120.60	110.60	14	1
1	A	22	THR	OG1-CB-CG2	-5.55	97.23	110.00	3	1
1	A	54	ARG	CB-CA-C	-5.55	99.31	110.40	35	1
1	A	7	THR	N-CA-CB	-5.54	99.77	110.30	29	1
1	A	21	ASP	OD1-CG-OD2	-5.54	112.78	123.30	88	2
1	A	30	ILE	O-C-N	-5.53	113.85	122.70	27	1
1	A	21	ASP	C-N-CA	5.53	135.52	121.70	45	2
1	A	16	GLU	CG-CD-OE1	5.52	129.35	118.30	105	1
1	A	56	LEU	C-N-CA	5.51	135.49	121.70	54	2
1	A	16	GLU	N-CA-CB	-5.51	100.67	110.60	101	3
1	A	16	GLU	CG-CD-OE2	5.50	129.31	118.30	90	1
1	A	26	VAL	CA-C-O	-5.50	108.55	120.10	11	1
1	A	45	PHE	CZ-CE2-CD2	5.50	126.70	120.10	115	1
1	A	53	GLY	C-N-CA	5.50	135.44	121.70	10	2
1	A	38	PRO	C-N-CA	5.49	135.42	121.70	71	1
1	A	69	LEU	N-CA-CB	-5.47	99.45	110.40	13	1
1	A	11	LYS	N-CA-CB	-5.47	100.75	110.60	60	2
1	A	41	GLN	CB-CA-C	5.47	121.34	110.40	54	1
1	A	64	GLU	C-N-CA	5.47	135.37	121.70	36	1
1	A	53	GLY	CA-C-O	-5.46	110.77	120.60	27	1
1	A	49	GLN	N-CA-CB	-5.46	100.78	110.60	103	5
1	A	61	ILE	CA-CB-CG2	5.46	121.81	110.90	95	3
1	A	15	LEU	CB-CG-CD2	5.45	120.27	111.00	41	2
1	A	14	THR	CA-CB-OG1	5.44	120.43	109.00	52	2
1	A	15	LEU	CB-CA-C	-5.44	99.86	110.20	35	1
1	A	38	PRO	O-C-N	-5.43	114.00	122.70	113	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	31	GLN	CB-CA-C	-5.43	99.54	110.40	67	1
1	A	8	LEU	O-C-N	-5.42	114.03	122.70	13	1
1	A	35	GLY	O-C-N	5.41	131.36	122.70	68	1
1	A	63	LYS	CA-CB-CG	5.41	125.30	113.40	76	3
1	A	40	GLN	CA-CB-CG	5.41	125.30	113.40	51	1
1	A	63	LYS	N-CA-CB	5.41	120.33	110.60	36	1
1	A	44	ILE	CA-C-N	-5.40	105.31	117.20	101	1
1	A	65	SER	N-CA-CB	-5.40	102.40	110.50	25	1
1	A	20	SER	CB-CA-C	5.40	120.36	110.10	16	1
1	A	24	GLU	O-C-N	-5.40	114.06	122.70	71	1
1	A	63	LYS	C-N-CA	5.40	135.20	121.70	33	2
1	A	68	HIS	CG-ND1-CE1	-5.40	98.68	105.70	63	1
1	A	59	TYR	N-CA-CB	-5.39	100.89	110.60	103	2
1	A	59	TYR	CE1-CZ-CE2	5.39	128.42	119.80	19	1
1	A	64	GLU	CA-CB-CG	5.38	125.24	113.40	14	1
1	A	11	LYS	C-N-CA	5.38	135.15	121.70	36	2
1	A	17	VAL	CG1-CB-CG2	-5.37	102.30	110.90	60	1
1	A	58	ASP	C-N-CA	5.37	135.13	121.70	91	1
1	A	48	LYS	C-N-CA	5.36	135.11	121.70	15	2
1	A	20	SER	CA-C-O	-5.36	108.85	120.10	115	1
1	A	52	ASP	N-CA-C	-5.35	96.56	111.00	48	1
1	A	41	GLN	N-CA-CB	-5.34	100.98	110.60	73	2
1	A	52	ASP	CA-CB-CG	5.33	125.12	113.40	22	1
1	A	8	LEU	CB-CA-C	5.31	120.29	110.20	66	1
1	A	31	GLN	N-CA-CB	-5.31	101.04	110.60	111	1
1	A	64	GLU	CG-CD-OE1	-5.31	107.68	118.30	89	1
1	A	12	THR	N-CA-CB	-5.30	100.23	110.30	27	1
1	A	24	GLU	CB-CA-C	5.30	120.99	110.40	22	1
1	A	44	ILE	CB-CA-C	5.29	122.19	111.60	27	1
1	A	62	GLN	CA-CB-CG	5.29	125.03	113.40	111	1
1	A	69	LEU	N-CA-C	-5.29	96.73	111.00	32	1
1	A	47	GLY	O-C-N	5.28	131.15	122.70	105	1
1	A	43	LEU	CA-CB-CG	5.28	127.44	115.30	10	1
1	A	4	PHE	CG-CD2-CE2	-5.28	115.00	120.80	36	1
1	A	18	GLU	CA-CB-CG	5.27	124.99	113.40	71	1
1	A	61	ILE	C-N-CA	5.26	134.85	121.70	69	1
1	A	18	GLU	CB-CA-C	5.25	120.91	110.40	97	1
1	A	68	HIS	O-C-N	5.25	131.09	122.70	12	1
1	A	69	LEU	CB-CG-CD2	5.24	119.91	111.00	67	1
1	A	9	THR	OG1-CB-CG2	-5.24	97.96	110.00	34	2
1	A	29	LYS	CD-CE-NZ	5.24	123.74	111.70	89	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	23	ILE	O-C-N	-5.23	114.33	122.70	32	1
1	A	40	GLN	CB-CA-C	5.23	120.87	110.40	85	3
1	A	2	GLN	CB-CA-C	-5.23	99.94	110.40	79	1
1	A	36	ILE	CA-CB-CG1	5.23	120.93	111.00	14	2
1	A	68	HIS	C-N-CA	5.22	134.76	121.70	74	2
1	A	2	GLN	C-N-CA	5.22	134.75	121.70	17	1
1	A	35	GLY	C-N-CA	5.22	134.74	121.70	108	1
1	A	13	ILE	CB-CA-C	5.21	122.03	111.60	18	3
1	A	61	ILE	CB-CA-C	5.21	122.01	111.60	86	1
1	A	57	SER	CB-CA-C	5.21	119.99	110.10	74	1
1	A	16	GLU	CB-CA-C	5.21	120.81	110.40	106	1
1	A	27	LYS	CB-CG-CD	5.20	125.13	111.60	28	1
1	A	16	GLU	C-N-CA	5.20	134.69	121.70	25	2
1	A	30	ILE	CA-CB-CG1	5.20	120.87	111.00	36	1
1	A	48	LYS	N-CA-CB	-5.19	101.25	110.60	10	2
1	A	43	LEU	C-N-CA	5.19	134.67	121.70	70	2
1	A	67	LEU	CB-CA-C	5.18	120.05	110.20	115	2
1	A	26	VAL	O-C-N	-5.18	114.41	122.70	70	2
1	A	42	ARG	CA-CB-CG	5.18	124.79	113.40	38	1
1	A	50	LEU	C-N-CA	5.17	134.62	121.70	37	1
1	A	42	ARG	N-CA-CB	-5.17	101.29	110.60	46	2
1	A	13	ILE	N-CA-C	-5.17	97.05	111.00	78	1
1	A	34	GLU	CG-CD-OE1	5.17	128.63	118.30	52	1
1	A	40	GLN	CG-CD-OE1	-5.16	111.29	121.60	21	1
1	A	28	ALA	C-N-CA	5.15	134.57	121.70	110	1
1	A	30	ILE	CB-CA-C	5.15	121.89	111.60	1	1
1	A	60	ASN	N-CA-CB	5.14	119.86	110.60	68	1
1	A	4	PHE	CA-CB-CG	5.14	126.25	113.90	101	1
1	A	39	ASP	C-N-CA	5.14	134.56	121.70	107	1
1	A	53	GLY	O-C-N	5.14	130.93	122.70	104	1
1	A	44	ILE	O-C-N	-5.13	114.48	122.70	48	1
1	A	45	PHE	N-CA-C	-5.13	97.14	111.00	104	1
1	A	58	ASP	OD1-CG-OD2	-5.13	113.55	123.30	47	1
1	A	58	ASP	N-CA-CB	5.13	119.84	110.60	35	1
1	A	34	GLU	N-CA-C	5.13	124.85	111.00	33	1
1	A	45	PHE	CG-CD2-CE2	-5.12	115.16	120.80	66	2
1	A	4	PHE	CD1-CG-CD2	5.12	124.96	118.30	36	1
1	A	16	GLU	N-CA-C	-5.12	97.18	111.00	6	1
1	A	38	PRO	CA-N-CD	5.11	118.86	111.70	80	1
1	A	7	THR	CB-CA-C	5.11	125.39	111.60	15	1
1	A	62	GLN	CB-CA-C	5.11	120.61	110.40	104	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	22	THR	CB-CA-C	5.10	125.37	111.60	60	1
1	A	71	LEU	O-C-N	-5.10	114.54	122.70	33	1
1	A	20	SER	O-C-N	-5.09	114.55	122.70	81	1
1	A	50	LEU	O-C-N	5.09	130.85	122.70	92	1
1	A	13	ILE	O-C-N	-5.09	114.56	122.70	35	1
1	A	55	THR	O-C-N	-5.08	114.57	122.70	92	2
1	A	46	ALA	O-C-N	-5.07	114.57	123.20	83	1
1	A	21	ASP	CB-CA-C	-5.07	100.26	110.40	32	2
1	A	5	VAL	N-CA-C	-5.07	97.32	111.00	44	1
1	A	8	LEU	C-N-CA	5.07	134.36	121.70	84	1
1	A	24	GLU	CG-CD-OE1	5.06	128.41	118.30	107	1
1	A	12	THR	O-C-N	-5.05	114.61	122.70	9	1
1	A	6	LYS	CB-CA-C	5.05	120.51	110.40	14	1
1	A	60	ASN	O-C-N	-5.05	114.62	122.70	53	1
1	A	15	LEU	CA-CB-CG	5.04	126.89	115.30	13	1
1	A	24	GLU	N-CA-CB	-5.04	101.53	110.60	2	1
1	A	22	THR	O-C-N	-5.04	114.64	122.70	83	1
1	A	50	LEU	CB-CA-C	-5.03	100.64	110.20	93	2
1	A	31	GLN	CG-CD-NE2	5.03	128.78	116.70	59	1
1	A	18	GLU	CG-CD-OE1	5.03	128.36	118.30	66	1
1	A	23	ILE	C-N-CA	5.03	134.27	121.70	1	1
1	A	3	ILE	CA-CB-CG2	5.03	120.95	110.90	96	1
1	A	24	GLU	CA-C-N	5.02	128.25	117.20	39	1
1	A	14	THR	N-CA-C	-5.02	97.45	111.00	64	1
1	A	17	VAL	O-C-N	-5.02	114.67	122.70	99	1
1	A	60	ASN	CA-CB-CG	-5.01	102.38	113.40	72	1
1	A	66	THR	C-N-CA	5.00	134.21	121.70	94	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	59	TYR	Sidechain	35
1	A	42	ARG	Sidechain,Mainchain,Peptide	12
1	A	45	PHE	Sidechain	10
1	A	41	GLN	Peptide	8
1	A	4	PHE	Sidechain,Peptide	8
1	A	9	THR	Peptide,Mainchain	8
1	A	54	ARG	Sidechain	7
1	A	33	LYS	Peptide	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	17	VAL	Peptide	4
1	A	70	VAL	Mainchain,Peptide	3
1	A	62	GLN	Mainchain,Peptide	3
1	A	71	LEU	Peptide	3
1	A	68	HIS	Sidechain	3
1	A	51	GLU	Peptide,Mainchain	3
1	A	52	ASP	Mainchain	2
1	A	15	LEU	Mainchain	2
1	A	39	ASP	Sidechain,Mainchain	2
1	A	23	ILE	Mainchain	2
1	A	50	LEU	Peptide	2
1	A	11	LYS	Mainchain,Peptide	2
1	A	22	THR	Peptide	1
1	A	37	PRO	Mainchain	1
1	A	24	GLU	Mainchain	1
1	A	43	LEU	Mainchain	1
1	A	34	GLU	Peptide	1
1	A	25	ASN	Mainchain	1
1	A	61	ILE	Peptide	1
1	A	56	LEU	Mainchain	1
1	A	13	ILE	Peptide	1
1	A	31	GLN	Mainchain	1
1	A	26	VAL	Mainchain	1
1	A	30	ILE	Mainchain	1
1	A	32	ASP	Mainchain	1
1	A	38	PRO	Mainchain	1
1	A	2	GLN	Peptide	1
1	A	47	GLY	Mainchain	1
1	A	66	THR	Mainchain	1
1	A	28	ALA	Mainchain	1
1	A	21	ASP	Mainchain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	563	586	586	0±1
All	All	65308	67976	67976	46

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:8:LEU:HD13	1:A:8:LEU:H	0.65	1.51	48	2
1:A:7:THR:HG22	1:A:69:LEU:HD12	0.55	1.79	58	1
1:A:8:LEU:HD23	1:A:8:LEU:H	0.55	1.61	99	1
1:A:8:LEU:H	1:A:8:LEU:CD1	0.53	2.17	61	1
1:A:30:ILE:CG2	1:A:36:ILE:HD12	0.52	2.35	97	1
1:A:18:GLU:O	1:A:21:ASP:HB2	0.51	2.06	37	1
1:A:49:GLN:HE21	1:A:49:GLN:H	0.48	1.51	29	1
1:A:42:ARG:CZ	1:A:70:VAL:HG12	0.48	2.39	10	1
1:A:71:LEU:HD22	1:A:71:LEU:O	0.47	2.09	63	1
1:A:61:ILE:HD13	1:A:67:LEU:HD21	0.47	1.86	69	1
1:A:23:ILE:HG23	1:A:43:LEU:HD13	0.47	1.86	8	1
1:A:13:ILE:N	1:A:13:ILE:HD13	0.46	2.24	74	1
1:A:71:LEU:N	1:A:71:LEU:HD12	0.46	2.26	64	1
1:A:3:ILE:HD12	1:A:67:LEU:HD22	0.46	1.87	44	1
1:A:45:PHE:CG	1:A:46:ALA:N	0.45	2.84	22	1
1:A:21:ASP:O	1:A:55:THR:HA	0.44	2.13	66	1
1:A:27:LYS:HB3	1:A:38:PRO:HB3	0.44	1.90	2	1
1:A:17:VAL:HG21	1:A:56:LEU:CD1	0.44	2.42	77	1
1:A:11:LYS:NZ	1:A:34:GLU:OE1	0.44	2.50	30	1
1:A:4:PHE:CE1	1:A:14:THR:HG23	0.44	2.47	4	1
1:A:43:LEU:HD12	1:A:67:LEU:HD22	0.44	1.88	16	1
1:A:54:ARG:HB2	1:A:59:TYR:CE2	0.43	2.48	9	1
1:A:8:LEU:N	1:A:8:LEU:HD22	0.43	2.27	60	1
1:A:70:VAL:HG12	1:A:71:LEU:N	0.43	2.28	100	1
1:A:5:VAL:HG21	1:A:15:LEU:HD12	0.43	1.91	63	1
1:A:70:VAL:HG22	1:A:71:LEU:H	0.43	1.73	22	1
1:A:26:VAL:HG21	1:A:56:LEU:HD21	0.42	1.91	86	1
1:A:36:ILE:N	1:A:36:ILE:HD12	0.42	2.28	80	1
1:A:45:PHE:CE2	1:A:61:ILE:HG12	0.42	2.49	110	1
1:A:56:LEU:N	1:A:56:LEU:CD1	0.42	2.83	84	1
1:A:27:LYS:NZ	1:A:52:ASP:OD2	0.41	2.47	115	1
1:A:42:ARG:CZ	1:A:70:VAL:CG1	0.41	2.98	10	1
1:A:21:ASP:OD2	1:A:29:LYS:NZ	0.41	2.51	38	1
1:A:14:THR:O	1:A:33:LYS:NZ	0.41	2.51	79	1
1:A:11:LYS:NZ	1:A:34:GLU:OE2	0.41	2.47	44	1
1:A:21:ASP:OD1	1:A:25:ASN:ND2	0.41	2.50	39	1
1:A:67:LEU:N	1:A:67:LEU:HD12	0.41	2.30	12	1
1:A:1:MET:N	1:A:16:GLU:OE2	0.40	2.42	35	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:51:GLU:OE1	1:A:54:ARG:NE	0.40	2.53	5	1
1:A:56:LEU:H	1:A:56:LEU:HD22	0.40	1.75	43	1
1:A:23:ILE:HD12	1:A:50:LEU:HD13	0.40	1.93	47	1
1:A:43:LEU:HD22	1:A:50:LEU:HD22	0.40	1.92	8	1
1:A:23:ILE:HD12	1:A:54:ARG:O	0.40	2.16	2	1
1:A:3:ILE:O	1:A:14:THR:HA	0.40	2.16	90	1
1:A:22:THR:HA	1:A:54:ARG:O	0.40	2.16	77	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	70/76 (92%)	65±2 (93±3%)	4±2 (6±3%)	1±1 (1±1%)	21	68
All	All	8120/8816 (92%)	7542 (93%)	490 (6%)	88 (1%)	21	68

All 30 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	60	ASN	15
1	A	46	ALA	11
1	A	63	LYS	8
1	A	64	GLU	6
1	A	8	LEU	5
1	A	52	ASP	5
1	A	23	ILE	4
1	A	39	ASP	4
1	A	18	GLU	3
1	A	19	PRO	3
1	A	9	THR	2
1	A	38	PRO	2
1	A	62	GLN	2
1	A	24	GLU	2
1	A	26	VAL	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	35	GLY	1
1	A	27	LYS	1
1	A	57	SER	1
1	A	40	GLN	1
1	A	10	GLY	1
1	A	68	HIS	1
1	A	11	LYS	1
1	A	49	GLN	1
1	A	65	SER	1
1	A	70	VAL	1
1	A	16	GLU	1
1	A	32	ASP	1
1	A	56	LEU	1
1	A	17	VAL	1
1	A	45	PHE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	65/68 (96%)	61±2 (94±3%)	4±2 (6±3%)	30	76
All	All	7540/7888 (96%)	7122 (94%)	418 (6%)	30	76

All 56 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	63	LYS	25
1	A	15	LEU	24
1	A	71	LEU	23
1	A	49	GLN	23
1	A	8	LEU	22
1	A	31	GLN	19
1	A	39	ASP	17
1	A	21	ASP	15
1	A	52	ASP	14
1	A	16	GLU	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	43	LEU	10
1	A	54	ARG	10
1	A	60	ASN	10
1	A	1	MET	9
1	A	67	LEU	9
1	A	64	GLU	8
1	A	59	TYR	8
1	A	62	GLN	8
1	A	24	GLU	8
1	A	33	LYS	7
1	A	44	ILE	7
1	A	40	GLN	7
1	A	69	LEU	7
1	A	2	GLN	7
1	A	9	THR	6
1	A	25	ASN	6
1	A	32	ASP	6
1	A	56	LEU	6
1	A	17	VAL	6
1	A	42	ARG	6
1	A	18	GLU	5
1	A	68	HIS	5
1	A	45	PHE	5
1	A	13	ILE	4
1	A	57	SER	4
1	A	41	GLN	4
1	A	20	SER	4
1	A	12	THR	3
1	A	58	ASP	3
1	A	14	THR	3
1	A	36	ILE	3
1	A	23	ILE	3
1	A	48	LYS	3
1	A	50	LEU	3
1	A	11	LYS	3
1	A	3	ILE	2
1	A	29	LYS	2
1	A	65	SER	2
1	A	70	VAL	2
1	A	66	THR	2
1	A	19	PRO	2
1	A	61	ILE	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	4	PHE	1
1	A	7	THR	1
1	A	26	VAL	1
1	A	5	VAL	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided