



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 06:14 am GMT

PDB ID : 1K6L
Title : Photosynthetic Reaction Center from Rhodobacter sphaeroides
Authors : Pokkuluri, P.R.; Laible, P.D.; Deng, Y.-L.; Wong, T.N.; Hanson, D.K.; Schiffer, M.
Deposited on : 2001-10-16
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1001 (3.12-3.08)
Clashscore	112137	1099 (3.12-3.08)
Ramachandran outliers	110173	1057 (3.12-3.08)
Sidechain outliers	110143	1057 (3.12-3.08)
RSRZ outliers	101464	1006 (3.12-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	<div> <div>70%</div> <div>26%</div> <div>• •</div> </div>
2	M	314	<div> <div>%</div> <div>66%</div> <div>26%</div> <div>5%</div> <div>•</div> </div>
3	H	260	<div> <div>%</div> <div>62%</div> <div>26%</div> <div>•</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	LDA	H	703	-	-	-	X
10	LDA	L	709	-	-	-	X
10	LDA	M	701	-	-	-	X
10	LDA	M	704	-	-	-	X
5	BCL	L	304	X	-	-	-
5	BCL	M	501	X	-	-	X
6	BPH	M	401	X	-	-	-
7	U10	L	502	-	-	-	X
8	SPN	M	600	-	-	-	X
9	CDL	M	800	-	-	-	X

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 7285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOTOSYNTHETIC REACTION CENTER L SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	0	0
			2232	1507	355	362	8			

- Molecule 2 is a protein called PHOTOSYNTHETIC REACTION CENTER M SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	0	0
			2408	1607	394	397	10			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	308	HIS	-	EXPRESSION TAG	UNP P02953
M	309	HIS	-	EXPRESSION TAG	UNP P02953
M	310	HIS	-	EXPRESSION TAG	UNP P02953
M	311	HIS	-	EXPRESSION TAG	UNP P02953
M	312	HIS	-	EXPRESSION TAG	UNP P02953
M	313	HIS	-	EXPRESSION TAG	UNP P02953
M	314	HIS	-	EXPRESSION TAG	UNP P02953


- Molecule 3 is a protein called PHOTOSYNTHETIC REACTION CENTER H SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	240	Total	C	N	O	S	0	0	0
			1829	1169	314	337	9			

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	M	1	Total	Fe	0	0
			1	1		

- Molecule 5 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 6 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: C₅₅H₇₆N₄O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	M	1	Total	C	N	O	10	0
			65	55	4	6		
6	L	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 7 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	M	1	Total	C	O	0	0
			48	44	4		
7	L	1	Total	C	O	0	0
			48	44	4		

- Molecule 8 is SPEROIDENONE (three-letter code: SPN) (formula: $C_{41}H_{70}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	M	1	Total	C	O	0	0
			43	41	2		

- Molecule 9 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 10 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula: $C_{14}H_{31}NO$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	H	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	L	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	H	60	Total	O	0	0
			60	60		
11	L	37	Total	O	0	0
			37	37		
11	M	40	Total	O	0	0
			40	40		

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	141.50Å 141.50Å 187.20Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 3.10 19.95 – 3.10	Depositor EDS
% Data completeness (in resolution range)	81.4 (10.00-3.10) 92.2 (19.95-3.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.90 (at 3.09Å)	Xtriage
Refinement program	?	Depositor
R, R_{free}	0.193 , 0.194 0.186 , 0.184	Depositor DCC
R_{free} test set	2565 reflections (7.53%)	DCC
Wilson B-factor (Å ²)	58.6	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 78.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7285	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, LDA, CDL, BPH, FE, SPN, U10

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.95	0/2320	1.09	14/3175 (0.4%)
2	M	1.03	0/2500	1.10	16/3413 (0.5%)
3	H	0.92	1/1877 (0.1%)	1.20	19/2553 (0.7%)
All	All	0.97	1/6697 (0.0%)	1.13	49/9141 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	250	SER	C-O	5.51	1.33	1.23

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	103	ARG	NE-CZ-NH1	11.03	125.82	120.30
1	L	217	ARG	NE-CZ-NH2	8.65	124.62	120.30
3	H	202	ARG	NE-CZ-NH2	7.42	124.01	120.30
3	H	154	ARG	NE-CZ-NH2	7.38	123.99	120.30
3	H	117	ARG	NE-CZ-NH2	7.33	123.96	120.30
3	H	70	ARG	NE-CZ-NH2	7.32	123.96	120.30
2	M	164	ARG	NE-CZ-NH2	7.31	123.96	120.30
2	M	247	ARG	NE-CZ-NH2	7.29	123.94	120.30
3	H	37	ARG	NE-CZ-NH2	7.26	123.93	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	231	ARG	NE-CZ-NH2	7.26	123.93	120.30
2	M	13	ARG	NE-CZ-NH2	7.26	123.93	120.30
3	H	248	ARG	NE-CZ-NH2	7.20	123.90	120.30
1	L	217	ARG	NH1-CZ-NH2	-6.99	111.71	119.40
1	L	207	ARG	NE-CZ-NH2	6.81	123.71	120.30
2	M	228	ARG	NE-CZ-NH2	6.75	123.68	120.30
3	H	189	ARG	NE-CZ-NH2	6.69	123.65	120.30
1	L	135	ARG	NE-CZ-NH2	6.51	123.56	120.30
2	M	253	ARG	NE-CZ-NH2	6.50	123.55	120.30
2	M	136	ARG	NE-CZ-NH2	6.45	123.53	120.30
1	L	103	ARG	NH1-CZ-NH2	-6.42	112.33	119.40
3	H	83	ARG	NE-CZ-NH2	6.42	123.51	120.30
3	H	177	ARG	NE-CZ-NH2	6.40	123.50	120.30
2	M	132	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	L	280	ASN	O-C-N	-6.34	112.42	123.20
1	L	7	ARG	NE-CZ-NH2	6.26	123.43	120.30
2	M	241	ARG	NE-CZ-NH2	6.24	123.42	120.30
1	L	10	ARG	NE-CZ-NH2	6.13	123.36	120.30
2	M	20	MET	CG-SD-CE	6.09	109.95	100.20
3	H	175	MET	CG-SD-CE	6.07	109.92	100.20
2	M	158	MET	CG-SD-CE	6.07	109.91	100.20
3	H	36	MET	CG-SD-CE	6.07	109.90	100.20
1	L	206	MET	CG-SD-CE	6.01	109.82	100.20
3	H	89	ARG	NE-CZ-NH2	6.01	123.30	120.30
1	L	174	MET	CG-SD-CE	5.88	109.61	100.20
2	M	1	ALA	CB-CA-C	5.87	118.91	110.10
3	H	134	MET	CG-SD-CE	5.87	109.60	100.20
2	M	142	MET	CG-SD-CE	5.81	109.49	100.20
3	H	242	MET	CG-SD-CE	5.79	109.46	100.20
3	H	193	MET	CG-SD-CE	5.75	109.40	100.20
2	M	272	MET	CG-SD-CE	5.73	109.36	100.20
1	L	138	MET	CG-SD-CE	5.69	109.31	100.20
3	H	178	PHE	CB-CA-C	-5.68	99.03	110.40
2	M	122	MET	CG-SD-CE	5.66	109.26	100.20
3	H	105	MET	CG-SD-CE	5.64	109.23	100.20
2	M	65	MET	CG-SD-CE	5.63	109.21	100.20
3	H	195	MET	CG-SD-CE	5.56	109.10	100.20
3	H	118	ARG	NE-CZ-NH2	5.53	123.06	120.30
2	M	168	MET	CG-SD-CE	5.34	108.75	100.20
1	L	2	LEU	CB-CA-C	-5.06	100.58	110.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	280	ASN	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2232	0	2187	72	0
2	M	2408	0	2321	76	0
3	H	1829	0	1836	48	0
4	M	1	0	0	0	0
5	L	132	0	148	16	0
5	M	132	0	148	18	0
6	L	65	0	76	2	0
6	M	65	0	76	1	0
7	L	48	0	63	6	0
7	M	48	0	63	6	0
8	M	43	0	69	1	0
9	M	81	0	106	1	0
10	H	16	0	31	4	0
10	L	16	0	31	3	0
10	M	32	0	62	4	0
11	H	60	0	0	2	0
11	L	37	0	0	1	0
11	M	40	0	0	1	0
All	All	7285	0	7217	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:33:THR:O	3:H:59:PRO:HG3	1.69	0.91
1:L:34:PHE:O	1:L:38:THR:HG23	1.71	0.89
7:M:503:U10:H202	10:H:703:LDA:H112	1.54	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:204:LEU:HB3	2:M:279:THR:HG21	1.56	0.85
2:M:197:PHE:HZ	5:M:502:BCL:HBB2	1.47	0.80
5:L:302:BCL:HHC	5:L:302:BCL:OBB	1.81	0.79
1:L:179:PHE:CE1	7:L:502:U10:H18	2.21	0.76
2:M:21:THR:CG2	2:M:26:LEU:HD11	2.15	0.76
2:M:21:THR:HG23	2:M:26:LEU:HD21	1.67	0.76
2:M:197:PHE:CZ	5:M:502:BCL:HBB2	2.22	0.75
5:M:502:BCL:HHC	5:M:502:BCL:CBB	2.19	0.73
2:M:270:ILE:HD13	9:M:800:CDL:H711	1.71	0.72
1:L:91:ILE:HG13	10:L:709:LDA:H91	1.71	0.72
2:M:152:SER:O	2:M:155:TRP:HB3	1.91	0.70
2:M:208:PHE:HE1	10:M:701:LDA:H91	1.55	0.70
1:L:91:ILE:CG1	10:L:709:LDA:H91	2.22	0.70
1:L:208:THR:HB	1:L:209:PRO:HD2	1.76	0.68
2:M:21:THR:HG21	2:M:26:LEU:HD11	1.75	0.68
1:L:135:ARG:HB3	1:L:136:PRO:HD3	1.76	0.68
3:H:171:ILE:HB	3:H:172:PRO:HD3	1.76	0.67
5:M:502:BCL:HHC	5:M:502:BCL:HBB3	1.77	0.67
2:M:130:TRP:HD1	2:M:150:PHE:CD2	2.13	0.67
5:M:501:BCL:C11	5:M:502:BCL:H203	2.26	0.66
5:L:304:BCL:HBB2	5:L:304:BCL:HMB1	1.79	0.65
3:H:241:LEU:O	3:H:248:ARG:NH2	2.30	0.64
7:M:503:U10:H202	10:H:703:LDA:C11	2.27	0.64
1:L:22:PHE:HA	1:L:24:PHE:CE2	2.34	0.63
2:M:13:ARG:O	3:H:140:PHE:HA	1.97	0.63
1:L:216:PHE:CE2	7:L:502:U10:H4M2	2.34	0.63
1:L:38:THR:HG22	1:L:99:SER:HB3	1.79	0.63
2:M:193:HIS:O	2:M:293:ASN:HA	1.98	0.63
5:M:501:BCL:H111	5:M:502:BCL:H203	1.81	0.61
1:L:69:PRO:HG2	1:L:142:TRP:HB2	1.83	0.61
2:M:134:TYR:CE2	2:M:144:LYS:HG2	2.36	0.61
5:L:304:BCL:H192	6:L:402:BPH:H7C2	1.83	0.60
3:H:37:ARG:HG2	3:H:37:ARG:HH11	1.67	0.60
5:M:501:BCL:HMB1	5:M:501:BCL:CBB	2.32	0.60
1:L:16:LEU:N	1:L:106:GLU:OE2	2.31	0.60
2:M:130:TRP:HD1	2:M:150:PHE:HD2	1.49	0.59
3:H:249:LYS:O	3:H:250:SER:C	2.41	0.59
1:L:244:SER:OG	5:L:302:BCL:HMA2	2.02	0.59
1:L:8:LYS:HA	3:H:87:LEU:CD1	2.32	0.59
3:H:148:PRO:HA	3:H:151:LEU:HD12	1.84	0.59
2:M:194:GLY:O	2:M:195:ASN:HB3	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:196:VAL:HG12	3:H:205:VAL:HG22	1.85	0.58
2:M:208:PHE:CE1	10:M:701:LDA:H91	2.37	0.58
1:L:8:LYS:HA	3:H:87:LEU:HD11	1.85	0.58
1:L:116:HIS:O	1:L:119:PHE:HB3	2.04	0.58
5:M:501:BCL:HMB1	5:M:501:BCL:HBB2	1.85	0.57
3:H:177:ARG:O	3:H:193:MET:HB2	2.03	0.57
1:L:173:HIS:CE1	1:L:177:ILE:HD11	2.40	0.57
2:M:21:THR:HG23	2:M:26:LEU:HD11	1.85	0.57
1:L:180:PHE:CE2	1:L:240:ALA:HB1	2.39	0.56
1:L:264:GLN:HA	1:L:267:VAL:HG12	1.86	0.56
1:L:85:LEU:O	1:L:89:ILE:HG13	2.06	0.56
1:L:38:THR:HG22	1:L:99:SER:CB	2.35	0.56
3:H:129:ASN:ND2	3:H:224:GLU:HG2	2.22	0.55
1:L:201:GLU:OE2	2:M:144:LYS:NZ	2.39	0.55
3:H:244:ALA:C	3:H:246:PRO:HD2	2.27	0.55
1:L:269:LEU:HB2	1:L:272:TRP:NE1	2.22	0.54
1:L:4:SER:OG	3:H:39:GLY:HA2	2.07	0.54
1:L:218:ASP:OD1	2:M:29:ARG:HD3	2.08	0.54
2:M:72:ILE:HG13	2:M:73:TRP:N	2.22	0.54
2:M:85:PHE:HD2	2:M:86:LEU:HD12	1.73	0.54
2:M:130:TRP:CD1	2:M:150:PHE:HD2	2.25	0.54
2:M:108:PRO:HG2	2:M:111:GLU:HB2	1.90	0.53
1:L:250:ILE:HD12	7:L:502:U10:H402	1.90	0.53
1:L:267:VAL:HG21	1:L:280:ASN:ND2	2.24	0.53
5:L:302:BCL:H203	5:L:304:BCL:H102	1.91	0.53
3:H:20:PHE:HE2	3:H:24:LEU:HD22	1.74	0.52
1:L:271:TRP:CD1	1:L:271:TRP:N	2.77	0.52
5:L:304:BCL:HMD1	2:M:206:ILE:HD13	1.91	0.52
10:M:701:LDA:H101	10:H:703:LDA:C12	2.39	0.52
1:L:142:TRP:CZ2	10:L:709:LDA:H51	2.44	0.52
1:L:234:LEU:O	1:L:238:LEU:HG	2.09	0.52
1:L:223:SER:O	2:M:44:ASN:HB2	2.10	0.52
2:M:32:VAL:HG12	2:M:33:GLY:O	2.10	0.52
2:M:44:ASN:HB3	11:M:809:HOH:O	2.10	0.52
3:H:184:LYS:HG3	3:H:184:LYS:O	2.10	0.52
2:M:101:TYR:O	2:M:104:SER:HB2	2.10	0.51
2:M:187:ASN:HA	5:M:502:BCL:CBC	2.40	0.51
2:M:300:ASN:O	2:M:301:HIS:HB2	2.10	0.51
1:L:195:LEU:HB3	2:M:145:HIS:CD2	2.45	0.51
3:H:168:TRP:CZ3	3:H:225:VAL:HG22	2.44	0.51
6:L:402:BPH:ND	2:M:214:LEU:HD13	2.26	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:226:THR:OG1	3:H:229:GLU:HG3	2.10	0.50
2:M:20:MET:O	2:M:29:ARG:NH2	2.44	0.50
3:H:84:PRO:O	3:H:85:ILE:HD13	2.11	0.50
2:M:3:TYR:CZ	2:M:5:ASN:HA	2.47	0.50
2:M:175:VAL:HG11	8:M:600:SPN:H161	1.93	0.49
1:L:223:SER:OG	7:L:502:U10:H3M1	2.11	0.49
1:L:75:LEU:HD11	1:L:140:GLY:HA2	1.94	0.49
2:M:241:ARG:NH1	3:H:38:GLU:OE1	2.41	0.49
1:L:135:ARG:HB3	1:L:136:PRO:CD	2.42	0.49
1:L:262:TRP:O	1:L:265:TRP:HD1	1.95	0.49
3:H:12:LEU:O	3:H:15:LEU:HB3	2.12	0.49
1:L:11:VAL:HB	1:L:12:PRO:HD2	1.94	0.49
5:L:302:BCL:HAA2	5:L:304:BCL:HAC1	1.93	0.49
1:L:207:ARG:HG3	1:L:211:HIS:CG	2.47	0.49
1:L:168:HIS:HB3	2:M:183:LEU:HD13	1.95	0.49
2:M:88:ASP:HB2	2:M:92:PHE:CZ	2.48	0.48
2:M:97:PRO:HG2	2:M:171:TRP:HB2	1.95	0.48
3:H:84:PRO:C	3:H:85:ILE:HD13	2.34	0.48
2:M:101:TYR:O	2:M:104:SER:CB	2.62	0.48
5:L:302:BCL:CHC	5:L:302:BCL:OBB	2.55	0.48
3:H:20:PHE:CE2	3:H:24:LEU:HD22	2.48	0.47
1:L:104:GLU:HB3	1:L:118:PRO:HG3	1.96	0.47
1:L:87:GLN:NE2	1:L:142:TRP:CD1	2.82	0.47
2:M:164:ARG:HB3	2:M:165:PRO:HD3	1.95	0.47
2:M:130:TRP:CD1	2:M:150:PHE:CD2	3.00	0.47
1:L:168:HIS:CD2	5:M:501:BCL:CMD	2.98	0.47
10:M:701:LDA:H101	10:H:703:LDA:H121	1.97	0.47
1:L:49:ILE:HG12	1:L:89:ILE:HD13	1.97	0.46
1:L:279:ILE:HG21	2:M:91:PHE:HB3	1.97	0.46
3:H:170:ASP:HB2	3:H:177:ARG:HG3	1.97	0.46
1:L:102:LEU:O	1:L:105:VAL:HB	2.15	0.46
1:L:177:ILE:HG23	5:L:302:BCL:HMB3	1.97	0.46
1:L:22:PHE:HA	1:L:24:PHE:HE2	1.80	0.46
1:L:34:PHE:HB2	11:L:712:HOH:O	2.15	0.45
2:M:16:ALA:HB1	2:M:32:VAL:HG11	1.98	0.45
2:M:202:HIS:CE1	2:M:206:ILE:HD11	2.52	0.45
2:M:250:LEU:O	2:M:251:PHE:C	2.53	0.45
3:H:12:LEU:HD12	3:H:12:LEU:HA	1.72	0.45
3:H:129:ASN:HD22	3:H:224:GLU:HG2	1.82	0.45
7:L:502:U10:H372	7:L:502:U10:H351	1.70	0.45
2:M:240:ASP:HB2	3:H:118:ARG:HH21	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:268:TRP:CD1	7:M:503:U10:H111	2.52	0.45
3:H:148:PRO:HD2	3:H:167:ILE:HD11	1.98	0.44
3:H:171:ILE:HB	3:H:172:PRO:CD	2.47	0.44
2:M:264:GLY:HA3	3:H:35:ASN:OD1	2.17	0.44
2:M:201:PHE:HD1	2:M:279:THR:HG23	1.83	0.44
1:L:207:ARG:NH1	2:M:140:LEU:O	2.47	0.44
7:L:502:U10:H271	7:L:502:U10:H251	1.79	0.44
2:M:251:PHE:CD1	2:M:251:PHE:C	2.91	0.44
1:L:217:ARG:O	2:M:50:ILE:HA	2.18	0.43
3:H:189:ARG:HD2	3:H:216:ILE:HB	1.99	0.43
1:L:264:GLN:O	1:L:268:LYS:HB2	2.17	0.43
2:M:236:GLU:HB3	11:H:709:HOH:O	2.19	0.43
7:M:503:U10:H322	7:M:503:U10:H28	1.48	0.43
5:L:302:BCL:HMB1	5:L:302:BCL:HBB3	2.00	0.43
2:M:2:GLU:OE2	2:M:228:ARG:NH2	2.51	0.43
5:M:502:BCL:HHC	5:M:502:BCL:HBB2	1.98	0.43
2:M:268:TRP:CE3	3:H:31:LEU:HD13	2.53	0.43
3:H:249:LYS:O	3:H:250:SER:O	2.37	0.43
1:L:234:LEU:HD22	2:M:224:LEU:HD12	1.99	0.43
1:L:100:TRP:CH2	7:M:503:U10:H251	2.54	0.43
1:L:117:ILE:HB	1:L:118:PRO:HD3	2.01	0.43
1:L:49:ILE:CG1	1:L:89:ILE:HD13	2.49	0.43
2:M:11:GLN:HB2	3:H:144:ALA:HB3	1.99	0.43
3:H:37:ARG:HG2	3:H:37:ARG:NH1	2.32	0.43
1:L:265:TRP:CG	1:L:266:TRP:N	2.87	0.43
2:M:12:VAL:CG1	3:H:140:PHE:HD2	2.32	0.43
1:L:153:HIS:CE1	1:L:154:LEU:HD23	2.54	0.42
1:L:173:HIS:O	1:L:177:ILE:HG13	2.19	0.42
1:L:85:LEU:HD23	1:L:85:LEU:HA	1.89	0.42
5:M:502:BCL:H121	5:M:502:BCL:H162	1.85	0.42
3:H:16:ALA:O	3:H:19:SER:HB2	2.20	0.42
3:H:209:SER:OG	3:H:212:LEU:HD12	2.20	0.42
2:M:114:LEU:HA	2:M:114:LEU:HD12	1.84	0.42
2:M:129:TRP:CH2	2:M:132:ARG:NH1	2.88	0.42
2:M:3:TYR:OH	2:M:5:ASN:HA	2.20	0.42
3:H:181:VAL:O	3:H:188:THR:HA	2.19	0.42
2:M:36:SER:OG	2:M:38:LEU:HB3	2.19	0.42
5:L:302:BCL:H162	5:L:302:BCL:H141	1.90	0.42
3:H:130:LYS:HD2	11:H:742:HOH:O	2.19	0.42
3:H:156:CYS:HB3	3:H:206:ASN:O	2.19	0.42
1:L:167:PHE:HB3	5:L:302:BCL:HMC3	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:245:ALA:HB3	3:H:246:PRO:HD3	2.02	0.42
1:L:149:GLY:O	1:L:153:HIS:HB3	2.20	0.41
2:M:197:PHE:HA	2:M:197:PHE:HD1	1.71	0.41
1:L:168:HIS:NE2	5:M:501:BCL:HMD3	2.35	0.41
1:L:97:PHE:CE1	5:L:302:BCL:H121	2.55	0.41
2:M:2:GLU:HG2	2:M:3:TYR:N	2.35	0.41
2:M:65:MET:HB3	2:M:121:PHE:CD2	2.56	0.41
1:L:120:ALA:HB1	1:L:238:LEU:HD21	2.01	0.41
1:L:267:VAL:HG21	1:L:280:ASN:HD22	1.85	0.41
2:M:134:TYR:CD2	2:M:144:LYS:HG2	2.55	0.41
2:M:265:ILE:HG12	7:M:503:U10:C2	2.51	0.41
3:H:103:ASP:HB3	3:H:106:LYS:HB2	2.02	0.41
2:M:271:TRP:O	2:M:275:LEU:HG	2.20	0.41
5:L:304:BCL:H122	5:L:304:BCL:H161	1.80	0.41
2:M:25:ASN:OD1	2:M:25:ASN:C	2.59	0.41
3:H:247:LYS:O	3:H:249:LYS:NZ	2.53	0.41
1:L:18:GLY:O	1:L:21:LEU:HB2	2.21	0.41
5:M:501:BCL:C4A	5:M:501:BCL:HBA1	2.50	0.41
3:H:148:PRO:O	3:H:151:LEU:HG	2.21	0.41
2:M:103:LEU:HD21	2:M:166:ILE:HA	2.03	0.41
1:L:146:PHE:HA	1:L:147:PRO:HD3	1.94	0.41
5:L:304:BCL:H202	5:L:304:BCL:H162	1.85	0.41
1:L:267:VAL:HG23	2:M:87:ARG:HG2	2.03	0.41
1:L:206:MET:O	3:H:67:PRO:HG3	2.21	0.40
1:L:21:LEU:HD13	1:L:22:PHE:CE1	2.56	0.40
2:M:270:ILE:O	2:M:274:VAL:HB	2.20	0.40
2:M:187:ASN:HA	5:M:502:BCL:HBC3	2.03	0.40
5:M:502:BCL:CBB	5:M:502:BCL:CHC	2.92	0.40
5:M:502:BCL:H191	6:M:401:BPH:H8	2.04	0.40
1:L:66:VAL:HG12	1:L:86:TRP:HB2	2.03	0.40
5:M:501:BCL:OBB	5:M:501:BCL:HHC	2.21	0.40
1:L:208:THR:HB	1:L:209:PRO:CD	2.49	0.40
2:M:300:ASN:O	2:M:301:HIS:CB	2.70	0.40
3:H:108:GLY:O	3:H:113:SER:HA	2.22	0.40
2:M:233:ARG:NH2	3:H:122:GLU:OE1	2.52	0.40
1:L:97:PHE:CZ	5:L:302:BCL:H121	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/281 (99%)	265 (95%)	14 (5%)	0	100	100
2	M	300/314 (96%)	285 (95%)	11 (4%)	4 (1%)	14	48
3	H	238/260 (92%)	229 (96%)	9 (4%)	0	100	100
All	All	817/855 (96%)	779 (95%)	34 (4%)	4 (0%)	32	71

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	M	22	GLU
2	M	301	HIS
2	M	52	LEU
2	M	34	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	220/220 (100%)	208 (94%)	12 (6%)	25	61
2	M	236/247 (96%)	226 (96%)	10 (4%)	34	71
3	H	195/208 (94%)	184 (94%)	11 (6%)	25	61
All	All	651/675 (96%)	618 (95%)	33 (5%)	28	64

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	21	LEU
1	L	38	THR
1	L	126	LEU
1	L	153	HIS
1	L	154	LEU
1	L	207	ARG
1	L	210	ASP
1	L	216	PHE
1	L	247	CYS
1	L	251	THR
1	L	271	TRP
1	L	272	TRP
2	M	44	ASN
2	M	111	GLU
2	M	136	ARG
2	M	144	LYS
2	M	152	SER
2	M	196	LEU
2	M	204	LEU
2	M	216	PHE
2	M	265	ILE
2	M	292	ASP
3	H	12	LEU
3	H	52	ASN
3	H	135	LYS
3	H	184	LYS
3	H	193	MET
3	H	220	LYS
3	H	221	SER
3	H	222	PRO
3	H	225	VAL
3	H	231	ASP
3	H	249	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	280	ASN
2	M	4	GLN
2	M	188	ASN
3	H	206	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	LDA	H	703	-	13,15,15	2.84	2 (15%)	14,17,17	0.84	1 (7%)
5	BCL	L	302	1	55,74,74	1.63	8 (14%)	65,115,115	1.90	11 (16%)
5	BCL	L	304	1	55,74,74	1.48	7 (12%)	65,115,115	1.93	11 (16%)
6	BPH	L	402	-	65,70,70	1.29	9 (13%)	75,101,101	1.92	20 (26%)
7	U10	L	502	-	48,48,63	2.08	20 (41%)	58,61,79	0.98	3 (5%)
10	LDA	L	709	-	13,15,15	2.76	1 (7%)	14,17,17	0.69	0
6	BPH	M	401	-	65,70,70	1.30	7 (10%)	75,101,101	2.29	26 (34%)
5	BCL	M	501	2	55,74,74	1.73	9 (16%)	65,115,115	2.38	23 (35%)
5	BCL	M	502	2	55,74,74	1.24	5 (9%)	65,115,115	1.59	11 (16%)
7	U10	M	503	-	48,48,63	2.38	20 (41%)	58,61,79	1.25	7 (12%)
8	SPN	M	600	-	40,42,42	3.61	18 (45%)	48,52,52	2.60	16 (33%)
10	LDA	M	701	-	13,15,15	2.93	1 (7%)	14,17,17	0.49	0
10	LDA	M	704	-	13,15,15	2.33	1 (7%)	14,17,17	0.68	0
9	CDL	M	800	-	80,80,99	0.48	0	82,92,111	0.96	5 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	LDA	H	703	-	-	0/13/13/13	0/0/0/0
5	BCL	L	302	1	-	0/37/137/137	0/0/9/9
5	BCL	L	304	1	1/1/21/25	0/37/137/137	0/0/9/9
6	BPH	L	402	-	-	0/54/105/105	0/1/6/6
7	U10	L	502	-	-	0/45/69/87	0/1/1/1
10	LDA	L	709	-	-	0/13/13/13	0/0/0/0
6	BPH	M	401	-	1/1/18/22	0/54/105/105	0/1/6/6
5	BCL	M	501	2	2/2/21/25	1/37/137/137	0/0/9/9
5	BCL	M	502	2	-	0/37/137/137	0/0/9/9
7	U10	M	503	-	-	0/45/69/87	0/1/1/1
8	SPN	M	600	-	-	0/50/51/51	0/0/0/0
10	LDA	M	701	-	-	0/13/13/13	0/0/0/0
10	LDA	M	704	-	-	0/13/13/13	0/0/0/0
9	CDL	M	800	-	-	0/91/91/110	0/0/0/0

All (108) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	M	701	LDA	O1-N1	-10.41	1.21	1.42
10	H	703	LDA	O1-N1	-9.90	1.22	1.42
10	L	709	LDA	O1-N1	-9.84	1.22	1.42
10	M	704	LDA	O1-N1	-8.29	1.25	1.42
7	M	503	U10	C27-C28	-7.01	1.26	1.50
8	M	600	SPN	C3-C4	-6.18	1.41	1.50
8	M	600	SPN	C17-C18	-5.60	1.39	1.51
8	M	600	SPN	C10-C9	-5.50	1.39	1.51
8	M	600	SPN	C14-C13	-5.10	1.40	1.51
5	L	302	BCL	O2D-CED	-4.98	1.33	1.45
8	M	600	SPN	C6-C5	-4.92	1.40	1.51
5	L	302	BCL	C1-C2	-4.11	1.36	1.49
7	M	503	U10	C17-C18	-3.65	1.38	1.50
8	M	600	SPN	C20-C19	-3.34	1.39	1.50
7	M	503	U10	C37-C38	-3.13	1.39	1.50
7	M	503	U10	C22-C23	-3.10	1.39	1.50
7	L	502	U10	C17-C18	-2.97	1.40	1.50
8	M	600	SPN	C7-C8	-2.94	1.40	1.50
8	M	600	SPN	C11-C12	-2.93	1.40	1.50
7	L	502	U10	O4-C4M	-2.92	1.38	1.45
6	M	401	BPH	O2D-CED	-2.80	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	H	703	LDA	C1-N1	-2.57	1.45	1.51
5	L	304	BCL	CMB-C2B	-2.56	1.46	1.51
8	M	600	SPN	C21-C22	-2.48	1.39	1.52
7	M	503	U10	O4-C4M	-2.45	1.39	1.45
6	L	402	BPH	O2D-CED	-2.40	1.39	1.45
5	M	501	BCL	C2C-C3C	-2.32	1.47	1.54
6	M	401	BPH	C2C-C3C	-2.31	1.47	1.54
7	L	502	U10	C7-C8	-2.30	1.47	1.50
5	M	502	BCL	O2D-CED	-2.28	1.39	1.45
7	M	503	U10	O3-C3M	-2.25	1.39	1.45
8	M	600	SPN	C16-C15	-2.15	1.39	1.51
7	M	503	U10	C7-C8	-2.15	1.47	1.50
5	L	302	BCL	CMC-C2C	-2.10	1.48	1.53
5	L	304	BCL	C3D-C2D	-2.04	1.35	1.39
5	M	501	BCL	C3B-C2B	-2.01	1.35	1.39
6	L	402	BPH	C4C-NC	2.01	1.41	1.37
5	L	302	BCL	O2D-CGD	2.05	1.38	1.33
6	L	402	BPH	C4A-NA	2.07	1.40	1.35
8	M	600	SPN	O1-C1	2.09	1.52	1.41
6	M	401	BPH	CAA-C2A	2.10	1.58	1.54
5	M	502	BCL	O2A-CGA	2.13	1.39	1.33
7	L	502	U10	C35-C34	2.14	1.56	1.50
7	L	502	U10	C16-C14	2.15	1.56	1.51
5	M	501	BCL	C2-C3	2.22	1.38	1.33
5	L	302	BCL	C4-C3	2.24	1.56	1.50
7	L	502	U10	C15-C14	2.27	1.56	1.50
7	M	503	U10	O2-C2	2.28	1.28	1.23
6	M	401	BPH	C2-C3	2.29	1.38	1.33
7	L	502	U10	C10-C9	2.29	1.56	1.50
7	M	503	U10	C18-C19	2.30	1.38	1.33
7	L	502	U10	C18-C19	2.31	1.38	1.33
5	M	501	BCL	CMA-C3A	2.32	1.58	1.53
6	M	401	BPH	C15-C13	2.33	1.65	1.52
6	L	402	BPH	C3D-C4D	2.34	1.44	1.41
7	M	503	U10	C13-C14	2.36	1.38	1.33
6	L	402	BPH	O1D-CGD	2.38	1.27	1.21
7	M	503	U10	C15-C14	2.38	1.56	1.50
6	L	402	BPH	CAA-C2A	2.41	1.58	1.54
6	L	402	BPH	C2-C3	2.41	1.39	1.33
7	M	503	U10	C30-C29	2.43	1.56	1.50
5	L	304	BCL	O2A-CGA	2.49	1.40	1.33
5	L	304	BCL	C2-C3	2.52	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	M	501	BCL	CAA-C2A	2.55	1.59	1.54
5	M	502	BCL	C2-C3	2.61	1.39	1.33
7	L	502	U10	C21-C19	2.61	1.57	1.51
7	M	503	U10	C38-C39	2.67	1.40	1.32
7	M	503	U10	C23-C24	2.69	1.39	1.33
7	M	503	U10	C8-C9	2.73	1.39	1.33
7	L	502	U10	C31-C29	2.80	1.57	1.51
7	L	502	U10	C8-C9	2.84	1.40	1.33
7	L	502	U10	C13-C14	2.85	1.40	1.33
7	L	502	U10	C38-C39	2.87	1.40	1.32
8	M	600	SPN	O1-CMA	2.92	1.52	1.43
8	M	600	SPN	C29-C30	3.00	1.41	1.32
7	M	503	U10	C33-C34	3.02	1.40	1.33
7	L	502	U10	C23-C24	3.02	1.40	1.33
7	L	502	U10	C36-C34	3.06	1.58	1.51
7	M	503	U10	C35-C34	3.20	1.58	1.50
8	M	600	SPN	C25-C26	3.21	1.41	1.33
5	L	302	BCL	CHB-C4A	3.25	1.37	1.33
7	L	502	U10	C28-C29	3.25	1.41	1.33
7	L	502	U10	C33-C34	3.26	1.41	1.33
7	M	503	U10	C36-C34	3.32	1.58	1.51
6	L	402	BPH	O2A-CGA	3.42	1.43	1.33
7	M	503	U10	O4-C4	3.55	1.45	1.36
6	M	401	BPH	O2D-CGD	3.69	1.42	1.33
6	L	402	BPH	O2D-CGD	3.70	1.42	1.33
5	M	501	BCL	O2A-CGA	3.72	1.44	1.33
7	L	502	U10	C7-C6	3.76	1.57	1.51
6	M	401	BPH	O2A-CGA	3.84	1.44	1.33
7	L	502	U10	O4-C4	3.91	1.46	1.36
5	M	502	BCL	CHB-C4A	3.98	1.38	1.33
5	L	302	BCL	O2A-CGA	4.15	1.45	1.33
5	L	304	BCL	O2D-CGD	4.42	1.44	1.33
7	L	502	U10	O3-C3	4.43	1.47	1.36
5	M	501	BCL	O2D-CGD	4.60	1.44	1.33
5	L	304	BCL	CHC-C1C	4.77	1.39	1.33
5	M	502	BCL	CHC-C1C	4.81	1.39	1.33
5	L	304	BCL	CHB-C4A	4.83	1.39	1.33
5	M	501	BCL	CHB-C4A	5.41	1.40	1.33
5	L	302	BCL	CHC-C1C	5.88	1.41	1.33
5	M	501	BCL	CHC-C1C	6.87	1.42	1.33
7	M	503	U10	O3-C3	7.10	1.54	1.36
8	M	600	SPN	C12-C13	7.86	1.52	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	600	SPN	C8-C9	8.09	1.53	1.33
8	M	600	SPN	C19-C18	8.43	1.54	1.33
8	M	600	SPN	C4-C5	8.54	1.54	1.33

All (134) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	304	BCL	O1D-CGD-CBD	-6.35	113.20	124.60
5	M	501	BCL	C4-C3-C5	-5.77	105.27	115.29
6	L	402	BPH	O2A-CGA-O1A	-5.18	110.68	123.55
8	M	600	SPN	C6-C5-C4	-5.09	110.68	121.10
8	M	600	SPN	C17-C18-C19	-4.82	111.24	121.10
5	M	501	BCL	O2A-CGA-O1A	-4.72	111.83	123.55
8	M	600	SPN	C3-C4-C5	-4.56	119.08	126.71
5	M	501	BCL	OBD-CAD-CBD	-4.50	119.14	125.94
6	L	402	BPH	O2D-CGD-O1D	-4.41	114.95	123.82
5	M	502	BCL	O1D-CGD-CBD	-4.34	116.80	124.60
5	L	304	BCL	OBB-CAB-CBB	-4.33	110.29	120.16
5	L	302	BCL	OBB-CAB-CBB	-4.04	110.95	120.16
5	M	501	BCL	CAA-C2A-C3A	-3.94	102.00	112.81
6	M	401	BPH	O2D-CGD-O1D	-3.90	115.96	123.82
8	M	600	SPN	C20-C19-C18	-3.81	118.11	127.68
8	M	600	SPN	C10-C9-C8	-3.81	113.31	121.10
6	M	401	BPH	O1D-CGD-CBD	-3.71	117.94	124.60
8	M	600	SPN	C14-C13-C12	-3.65	113.63	121.10
8	M	600	SPN	C7-C8-C9	-3.64	118.53	127.68
5	M	501	BCL	CMB-C2B-C1B	-3.61	122.92	128.46
8	M	600	SPN	C11-C12-C13	-3.60	118.63	127.68
6	L	402	BPH	OBD-CAD-CBD	-3.54	120.60	125.94
5	L	302	BCL	O1D-CGD-CBD	-3.33	118.61	124.60
6	M	401	BPH	CAA-C2A-C3A	-3.23	103.94	112.81
5	M	501	BCL	OBB-CAB-CBB	-3.17	112.93	120.16
7	M	503	U10	C26-C27-C28	-3.13	101.23	111.97
5	M	501	BCL	O2D-CGD-O1D	-3.12	117.54	123.82
5	L	302	BCL	CBB-CAB-C3B	-3.11	111.36	120.39
5	M	501	BCL	C4B-CHC-C1C	-3.06	124.05	130.12
6	L	402	BPH	CAA-C2A-C3A	-3.05	104.44	112.81
5	L	304	BCL	CMB-C2B-C1B	-3.03	123.80	128.46
5	L	302	BCL	OBD-CAD-CBD	-3.02	121.38	125.94
6	M	401	BPH	C11-C12-C13	-2.96	106.02	115.73
6	M	401	BPH	O2A-CGA-O1A	-2.93	116.28	123.55
6	L	402	BPH	CMA-C3A-C4A	-2.81	103.93	112.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	401	BPH	CBB-CAB-C3B	-2.80	114.52	120.52
5	M	501	BCL	CMA-C3A-C2A	-2.77	102.52	113.77
6	M	401	BPH	C4D-CHA-C1A	-2.76	123.18	130.23
9	M	800	CDL	CB6-CB4-CB3	-2.76	105.62	111.86
6	L	402	BPH	O1D-CGD-CBD	-2.72	119.71	124.60
6	M	401	BPH	C4B-C3B-CAB	-2.69	120.15	130.09
5	L	302	BCL	CMB-C2B-C1B	-2.69	124.32	128.46
5	M	502	BCL	OBD-CAD-CBD	-2.67	121.91	125.94
6	L	402	BPH	C4D-CHA-C1A	-2.54	123.75	130.23
6	L	402	BPH	C4B-C3B-CAB	-2.53	120.75	130.09
5	L	304	BCL	O2A-CGA-O1A	-2.53	117.28	123.55
5	M	501	BCL	O1D-CGD-CBD	-2.46	120.19	124.60
6	L	402	BPH	C4-C3-C5	-2.44	111.05	115.29
6	M	401	BPH	C5-C3-C2	-2.42	116.14	121.10
5	L	304	BCL	CAC-C3C-C4C	-2.38	107.31	112.58
6	L	402	BPH	C3A-C4A-NA	-2.37	108.98	113.06
6	L	402	BPH	CAA-C2A-C1A	-2.36	106.18	112.28
7	M	503	U10	C25-C24-C26	-2.35	111.21	115.29
6	M	401	BPH	CAA-C2A-C1A	-2.34	106.24	112.28
5	M	502	BCL	CMB-C2B-C1B	-2.29	124.94	128.46
5	M	501	BCL	C1B-CHB-C4A	-2.27	125.63	130.12
9	M	800	CDL	OA8-CA7-OA9	-2.25	117.97	123.55
9	M	800	CDL	CA6-CA4-CA3	-2.19	106.91	111.86
6	M	401	BPH	OBD-CAD-CBD	-2.18	122.65	125.94
6	M	401	BPH	C2A-C1A-NA	-2.13	109.32	111.91
5	M	501	BCL	CHA-C1A-NA	-2.09	121.32	126.18
6	M	401	BPH	CMA-C3A-C4A	-2.09	106.09	112.37
5	M	502	BCL	O2A-CGA-O1A	-2.07	118.40	123.55
5	M	501	BCL	CMA-C3A-C4A	-2.06	106.23	111.77
9	M	800	CDL	OB6-CB5-OB7	-2.06	118.54	123.68
5	L	304	BCL	OBD-CAD-CBD	-2.05	122.84	125.94
7	M	503	U10	C31-C29-C28	-2.04	116.93	121.10
10	H	703	LDA	CM2-N1-CM1	-2.02	107.12	110.99
7	M	503	U10	C4M-O4-C4	2.01	123.62	116.44
5	M	501	BCL	C3C-C2C-C1C	2.04	105.17	101.87
5	M	501	BCL	CMB-C2B-C3B	2.06	128.71	124.89
5	M	501	BCL	C6-C5-C3	2.11	117.45	112.66
8	M	600	SPN	C7-C6-C5	2.14	120.18	112.93
7	L	502	U10	C4M-O4-C4	2.15	124.13	116.44
5	M	502	BCL	C3A-C2A-C1A	2.18	104.60	101.34
6	M	401	BPH	C11-C10-C8	2.18	122.90	115.73
7	M	503	U10	C3M-O3-C3	2.19	124.25	116.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	600	SPN	C15-C16-C17	2.20	121.28	113.24
7	L	502	U10	C3M-O3-C3	2.22	124.37	116.44
5	L	302	BCL	CED-O2D-CGD	2.22	121.18	115.97
6	L	402	BPH	C2A-C3A-C4A	2.24	105.81	101.33
6	M	401	BPH	C14-C13-C12	2.29	119.71	111.36
5	L	302	BCL	C1-C2-C3	2.29	130.18	125.96
6	M	401	BPH	CMD-C2D-C3D	2.30	129.17	124.89
5	M	502	BCL	C1-C2-C3	2.31	130.22	125.96
6	L	402	BPH	C3A-C4A-CHB	2.32	125.68	121.75
6	L	402	BPH	C2C-C3C-C4C	2.34	104.85	101.34
6	L	402	BPH	C3C-C2C-C1C	2.39	105.73	101.87
8	M	600	SPN	CM3-C5-C6	2.39	119.44	115.29
7	M	503	U10	C7-C8-C9	2.42	130.76	126.71
5	M	501	BCL	CMD-C2D-C3D	2.52	129.56	124.89
6	L	402	BPH	CED-O2D-CGD	2.55	121.94	115.97
6	M	401	BPH	C3C-C2C-C1C	2.69	106.21	101.87
6	L	402	BPH	CAC-C3C-C2C	2.70	121.03	114.24
5	L	304	BCL	CMD-C2D-C3D	2.75	129.99	124.89
5	M	502	BCL	CED-O2D-CGD	2.80	122.55	115.97
7	L	502	U10	C7-C8-C9	2.82	131.44	126.71
6	M	401	BPH	C2C-C3C-C4C	2.83	105.57	101.34
6	L	402	BPH	C4A-NA-C1A	2.87	110.48	108.16
6	M	401	BPH	C17-C16-C15	2.89	127.23	113.25
5	M	501	BCL	C2C-C3C-C4C	3.00	105.83	101.34
5	L	304	BCL	O2A-CGA-CBA	3.03	120.70	111.90
5	M	502	BCL	C4A-NA-C1A	3.03	110.21	106.45
5	L	302	BCL	C4A-NA-C1A	3.21	110.43	106.45
9	M	800	CDL	OB8-CB6-CB4	3.23	116.78	108.66
5	L	304	BCL	C4A-NA-C1A	3.26	110.50	106.45
5	M	502	BCL	OBB-CAB-C3B	3.30	126.24	119.95
7	M	503	U10	C27-C28-C29	3.31	135.98	127.68
5	L	302	BCL	O2A-CGA-CBA	3.43	121.88	111.90
6	M	401	BPH	CBC-CAC-C3C	3.63	121.72	113.51
6	M	401	BPH	CED-O2D-CGD	3.63	124.47	115.97
5	M	502	BCL	O2A-CGA-CBA	3.67	122.58	111.90
6	L	402	BPH	O2A-CGA-CBA	3.71	122.69	111.90
8	M	600	SPN	CM4-C9-C10	3.75	121.80	115.29
5	M	501	BCL	C5-C3-C2	3.87	129.03	121.10
8	M	600	SPN	C16-C17-C18	3.90	121.50	112.66
6	M	401	BPH	C6-C5-C3	4.02	121.77	112.66
8	M	600	SPN	CM7-C22-C21	4.20	126.69	111.36
6	M	401	BPH	C16-C15-C13	4.34	130.00	115.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	501	BCL	O2D-CGD-CBD	4.56	119.44	111.30
6	M	401	BPH	C4A-NA-C1A	4.64	111.91	108.16
5	L	302	BCL	O2D-CGD-CBD	4.89	120.05	111.30
5	L	304	BCL	OBB-CAB-C3B	4.93	129.35	119.95
5	M	501	BCL	O2A-CGA-CBA	5.00	126.45	111.90
5	M	501	BCL	OBB-CAB-C3B	5.48	130.40	119.95
6	M	401	BPH	C1-C2-C3	5.58	136.23	125.96
5	M	502	BCL	O2D-CGD-CBD	5.62	121.35	111.30
8	M	600	SPN	CM5-C13-C14	6.23	126.10	115.29
8	M	600	SPN	CM6-C18-C17	6.78	127.05	115.29
5	M	501	BCL	C1-C2-C3	7.41	139.60	125.96
6	L	402	BPH	O2D-CGD-CBD	7.83	125.29	111.30
5	L	304	BCL	O2D-CGD-CBD	7.84	125.32	111.30
6	M	401	BPH	O2D-CGD-CBD	8.26	126.06	111.30
5	L	302	BCL	OBB-CAB-C3B	8.70	136.53	119.95

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	L	304	BCL	C13
5	M	501	BCL	C8
5	M	501	BCL	C13
6	M	401	BPH	C8

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	M	501	BCL	C1-C2-C3-C4

There are no ring outliers.

13 monomers are involved in 56 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	H	703	LDA	4	0
5	L	302	BCL	11	0
5	L	304	BCL	7	0
6	L	402	BPH	2	0
7	L	502	U10	6	0
10	L	709	LDA	3	0
6	M	401	BPH	1	0
5	M	501	BCL	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	M	502	BCL	12	0
7	M	503	U10	6	0
8	M	600	SPN	1	0
10	M	701	LDA	4	0
9	M	800	CDL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	281/281 (100%)	-0.82	1 (0%) 92 84	10, 27, 66, 94	0
2	M	302/314 (96%)	-0.83	2 (0%) 87 75	11, 32, 68, 97	0
3	H	240/260 (92%)	-0.69	2 (0%) 86 71	13, 29, 58, 95	0
All	All	823/855 (96%)	-0.79	5 (0%) 89 77	10, 29, 66, 97	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	250	SER	4.6
3	H	249	LYS	3.4
2	M	1	ALA	3.0
2	M	302	GLY	2.8
1	L	281	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	U10	L	502	48/63	0.75	0.56	16.01	61,76,89,90	0
10	LDA	L	709	16/16	0.74	0.43	8.84	67,85,95,97	0
10	LDA	M	704	16/16	0.75	0.36	6.36	48,75,109,109	0
10	LDA	H	703	16/16	0.86	0.31	6.17	34,50,64,67	0
8	SPN	M	600	43/43	0.84	0.30	4.13	36,47,64,67	0
9	CDL	M	800	81/100	0.77	0.41	3.08	41,62,76,77	81
10	LDA	M	701	16/16	0.92	0.21	2.96	29,44,52,58	0
5	BCL	M	501	66/66	0.93	0.20	2.72	27,32,92,94	0
7	U10	M	503	48/63	0.93	0.18	1.88	15,29,60,62	0
6	BPH	L	402	65/65	0.96	0.16	1.86	23,27,38,40	0
6	BPH	M	401	65/65	0.97	0.14	0.66	29,33,63,67	10
5	BCL	M	502	66/66	0.97	0.14	0.58	10,19,52,68	0
5	BCL	L	302	66/66	0.98	0.13	0.48	5,17,40,54	0
5	BCL	L	304	66/66	0.97	0.11	-1.00	2,14,40,49	0
4	FE	M	500	1/1	0.99	0.02	-4.40	18,18,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.