



# Full wwPDB X-ray Structure Validation Report i

Feb 13, 2017 – 11:49 am GMT

PDB ID : 1K8T  
Title : Crystal structure of the adenylyl cyclase domain of anthrax edema factor (EF)  
Authors : Drum, C.L.; Yan, S.-Z.; Bard, J.; Shen, Y.-Q.; Lu, D.; Soelaiman, S.; Grabarek, Z.; Bohm, A.; Tang, W.-J.  
Deposited on : 2001-10-25  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2542 (2.60-2.60)
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)


There are 4 unique types of molecules in this entry. The entry contains 4142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CALMODULIN-SENSITIVE ADENYLYLATE CYCLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	498	Total	C 4025	N 2574	O 685	S 763	3	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O 5	S 4	1	0
2	A	1	Total	O 5	S 4	1	0
2	A	1	Total	O 5	S 4	1	0
2	A	1	Total	O 5	S 4	1	0

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ni 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	96	Total O 96 96	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CALMODULIN-SENSITIVE ADENYLYLATE CYCLASE



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.48Å 203.60Å 74.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 37.02 – 2.60	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.60) 98.2 (37.02-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	4.94 (at 2.61Å)	Xtriage
Refinement program	CNS 1.0	Depositor
$R$ , $R_{free}$	0.229 , 0.276 0.229 , 0.275	Depositor DCC
$R_{free}$ test set	2364 reflections (9.89%)	DCC
Wilson B-factor (Å <sup>2</sup> )	52.2	Xtriage
Anisotropy	0.371	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.8	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4142	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	1/4101 (0.0%)	0.72	3/5519 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	637	PRO	N-CA	6.26	1.57	1.47

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	683	GLY	N-CA-C	-7.99	93.13	113.10
1	A	519	THR	C-N-CD	-5.74	107.97	120.60
1	A	685	LYS	N-CA-C	-5.06	97.34	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4025	0	4060	176	0
2	A	20	0	0	0	0
3	A	1	0	0	0	0
4	A	96	0	0	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4142	0	4060	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:519:THR:CB	1:A:520:PRO:HD2	1.65	1.17
1:A:439:ASN:ND2	1:A:442:TYR:HB2	1.61	1.12
1:A:519:THR:HB	1:A:520:PRO:CD	1.82	1.08
1:A:540:ARG:HD2	1:A:548:THR:HG23	1.38	1.01
1:A:785:ASN:OD1	1:A:787:THR:HG22	1.60	1.01
1:A:454:GLN:HG3	1:A:473:ASN:HD22	1.37	0.90
1:A:684:ASP:HB3	1:A:687:GLU:HB3	1.55	0.89
1:A:540:ARG:CD	1:A:548:THR:HG23	2.02	0.89
1:A:716:LYS:HE2	1:A:720:ILE:HD11	1.56	0.88
1:A:332:ASN:HD22	1:A:332:ASN:C	1.80	0.85
1:A:519:THR:HB	1:A:520:PRO:HD2	0.85	0.84
1:A:711:ILE:CD1	1:A:720:ILE:HD12	2.08	0.84
1:A:317:LYS:HE2	1:A:321:GLU:OE1	1.78	0.83
1:A:578:GLY:O	1:A:579:THR:HB	1.77	0.82
1:A:407:HIS:CD2	1:A:407:HIS:H	1.96	0.80
1:A:519:THR:CB	1:A:520:PRO:CD	2.52	0.80
1:A:525:LYS:HE2	1:A:724:ARG:HH12	1.47	0.80
1:A:724:ARG:HH21	1:A:727:GLN:HE22	1.28	0.80
1:A:439:ASN:HD21	1:A:442:TYR:HB2	1.46	0.79
1:A:439:ASN:HD22	1:A:442:TYR:HB2	1.45	0.78
1:A:332:ASN:ND2	1:A:334:LEU:H	1.83	0.77
1:A:353:LYS:H	1:A:368:GLN:HE22	1.30	0.77
1:A:711:ILE:HD13	1:A:720:ILE:HD12	1.65	0.76
1:A:758:ASN:ND2	1:A:759:GLN:HE21	1.84	0.76
1:A:450:ASN:ND2	1:A:452:GLU:HB2	2.01	0.75
1:A:540:ARG:HD2	1:A:548:THR:CG2	2.17	0.74
1:A:308:VAL:HG22	1:A:311:HIS:CG	2.25	0.72
1:A:637:PRO:HG3	1:A:642:TYR:CE2	2.25	0.71
1:A:456:LYS:HG2	1:A:471:TRP:CE2	2.26	0.70
1:A:626:TYR:H	1:A:709:ASN:HD21	1.40	0.70
1:A:758:ASN:HD22	1:A:759:GLN:HE21	1.41	0.68
1:A:685:LYS:HD3	1:A:686:ASP:N	2.08	0.68
1:A:770:ASN:H	1:A:770:ASN:HD22	1.40	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:GLN:HG3	1:A:473:ASN:ND2	2.09	0.67
1:A:708:ALA:HB1	1:A:717:LYS:HG2	1.77	0.66
1:A:446:ILE:HG12	1:A:447:SER:H	1.59	0.66
1:A:711:ILE:HD11	1:A:720:ILE:HD12	1.78	0.66
1:A:607:ASN:O	1:A:611:THR:HG22	1.96	0.66
1:A:620:THR:HG21	4:A:57:HOH:O	1.95	0.66
1:A:564:VAL:HG21	1:A:574:VAL:HG21	1.79	0.65
1:A:597:ASN:HB2	1:A:598:PRO:CD	2.27	0.64
1:A:353:LYS:N	1:A:368:GLN:HE22	1.94	0.64
1:A:440:GLN:O	1:A:458:LYS:HD2	1.97	0.64
1:A:446:ILE:HG12	1:A:447:SER:N	2.13	0.63
1:A:413:LEU:HD12	1:A:418:ILE:HG21	1.80	0.63
1:A:681:ASP:OD2	1:A:740:GLN:NE2	2.28	0.63
1:A:480:ASN:HD21	1:A:483:GLY:H	1.47	0.62
1:A:480:ASN:ND2	1:A:483:GLY:H	1.98	0.62
1:A:439:ASN:ND2	1:A:442:TYR:CB	2.51	0.61
1:A:373:LYS:HD2	1:A:376:GLN:NE2	2.16	0.61
1:A:368:GLN:HG3	1:A:383:GLY:HA3	1.82	0.61
1:A:353:LYS:H	1:A:368:GLN:NE2	1.99	0.60
1:A:695:LYS:HA	1:A:695:LYS:HE3	1.81	0.60
1:A:332:ASN:HD22	1:A:334:LEU:H	1.50	0.60
1:A:416:ASN:N	1:A:416:ASN:HD22	1.98	0.59
1:A:332:ASN:C	1:A:332:ASN:ND2	2.53	0.59
1:A:375:GLY:CA	1:A:464:VAL:HG11	2.33	0.59
1:A:456:LYS:HG2	1:A:471:TRP:CZ2	2.37	0.58
1:A:522:SER:C	1:A:523:LEU:HD12	2.23	0.58
1:A:578:GLY:O	1:A:579:THR:CB	2.52	0.57
1:A:431:LYS:HD2	1:A:448:ASP:OD1	2.04	0.57
1:A:724:ARG:HD3	1:A:727:GLN:NE2	2.20	0.57
1:A:608:TRP:HA	1:A:611:THR:HG23	1.87	0.57
1:A:500:SER:HB3	1:A:503:GLU:HB2	1.85	0.57
1:A:655:ASN:C	1:A:655:ASN:HD22	2.08	0.57
1:A:380:VAL:HG12	1:A:384:ASN:HD21	1.70	0.57
1:A:559:ARG:NH2	4:A:55:HOH:O	2.37	0.57
1:A:525:LYS:CE	1:A:724:ARG:HH12	2.15	0.56
1:A:405:LEU:HG	1:A:453:VAL:HG21	1.87	0.56
1:A:685:LYS:O	1:A:686:ASP:HB2	2.03	0.56
1:A:597:ASN:HB2	1:A:598:PRO:HD2	1.87	0.56
1:A:741:ILE:HG22	1:A:742:ALA:O	2.06	0.56
1:A:323:ASN:HD22	1:A:598:PRO:HB3	1.71	0.56
1:A:522:SER:O	1:A:523:LEU:HD12	2.06	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:332:ASN:HD22	1:A:333:LYS:N	2.05	0.54
1:A:480:ASN:HD21	1:A:483:GLY:N	2.06	0.53
1:A:413:LEU:HD12	1:A:418:ILE:CG2	2.38	0.53
1:A:295:VAL:HG12	1:A:610:MET:SD	2.48	0.53
1:A:720:ILE:O	1:A:724:ARG:HG2	2.09	0.53
1:A:457:THR:HG21	1:A:468:LYS:CB	2.39	0.53
1:A:457:THR:CG2	1:A:469:PHE:H	2.21	0.53
1:A:681:ASP:OD1	1:A:681:ASP:N	2.24	0.53
1:A:390:SER:O	1:A:394:HIS:HD2	1.92	0.53
1:A:409:ARG:O	1:A:413:LEU:HD23	2.09	0.52
1:A:457:THR:HG22	1:A:469:PHE:H	1.73	0.52
1:A:458:LYS:HB2	1:A:461:LYS:HB2	1.91	0.52
1:A:457:THR:HG21	1:A:468:LYS:HB2	1.91	0.52
1:A:316:LYS:HG3	1:A:600:GLY:CA	2.40	0.52
1:A:443:GLU:HB2	1:A:456:LYS:HE2	1.93	0.51
1:A:523:LEU:HD23	1:A:716:LYS:HE3	1.93	0.51
1:A:459:GLU:H	1:A:459:GLU:CD	2.14	0.51
1:A:526:GLN:HE22	1:A:711:ILE:HA	1.76	0.50
1:A:607:ASN:O	1:A:611:THR:CG2	2.58	0.50
1:A:480:ASN:HD22	1:A:480:ASN:C	2.15	0.50
1:A:375:GLY:HA2	1:A:464:VAL:HG11	1.92	0.50
1:A:687:GLU:O	1:A:691:LYS:HG3	2.11	0.50
1:A:293:ILE:O	1:A:610:MET:CE	2.60	0.50
1:A:692:GLU:HG3	1:A:696:LYS:HE3	1.93	0.49
1:A:316:LYS:HG3	1:A:600:GLY:HA2	1.95	0.49
1:A:637:PRO:HG3	1:A:642:TYR:CD2	2.48	0.49
1:A:418:ILE:O	1:A:419:ILE:HG23	2.12	0.49
1:A:724:ARG:HD3	1:A:727:GLN:HE21	1.76	0.48
1:A:293:ILE:O	1:A:610:MET:SD	2.71	0.48
1:A:735:VAL:HG13	1:A:741:ILE:HD11	1.94	0.48
1:A:714:GLN:HA	1:A:717:LYS:HD2	1.95	0.48
1:A:334:LEU:CD1	1:A:356:ASP:O	2.62	0.48
1:A:787:THR:O	1:A:791:GLU:HG2	2.13	0.48
1:A:716:LYS:O	1:A:720:ILE:HG13	2.14	0.47
1:A:432:TYR:CE1	1:A:445:ARG:CZ	2.97	0.47
1:A:545:THR:OG1	1:A:548:THR:HB	2.13	0.47
1:A:456:LYS:HG2	1:A:471:TRP:CD2	2.50	0.47
1:A:409:ARG:NE	1:A:413:LEU:HD21	2.29	0.47
1:A:416:ASN:ND2	1:A:416:ASN:N	2.61	0.47
1:A:461:LYS:HD2	1:A:461:LYS:HA	1.50	0.47
1:A:724:ARG:NH2	1:A:727:GLN:HE22	2.04	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:291:ASP:C	1:A:293:ILE:H	2.19	0.46
1:A:376:GLN:HB2	1:A:379:ALA:HB3	1.98	0.46
1:A:545:THR:O	1:A:546:LYS:C	2.53	0.46
1:A:462:ILE:HG22	1:A:463:THR:O	2.16	0.46
1:A:787:THR:HG23	1:A:788:ASP:N	2.30	0.46
1:A:454:GLN:HG3	1:A:473:ASN:HA	1.97	0.46
1:A:685:LYS:HD3	1:A:685:LYS:C	2.36	0.46
1:A:371:SER:C	1:A:373:LYS:H	2.18	0.45
1:A:415:GLU:C	1:A:416:ASN:HD22	2.19	0.45
1:A:446:ILE:CG1	1:A:447:SER:H	2.28	0.45
1:A:431:LYS:HB2	1:A:448:ASP:OD1	2.16	0.45
1:A:683:GLY:O	1:A:684:ASP:C	2.55	0.45
1:A:353:LYS:HB3	1:A:372:LYS:HD3	1.98	0.45
1:A:371:SER:C	1:A:373:LYS:N	2.69	0.45
1:A:655:ASN:C	1:A:655:ASN:ND2	2.69	0.45
1:A:770:ASN:N	1:A:770:ASN:HD22	2.05	0.44
1:A:735:VAL:CG1	1:A:741:ILE:HD11	2.47	0.44
1:A:518:ASN:O	1:A:519:THR:HG23	2.17	0.44
1:A:310:GLU:CD	1:A:310:GLU:H	2.20	0.44
1:A:770:ASN:ND2	1:A:770:ASN:H	2.12	0.43
1:A:408:LEU:O	1:A:412:GLU:HG3	2.18	0.43
1:A:357:TRP:HH2	1:A:439:ASN:ND2	2.16	0.43
1:A:541:LYS:H	1:A:541:LYS:HG2	1.48	0.43
1:A:446:ILE:CG1	1:A:447:SER:N	2.81	0.43
1:A:457:THR:HG22	1:A:469:PHE:O	2.19	0.42
1:A:523:LEU:HB3	1:A:716:LYS:CE	2.49	0.42
1:A:349:ASN:HB3	1:A:394:HIS:CE1	2.54	0.42
1:A:413:LEU:HB3	1:A:419:ILE:HG12	2.01	0.42
1:A:687:GLU:OE1	1:A:687:GLU:N	2.52	0.42
1:A:385:LEU:HD22	1:A:389:LYS:HE2	2.01	0.42
1:A:479:LYS:HB2	1:A:488:LEU:HD21	2.01	0.42
1:A:445:ARG:HD3	1:A:471:TRP:CZ3	2.54	0.42
1:A:308:VAL:CG2	1:A:311:HIS:CG	3.01	0.42
1:A:636:ALA:HA	1:A:637:PRO:HD3	1.80	0.42
1:A:557:LEU:HD12	1:A:557:LEU:HA	1.85	0.42
1:A:327:LEU:N	1:A:327:LEU:HD12	2.35	0.42
1:A:523:LEU:HB3	1:A:716:LYS:HE3	2.01	0.42
1:A:293:ILE:CB	4:A:90:HOH:O	2.68	0.41
1:A:564:VAL:HG11	1:A:574:VAL:HG11	2.01	0.41
1:A:768:LYS:HG2	1:A:770:ASN:ND2	2.35	0.41
1:A:324:THR:HG22	1:A:325:TYR:O	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:ILE:O	1:A:419:ILE:CG2	2.68	0.41
1:A:440:GLN:HG2	1:A:441:VAL:HG23	2.03	0.41
1:A:406:ASP:HB2	1:A:407:HIS:HD2	1.86	0.41
1:A:640:LYS:HG2	1:A:640:LYS:H	1.57	0.41
1:A:443:GLU:HB2	1:A:456:LYS:CE	2.50	0.41
1:A:540:ARG:CZ	1:A:544:SER:HB2	2.50	0.41
1:A:382:LYS:O	1:A:386:GLU:HG3	2.21	0.41
1:A:591:ASN:HD22	1:A:591:ASN:C	2.24	0.41
1:A:299:GLU:HG3	1:A:303:LYS:HD3	2.03	0.40
1:A:359:PRO:CB	1:A:405:LEU:HD11	2.50	0.40
1:A:447:SER:HB3	1:A:450:ASN:O	2.21	0.40
1:A:512:GLU:O	1:A:516:VAL:HG23	2.20	0.40
1:A:526:GLN:NE2	1:A:711:ILE:HG13	2.35	0.40
1:A:359:PRO:HB3	1:A:405:LEU:HD11	2.02	0.40
1:A:613:ARG:CZ	1:A:636:ALA:HB2	2.51	0.40
1:A:787:THR:CG2	1:A:788:ASP:N	2.84	0.40
1:A:437:SER:C	1:A:439:ASN:H	2.25	0.40
1:A:482:GLU:HG3	1:A:482:GLU:O	2.22	0.40
1:A:401:ILE:HG21	1:A:485:LEU:HB3	2.03	0.40
1:A:711:ILE:O	1:A:717:LYS:HE2	2.21	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	494/510 (97%)	452 (92%)	38 (8%)	4 (1%)	22 44

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	520	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	438	ASN
1	A	518	ASN
1	A	293	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	437/455 (96%)	400 (92%)	37 (8%)	12 24

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	308	VAL
1	A	323	ASN
1	A	332	ASN
1	A	340	LYS
1	A	372	LYS
1	A	378	LEU
1	A	385	LEU
1	A	407	HIS
1	A	423	LYS
1	A	424	LYS
1	A	434	LEU
1	A	438	ASN
1	A	456	LYS
1	A	468	LYS
1	A	480	ASN
1	A	485	LEU
1	A	493	ASP
1	A	510	GLN
1	A	519	THR
1	A	541	LYS
1	A	542	PRO
1	A	554	LYS
1	A	557	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	559	ARG
1	A	591	ASN
1	A	599	GLU
1	A	611	THR
1	A	620	THR
1	A	655	ASN
1	A	668	SER
1	A	672	ARG
1	A	681	ASP
1	A	687	GLU
1	A	695	LYS
1	A	718	ARG
1	A	740	GLN
1	A	770	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	332	ASN
1	A	368	GLN
1	A	376	GLN
1	A	377	GLN
1	A	394	HIS
1	A	407	HIS
1	A	416	ASN
1	A	473	ASN
1	A	480	ASN
1	A	526	GLN
1	A	531	ASN
1	A	553	GLN
1	A	591	ASN
1	A	655	ASN
1	A	709	ASN
1	A	727	GLN
1	A	758	ASN
1	A	767	GLN
1	A	770	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	1001	-	4,4,4	0.82	0	6,6,6	0.50	0
2	SO4	A	1002	-	4,4,4	0.86	0	6,6,6	0.57	0
2	SO4	A	1003	-	4,4,4	0.89	0	6,6,6	0.54	0
2	SO4	A	1004	-	4,4,4	0.98	0	6,6,6	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1001	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1002	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1003	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1004	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	498/510 (97%)	0.64	63 (12%) <span style="border: 2px solid red; padding: 0 2px;">4</span> <span style="border: 2px solid red; padding: 0 2px;">2</span>	23, 53, 97, 100	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	462	ILE	5.7
1	A	433	TYR	5.6
1	A	293	ILE	5.3
1	A	544	SER	5.1
1	A	638	GLY	5.1
1	A	683	GLY	4.8
1	A	639	ASN	4.8
1	A	420	LEU	4.8
1	A	684	ASP	4.6
1	A	519	THR	4.4
1	A	449	GLU	4.2
1	A	464	VAL	4.2
1	A	521	ASN	4.2
1	A	522	SER	4.1
1	A	465	LEU	4.1
1	A	525	LYS	4.1
1	A	523	LEU	4.0
1	A	520	PRO	4.0
1	A	682	SER	3.9
1	A	434	LEU	3.8
1	A	518	ASN	3.8
1	A	421	LYS	3.3
1	A	461	LYS	3.3
1	A	439	ASN	3.3
1	A	444	PHE	3.1
1	A	641	ALA	3.1
1	A	460	GLY	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	291	ASP	3.0
1	A	459	GLU	2.8
1	A	546	LYS	2.8
1	A	681	ASP	2.7
1	A	545	THR	2.7
1	A	543	ASP	2.7
1	A	526	GLN	2.7
1	A	468	LYS	2.7
1	A	424	LYS	2.6
1	A	527	LYS	2.6
1	A	579	THR	2.6
1	A	688	PHE	2.6
1	A	378	LEU	2.6
1	A	418	ILE	2.5
1	A	606	LYS	2.5
1	A	423	LYS	2.5
1	A	443	GLU	2.4
1	A	458	LYS	2.4
1	A	517	VAL	2.4
1	A	469	PHE	2.4
1	A	637	PRO	2.4
1	A	422	GLY	2.3
1	A	737	LYS	2.3
1	A	438	ASN	2.2
1	A	738	SER	2.2
1	A	680	LYS	2.2
1	A	417	GLY	2.2
1	A	740	GLN	2.1
1	A	457	THR	2.1
1	A	540	ARG	2.1
1	A	415	GLU	2.1
1	A	440	GLN	2.1
1	A	432	TYR	2.1
1	A	744	GLU	2.1
1	A	374	HIS	2.0
1	A	454	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	1001	5/5	0.97	0.18	-0.10	61,62,65,65	0
2	SO4	A	1003	5/5	0.85	0.20	-0.17	96,97,97,98	0
2	SO4	A	1002	5/5	0.95	0.16	-1.05	84,84,86,87	0
2	SO4	A	1004	5/5	0.86	0.16	-1.06	99,100,100,100	0
3	NI	A	2001	1/1	0.93	0.11	-	79,79,79,79	0

### 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.