



# Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 10:49 pm GMT

PDB ID : 2K8R  
Title : Solution structure of human acidic fibroblast growth factor in complex with anti-angiogenic drug inositol hexaphosphate (IP6)  
Authors : Kumar, S.M.; Mohan, S.K.; Chin, Y.  
Deposited on : 2008-09-22

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk28760
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*


The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	133	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:133 (133)	0.24	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 4, 10, 11, 13, 15, 17, 19
2	5, 12, 16, 18
3	8, 20
4	7, 14
5	2, 6
Single-model clusters	3; 9


### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2157 atoms, of which 1057 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Heparin-binding growth factor 1.

Mol	Chain	Residues	Atoms						Trace
1	A	133	Total	C	H	N	O	S	0
			2115	671	1051	185	204	4	

- Molecule 2 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula:  $C_6H_{18}O_{24}P_6$ ).




Mol	Chain	Residues	Atoms				
2	A	1	Total	C	H	O	P
			42	6	6	24	6

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Heparin-binding growth factor 1




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1

- Molecule 1: Heparin-binding growth factor 1



#### 4.2.2 Score per residue for model 2


- Molecule 1: Heparin-binding growth factor 1






#### 4.2.3 Score per residue for model 3

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.4 Score per residue for model 4

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.5 Score per residue for model 5

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.6 Score per residue for model 6

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.7 Score per residue for model 7

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.8 Score per residue for model 8

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.9 Score per residue for model 9

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.10 Score per residue for model 10

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.11 Score per residue for model 11

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.12 Score per residue for model 12

- Molecule 1: Heparin-binding growth factor 1



#### 4.2.13 Score per residue for model 13 (medoid)


- Molecule 1: Heparin-binding growth factor 1






#### 4.2.14 Score per residue for model 14

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.15 Score per residue for model 15

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.16 Score per residue for model 16

- Molecule 1: Heparin-binding growth factor 1




#### 4.2.17 Score per residue for model 17

- Molecule 1: Heparin-binding growth factor 1




### 4.2.18 Score per residue for model 18

- Molecule 1: Heparin-binding growth factor 1




### 4.2.19 Score per residue for model 19

- Molecule 1: Heparin-binding growth factor 1



### 4.2.20 Score per residue for model 20

- Molecule 1: Heparin-binding growth factor 1



## 5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality

### 6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IHP

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1064	1051	1046	26±6
2	A	36	6	6	2±1
All	All	22000	21140	21040	522

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:35:ILE:HB	1:A:52:THR:HG23	0.72	1.61	17	10
1:A:47:VAL:HG11	1:A:80:GLU:HB3	0.67	1.67	11	7
1:A:102:VAL:HG12	1:A:112:ARG:HG3	0.64	1.69	8	1
1:A:17:ARG:HB2	1:A:27:THR:HG21	0.63	1.70	14	1
1:A:57:TYR:CZ	1:A:72:PRO:HA	0.61	2.31	1	13
1:A:57:TYR:CE1	1:A:76:CYS:SG	0.61	2.93	6	1
1:A:65:LEU:HD22	1:A:110:CYS:HB2	0.61	1.71	12	1
1:A:101:PHE:HB2	1:A:116:THR:HG21	0.60	1.72	3	1
1:A:39:LEU:HD21	1:A:47:VAL:HB	0.60	1.72	5	11
1:A:59:ALA:HB3	1:A:67:TYR:CE1	0.57	2.34	2	5
1:A:5:LYS:HD3	1:A:39:LEU:HB3	0.57	1.77	3	3

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:79:LEU:HB3	1:A:91:ILE:CG1	0.56	2.31	10	12
1:A:1:TYR:CZ	1:A:2:LYS:HD2	0.56	2.34	20	9
1:A:64:GLY:HA2	1:A:112:ARG:CZ	0.56	2.30	19	6
1:A:47:VAL:HG11	1:A:80:GLU:CB	0.55	2.31	19	5
1:A:59:ALA:HB3	1:A:67:TYR:CE2	0.55	2.36	3	4
1:A:39:LEU:HD21	1:A:47:VAL:CG1	0.55	2.31	8	3
1:A:40:SER:O	1:A:41:ALA:HB3	0.55	2.02	13	11
1:A:47:VAL:HG21	1:A:80:GLU:HB2	0.55	1.77	20	12
1:A:17:ARG:O	1:A:24:VAL:HG23	0.54	2.03	14	6
1:A:105:LYS:HG2	2:A:134:IHP:O36	0.54	2.01	8	2
1:A:74:GLU:HB2	1:A:94:LYS:HD2	0.54	1.79	5	5
1:A:52:THR:HB	1:A:56:GLN:HB2	0.54	1.78	13	4
1:A:113:GLY:N	1:A:114:PRO:HD2	0.54	2.18	11	4
1:A:104:LEU:HA	1:A:110:CYS:HA	0.54	1.79	13	10
1:A:116:THR:O	1:A:117:HIS:CG	0.54	2.60	6	7
1:A:102:VAL:HA	1:A:112:ARG:HG2	0.54	1.79	20	6
1:A:64:GLY:HA3	1:A:113:GLY:HA3	0.54	1.78	19	5
1:A:57:TYR:CB	1:A:70:GLN:HA	0.53	2.34	3	6
1:A:115:ARG:NH2	2:A:134:IHP:H2	0.53	2.19	8	6
1:A:10:SER:HB2	1:A:124:LEU:HD23	0.52	1.81	10	2
1:A:33:GLN:HB2	1:A:37:LEU:HB2	0.52	1.80	16	4
1:A:39:LEU:HD23	1:A:39:LEU:C	0.52	2.25	8	6
1:A:57:TYR:HB3	1:A:70:GLN:HA	0.52	1.80	3	4
1:A:74:GLU:CB	1:A:94:LYS:HD2	0.52	2.35	15	7
1:A:35:ILE:HD12	1:A:52:THR:CG2	0.52	2.34	1	4
1:A:6:LEU:HD23	1:A:128:LEU:HB2	0.51	1.81	2	9
1:A:83:GLU:O	1:A:84:GLU:CB	0.51	2.58	11	5
1:A:42:GLU:HB3	1:A:46:GLU:HB2	0.51	1.81	11	1
1:A:39:LEU:C	1:A:39:LEU:HD23	0.51	2.26	9	7
1:A:84:GLU:O	1:A:86:HIS:N	0.51	2.43	15	12
1:A:100:TRP:HB2	1:A:112:ARG:HD3	0.50	1.82	16	4
1:A:111:LYS:HD3	1:A:114:PRO:HG2	0.50	1.84	1	1
1:A:37:LEU:HD23	1:A:38:GLN:N	0.50	2.22	20	2
1:A:39:LEU:HD21	1:A:47:VAL:CB	0.50	2.36	14	5
1:A:60:MET:HE2	1:A:75:GLU:O	0.50	2.06	3	1
1:A:100:TRP:HB2	1:A:112:ARG:CD	0.50	2.37	16	3
1:A:113:GLY:N	1:A:114:PRO:CD	0.50	2.75	1	3
1:A:38:GLN:HB2	1:A:50:LYS:HB3	0.50	1.84	7	1
1:A:35:ILE:CB	1:A:52:THR:HG23	0.49	2.36	17	1
1:A:5:LYS:HD2	1:A:130:VAL:HG23	0.49	1.84	12	2
1:A:65:LEU:HD13	1:A:110:CYS:HB2	0.49	1.85	4	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:LYS:NZ	1:A:131:SER:OG	0.48	2.45	13	8
1:A:33:GLN:HG3	1:A:37:LEU:HD12	0.48	1.86	3	1
1:A:64:GLY:HA3	1:A:113:GLY:CA	0.48	2.38	17	1
1:A:89:THR:HG23	1:A:123:ILE:HG23	0.48	1.84	6	3
1:A:115:ARG:HH21	2:A:134:IHP:H2	0.48	1.67	19	19
1:A:9:CYS:SG	1:A:104:LEU:HD21	0.48	2.49	6	1
1:A:2:LYS:HG2	1:A:2:LYS:O	0.48	2.08	20	1
1:A:17:ARG:HB2	1:A:27:THR:CG2	0.48	2.39	14	1
1:A:42:GLU:HB3	1:A:46:GLU:CB	0.48	2.39	11	1
1:A:5:LYS:O	1:A:37:LEU:HB3	0.48	2.09	14	17
1:A:57:TYR:CE2	1:A:72:PRO:HA	0.48	2.43	10	3
1:A:58:LEU:HD13	1:A:59:ALA:N	0.48	2.24	11	4
1:A:83:GLU:O	1:A:84:GLU:HB3	0.47	2.10	11	3
1:A:116:THR:O	1:A:116:THR:HG23	0.47	2.08	7	2
1:A:15:PHE:HA	1:A:26:GLY:HA2	0.47	1.86	13	2
1:A:111:LYS:O	1:A:121:LYS:NZ	0.47	2.48	3	2
1:A:39:LEU:CD2	1:A:47:VAL:HB	0.47	2.39	14	3
1:A:88:ASN:ND2	1:A:127:PRO:HD3	0.47	2.25	18	1
1:A:82:LEU:HA	1:A:88:ASN:HB2	0.47	1.85	19	3
1:A:101:PHE:N	1:A:116:THR:HG21	0.47	2.24	10	1
1:A:111:LYS:HE3	2:A:134:IHP:O46	0.47	2.10	11	1
1:A:40:SER:O	1:A:41:ALA:CB	0.46	2.63	13	3
1:A:100:TRP:CB	1:A:112:ARG:HD3	0.46	2.41	16	4
1:A:65:LEU:HD13	1:A:66:LEU:H	0.46	1.70	10	2
1:A:94:LYS:O	1:A:94:LYS:HG2	0.46	2.10	10	1
1:A:1:TYR:CE2	1:A:2:LYS:HD2	0.46	2.45	13	2
1:A:3:LYS:HB2	1:A:130:VAL:HG11	0.46	1.87	15	2
1:A:51:SER:O	1:A:52:THR:CB	0.46	2.63	4	3
1:A:36:GLN:O	1:A:52:THR:N	0.46	2.47	3	4
1:A:79:LEU:HB3	1:A:91:ILE:HG13	0.46	1.87	10	5
1:A:51:SER:O	1:A:52:THR:HB	0.46	2.11	4	8
1:A:35:ILE:HD12	1:A:52:THR:HG23	0.46	1.88	7	3
1:A:51:SER:O	1:A:56:GLN:HB2	0.46	2.11	1	6
1:A:5:LYS:HE3	1:A:127:PRO:HB2	0.46	1.88	6	3
1:A:60:MET:SD	1:A:92:SER:HB3	0.46	2.51	1	1
1:A:17:ARG:CB	1:A:27:THR:OG1	0.45	2.64	11	2
1:A:16:LEU:HD11	1:A:29:ASP:HB2	0.45	1.88	15	1
1:A:10:SER:HB3	1:A:124:LEU:HD23	0.45	1.87	13	2
1:A:41:ALA:N	1:A:132:SER:OG	0.45	2.48	2	1
1:A:5:LYS:HG3	1:A:128:LEU:HB3	0.44	1.89	1	6
1:A:65:LEU:C	1:A:65:LEU:HD13	0.44	2.32	14	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:57:TYR:HB3	1:A:69:SER:O	0.44	2.12	5	4
1:A:121:LYS:HE3	1:A:121:LYS:C	0.44	2.33	1	2
1:A:17:ARG:HB2	1:A:27:THR:CB	0.44	2.43	13	2
1:A:112:ARG:C	1:A:112:ARG:HD2	0.44	2.33	9	2
1:A:116:THR:O	1:A:117:HIS:ND1	0.44	2.51	18	2
1:A:66:LEU:HD12	1:A:66:LEU:N	0.44	2.28	15	4
1:A:22:GLY:CA	1:A:67:TYR:HB2	0.44	2.43	19	2
1:A:121:LYS:HE3	1:A:122:ALA:HB2	0.44	1.88	10	1
1:A:16:LEU:O	1:A:33:GLN:HA	0.44	2.13	12	2
1:A:58:LEU:O	1:A:76:CYS:SG	0.44	2.76	3	1
1:A:35:ILE:HD12	1:A:52:THR:HG21	0.44	1.89	20	1
1:A:24:VAL:HG22	1:A:104:LEU:HD13	0.44	1.89	14	1
1:A:16:LEU:CD1	1:A:27:THR:HG22	0.44	2.42	2	3
1:A:65:LEU:HD13	1:A:66:LEU:N	0.44	2.28	1	2
1:A:16:LEU:HD11	1:A:27:THR:HG22	0.43	1.90	19	3
1:A:5:LYS:HE3	1:A:39:LEU:HB3	0.43	1.89	19	1
1:A:48:TYR:CE2	1:A:50:LYS:HB2	0.43	2.49	20	2
1:A:116:THR:HG23	1:A:116:THR:O	0.43	2.13	17	1
1:A:128:LEU:HG	1:A:129:PRO:HD2	0.43	1.90	13	1
1:A:44:VAL:HG13	1:A:44:VAL:O	0.43	2.13	16	1
1:A:75:GLU:OE2	1:A:95:HIS:NE2	0.43	2.47	16	1
1:A:112:ARG:NH1	1:A:113:GLY:HA2	0.43	2.27	17	1
1:A:18:ILE:HG22	1:A:34:HIS:HB2	0.43	1.90	11	1
1:A:92:SER:HB2	1:A:95:HIS:HB2	0.43	1.91	14	2
1:A:5:LYS:CE	1:A:127:PRO:HB2	0.43	2.43	6	1
1:A:128:LEU:O	1:A:130:VAL:N	0.43	2.49	2	1
1:A:121:LYS:C	1:A:121:LYS:HD2	0.43	2.35	10	2
1:A:19:LEU:N	1:A:19:LEU:HD22	0.43	2.29	5	2
1:A:130:VAL:HG23	1:A:130:VAL:O	0.43	2.14	10	2
1:A:6:LEU:O	1:A:127:PRO:HA	0.43	2.14	19	2
1:A:116:THR:O	1:A:117:HIS:CB	0.43	2.67	10	1
1:A:93:LYS:HD2	1:A:94:LYS:N	0.43	2.28	4	1
1:A:39:LEU:HG	1:A:49:ILE:HG12	0.42	1.89	10	1
1:A:65:LEU:CD2	1:A:110:CYS:HB2	0.42	2.44	20	1
1:A:105:LYS:HD3	1:A:121:LYS:HD2	0.42	1.90	8	1
1:A:24:VAL:HG13	1:A:104:LEU:HD13	0.42	1.91	7	1
1:A:130:VAL:O	1:A:130:VAL:HG23	0.42	2.15	13	2
1:A:73:ASN:OD1	1:A:74:GLU:N	0.42	2.52	2	1
1:A:87:TYR:CE2	1:A:123:ILE:HG22	0.42	2.50	19	2
1:A:34:HIS:O	1:A:35:ILE:CG1	0.42	2.68	13	1
1:A:105:LYS:HE2	2:A:134:IHP:O34	0.42	2.14	3	2

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:LEU:HA	1:A:48:TYR:O	0.42	2.14	5	2
1:A:19:LEU:HD22	1:A:19:LEU:N	0.42	2.30	11	3
1:A:66:LEU:N	1:A:66:LEU:HD12	0.42	2.30	2	1
1:A:64:GLY:HA2	1:A:112:ARG:NH1	0.42	2.30	3	1
1:A:16:LEU:HD12	1:A:16:LEU:O	0.42	2.15	7	1
1:A:2:LYS:O	1:A:2:LYS:HG2	0.42	2.15	13	1
1:A:88:ASN:ND2	1:A:125:PHE:HB2	0.42	2.30	3	2
1:A:122:ALA:HB3	1:A:123:ILE:HD12	0.42	1.90	16	2
1:A:57:TYR:O	1:A:68:GLY:HA2	0.42	2.14	17	1
1:A:128:LEU:HB3	1:A:130:VAL:HG22	0.41	1.92	13	2
1:A:10:SER:HB3	1:A:124:LEU:CD2	0.41	2.45	11	1
1:A:83:GLU:O	1:A:84:GLU:HG2	0.41	2.14	14	2
1:A:42:GLU:HB2	1:A:46:GLU:O	0.41	2.15	13	1
1:A:121:LYS:C	1:A:121:LYS:HE3	0.41	2.35	2	1
1:A:64:GLY:HA3	1:A:113:GLY:N	0.41	2.31	5	1
1:A:10:SER:HB2	1:A:124:LEU:CD2	0.41	2.45	15	2
1:A:74:GLU:HB3	1:A:94:LYS:HD2	0.41	1.92	11	2
1:A:61:ASP:N	1:A:65:LEU:O	0.41	2.45	20	1
1:A:120:GLN:O	1:A:124:LEU:N	0.41	2.54	18	1
1:A:86:HIS:CD2	1:A:86:HIS:O	0.41	2.74	19	1
1:A:73:ASN:ND2	1:A:75:GLU:HG2	0.41	2.30	14	2
1:A:121:LYS:HE2	1:A:122:ALA:CA	0.41	2.46	19	1
1:A:116:THR:CG2	1:A:116:THR:O	0.41	2.69	15	1
1:A:99:ASN:O	1:A:99:ASN:ND2	0.41	2.53	6	1
1:A:38:GLN:OE1	1:A:50:LYS:NZ	0.41	2.53	16	1
1:A:6:LEU:CD2	1:A:128:LEU:HB2	0.41	2.46	4	2
1:A:89:THR:CG2	1:A:123:ILE:HG23	0.41	2.45	9	1
1:A:34:HIS:O	1:A:35:ILE:HG13	0.41	2.16	11	1
1:A:57:TYR:HB2	1:A:70:GLN:HA	0.41	1.92	2	1
1:A:14:HIS:HB3	1:A:27:THR:O	0.41	2.16	16	1
1:A:87:TYR:CG	1:A:88:ASN:N	0.40	2.90	2	1
1:A:43:SER:O	1:A:44:VAL:C	0.40	2.59	15	1
1:A:114:PRO:O	1:A:115:ARG:HB2	0.40	2.16	6	1
1:A:93:LYS:C	1:A:93:LYS:CD	0.40	2.89	6	1
1:A:22:GLY:HA2	1:A:67:TYR:HB2	0.40	1.93	5	1
1:A:44:VAL:O	1:A:44:VAL:HG13	0.40	2.16	19	1
1:A:16:LEU:HB2	1:A:32:ASP:O	0.40	2.16	10	1
1:A:50:LYS:NZ	1:A:53:GLU:O	0.40	2.54	16	1
1:A:81:ARG:O	1:A:89:THR:N	0.40	2.47	16	1
1:A:27:THR:CG2	1:A:28:ARG:N	0.40	2.83	1	2
1:A:66:LEU:HD21	1:A:102:VAL:HG11	0.40	1.93	3	1

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:18:ILE:HG22	1:A:33:GLN:OE1	0.40	2.16	6	1
1:A:121:LYS:HD2	1:A:121:LYS:C	0.40	2.37	13	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	131/133 (98%)	96±3 (73±2%)	25±4 (19±3%)	10±2 (7±2%)	2	16
All	All	2620/2660 (98%)	1915 (73%)	509 (19%)	196 (7%)	2	16

All 24 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	117	HIS	20
1	A	16	LEU	20
1	A	102	VAL	18
1	A	35	ILE	17
1	A	70	GLN	14
1	A	115	ARG	13
1	A	44	VAL	12
1	A	4	PRO	11
1	A	85	ASN	11
1	A	64	GLY	11
1	A	130	VAL	8
1	A	52	THR	8
1	A	33	GLN	6
1	A	40	SER	6
1	A	84	GLU	5
1	A	36	GLN	5
1	A	41	ALA	3
1	A	123	ILE	2
1	A	114	PRO	1
1	A	27	THR	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	63	ASP	1
1	A	124	LEU	1
1	A	127	PRO	1
1	A	12	GLY	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/117 (100%)	101±2 (86±2%)	16±2 (14±2%)	8	49
All	All	2340/2340 (100%)	2023 (86%)	317 (14%)	8	49

All 51 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	79	LEU	20
1	A	121	LYS	20
1	A	104	LEU	19
1	A	2	LYS	17
1	A	89	THR	17
1	A	87	TYR	17
1	A	88	ASN	16
1	A	65	LEU	14
1	A	117	HIS	12
1	A	93	LYS	11
1	A	112	ARG	11
1	A	25	ASP	10
1	A	54	THR	9
1	A	58	LEU	8
1	A	107	ASN	8
1	A	43	SER	7
1	A	84	GLU	7
1	A	116	THR	7
1	A	37	LEU	7
1	A	61	ASP	6
1	A	92	SER	5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	70	GLN	5
1	A	16	LEU	5
1	A	33	GLN	5
1	A	10	SER	4
1	A	32	ASP	4
1	A	60	MET	4
1	A	40	SER	4
1	A	132	SER	3
1	A	50	LYS	3
1	A	123	ILE	3
1	A	76	CYS	3
1	A	69	SER	3
1	A	125	PHE	3
1	A	27	THR	2
1	A	99	ASN	2
1	A	75	GLU	2
1	A	62	THR	1
1	A	20	PRO	1
1	A	36	GLN	1
1	A	83	GLU	1
1	A	28	ARG	1
1	A	77	LEU	1
1	A	6	LEU	1
1	A	57	TYR	1
1	A	73	ASN	1
1	A	71	THR	1
1	A	131	SER	1
1	A	56	GLN	1
1	A	11	ASN	1
1	A	31	SER	1

### 6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	IHP	A	134	-	36,36,36	1.12±0.01	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	IHP	A	134	-	54,60,60	0.45±0.01	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IHP	A	134	-	-	0±0,30,54,54	0±0,1,1,1

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.7 Other polymers

There are no such molecules in this entry.

## 6.8 Polymer linkage issues

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided