



# Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 11:33 pm GMT

PDB ID : 2L06  
Title : Solution NMR structure of the PBS linker polypeptide domain (fragment 254-400) of phycobilisome linker protein ApcE from *Synechocystis* sp. PCC 6803. Northeast Structural Genomics Consortium Target SgR209C  
Authors : Ramelot, T.A.; Yang, Y.; Cort, J.R.; Hamilton, K.; Ciccocanti, C.; Lee, D.; Acton, T.B.; Xiao, R.; Everett, J.K.; Montelione, G.T.; Kennedy, M.A.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2010-06-30

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk28760
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 91%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	155	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:14-A:38, A:45-A:143 (124)	0.64	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 4 single-model clusters were found.

Cluster number	Models
1	6, 7, 10, 12, 13, 14, 15, 16, 18
2	9, 11, 20
3	3, 19
4	1, 5
Single-model clusters	2; 4; 8; 17

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2517 atoms, of which 1253 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Phycobilisome LCM core-membrane linker polypeptide.

Mol	Chain	Residues	Atoms						Trace
1	A	155	Total	C	H	N	O	S	0
			2517	806	1253	227	229	2	

There are 7 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	149	GLU	-	EXPRESSION TAG	UNP Q55544
A	150	HIS	-	EXPRESSION TAG	UNP Q55544
A	151	HIS	-	EXPRESSION TAG	UNP Q55544
A	152	HIS	-	EXPRESSION TAG	UNP Q55544
A	153	HIS	-	EXPRESSION TAG	UNP Q55544
A	154	HIS	-	EXPRESSION TAG	UNP Q55544
A	155	HIS	-	EXPRESSION TAG	UNP Q55544

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



#### 4.2.2 Score per residue for model 2


- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



H150  
H151  
H152  
H153  
H154  
H155


### 4.2.3 Score per residue for model 3

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




### 4.2.4 Score per residue for model 4

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




### 4.2.5 Score per residue for model 5

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



### 4.2.6 Score per residue for model 6

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



R146  
G147  
L148  
E149  
H150  
H151  
H152  
H153  
H154  
H155

#### 4.2.7 Score per residue for model 7

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide

Chain A: 

P1 Q2 Q3 S3 Y4 Y5 N6 A7 A8 A9 K10 R11 Q12 Y14 A15 M16 E24 V28 A32 Y33 R34 Q35 T36 F37 E38 R39 D40 I41 T42 R43 A44 Y45 S46 Y51 Q55 K64 F65 F66 V67 L70 Y76 E82 P83 S104 V108 L120 P121

E139 E140 P143 Y144 L145 R146 G147 L148 E149 H150 H151 H152 H153 H154 H155

#### 4.2.8 Score per residue for model 8

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide

Chain A: 

P1 Q2 S3 Y4 F5 N6 A7 A8 A9 K10 R11 Q12 K13 M16 S21 E24 F37 E38 R39 D40 T42 T43 A44 Y51 Q55 V56 R69 L75 Y76 R77 F81 L90 F94 R100 L120 P121 A122 L123 Y144 L145 R146 G147 E149 H150

H151  
H152  
H153  
H154  
H155

#### 4.2.9 Score per residue for model 9

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide

Chain A: 


P1 Q2 S3 Y4 F5 N6 A7 A8 A9 K10 R11 Q12 K13 E24 V28 I36 R39 D40 I41 T42 K43 A44 M63 V67 R68 R69 K72 E82 P83 F94 R95 H96 S104 E107 V108 L120 P121 P143 Y144 L145 R146 G147 L148 E149 H150 H151 H152

H153  
H154  
H155

#### 4.2.10 Score per residue for model 10


- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide

Chain A: 




#### 4.2.11 Score per residue for model 11

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.12 Score per residue for model 12

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



#### 4.2.13 Score per residue for model 13 (medoid)

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.14 Score per residue for model 14

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide









#### 4.2.15 Score per residue for model 15

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.16 Score per residue for model 16

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.17 Score per residue for model 17

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.18 Score per residue for model 18

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide




#### 4.2.19 Score per residue for model 19

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



#### 4.2.20 Score per residue for model 20

- Molecule 1: Phycobilisome LCM core-membrane linker polypeptide



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 125 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	structure solution	2.25
X-PLOR NIH	refinement	2.25

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 17031
Number of chemical shift lists	1
Total number of shifts	1833
Number of shifts mapped to atoms	1833
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	91%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	997	991	990	9±3
All	All	19940	19820	19800	182

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:133:TYR:HA	1:A:137:PHE:HD2	0.67	1.49	2	1
1:A:131:GLN:HA	1:A:131:GLN:HE21	0.65	1.51	1	1
1:A:47:GLN:HG3	1:A:48:SER:H	0.63	1.53	18	1
1:A:34:ARG:O	1:A:38:GLU:HA	0.62	1.94	13	10
1:A:64:LYS:HE2	1:A:134:ALA:HA	0.62	1.69	11	2
1:A:65:GLU:O	1:A:69:ARG:HG2	0.62	1.95	13	2
1:A:77:ARG:HG2	1:A:120:LEU:HD23	0.60	1.74	8	1
1:A:64:LYS:HB2	1:A:139:GLU:HB2	0.59	1.71	10	3
1:A:16:MET:HB2	1:A:63:MET:HB2	0.59	1.75	11	1
1:A:46:SER:HA	1:A:49:ILE:HB	0.59	1.72	18	3
1:A:79:GLN:HA	1:A:79:GLN:HE21	0.58	1.58	3	1
1:A:65:GLU:HA	1:A:68:ARG:HG2	0.57	1.75	1	1
1:A:104:SER:HB2	1:A:107:GLU:HB3	0.55	1.78	9	1
1:A:36:ILE:HA	1:A:96:HIS:CE1	0.54	2.37	9	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:17:LYS:HB2	1:A:20:LEU:HB3	0.54	1.78	13	2
1:A:120:LEU:N	1:A:121:PRO:HD2	0.54	2.17	3	11
1:A:17:LYS:HG3	1:A:20:LEU:HB3	0.53	1.78	14	1
1:A:51:TYR:O	1:A:55:GLN:HG2	0.53	2.03	15	4
1:A:61:ILE:HB	1:A:65:GLU:HB2	0.53	1.80	16	3
1:A:15:ALA:HA	1:A:140:GLU:O	0.53	2.03	7	2
1:A:32:ALA:O	1:A:36:ILE:HG12	0.52	2.04	7	2
1:A:53:GLU:O	1:A:57:ARG:HB2	0.51	2.04	18	1
1:A:104:SER:HB2	1:A:106:GLU:OE1	0.51	2.05	6	1
1:A:65:GLU:HB3	1:A:69:ARG:HH21	0.51	1.65	19	1
1:A:51:TYR:O	1:A:55:GLN:HG3	0.51	2.06	5	3
1:A:104:SER:HB2	1:A:107:GLU:CB	0.51	2.35	9	1
1:A:72:LYS:HG3	1:A:121:PRO:HB3	0.50	1.83	5	1
1:A:64:LYS:HE2	1:A:129:ASP:HA	0.50	1.82	6	1
1:A:133:TYR:HA	1:A:137:PHE:CD2	0.50	2.37	2	1
1:A:45:TYR:HB3	1:A:75:LEU:HD23	0.49	1.84	3	1
1:A:17:LYS:O	1:A:20:LEU:HD12	0.49	2.08	6	2
1:A:25:LYS:HD3	1:A:57:ARG:HA	0.49	1.84	17	1
1:A:25:LYS:O	1:A:29:ILE:HG13	0.49	2.08	19	2
1:A:72:LYS:HE3	1:A:125:ASP:HB3	0.49	1.83	20	1
1:A:21:SER:HB2	1:A:24:GLU:OE1	0.48	2.09	8	1
1:A:64:LYS:HE3	1:A:129:ASP:HA	0.48	1.86	18	1
1:A:66:PHE:O	1:A:70:LEU:HG	0.47	2.09	19	4
1:A:74:PRO:O	1:A:78:LYS:HB2	0.47	2.09	19	1
1:A:63:MET:SD	1:A:142:VAL:HG22	0.47	2.49	16	2
1:A:16:MET:SD	1:A:56:VAL:HG22	0.47	2.49	16	3
1:A:75:LEU:O	1:A:79:GLN:HG2	0.47	2.08	13	2
1:A:137:PHE:HD2	1:A:141:THR:HB	0.47	1.70	16	1
1:A:33:TYR:CZ	1:A:49:ILE:HG23	0.47	2.45	1	2
1:A:94:PHE:HB3	1:A:100:ARG:O	0.47	2.10	8	2
1:A:54:SER:HA	1:A:57:ARG:CG	0.47	2.40	19	1
1:A:64:LYS:HE3	1:A:128:VAL:O	0.47	2.09	14	1
1:A:82:GLU:HB2	1:A:83:PRO:HD3	0.47	1.86	6	3
1:A:82:GLU:HB3	1:A:84:PHE:HD2	0.47	1.69	4	1
1:A:98:LEU:HD11	1:A:127:LEU:HD22	0.47	1.86	6	1
1:A:46:SER:CA	1:A:49:ILE:HB	0.46	2.40	18	1
1:A:132:GLU:O	1:A:136:TYR:HB2	0.46	2.10	17	1
1:A:104:SER:O	1:A:108:VAL:HG23	0.46	2.11	7	9
1:A:106:GLU:H	1:A:106:GLU:CD	0.46	2.14	18	1
1:A:72:LYS:HD2	1:A:125:ASP:HB2	0.46	1.88	12	1
1:A:48:SER:O	1:A:52:LEU:HG	0.46	2.10	3	5

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:37:PHE:HE1	1:A:76:TYR:HB2	0.46	1.70	7	1
1:A:23:LEU:C	1:A:23:LEU:HD22	0.45	2.31	18	1
1:A:24:GLU:O	1:A:28:VAL:HG23	0.45	2.11	14	4
1:A:71:ALA:HA	1:A:76:TYR:CD2	0.45	2.46	13	1
1:A:80:PHE:HA	1:A:84:PHE:HD2	0.45	1.72	18	1
1:A:102:PRO:HB2	1:A:108:VAL:HG22	0.45	1.89	5	3
1:A:82:GLU:HB3	1:A:83:PRO:HD3	0.45	1.88	18	6
1:A:25:LYS:HD2	1:A:57:ARG:O	0.45	2.12	19	1
1:A:54:SER:HA	1:A:57:ARG:HG3	0.45	1.88	19	1
1:A:37:PHE:HA	1:A:76:TYR:CE1	0.45	2.47	8	1
1:A:36:ILE:HA	1:A:96:HIS:NE2	0.45	2.27	15	1
1:A:45:TYR:CG	1:A:49:ILE:HD11	0.44	2.47	20	1
1:A:133:TYR:O	1:A:136:TYR:HB2	0.44	2.12	5	1
1:A:65:GLU:HG3	1:A:68:ARG:HE	0.44	1.72	1	1
1:A:84:PHE:O	1:A:85:ILE:HB	0.44	2.12	3	1
1:A:104:SER:O	1:A:107:GLU:HB3	0.44	2.13	18	1
1:A:78:LYS:HG3	1:A:82:GLU:HG2	0.44	1.90	13	1
1:A:126:ALA:O	1:A:130:SER:HB2	0.43	2.12	18	1
1:A:121:PRO:O	1:A:125:ASP:HB2	0.43	2.12	14	1
1:A:133:TYR:HA	1:A:137:PHE:CD1	0.43	2.49	1	1
1:A:37:PHE:HA	1:A:76:TYR:HE1	0.43	1.72	8	1
1:A:139:GLU:H	1:A:139:GLU:CD	0.43	2.16	3	2
1:A:65:GLU:HB3	1:A:69:ARG:NH1	0.43	2.29	3	1
1:A:95:ARG:HA	1:A:100:ARG:O	0.43	2.13	16	1
1:A:37:PHE:O	1:A:38:GLU:HB3	0.43	2.13	7	1
1:A:130:SER:HB3	1:A:133:TYR:CD2	0.43	2.49	18	1
1:A:134:ALA:O	1:A:138:GLY:HA2	0.43	2.14	10	1
1:A:80:PHE:HE1	1:A:92:LEU:HB3	0.43	1.74	15	1
1:A:76:TYR:O	1:A:80:PHE:HB2	0.42	2.14	11	1
1:A:82:GLU:N	1:A:83:PRO:HD2	0.42	2.29	5	1
1:A:45:TYR:CD1	1:A:49:ILE:HD11	0.42	2.50	20	1
1:A:50:SER:O	1:A:53:GLU:HG2	0.42	2.15	3	1
1:A:36:ILE:HD11	1:A:143:PRO:HG2	0.42	1.91	10	1
1:A:72:LYS:HG3	1:A:121:PRO:HA	0.42	1.92	11	1
1:A:120:LEU:HB3	1:A:121:PRO:HD3	0.42	1.91	17	4
1:A:67:VAL:HG21	1:A:143:PRO:HD2	0.41	1.90	9	1
1:A:17:LYS:HE2	1:A:140:GLU:OE2	0.41	2.15	12	1
1:A:79:GLN:O	1:A:80:PHE:HB2	0.41	2.15	14	1
1:A:45:TYR:HB3	1:A:49:ILE:HD12	0.41	1.93	19	1
1:A:90:LEU:HD12	1:A:123:LEU:HD21	0.41	1.92	8	1
1:A:68:ARG:O	1:A:72:LYS:HG3	0.41	2.16	17	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:80:PHE:HA	1:A:84:PHE:CD2	0.41	2.51	18	1
1:A:20:LEU:HD23	1:A:24:GLU:HB2	0.41	1.92	13	1
1:A:115:VAL:O	1:A:119:GLY:HA2	0.41	2.16	11	1
1:A:82:GLU:H	1:A:83:PRO:HD2	0.41	1.76	20	1
1:A:14:TYR:HB2	1:A:142:VAL:HB	0.41	1.93	2	1
1:A:104:SER:HB2	1:A:107:GLU:HB2	0.40	1.92	18	1
1:A:95:ARG:O	1:A:99:GLY:HA2	0.40	2.16	19	1
1:A:71:ALA:CB	1:A:124:VAL:HG11	0.40	2.47	18	1
1:A:68:ARG:O	1:A:72:LYS:HG2	0.40	2.16	15	1
1:A:69:ARG:HD3	1:A:72:LYS:HE2	0.40	1.93	9	1
1:A:50:SER:HA	1:A:53:GLU:HB3	0.40	1.92	11	1
1:A:132:GLU:H	1:A:132:GLU:CD	0.40	2.20	13	1

## 6.3 Torsion angles

### 6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	124/155 (80%)	117±2 (94±2%)	6±2 (5±2%)	1±1 (1±1%)	27	73
All	All	2480/3100 (80%)	2337 (94%)	123 (5%)	20 (1%)	27	73

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	46	SER	5
1	A	47	GLN	4
1	A	143	PRO	4
1	A	81	PHE	2
1	A	83	PRO	1
1	A	85	ILE	1
1	A	19	GLY	1
1	A	82	GLU	1
1	A	18	PRO	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	106/132 (80%)	103±1 (98±1%)	3±1 (2±1%)	56	92
All	All	2120/2640 (80%)	2067 (98%)	53 (2%)	56	92

All 30 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	139	GLU	4
1	A	45	TYR	4
1	A	53	GLU	4
1	A	140	GLU	3
1	A	69	ARG	3
1	A	20	LEU	3
1	A	35	GLN	2
1	A	94	PHE	2
1	A	63	MET	2
1	A	136	TYR	2
1	A	47	GLN	2
1	A	91	GLU	2
1	A	131	GLN	2
1	A	57	ARG	2
1	A	92	LEU	1
1	A	23	LEU	1
1	A	86	ASN	1
1	A	95	ARG	1
1	A	141	THR	1
1	A	85	ILE	1
1	A	17	LYS	1
1	A	21	SER	1
1	A	110	LYS	1
1	A	98	LEU	1
1	A	16	MET	1
1	A	137	PHE	1
1	A	79	GLN	1
1	A	24	GLU	1
1	A	104	SER	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	88	ARG	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 91% for the well-defined parts and 83% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 17031

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1833
Number of shifts mapped to atoms	1833
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	145	$-0.61 \pm 0.10$	Should be applied
$^{13}\text{C}_\beta$	137	$0.21 \pm 0.05$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	128	$-0.36 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	136	$0.62 \pm 0.32$	None needed (imprecise)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 91%, i.e. 1431 atoms were assigned a chemical shift out of a possible 1578. 19 out of 19 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	592/608 (97%)	241/242 (100%)	234/248 (94%)	117/118 (99%)
Sidechain	727/826 (88%)	445/490 (91%)	266/293 (91%)	16/43 (37%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	112/144 (78%)	59/76 (78%)	53/66 (80%)	0/2 (0%)
Overall	1431/1578 (91%)	745/808 (92%)	553/607 (91%)	133/163 (82%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 83%, i.e. 1666 atoms were assigned a chemical shift out of a possible 2013. 21 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	687/761 (90%)	278/303 (92%)	273/310 (88%)	136/148 (92%)
Sidechain	859/1035 (83%)	525/616 (85%)	314/361 (87%)	20/58 (34%)
Aromatic	120/217 (55%)	63/113 (56%)	57/90 (63%)	0/14 (0%)
Overall	1666/2013 (83%)	866/1032 (84%)	644/761 (85%)	156/220 (71%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	143	PRO	HA	1.97	6.05 – 2.75	-7.4

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

