



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2017 – 04:34 AM EDT

PDB ID : 3L4T
Title : Crystal complex of N-terminal Human Maltase-Glucoamylase with BJ2661
Authors : Sim, L.; Rose, D.R.
Deposited on : unknown
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	875	<div> <div>20%</div> <div>80%</div> <div>17%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	A	2001	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7452 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Maltase-glucoamylase, intestinal.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	856	6964	4466	1173	1295	30	0	19	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	772	ASP	ASN	VARIANT	UNP O43451
A	869	ALA	-	EXPRESSION TAG	UNP O43451
A	870	HIS	-	EXPRESSION TAG	UNP O43451
A	871	HIS	-	EXPRESSION TAG	UNP O43451
A	872	HIS	-	EXPRESSION TAG	UNP O43451
A	873	HIS	-	EXPRESSION TAG	UNP O43451
A	874	HIS	-	EXPRESSION TAG	UNP O43451
A	875	HIS	-	EXPRESSION TAG	UNP O43451

- Molecule 2 is (1R,2S)-1-[(1S)-1,2-dihydroxyethyl]-3-[(2R,3S,4S)-3,4-dihydroxy-2-(hydroxymethyl)tetrahydrothiophenium-1-yl]-2-hydroxypropyl sulfate (three-letter code: BJ1) (formula: C₁₀H₂₀O₁₀S₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			22	10	10	2		

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	438	Total 438	O 438	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Maltase-glucoamylase, intestinal



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	92.78 Å 108.44 Å 110.76 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.99 – 1.90 18.96 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.3 (19.99-1.90) 95.3 (18.96-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.20 (at 1.90 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.252 , 0.291 0.239 , 0.277	Depositor DCC
R_{free} test set	4206 reflections (5.25%)	DCC
Wilson B-factor (Å ²)	32.0	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.56 , 72.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7452	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BJ1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/7215	0.75	2/9831 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	624	ARG	NE-CZ-NH1	7.94	124.27	120.30
1	A	624	ARG	NE-CZ-NH2	-7.52	116.54	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6964	0	6731	138	0
2	A	22	0	20	0	0
3	A	28	0	26	1	0
4	A	438	0	0	18	0
All	All	7452	0	6777	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:THR:HG21	1:A:473:LEU:HD23	1.14	1.12
1:A:204:THR:CG2	1:A:473:LEU:HD23	1.83	1.09
1:A:729[B]:LEU:CD1	1:A:755[B]:ILE:HD11	1.80	1.09
1:A:692:MET:SD	1:A:717:GLU:HG2	1.97	1.04
1:A:479[A]:CYS:SG	4:A:4105:HOH:O	2.16	1.04
1:A:729[B]:LEU:HD13	1:A:755[B]:ILE:HD11	1.04	1.00
1:A:853[B]:ILE:CD1	1:A:856:ILE:HD12	1.92	0.99
1:A:853[B]:ILE:HD11	1:A:856:ILE:HD12	1.00	0.99
1:A:853[B]:ILE:HD11	1:A:856:ILE:CD1	1.93	0.98
1:A:729[B]:LEU:HD13	1:A:755[B]:ILE:CD1	1.97	0.94
1:A:204:THR:HG21	1:A:473:LEU:CD2	1.99	0.92
1:A:836:SER:HA	4:A:4429:HOH:O	1.73	0.88
1:A:712:ARG:H	1:A:714:GLN:HE21	1.25	0.83
1:A:38:ALA:N	1:A:41:VAL:HB	1.94	0.83
1:A:98:HIS:HE1	1:A:261:ASP:OD1	1.62	0.81
1:A:655[B]:LEU:HD12	1:A:668:VAL:HG11	1.63	0.80
1:A:150[B]:VAL:HG22	4:A:4173:HOH:O	1.82	0.79
1:A:143:THR:HG22	1:A:150[B]:VAL:HG12	1.65	0.79
1:A:141:LYS:HE3	1:A:150[B]:VAL:HG11	1.65	0.77
1:A:135:ARG:NH1	1:A:135:ARG:CB	2.48	0.76
1:A:836:SER:HB3	4:A:4389:HOH:O	1.84	0.76
1:A:300:GLU:HG3	1:A:603:GLN:HE21	1.50	0.76
1:A:141:LYS:HE3	1:A:150[B]:VAL:CG1	2.17	0.75
1:A:164:GLN:NE2	1:A:462:ASN:HD22	1.85	0.74
1:A:245:LEU:HD22	1:A:251[B]:ILE:HG12	1.68	0.73
1:A:493:GLN:HE21	1:A:497:HIS:HD2	1.40	0.69
1:A:204:THR:CG2	1:A:473:LEU:CD2	2.65	0.68
1:A:356:ASN:HB2	4:A:4424:HOH:O	1.94	0.68
1:A:167:GLN:NE2	1:A:254:ARG:HE	1.93	0.67
1:A:135:ARG:CG	1:A:135:ARG:HH11	2.07	0.67
1:A:729[B]:LEU:CD1	1:A:755[B]:ILE:CD1	2.63	0.67
1:A:488:GLN:HB2	1:A:496:ILE:HD11	1.77	0.66
1:A:164:GLN:HE22	1:A:462:ASN:HD22	1.41	0.66
1:A:183:HIS:HE1	1:A:198:PRO:O	1.78	0.65
1:A:295:HIS:HD2	1:A:325:HIS:NE2	1.94	0.64
1:A:135:ARG:CB	1:A:135:ARG:HH11	2.10	0.64
1:A:38:ALA:HA	1:A:39:VAL:C	2.19	0.63
1:A:201:ASN:H	1:A:498:ASN:ND2	1.97	0.63
1:A:621:ASN:OD1	1:A:624:ARG:NH2	2.31	0.63
1:A:90:GLU:OE1	1:A:98:HIS:HD2	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:ARG:NH1	1:A:135:ARG:HB2	2.13	0.62
1:A:493:GLN:NE2	1:A:497:HIS:HD2	1.98	0.61
1:A:135:ARG:HB3	1:A:135:ARG:CZ	2.30	0.61
1:A:476:TYR:HB2	1:A:479[A]:CYS:SG	2.41	0.61
3:A:2001:NAG:O4	4:A:4373:HOH:O	2.15	0.60
1:A:202:ARG:HG3	1:A:204:THR:HG23	1.83	0.60
1:A:317:ALA:HB1	1:A:620:LEU:HD21	1.84	0.60
1:A:446:GLU:N	1:A:447:VAL:HA	2.16	0.60
1:A:655[A]:LEU:HD23	1:A:696:PRO:HG3	1.84	0.59
1:A:24:ALA:O	1:A:28:GLN:HG3	2.03	0.58
1:A:98:HIS:CE1	1:A:261:ASP:OD1	2.52	0.58
1:A:681:THR:HG22	1:A:691:VAL:HG11	1.86	0.58
1:A:143:THR:CG2	1:A:150[B]:VAL:HG12	2.32	0.58
1:A:201:ASN:O	1:A:497:HIS:HE1	1.86	0.57
1:A:9:GLU:HB2	1:A:41:VAL:HG11	1.85	0.57
1:A:201:ASN:H	1:A:498:ASN:HD21	1.52	0.57
1:A:190:HIS:HD2	4:A:4010:HOH:O	1.86	0.57
1:A:711:TRP:CG	1:A:716:VAL:HG11	2.39	0.57
1:A:135:ARG:HG3	1:A:135:ARG:HH11	1.70	0.56
1:A:618:LEU:HD11	1:A:723:ASP:HB3	1.86	0.55
1:A:292:LEU:HD23	1:A:567:MET:CE	2.36	0.55
1:A:49:ASN:O	1:A:50:HIS:HB2	2.07	0.55
1:A:371:ASN:ND2	1:A:402:ILE:HD12	2.22	0.55
1:A:135:ARG:CZ	1:A:135:ARG:CB	2.85	0.54
1:A:135:ARG:HG3	4:A:4048:HOH:O	2.07	0.54
1:A:58:LEU:HD22	1:A:67:ALA:HB2	1.90	0.54
1:A:356:ASN:HB2	4:A:4426:HOH:O	2.08	0.53
1:A:619:LEU:C	1:A:619:LEU:HD23	2.29	0.53
1:A:691:VAL:HG23	4:A:4260:HOH:O	2.08	0.53
1:A:132:GLU:HG2	1:A:141:LYS:HB3	1.89	0.53
1:A:179:GLY:O	1:A:190:HIS:HE1	1.92	0.53
1:A:172:LEU:HD11	1:A:251[B]:ILE:HG13	1.90	0.52
1:A:402:ILE:HD11	4:A:4100:HOH:O	2.10	0.52
1:A:141:LYS:HE3	1:A:150[A]:VAL:HG22	1.90	0.52
1:A:183:HIS:HD2	1:A:185:HIS:NE2	2.08	0.52
1:A:667:ASP:HA	4:A:4196:HOH:O	2.09	0.51
1:A:351:VAL:HG22	1:A:361:LEU:HD22	1.91	0.51
1:A:135:ARG:NH1	1:A:135:ARG:CG	2.70	0.51
1:A:243:VAL:HG11	1:A:251[A]:ILE:HD11	1.92	0.51
1:A:96[B]:ARG:HE	1:A:265:PHE:HE1	1.57	0.50
1:A:191:ASP:HB3	1:A:193:ASN:H	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:VAL:CG1	1:A:251[A]:ILE:HD11	2.42	0.49
1:A:51:SER:OG	1:A:52:TYR:N	2.44	0.49
1:A:377:LYS:HG3	1:A:377:LYS:O	2.12	0.49
1:A:592:ALA:HB2	1:A:627[B]:LEU:HD12	1.94	0.49
1:A:453:GLY:HA3	1:A:458:CYS:SG	2.53	0.49
1:A:763:GLU:HG2	1:A:792:THR:HA	1.95	0.49
1:A:99:PHE:CE1	1:A:140[B]:ILE:HD12	2.48	0.48
1:A:591:GLY:HA2	1:A:594:TYR:CD2	2.49	0.48
1:A:183:HIS:CD2	1:A:185:HIS:NE2	2.81	0.48
1:A:294:PHE:CZ	1:A:588[A]:MET:HE3	2.49	0.48
1:A:38:ALA:HB3	4:A:4318:HOH:O	2.14	0.48
1:A:544:THR:CG2	1:A:577:LEU:HD22	2.45	0.47
1:A:711:TRP:CD1	1:A:716:VAL:HG11	2.50	0.47
1:A:42:PRO:HD3	1:A:194:TRP:CH2	2.50	0.47
1:A:356:ASN:CB	4:A:4426:HOH:O	2.63	0.47
1:A:300:GLU:HG3	1:A:603:GLN:NE2	2.23	0.47
1:A:38:ALA:N	1:A:41:VAL:CB	2.73	0.47
1:A:135:ARG:HB2	1:A:135:ARG:HH11	1.74	0.46
1:A:464:ASN:ND2	1:A:484:MET:H	2.14	0.46
1:A:204:THR:HG22	1:A:473:LEU:HD23	1.85	0.46
1:A:493:GLN:NE2	1:A:497:HIS:CD2	2.81	0.46
1:A:70:LYS:HE3	1:A:84:ASN:HD21	1.81	0.46
1:A:54:VAL:HG21	1:A:133[B]:ILE:HD11	1.98	0.46
1:A:138:PHE:CZ	1:A:140[B]:ILE:HG12	2.50	0.46
1:A:744:THR:HA	1:A:747:SER:OG	2.16	0.46
1:A:60:ASN:ND2	4:A:4146:HOH:O	2.49	0.45
1:A:625:HIS:HE1	1:A:704:GLU:OE1	2.00	0.45
1:A:538:HIS:O	1:A:568:VAL:HA	2.16	0.45
1:A:291:ALA:O	1:A:295:HIS:HE1	2.00	0.45
1:A:464:ASN:HD21	1:A:484:MET:H	1.63	0.44
1:A:366:ASP:HB3	4:A:4119:HOH:O	2.18	0.44
1:A:154:SER:HA	1:A:169:SER:O	2.18	0.44
1:A:214:TYR:CE2	1:A:541:GLY:HA3	2.52	0.44
1:A:141:LYS:HE3	1:A:150[B]:VAL:HG12	2.00	0.43
1:A:560:PHE:HD2	1:A:565:ILE:HD12	1.81	0.43
1:A:560:PHE:CD2	1:A:565:ILE:HD12	2.53	0.43
1:A:576:ALA:O	1:A:577:LEU:HB2	2.19	0.43
1:A:292:LEU:HD23	1:A:567:MET:HE1	2.01	0.42
1:A:367:PRO:HD3	1:A:443:ASP:O	2.19	0.42
1:A:317:ALA:CB	1:A:620:LEU:HD21	2.47	0.42
1:A:295:HIS:CD2	1:A:325:HIS:NE2	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:655[B]:LEU:HD22	1:A:696:PRO:CG	2.50	0.42
1:A:96[B]:ARG:CZ	1:A:96[B]:ARG:HB2	2.48	0.42
1:A:150[B]:VAL:HG21	4:A:4204:HOH:O	2.19	0.41
1:A:371:ASN:HD22	1:A:402:ILE:HD12	1.83	0.41
1:A:631:TYR:HA	1:A:634:LEU:HG	2.01	0.41
1:A:793:GLN:O	1:A:794:ASN:HB2	2.20	0.41
1:A:171:ARG:HB3	4:A:4134:HOH:O	2.20	0.41
1:A:655[B]:LEU:HD22	1:A:696:PRO:HG2	2.02	0.41
1:A:135:ARG:NH1	1:A:135:ARG:HB3	2.34	0.41
1:A:141:LYS:HE3	1:A:150[A]:VAL:CG2	2.49	0.41
1:A:816:ILE:HB	1:A:853[B]:ILE:HG12	2.01	0.41
1:A:336:ASP:HB3	1:A:337:PHE:CD2	2.56	0.41
1:A:428:PHE:HB3	1:A:515:VAL:HG21	2.02	0.40
1:A:52:TYR:OH	1:A:82:VAL:O	2.34	0.40
1:A:755[B]:ILE:HD12	1:A:819:LEU:HD11	2.03	0.40
1:A:655[B]:LEU:HD12	1:A:668:VAL:CG1	2.44	0.40
1:A:416:THR:HB	1:A:490:TRP:CG	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	865/875 (99%)	824 (95%)	36 (4%)	5 (1%)	28 16

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	HIS
1	A	832	ASN
1	A	51	SER
1	A	300	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	405	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	768/767 (100%)	753 (98%)	15 (2%)	60	55

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	LEU
1	A	135	ARG
1	A	322	ASP
1	A	347	PHE
1	A	539	TRP
1	A	577	LEU
1	A	588[A]	MET
1	A	588[B]	MET
1	A	606	LYS
1	A	667	ASP
1	A	690	LYS
1	A	707	SER
1	A	803	SER
1	A	825	SER
1	A	848	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	62	ASN
1	A	84	ASN
1	A	98	HIS
1	A	107	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	115	HIS
1	A	130	GLN
1	A	148	ASN
1	A	164	GLN
1	A	167	GLN
1	A	183	HIS
1	A	190	HIS
1	A	239	ASN
1	A	295	HIS
1	A	357	ASN
1	A	464	ASN
1	A	465	ASN
1	A	488	GLN
1	A	493	GLN
1	A	497	HIS
1	A	498	ASN
1	A	603	GLN
1	A	625	HIS
1	A	669	HIS
1	A	714	GLN
1	A	739	GLN
1	A	802	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BJ1	A	1001	-	18,22,22	1.02	1 (5%)	19,32,32	1.23	3 (15%)
3	NAG	A	2001	1	14,14,15	0.68	0	15,19,21	1.77	4 (26%)
3	NAG	A	2002	1	14,14,15	0.41	0	15,19,21	1.50	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BJ1	A	1001	-	-	0/20/37/37	0/1/1/1
3	NAG	A	2001	1	-	0/6/23/26	0/1/1/1
3	NAG	A	2002	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	BJ1	OAN-SAV	-2.84	1.48	1.56

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	BJ1	CAL-CAP-CAR	-2.93	103.81	106.41
3	A	2001	NAG	O5-C1-C2	-2.85	107.51	111.47
3	A	2001	NAG	O7-C7-C8	-2.62	117.29	122.06
2	A	1001	BJ1	CAP-CAR-CAS	-2.15	103.94	106.71
2	A	1001	BJ1	OAF-CAR-CAP	-2.08	106.95	111.91
3	A	2001	NAG	C1-O5-C5	2.15	115.13	112.17
3	A	2001	NAG	C8-C7-N2	2.62	120.84	116.11
3	A	2002	NAG	C1-O5-C5	4.57	118.47	112.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2001	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	856/875 (97%)	1.14	179 (20%) 1 1	17, 27, 43, 55	0

All (179) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	72	LEU	7.6
1	A	39	VAL	7.4
1	A	50	HIS	7.1
1	A	38	ALA	7.0
1	A	838	THR	6.6
1	A	375	SER	6.2
1	A	80	SER	6.1
1	A	36	GLN	6.0
1	A	377	LYS	6.0
1	A	374	SER	5.9
1	A	49	ASN	5.9
1	A	376	SER	5.9
1	A	834	VAL	5.8
1	A	120	SER	5.8
1	A	118	SER	5.6
1	A	77	VAL	5.6
1	A	826	ASN	5.5
1	A	794	ASN	5.2
1	A	48	LYS	5.2
1	A	846	SER	5.1
1	A	710	ARG	5.0
1	A	616	ASP	5.0
1	A	117	GLN	4.9
1	A	853[A]	ILE	4.9
1	A	833	GLY	4.8
1	A	477	LEU	4.8
1	A	777	ASP	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	832	ASN	4.5
1	A	8	ASN	4.5
1	A	106	ASN	4.4
1	A	717	GLU	4.4
1	A	793	GLN	4.4
1	A	105	THR	4.3
1	A	655[A]	LEU	4.2
1	A	433	ASN	4.2
1	A	342	VAL	4.1
1	A	836	SER	4.1
1	A	140[A]	ILE	4.0
1	A	847	ASN	4.0
1	A	79	GLY	4.0
1	A	316	ALA	4.0
1	A	369	ILE	3.9
1	A	858	LEU	3.9
1	A	829	VAL	3.9
1	A	27	ASP	3.8
1	A	758	LEU	3.8
1	A	482	LEU	3.8
1	A	13	ILE	3.7
1	A	866	VAL	3.6
1	A	223	LEU	3.6
1	A	419	ASN	3.6
1	A	28	GLN	3.6
1	A	835	PRO	3.6
1	A	396	ASP	3.5
1	A	760	GLU	3.5
1	A	387	ASP	3.5
1	A	133[A]	ILE	3.5
1	A	550	LEU	3.5
1	A	54	VAL	3.4
1	A	24	ALA	3.4
1	A	256	ILE	3.4
1	A	69	LEU	3.3
1	A	278	LEU	3.3
1	A	356	ASN	3.3
1	A	328	ILE	3.3
1	A	319	LEU	3.3
1	A	870	HIS	3.2
1	A	692	MET	3.2
1	A	801	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	172	LEU	3.2
1	A	839	SER	3.2
1	A	71	ASN	3.2
1	A	718[A]	MET	3.1
1	A	418	PRO	3.1
1	A	761	ASN	3.1
1	A	412	PHE	3.1
1	A	810	ASN	3.1
1	A	791	VAL	3.0
1	A	518	ASN	3.0
1	A	756	ILE	3.0
1	A	792	THR	3.0
1	A	796	LEU	3.0
1	A	116	VAL	2.9
1	A	462	ASN	2.9
1	A	125	ALA	2.9
1	A	266	LEU	2.8
1	A	122	ASN	2.8
1	A	85	VAL	2.8
1	A	562	LEU	2.8
1	A	627[B]	LEU	2.8
1	A	312	GLU	2.8
1	A	825	SER	2.8
1	A	719	GLU	2.8
1	A	474	ASP	2.8
1	A	489	HIS	2.8
1	A	58	LEU	2.8
1	A	461	ASN	2.8
1	A	34	ASN	2.7
1	A	81	ASN	2.7
1	A	799	ASN	2.7
1	A	868	TRP	2.7
1	A	516	PHE	2.7
1	A	126	SER	2.7
1	A	663	ASN	2.7
1	A	47	SER	2.7
1	A	209	ASN	2.7
1	A	51	SER	2.7
1	A	816	ILE	2.6
1	A	398	VAL	2.6
1	A	781	ASN	2.6
1	A	156	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	PHE	2.6
1	A	428	PHE	2.6
1	A	380	GLY	2.6
1	A	378	PRO	2.6
1	A	818	ILE	2.6
1	A	61	THR	2.6
1	A	191	ASP	2.6
1	A	343	ASP	2.6
1	A	87	LEU	2.6
1	A	221	LEU	2.6
1	A	540	LEU	2.6
1	A	204	THR	2.6
1	A	245	LEU	2.5
1	A	19	GLN	2.5
1	A	82	VAL	2.5
1	A	273	VAL	2.5
1	A	292	LEU	2.5
1	A	411	VAL	2.5
1	A	96[A]	ARG	2.5
1	A	354	LEU	2.5
1	A	397	GLY	2.5
1	A	667	ASP	2.5
1	A	379	TYR	2.4
1	A	135	ARG	2.4
1	A	854	THR	2.4
1	A	390	ILE	2.4
1	A	159	LEU	2.4
1	A	55	GLU	2.4
1	A	633[A]	LEU	2.4
1	A	679	LEU	2.4
1	A	729[A]	LEU	2.4
1	A	333	GLU	2.3
1	A	83	ASP	2.3
1	A	199	ILE	2.3
1	A	617	SER	2.3
1	A	138	PHE	2.3
1	A	62	ASN	2.2
1	A	184	VAL	2.2
1	A	392	VAL	2.2
1	A	251[A]	ILE	2.2
1	A	213	LEU	2.2
1	A	517	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	341	SER	2.2
1	A	340	ASP	2.2
1	A	460	THR	2.2
1	A	831	HIS	2.2
1	A	142	VAL	2.2
1	A	466	PRO	2.2
1	A	769	PHE	2.2
1	A	423	TRP	2.1
1	A	869	ALA	2.1
1	A	321	TYR	2.1
1	A	499	LEU	2.1
1	A	107	ASN	2.1
1	A	803	SER	2.1
1	A	391	TRP	2.1
1	A	494	TYR	2.1
1	A	638	TYR	2.1
1	A	399	THR	2.1
1	A	200	PHE	2.1
1	A	151	LEU	2.1
1	A	395	SER	2.0
1	A	274	VAL	2.0
1	A	350	PHE	2.0
1	A	560	PHE	2.0
1	A	345	LYS	2.0
1	A	115	HIS	2.0
1	A	842	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	A	2001	14/15	0.77	0.22	3.39	34,37,41,44	0
2	BJ1	A	1001	22/22	0.91	0.15	0.63	25,31,36,37	0
3	NAG	A	2002	14/15	0.81	0.18	-0.08	37,38,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.