



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 8, 2017 – 08:38 PM EST

PDB ID : 4LD7  
Title : Crystal structure of AnaPT from Neosartorya fischeri  
Authors : Zocher, G.; Stehle, T.  
Deposited on : unknown  
Resolution : 2.83 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3975 (2.88-2.80)
Ramachandran outliers	110173	3902 (2.88-2.80)
Sidechain outliers	110143	3905 (2.88-2.80)
RSRZ outliers	101464	3501 (2.88-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	
1	B	445	
1	C	445	
1	D	445	
1	E	445	
1	F	445	
1	G	445	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	H	445	
1	I	445	
1	J	445	
1	K	445	
1	L	445	
1	M	445	
1	N	445	
1	O	445	
1	P	445	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NA	F	502	-	-	-	X
3	NA	H	502	-	-	-	X
3	NA	J	502	-	-	-	X

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 48979 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dimethylallyl tryptophan synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	397	Total	C	N	O	S	0	0	0
			3057	1987	502	558	10			
1	B	397	Total	C	N	O	S	0	0	0
			3056	1987	501	558	10			
1	C	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	D	397	Total	C	N	O	S	0	0	0
			3054	1986	499	559	10			
1	E	397	Total	C	N	O	S	0	0	0
			3050	1983	499	558	10			
1	F	397	Total	C	N	O	S	0	0	0
			3056	1985	502	559	10			
1	G	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	H	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	I	397	Total	C	N	O	S	0	0	0
			3056	1987	502	557	10			
1	J	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	K	392	Total	C	N	O	S	0	0	0
			3022	1964	496	552	10			
1	L	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	M	397	Total	C	N	O	S	0	0	0
			3050	1983	498	559	10			
1	N	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			
1	O	391	Total	C	N	O	S	0	0	0
			3012	1957	494	551	10			
1	P	397	Total	C	N	O	S	0	0	0
			3058	1987	502	559	10			

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	438	ARG	-	EXPRESSION TAG	UNP A1DN10
A	439	SER	-	EXPRESSION TAG	UNP A1DN10
A	440	HIS	-	EXPRESSION TAG	UNP A1DN10
A	441	HIS	-	EXPRESSION TAG	UNP A1DN10
A	442	HIS	-	EXPRESSION TAG	UNP A1DN10
A	443	HIS	-	EXPRESSION TAG	UNP A1DN10
A	444	HIS	-	EXPRESSION TAG	UNP A1DN10
A	445	HIS	-	EXPRESSION TAG	UNP A1DN10
B	438	ARG	-	EXPRESSION TAG	UNP A1DN10
B	439	SER	-	EXPRESSION TAG	UNP A1DN10
B	440	HIS	-	EXPRESSION TAG	UNP A1DN10
B	441	HIS	-	EXPRESSION TAG	UNP A1DN10
B	442	HIS	-	EXPRESSION TAG	UNP A1DN10
B	443	HIS	-	EXPRESSION TAG	UNP A1DN10
B	444	HIS	-	EXPRESSION TAG	UNP A1DN10
B	445	HIS	-	EXPRESSION TAG	UNP A1DN10
C	438	ARG	-	EXPRESSION TAG	UNP A1DN10
C	439	SER	-	EXPRESSION TAG	UNP A1DN10
C	440	HIS	-	EXPRESSION TAG	UNP A1DN10
C	441	HIS	-	EXPRESSION TAG	UNP A1DN10
C	442	HIS	-	EXPRESSION TAG	UNP A1DN10
C	443	HIS	-	EXPRESSION TAG	UNP A1DN10
C	444	HIS	-	EXPRESSION TAG	UNP A1DN10
C	445	HIS	-	EXPRESSION TAG	UNP A1DN10
D	438	ARG	-	EXPRESSION TAG	UNP A1DN10
D	439	SER	-	EXPRESSION TAG	UNP A1DN10
D	440	HIS	-	EXPRESSION TAG	UNP A1DN10
D	441	HIS	-	EXPRESSION TAG	UNP A1DN10
D	442	HIS	-	EXPRESSION TAG	UNP A1DN10
D	443	HIS	-	EXPRESSION TAG	UNP A1DN10
D	444	HIS	-	EXPRESSION TAG	UNP A1DN10
D	445	HIS	-	EXPRESSION TAG	UNP A1DN10
E	438	ARG	-	EXPRESSION TAG	UNP A1DN10
E	439	SER	-	EXPRESSION TAG	UNP A1DN10
E	440	HIS	-	EXPRESSION TAG	UNP A1DN10
E	441	HIS	-	EXPRESSION TAG	UNP A1DN10
E	442	HIS	-	EXPRESSION TAG	UNP A1DN10
E	443	HIS	-	EXPRESSION TAG	UNP A1DN10
E	444	HIS	-	EXPRESSION TAG	UNP A1DN10
E	445	HIS	-	EXPRESSION TAG	UNP A1DN10
F	438	ARG	-	EXPRESSION TAG	UNP A1DN10
F	439	SER	-	EXPRESSION TAG	UNP A1DN10

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	440	HIS	-	EXPRESSION TAG	UNP A1DN10
F	441	HIS	-	EXPRESSION TAG	UNP A1DN10
F	442	HIS	-	EXPRESSION TAG	UNP A1DN10
F	443	HIS	-	EXPRESSION TAG	UNP A1DN10
F	444	HIS	-	EXPRESSION TAG	UNP A1DN10
F	445	HIS	-	EXPRESSION TAG	UNP A1DN10
G	438	ARG	-	EXPRESSION TAG	UNP A1DN10
G	439	SER	-	EXPRESSION TAG	UNP A1DN10
G	440	HIS	-	EXPRESSION TAG	UNP A1DN10
G	441	HIS	-	EXPRESSION TAG	UNP A1DN10
G	442	HIS	-	EXPRESSION TAG	UNP A1DN10
G	443	HIS	-	EXPRESSION TAG	UNP A1DN10
G	444	HIS	-	EXPRESSION TAG	UNP A1DN10
G	445	HIS	-	EXPRESSION TAG	UNP A1DN10
H	438	ARG	-	EXPRESSION TAG	UNP A1DN10
H	439	SER	-	EXPRESSION TAG	UNP A1DN10
H	440	HIS	-	EXPRESSION TAG	UNP A1DN10
H	441	HIS	-	EXPRESSION TAG	UNP A1DN10
H	442	HIS	-	EXPRESSION TAG	UNP A1DN10
H	443	HIS	-	EXPRESSION TAG	UNP A1DN10
H	444	HIS	-	EXPRESSION TAG	UNP A1DN10
H	445	HIS	-	EXPRESSION TAG	UNP A1DN10
I	438	ARG	-	EXPRESSION TAG	UNP A1DN10
I	439	SER	-	EXPRESSION TAG	UNP A1DN10
I	440	HIS	-	EXPRESSION TAG	UNP A1DN10
I	441	HIS	-	EXPRESSION TAG	UNP A1DN10
I	442	HIS	-	EXPRESSION TAG	UNP A1DN10
I	443	HIS	-	EXPRESSION TAG	UNP A1DN10
I	444	HIS	-	EXPRESSION TAG	UNP A1DN10
I	445	HIS	-	EXPRESSION TAG	UNP A1DN10
J	438	ARG	-	EXPRESSION TAG	UNP A1DN10
J	439	SER	-	EXPRESSION TAG	UNP A1DN10
J	440	HIS	-	EXPRESSION TAG	UNP A1DN10
J	441	HIS	-	EXPRESSION TAG	UNP A1DN10
J	442	HIS	-	EXPRESSION TAG	UNP A1DN10
J	443	HIS	-	EXPRESSION TAG	UNP A1DN10
J	444	HIS	-	EXPRESSION TAG	UNP A1DN10
J	445	HIS	-	EXPRESSION TAG	UNP A1DN10
K	438	ARG	-	EXPRESSION TAG	UNP A1DN10
K	439	SER	-	EXPRESSION TAG	UNP A1DN10
K	440	HIS	-	EXPRESSION TAG	UNP A1DN10
K	441	HIS	-	EXPRESSION TAG	UNP A1DN10

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
K	442	HIS	-	EXPRESSION TAG	UNP A1DN10
K	443	HIS	-	EXPRESSION TAG	UNP A1DN10
K	444	HIS	-	EXPRESSION TAG	UNP A1DN10
K	445	HIS	-	EXPRESSION TAG	UNP A1DN10
L	438	ARG	-	EXPRESSION TAG	UNP A1DN10
L	439	SER	-	EXPRESSION TAG	UNP A1DN10
L	440	HIS	-	EXPRESSION TAG	UNP A1DN10
L	441	HIS	-	EXPRESSION TAG	UNP A1DN10
L	442	HIS	-	EXPRESSION TAG	UNP A1DN10
L	443	HIS	-	EXPRESSION TAG	UNP A1DN10
L	444	HIS	-	EXPRESSION TAG	UNP A1DN10
L	445	HIS	-	EXPRESSION TAG	UNP A1DN10
M	438	ARG	-	EXPRESSION TAG	UNP A1DN10
M	439	SER	-	EXPRESSION TAG	UNP A1DN10
M	440	HIS	-	EXPRESSION TAG	UNP A1DN10
M	441	HIS	-	EXPRESSION TAG	UNP A1DN10
M	442	HIS	-	EXPRESSION TAG	UNP A1DN10
M	443	HIS	-	EXPRESSION TAG	UNP A1DN10
M	444	HIS	-	EXPRESSION TAG	UNP A1DN10
M	445	HIS	-	EXPRESSION TAG	UNP A1DN10
N	438	ARG	-	EXPRESSION TAG	UNP A1DN10
N	439	SER	-	EXPRESSION TAG	UNP A1DN10
N	440	HIS	-	EXPRESSION TAG	UNP A1DN10
N	441	HIS	-	EXPRESSION TAG	UNP A1DN10
N	442	HIS	-	EXPRESSION TAG	UNP A1DN10
N	443	HIS	-	EXPRESSION TAG	UNP A1DN10
N	444	HIS	-	EXPRESSION TAG	UNP A1DN10
N	445	HIS	-	EXPRESSION TAG	UNP A1DN10
O	438	ARG	-	EXPRESSION TAG	UNP A1DN10
O	439	SER	-	EXPRESSION TAG	UNP A1DN10
O	440	HIS	-	EXPRESSION TAG	UNP A1DN10
O	441	HIS	-	EXPRESSION TAG	UNP A1DN10
O	442	HIS	-	EXPRESSION TAG	UNP A1DN10
O	443	HIS	-	EXPRESSION TAG	UNP A1DN10
O	444	HIS	-	EXPRESSION TAG	UNP A1DN10
O	445	HIS	-	EXPRESSION TAG	UNP A1DN10
P	438	ARG	-	EXPRESSION TAG	UNP A1DN10
P	439	SER	-	EXPRESSION TAG	UNP A1DN10
P	440	HIS	-	EXPRESSION TAG	UNP A1DN10
P	441	HIS	-	EXPRESSION TAG	UNP A1DN10
P	442	HIS	-	EXPRESSION TAG	UNP A1DN10
P	443	HIS	-	EXPRESSION TAG	UNP A1DN10

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	444	HIS	-	EXPRESSION TAG	UNP A1DN10
P	445	HIS	-	EXPRESSION TAG	UNP A1DN10

- Molecule 2 is TRIHYDROGEN THIODIPHOSPHATE (three-letter code: PIS) (formula:  $\text{H}_3\text{O}_6\text{P}_2\text{S}$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	O	P	S	0	0
			9	6	2	1		
2	B	1	Total	O	P	S	0	0
			9	6	2	1		
2	C	1	Total	O	P	S	0	0
			9	6	2	1		
2	D	1	Total	O	P	S	0	0
			9	6	2	1		
2	E	1	Total	O	P	S	0	0
			9	6	2	1		
2	F	1	Total	O	P	S	0	0
			9	6	2	1		
2	G	1	Total	O	P	S	0	0
			9	6	2	1		
2	H	1	Total	O	P	S	0	0
			9	6	2	1		
2	I	1	Total	O	P	S	0	0
			9	6	2	1		
2	J	1	Total	O	P	S	0	0
			9	6	2	1		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	K	1	Total	O	P	S	0	0
			9	6	2	1		
2	L	1	Total	O	P	S	0	0
			9	6	2	1		
2	M	1	Total	O	P	S	0	0
			9	6	2	1		
2	N	1	Total	O	P	S	0	0
			9	6	2	1		
2	O	1	Total	O	P	S	0	0
			9	6	2	1		
2	P	1	Total	O	P	S	0	0
			9	6	2	1		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	1	Total	Na	0	0
			1	1		
3	G	1	Total	Na	0	0
			1	1		
3	J	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		
3	K	1	Total	Na	0	0
			1	1		
3	E	1	Total	Na	0	0
			1	1		
3	H	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		
3	I	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	A	1	Total	Na	0	0
			1	1		
3	N	1	Total	Na	0	0
			1	1		
3	O	1	Total	Na	0	0
			1	1		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	L	1	Total 1	Na 1	0	0
3	F	1	Total 1	Na 1	0	0
3	M	1	Total 1	Na 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dimethylallyl tryptophan synthase




- Molecule 1: Dimethylallyl tryptophan synthase




- Molecule 1: Dimethylallyl tryptophan synthase





- Molecule 1: Dimethylallyl tryptophan synthase









- Molecule 1: Dimethylallyl tryptophan synthase





- Molecule 1: Dimethylallyl tryptophan synthase




- Molecule 1: Dimethylallyl tryptophan synthase




- Molecule 1: Dimethylallyl tryptophan synthase




- Molecule 1: Dimethylallyl tryptophan synthase




• Molecule 1: Dimethylallyl tryptophan synthase





• Molecule 1: Dimethylallyl tryptophan synthase



• Molecule 1: Dimethylallyl tryptophan synthase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.55Å 242.59Å 145.32Å 90.00° 89.99° 90.00°	Depositor
Resolution (Å)	39.95 – 2.83 39.95 – 2.83	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.95-2.83) 99.8 (39.95-2.83)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.24 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0044	Depositor
R, $R_{free}$	0.203 , 0.202 (Not available) , (Not available)	Depositor DCC
$R_{free}$ test set	NotAvailable	DCC
Wilson B-factor (Å <sup>2</sup> )	56.0	Xtriage
Anisotropy	0.190	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.449 for h,-k,-l	Xtriage
Reported twinning fraction	0.544 for H, K, L 0.456 for -h,-k,l	Depositor
Outliers	0 of 160059 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	48979	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PIS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.31	0/3136	0.45	0/4276
1	B	0.32	0/3135	0.45	0/4275
1	C	0.31	0/3137	0.45	0/4277
1	D	0.32	0/3133	0.45	0/4273
1	E	0.31	0/3129	0.45	0/4267
1	F	0.32	0/3135	0.45	0/4275
1	G	0.31	0/3137	0.45	0/4277
1	H	0.32	0/3137	0.45	0/4277
1	I	0.32	0/3135	0.45	0/4275
1	J	0.32	0/3137	0.45	0/4277
1	K	0.32	0/3099	0.45	0/4223
1	L	0.31	0/3137	0.45	0/4277
1	M	0.32	0/3129	0.45	0/4268
1	N	0.32	0/3137	0.45	0/4277
1	O	0.32	0/3089	0.45	0/4210
1	P	0.32	0/3137	0.45	0/4277
All	All	0.32	0/50079	0.45	0/68281

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3057	0	2943	16	0
1	B	3056	0	2947	17	0
1	C	3058	0	2946	17	0
1	D	3054	0	2942	23	0
1	E	3050	0	2930	13	0
1	F	3056	0	2942	15	0
1	G	3058	0	2946	24	0
1	H	3058	0	2946	15	0
1	I	3056	0	2940	16	0
1	J	3058	0	2946	16	0
1	K	3022	0	2904	20	0
1	L	3058	0	2946	17	0
1	M	3050	0	2928	18	0
1	N	3058	0	2946	12	0
1	O	3012	0	2890	15	0
1	P	3058	0	2946	15	0
2	A	9	0	0	1	0
2	B	9	0	0	1	0
2	C	9	0	0	1	0
2	D	9	0	0	1	0
2	E	9	0	0	0	0
2	F	9	0	0	2	0
2	G	9	0	0	3	0
2	H	9	0	0	2	0
2	I	9	0	0	0	0
2	J	9	0	0	2	0
2	K	9	0	0	1	0
2	L	9	0	0	1	0
2	M	9	0	0	0	0
2	N	9	0	0	0	0
2	O	9	0	0	1	0
2	P	9	0	0	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	L	1	0	0	0	0
3	M	1	0	0	0	0
3	N	1	0	0	0	0
3	O	1	0	0	0	0
3	P	1	0	0	0	0
All	All	48979	0	46988	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 247 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:374:LYS:CB	1:L:119:SER:HB3	2.16	0.75
1:D:245:ARG:O	1:D:249:THR:HG23	1.87	0.75
1:G:185:LYS:HB3	1:M:187:ILE:HG21	1.70	0.74
1:D:95:ALA:CB	1:K:95:ALA:HB2	2.18	0.72
1:D:95:ALA:HB2	1:K:95:ALA:HB2	1.71	0.72

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	B	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	C	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	D	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	E	393/445 (88%)	387 (98%)	6 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	393/445 (88%)	386 (98%)	7 (2%)	0	100	100
1	G	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	H	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	I	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	J	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	K	386/445 (87%)	380 (98%)	6 (2%)	0	100	100
1	L	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	M	393/445 (88%)	386 (98%)	7 (2%)	0	100	100
1	N	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
1	O	385/445 (86%)	379 (98%)	6 (2%)	0	100	100
1	P	393/445 (88%)	387 (98%)	6 (2%)	0	100	100
All	All	6273/7120 (88%)	6175 (98%)	98 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/382 (80%)	299 (97%)	8 (3%)	51	82
1	B	308/382 (81%)	299 (97%)	9 (3%)	48	79
1	C	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	D	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	E	306/382 (80%)	298 (97%)	8 (3%)	51	82
1	F	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	G	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	H	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	I	306/382 (80%)	298 (97%)	8 (3%)	51	82
1	J	308/382 (81%)	300 (97%)	8 (3%)	51	82

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	303/382 (79%)	295 (97%)	8 (3%)	51	82
1	L	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	M	306/382 (80%)	298 (97%)	8 (3%)	51	82
1	N	308/382 (81%)	300 (97%)	8 (3%)	51	82
1	O	302/382 (79%)	294 (97%)	8 (3%)	51	82
1	P	308/382 (81%)	300 (97%)	8 (3%)	51	82
All	All	4910/6112 (80%)	4781 (97%)	129 (3%)	51	82

5 of 129 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	59	ASN
1	I	423	LEU
1	O	392	LEU
1	H	173	SER
1	I	58	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	355	GLN
1	G	98	ASN
1	N	98	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 32 ligands modelled in this entry, 16 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PIS	A	501	-	5,8,8	1.20	1 (20%)	6,13,13	2.20	2 (33%)
2	PIS	B	501	-	5,8,8	0.97	0	6,13,13	2.42	2 (33%)
2	PIS	C	501	-	5,8,8	1.09	0	6,13,13	2.20	2 (33%)
2	PIS	D	501	-	5,8,8	1.19	1 (20%)	6,13,13	2.36	2 (33%)
2	PIS	E	501	-	5,8,8	1.22	1 (20%)	6,13,13	2.01	2 (33%)
2	PIS	F	501	-	5,8,8	1.18	1 (20%)	6,13,13	2.33	2 (33%)
2	PIS	G	501	-	5,8,8	1.03	0	6,13,13	2.39	2 (33%)
2	PIS	H	501	-	5,8,8	1.20	1 (20%)	6,13,13	2.22	2 (33%)
2	PIS	I	501	-	5,8,8	1.14	1 (20%)	6,13,13	2.24	2 (33%)
2	PIS	J	501	-	5,8,8	1.03	0	6,13,13	2.34	2 (33%)
2	PIS	K	501	-	5,8,8	1.06	0	6,13,13	2.15	2 (33%)
2	PIS	L	501	-	5,8,8	1.19	1 (20%)	6,13,13	2.19	2 (33%)
2	PIS	M	501	-	5,8,8	1.13	1 (20%)	6,13,13	2.37	2 (33%)
2	PIS	N	501	-	5,8,8	1.13	0	6,13,13	2.25	2 (33%)
2	PIS	O	501	-	5,8,8	1.00	0	6,13,13	2.31	2 (33%)
2	PIS	P	501	-	5,8,8	1.15	0	6,13,13	2.21	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PIS	A	501	-	-	0/4/6/6	0/0/0/0
2	PIS	B	501	-	-	0/4/6/6	0/0/0/0
2	PIS	C	501	-	-	0/4/6/6	0/0/0/0
2	PIS	D	501	-	-	0/4/6/6	0/0/0/0
2	PIS	E	501	-	-	0/4/6/6	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PIS	F	501	-	-	0/4/6/6	0/0/0/0
2	PIS	G	501	-	-	0/4/6/6	0/0/0/0
2	PIS	H	501	-	-	0/4/6/6	0/0/0/0
2	PIS	I	501	-	-	0/4/6/6	0/0/0/0
2	PIS	J	501	-	-	0/4/6/6	0/0/0/0
2	PIS	K	501	-	-	0/4/6/6	0/0/0/0
2	PIS	L	501	-	-	0/4/6/6	0/0/0/0
2	PIS	M	501	-	-	0/4/6/6	0/0/0/0
2	PIS	N	501	-	-	0/4/6/6	0/0/0/0
2	PIS	O	501	-	-	0/4/6/6	0/0/0/0
2	PIS	P	501	-	-	0/4/6/6	0/0/0/0

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	PIS	P2-O4	-2.12	1.51	1.56
2	H	501	PIS	P2-O4	-2.12	1.51	1.56
2	A	501	PIS	P2-O4	-2.10	1.51	1.56
2	E	501	PIS	P2-O4	-2.09	1.51	1.56
2	M	501	PIS	P2-O4	-2.07	1.51	1.56

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	501	PIS	P1-O1-P2	-3.45	120.91	132.29
2	B	501	PIS	P1-O1-P2	-3.24	121.58	132.29
2	G	501	PIS	P1-O1-P2	-3.20	121.75	132.29
2	D	501	PIS	P1-O1-P2	-3.14	121.93	132.29
2	I	501	PIS	P1-O1-P2	-3.13	121.97	132.29

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	PIS	1	0
2	B	501	PIS	1	0
2	C	501	PIS	1	0
2	D	501	PIS	1	0
2	F	501	PIS	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	501	PIS	3	0
2	H	501	PIS	2	0
2	J	501	PIS	2	0
2	K	501	PIS	1	0
2	L	501	PIS	1	0
2	O	501	PIS	1	0
2	P	501	PIS	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	397/445 (89%)	-0.20	2 (0%) 90 88	28, 43, 66, 77	0
1	B	397/445 (89%)	-0.17	3 (0%) 86 82	29, 48, 73, 86	0
1	C	397/445 (89%)	-0.17	2 (0%) 90 88	28, 46, 70, 84	0
1	D	397/445 (89%)	-0.12	5 (1%) 77 72	31, 46, 72, 88	0
1	E	397/445 (89%)	-0.09	3 (0%) 86 82	31, 50, 69, 83	0
1	F	397/445 (89%)	-0.04	4 (1%) 82 78	32, 54, 89, 100	0
1	G	397/445 (89%)	-0.13	3 (0%) 86 82	30, 50, 72, 85	0
1	H	397/445 (89%)	-0.11	8 (2%) 65 57	31, 49, 78, 97	0
1	I	397/445 (89%)	0.51	18 (4%) 34 25	50, 78, 110, 121	0
1	J	397/445 (89%)	0.01	10 (2%) 58 49	37, 55, 81, 92	0
1	K	392/445 (88%)	0.50	25 (6%) 20 13	53, 76, 106, 117	0
1	L	397/445 (89%)	1.25	82 (20%) 1 1	59, 92, 133, 148	0
1	M	397/445 (89%)	0.84	55 (13%) 3 2	58, 80, 110, 119	0
1	N	397/445 (89%)	0.28	19 (4%) 31 22	47, 62, 76, 88	0
1	O	391/445 (87%)	0.57	31 (7%) 13 8	57, 78, 103, 113	0
1	P	397/445 (89%)	0.58	35 (8%) 11 6	57, 75, 98, 119	0
All	All	6341/7120 (89%)	0.22	305 (4%) 31 22	28, 62, 103, 148	0

The worst 5 of 305 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	324	TYR	10.2
1	L	322	LEU	9.9
1	L	324	TYR	9.0
1	L	336	GLN	8.7
1	P	401	LEU	8.4

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	NA	J	502	1/1	0.92	1.39	29.58	104,104,104,104	0
3	NA	F	502	1/1	0.82	0.34	4.98	92,92,92,92	0
3	NA	H	502	1/1	0.62	0.28	2.29	60,60,60,60	0
3	NA	O	502	1/1	0.83	0.31	1.83	59,59,59,59	0
3	NA	I	502	1/1	0.88	0.30	1.80	121,121,121,121	0
3	NA	A	502	1/1	0.76	0.24	0.84	51,51,51,51	0
3	NA	D	502	1/1	0.98	0.18	-0.11	43,43,43,43	0
2	PIS	N	501	9/9	0.91	0.18	-0.23	38,40,41,41	0
3	NA	G	502	1/1	0.96	0.16	-0.55	39,39,39,39	0
3	NA	K	502	1/1	0.91	0.19	-0.97	70,70,70,70	0
3	NA	N	502	1/1	0.84	0.12	-1.30	60,60,60,60	0
2	PIS	E	501	9/9	0.96	0.12	-1.31	33,34,37,42	0
2	PIS	P	501	9/9	0.94	0.15	-1.58	42,47,49,50	0
3	NA	B	502	1/1	0.91	0.12	-1.79	60,60,60,60	0
3	NA	M	502	1/1	0.87	0.09	-1.87	49,49,49,49	0
2	PIS	H	501	9/9	0.98	0.10	-1.91	34,35,36,38	0
2	PIS	C	501	9/9	0.96	0.12	-1.96	32,33,36,39	0
2	PIS	A	501	9/9	0.96	0.10	-2.02	32,34,35,36	0
3	NA	L	502	1/1	0.74	0.16	-2.14	89,89,89,89	0
2	PIS	I	501	9/9	0.96	0.13	-2.23	44,46,48,48	0
2	PIS	F	501	9/9	0.97	0.11	-2.43	37,38,40,42	0
3	NA	P	502	1/1	0.96	0.08	-2.56	58,58,58,58	0
2	PIS	G	501	9/9	0.96	0.11	-2.58	32,35,37,37	0
2	PIS	D	501	9/9	0.98	0.09	-2.67	30,31,34,37	0
2	PIS	O	501	9/9	0.95	0.13	-2.70	47,50,52,55	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	PIS	M	501	9/9	0.98	0.11	-2.76	45,47,48,50	0
3	NA	C	502	1/1	0.92	0.13	-2.77	49,49,49,49	0
2	PIS	L	501	9/9	0.97	0.13	-3.04	49,51,54,55	0
2	PIS	J	501	9/9	0.97	0.08	-3.04	30,31,32,35	0
2	PIS	K	501	9/9	0.95	0.15	-3.24	45,49,52,56	0
2	PIS	B	501	9/9	0.98	0.09	-4.00	29,31,32,34	0
3	NA	E	502	1/1	0.93	0.09	-4.65	51,51,51,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.