



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 25, 2017 – 03:46 AM EDT

PDB ID : 5LFL
Title : MamA RS-1 ArsTM double mutant
Authors : Zarivach, R.; Cronin, S.L.
Deposited on : unknown
Resolution : 3.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029824
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1241 (3.46-3.30)
Clashscore	112137	1319 (3.46-3.30)
Ramachandran outliers	110173	1298 (3.46-3.30)
Sidechain outliers	110143	1297 (3.46-3.30)
RSRZ outliers	101464	1251 (3.46-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	202	
1	B	202	
1	C	202	
1	D	202	
1	E	202	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	202	<div> <div></div> <div>%</div> <div>76%</div> <div>11%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	C	301	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8547 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Magnetosome protein MamA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	177	Total	C	N	O	S	0	0	0
			1424	904	255	258	7			
1	B	175	Total	C	N	O	S	0	1	0
			1418	902	256	253	7			
1	C	175	Total	C	N	O	S	0	1	0
			1417	902	255	253	7			
1	D	176	Total	C	N	O	S	0	0	0
			1418	901	254	256	7			
1	E	177	Total	C	N	O	S	0	0	0
			1424	904	255	258	7			
1	F	178	Total	C	N	O	S	0	0	0
			1432	908	256	261	7			

There are 186 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	MET	-	initiating methionine	UNP C4XPQ7
A	38	ALA	-	expression tag	UNP C4XPQ7
A	39	MET	-	expression tag	UNP C4XPQ7
A	40	GLY	-	expression tag	UNP C4XPQ7
A	46	PHE	TYR	conflict	UNP C4XPQ7
A	65	PHE	TYR	conflict	UNP C4XPQ7
A	124	ILE	MET	conflict	UNP C4XPQ7
A	140	ALA	GLU	conflict	UNP C4XPQ7
A	141	ALA	LYS	conflict	UNP C4XPQ7
A	143	ALA	GLU	conflict	UNP C4XPQ7
A	218	GLU	-	expression tag	UNP C4XPQ7
A	219	LEU	-	expression tag	UNP C4XPQ7
A	220	ALA	-	expression tag	UNP C4XPQ7
A	221	LEU	-	expression tag	UNP C4XPQ7
A	222	VAL	-	expression tag	UNP C4XPQ7
A	223	PRO	-	expression tag	UNP C4XPQ7
A	224	ARG	-	expression tag	UNP C4XPQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	GLY	-	expression tag	UNP C4XPQ7
A	226	SER	-	expression tag	UNP C4XPQ7
A	227	SER	-	expression tag	UNP C4XPQ7
A	228	ALA	-	expression tag	UNP C4XPQ7
A	229	HIS	-	expression tag	UNP C4XPQ7
A	230	HIS	-	expression tag	UNP C4XPQ7
A	231	HIS	-	expression tag	UNP C4XPQ7
A	232	HIS	-	expression tag	UNP C4XPQ7
A	233	HIS	-	expression tag	UNP C4XPQ7
A	234	HIS	-	expression tag	UNP C4XPQ7
A	235	HIS	-	expression tag	UNP C4XPQ7
A	236	HIS	-	expression tag	UNP C4XPQ7
A	237	HIS	-	expression tag	UNP C4XPQ7
A	238	HIS	-	expression tag	UNP C4XPQ7
B	37	MET	-	initiating methionine	UNP C4XPQ7
B	38	ALA	-	expression tag	UNP C4XPQ7
B	39	MET	-	expression tag	UNP C4XPQ7
B	40	GLY	-	expression tag	UNP C4XPQ7
B	46	PHE	TYR	conflict	UNP C4XPQ7
B	65	PHE	TYR	conflict	UNP C4XPQ7
B	124	ILE	MET	conflict	UNP C4XPQ7
B	140	ALA	GLU	conflict	UNP C4XPQ7
B	141	ALA	LYS	conflict	UNP C4XPQ7
B	143	ALA	GLU	conflict	UNP C4XPQ7
B	218	GLU	-	expression tag	UNP C4XPQ7
B	219	LEU	-	expression tag	UNP C4XPQ7
B	220	ALA	-	expression tag	UNP C4XPQ7
B	221	LEU	-	expression tag	UNP C4XPQ7
B	222	VAL	-	expression tag	UNP C4XPQ7
B	223	PRO	-	expression tag	UNP C4XPQ7
B	224	ARG	-	expression tag	UNP C4XPQ7
B	225	GLY	-	expression tag	UNP C4XPQ7
B	226	SER	-	expression tag	UNP C4XPQ7
B	227	SER	-	expression tag	UNP C4XPQ7
B	228	ALA	-	expression tag	UNP C4XPQ7
B	229	HIS	-	expression tag	UNP C4XPQ7
B	230	HIS	-	expression tag	UNP C4XPQ7
B	231	HIS	-	expression tag	UNP C4XPQ7
B	232	HIS	-	expression tag	UNP C4XPQ7
B	233	HIS	-	expression tag	UNP C4XPQ7
B	234	HIS	-	expression tag	UNP C4XPQ7
B	235	HIS	-	expression tag	UNP C4XPQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	236	HIS	-	expression tag	UNP C4XPQ7
B	237	HIS	-	expression tag	UNP C4XPQ7
B	238	HIS	-	expression tag	UNP C4XPQ7
C	37	MET	-	initiating methionine	UNP C4XPQ7
C	38	ALA	-	expression tag	UNP C4XPQ7
C	39	MET	-	expression tag	UNP C4XPQ7
C	40	GLY	-	expression tag	UNP C4XPQ7
C	46	PHE	TYR	conflict	UNP C4XPQ7
C	65	PHE	TYR	conflict	UNP C4XPQ7
C	124	ILE	MET	conflict	UNP C4XPQ7
C	140	ALA	GLU	conflict	UNP C4XPQ7
C	141	ALA	LYS	conflict	UNP C4XPQ7
C	143	ALA	GLU	conflict	UNP C4XPQ7
C	218	GLU	-	expression tag	UNP C4XPQ7
C	219	LEU	-	expression tag	UNP C4XPQ7
C	220	ALA	-	expression tag	UNP C4XPQ7
C	221	LEU	-	expression tag	UNP C4XPQ7
C	222	VAL	-	expression tag	UNP C4XPQ7
C	223	PRO	-	expression tag	UNP C4XPQ7
C	224	ARG	-	expression tag	UNP C4XPQ7
C	225	GLY	-	expression tag	UNP C4XPQ7
C	226	SER	-	expression tag	UNP C4XPQ7
C	227	SER	-	expression tag	UNP C4XPQ7
C	228	ALA	-	expression tag	UNP C4XPQ7
C	229	HIS	-	expression tag	UNP C4XPQ7
C	230	HIS	-	expression tag	UNP C4XPQ7
C	231	HIS	-	expression tag	UNP C4XPQ7
C	232	HIS	-	expression tag	UNP C4XPQ7
C	233	HIS	-	expression tag	UNP C4XPQ7
C	234	HIS	-	expression tag	UNP C4XPQ7
C	235	HIS	-	expression tag	UNP C4XPQ7
C	236	HIS	-	expression tag	UNP C4XPQ7
C	237	HIS	-	expression tag	UNP C4XPQ7
C	238	HIS	-	expression tag	UNP C4XPQ7
D	37	MET	-	initiating methionine	UNP C4XPQ7
D	38	ALA	-	expression tag	UNP C4XPQ7
D	39	MET	-	expression tag	UNP C4XPQ7
D	40	GLY	-	expression tag	UNP C4XPQ7
D	46	PHE	TYR	conflict	UNP C4XPQ7
D	65	PHE	TYR	conflict	UNP C4XPQ7
D	124	ILE	MET	conflict	UNP C4XPQ7
D	140	ALA	GLU	conflict	UNP C4XPQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	141	ALA	LYS	conflict	UNP C4XPQ7
D	143	ALA	GLU	conflict	UNP C4XPQ7
D	218	GLU	-	expression tag	UNP C4XPQ7
D	219	LEU	-	expression tag	UNP C4XPQ7
D	220	ALA	-	expression tag	UNP C4XPQ7
D	221	LEU	-	expression tag	UNP C4XPQ7
D	222	VAL	-	expression tag	UNP C4XPQ7
D	223	PRO	-	expression tag	UNP C4XPQ7
D	224	ARG	-	expression tag	UNP C4XPQ7
D	225	GLY	-	expression tag	UNP C4XPQ7
D	226	SER	-	expression tag	UNP C4XPQ7
D	227	SER	-	expression tag	UNP C4XPQ7
D	228	ALA	-	expression tag	UNP C4XPQ7
D	229	HIS	-	expression tag	UNP C4XPQ7
D	230	HIS	-	expression tag	UNP C4XPQ7
D	231	HIS	-	expression tag	UNP C4XPQ7
D	232	HIS	-	expression tag	UNP C4XPQ7
D	233	HIS	-	expression tag	UNP C4XPQ7
D	234	HIS	-	expression tag	UNP C4XPQ7
D	235	HIS	-	expression tag	UNP C4XPQ7
D	236	HIS	-	expression tag	UNP C4XPQ7
D	237	HIS	-	expression tag	UNP C4XPQ7
D	238	HIS	-	expression tag	UNP C4XPQ7
E	37	MET	-	initiating methionine	UNP C4XPQ7
E	38	ALA	-	expression tag	UNP C4XPQ7
E	39	MET	-	expression tag	UNP C4XPQ7
E	40	GLY	-	expression tag	UNP C4XPQ7
E	46	PHE	TYR	conflict	UNP C4XPQ7
E	65	PHE	TYR	conflict	UNP C4XPQ7
E	124	ILE	MET	conflict	UNP C4XPQ7
E	140	ALA	GLU	conflict	UNP C4XPQ7
E	141	ALA	LYS	conflict	UNP C4XPQ7
E	143	ALA	GLU	conflict	UNP C4XPQ7
E	218	GLU	-	expression tag	UNP C4XPQ7
E	219	LEU	-	expression tag	UNP C4XPQ7
E	220	ALA	-	expression tag	UNP C4XPQ7
E	221	LEU	-	expression tag	UNP C4XPQ7
E	222	VAL	-	expression tag	UNP C4XPQ7
E	223	PRO	-	expression tag	UNP C4XPQ7
E	224	ARG	-	expression tag	UNP C4XPQ7
E	225	GLY	-	expression tag	UNP C4XPQ7
E	226	SER	-	expression tag	UNP C4XPQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	227	SER	-	expression tag	UNP C4XPQ7
E	228	ALA	-	expression tag	UNP C4XPQ7
E	229	HIS	-	expression tag	UNP C4XPQ7
E	230	HIS	-	expression tag	UNP C4XPQ7
E	231	HIS	-	expression tag	UNP C4XPQ7
E	232	HIS	-	expression tag	UNP C4XPQ7
E	233	HIS	-	expression tag	UNP C4XPQ7
E	234	HIS	-	expression tag	UNP C4XPQ7
E	235	HIS	-	expression tag	UNP C4XPQ7
E	236	HIS	-	expression tag	UNP C4XPQ7
E	237	HIS	-	expression tag	UNP C4XPQ7
E	238	HIS	-	expression tag	UNP C4XPQ7
F	37	MET	-	initiating methionine	UNP C4XPQ7
F	38	ALA	-	expression tag	UNP C4XPQ7
F	39	MET	-	expression tag	UNP C4XPQ7
F	40	GLY	-	expression tag	UNP C4XPQ7
F	46	PHE	TYR	conflict	UNP C4XPQ7
F	65	PHE	TYR	conflict	UNP C4XPQ7
F	124	ILE	MET	conflict	UNP C4XPQ7
F	140	ALA	GLU	conflict	UNP C4XPQ7
F	141	ALA	LYS	conflict	UNP C4XPQ7
F	143	ALA	GLU	conflict	UNP C4XPQ7
F	218	GLU	-	expression tag	UNP C4XPQ7
F	219	LEU	-	expression tag	UNP C4XPQ7
F	220	ALA	-	expression tag	UNP C4XPQ7
F	221	LEU	-	expression tag	UNP C4XPQ7
F	222	VAL	-	expression tag	UNP C4XPQ7
F	223	PRO	-	expression tag	UNP C4XPQ7
F	224	ARG	-	expression tag	UNP C4XPQ7
F	225	GLY	-	expression tag	UNP C4XPQ7
F	226	SER	-	expression tag	UNP C4XPQ7
F	227	SER	-	expression tag	UNP C4XPQ7
F	228	ALA	-	expression tag	UNP C4XPQ7
F	229	HIS	-	expression tag	UNP C4XPQ7
F	230	HIS	-	expression tag	UNP C4XPQ7
F	231	HIS	-	expression tag	UNP C4XPQ7
F	232	HIS	-	expression tag	UNP C4XPQ7
F	233	HIS	-	expression tag	UNP C4XPQ7
F	234	HIS	-	expression tag	UNP C4XPQ7
F	235	HIS	-	expression tag	UNP C4XPQ7
F	236	HIS	-	expression tag	UNP C4XPQ7
F	237	HIS	-	expression tag	UNP C4XPQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	238	HIS	-	expression tag	UNP C4XPQ7

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Cl 1 1	0	0
2	A	1	Total Cl 1 1	0	0
2	D	1	Total Cl 1 1	0	0
2	C	2	Total Cl 2 2	0	0
2	E	1	Total Cl 1 1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total O 2 2	0	0
3	B	3	Total O 3 3	0	0
3	D	1	Total O 1 1	0	0
3	E	1	Total O 1 1	0	0
3	F	1	Total O 1 1	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Magnetosome protein MamA

Chain A: 




• Molecule 1: Magnetosome protein MamA

Chain B: 




• Molecule 1: Magnetosome protein MamA

Chain C: 




• Molecule 1: Magnetosome protein MamA


Chain D: 



● Molecule 1: Magnetosome protein MamA



● Molecule 1: Magnetosome protein MamA



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	150.55Å 150.55Å 204.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.92 – 3.37 47.88 – 3.37	Depositor EDS
% Data completeness (in resolution range)	99.5 (47.92-3.37) 99.5 (47.88-3.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.23 (at 3.40Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.196 , 0.214 0.202 , 0.221	Depositor DCC
R_{free} test set	1612 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	87.5	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 12.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.005 for $-1/2^*h+1/2^*k-1/2^*l, 1/2^*h-1/2^*k-1/2^*l, -h-k$ 0.000 for $-1/2^*h+1/2^*k+1/2^*l, 1/2^*h-1/2^*k+1/2^*l, h+k$ 0.000 for $-1/2^*h-1/2^*k+1/2^*l, -1/2^*h-1/2^*k-1/2^*l, h-k$ 0.000 for $-1/2^*h-1/2^*k-1/2^*l, -1/2^*h-1/2^*k+1/2^*l, -h+k$ 0.016 for $-h, k, -l$	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8547	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/1452	0.81	3/1952 (0.2%)
1	B	0.63	0/1449	0.82	4/1948 (0.2%)
1	C	0.60	0/1449	0.79	3/1948 (0.2%)
1	D	0.57	0/1446	0.78	3/1944 (0.2%)
1	E	0.58	0/1452	0.81	2/1952 (0.1%)
1	F	0.58	0/1460	0.80	2/1963 (0.1%)
All	All	0.59	0/8708	0.80	17/11707 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	F	0	1
All	All	0	2

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	146	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	F	191	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	E	146	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	D	210	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	F	210	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	C	191	ARG	NE-CZ-NH1	5.60	123.10	120.30
1	A	191	ARG	NE-CZ-NH1	5.57	123.09	120.30
1	E	210	ARG	NE-CZ-NH1	5.45	123.03	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	146	ARG	NE-CZ-NH2	-5.45	117.58	120.30
1	A	210	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	D	191	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	C	146	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	B	210	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	B	162	GLU	CA-CB-CG	5.21	124.86	113.40
1	A	162	GLU	CA-CB-CG	5.19	124.82	113.40
1	C	210	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	B	55	ARG	NE-CZ-NH1	5.09	122.85	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	211	SER	Peptide
1	F	214	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1424	0	1434	7	0
1	B	1418	0	1438	11	0
1	C	1417	0	1432	9	0
1	D	1418	0	1429	10	0
1	E	1424	0	1434	10	0
1	F	1432	0	1438	5	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	2	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	2	0	0	0	0
3	B	3	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8547	0	8605	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:134:LEU:HA	1:E:137:VAL:HG13	1.74	0.69
1:B:138:VAL:HG13	1:B:148:TYR:CZ	2.38	0.58
1:D:138:VAL:CG1	1:D:148:TYR:CZ	2.88	0.57
1:E:138:VAL:CG1	1:E:148:TYR:CZ	2.88	0.56
1:C:138:VAL:CG1	1:C:148:TYR:CZ	2.88	0.56
1:B:138:VAL:CG1	1:B:148:TYR:CZ	2.88	0.56
1:C:138:VAL:HG13	1:C:148:TYR:CZ	2.41	0.56
1:D:185:LEU:HD13	1:D:201:HIS:CE1	2.42	0.55
1:E:68:GLU:OE1	1:E:71:ARG:NH1	2.40	0.55
1:C:185:LEU:HD13	1:C:201:HIS:CE1	2.42	0.55
1:D:138:VAL:HG13	1:D:148:TYR:CZ	2.41	0.55
1:E:185:LEU:HD13	1:E:201:HIS:CE1	2.41	0.55
1:B:185:LEU:HD13	1:B:201:HIS:CE1	2.42	0.55
1:F:185:LEU:HD13	1:F:201:HIS:CE1	2.42	0.55
1:E:138:VAL:HG13	1:E:148:TYR:CZ	2.42	0.54
1:B:138:VAL:HG11	1:B:148:TYR:CE1	2.43	0.54
1:C:124:ILE:HG21	1:C:126:GLN:HE21	1.73	0.54
1:E:138:VAL:HG11	1:E:148:TYR:CE1	2.43	0.54
1:D:138:VAL:HG11	1:D:148:TYR:CE1	2.43	0.54
1:A:185:LEU:HD13	1:A:201:HIS:CE1	2.42	0.54
1:A:129:LEU:HD12	1:A:129:LEU:O	2.08	0.53
1:C:138:VAL:HG11	1:C:148:TYR:CE1	2.43	0.53
1:B:172:VAL:HG21	1:B:185:LEU:HD12	1.91	0.53
1:B:129:LEU:O	1:B:129:LEU:HD12	2.09	0.52
1:D:172:VAL:HG21	1:D:185:LEU:HD12	1.91	0.52
1:A:172:VAL:HG21	1:A:185:LEU:HD12	1.91	0.52
1:F:172:VAL:HG21	1:F:185:LEU:HD12	1.91	0.52
1:C:172:VAL:HG21	1:C:185:LEU:HD12	1.91	0.51
1:E:172:VAL:HG21	1:E:185:LEU:HD12	1.92	0.51
1:F:100:PHE:HA	1:F:103:VAL:HG12	1.94	0.49
1:A:100:PHE:HA	1:A:103:VAL:HG12	1.94	0.49
1:C:100:PHE:HA	1:C:103:VAL:HG12	1.94	0.49
1:D:100:PHE:HA	1:D:103:VAL:HG12	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:100:PHE:HA	1:E:103:VAL:HG12	1.94	0.49
1:B:100:PHE:HA	1:B:103:VAL:HG12	1.94	0.48
1:C:43:ALA:HB2	1:C:73:GLU:HG2	2.01	0.43
1:E:185:LEU:HD13	1:E:201:HIS:NE2	2.34	0.43
1:D:43:ALA:HB2	1:D:73:GLU:HG2	2.01	0.43
1:F:43:ALA:HB2	1:F:73:GLU:HG2	2.01	0.43
1:C:185:LEU:HD13	1:C:201:HIS:NE2	2.34	0.42
1:A:43:ALA:HB2	1:A:73:GLU:HG2	2.00	0.42
1:B:185:LEU:HD13	1:B:201:HIS:NE2	2.35	0.42
1:B:124:ILE:O	1:B:124:ILE:HG22	2.19	0.42
1:F:185:LEU:HD13	1:F:201:HIS:NE2	2.34	0.42
1:A:185:LEU:HD13	1:A:201:HIS:NE2	2.34	0.42
1:D:185:LEU:HD13	1:D:201:HIS:NE2	2.34	0.42
1:E:43:ALA:HB2	1:E:73:GLU:HG2	2.02	0.42
1:B:43:ALA:HB2	1:B:73:GLU:HG2	2.01	0.42
1:D:124:ILE:O	1:D:124:ILE:HG22	2.19	0.41
1:B:138:VAL:HG13	1:B:148:TYR:CE2	2.56	0.41
1:A:135:GLU:HA	1:A:138:VAL:HG22	2.03	0.41
1:D:138:VAL:HG13	1:D:148:TYR:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/202 (87%)	172 (98%)	3 (2%)	0	100	100
1	B	174/202 (86%)	170 (98%)	4 (2%)	0	100	100
1	C	174/202 (86%)	170 (98%)	4 (2%)	0	100	100
1	D	174/202 (86%)	169 (97%)	5 (3%)	0	100	100
1	E	175/202 (87%)	171 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	176/202 (87%)	172 (98%)	4 (2%)	0	100	100
All	All	1048/1212 (86%)	1024 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/168 (87%)	133 (91%)	13 (9%)	11	40
1	B	145/168 (86%)	131 (90%)	14 (10%)	9	35
1	C	145/168 (86%)	134 (92%)	11 (8%)	15	49
1	D	145/168 (86%)	132 (91%)	13 (9%)	11	39
1	E	146/168 (87%)	135 (92%)	11 (8%)	16	50
1	F	147/168 (88%)	132 (90%)	15 (10%)	8	33
All	All	874/1008 (87%)	797 (91%)	77 (9%)	12	41

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	LYS
1	A	74	LYS
1	A	94	GLN
1	A	111	PHE
1	A	115	TYR
1	A	122	LEU
1	A	126	GLN
1	A	129	LEU
1	A	162	GLU
1	A	170	LYS
1	A	185	LEU
1	A	196	LYS
1	A	203	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	39	MET
1	B	94	GLN
1	B	111	PHE
1	B	115	TYR
1	B	122	LEU
1	B	126	GLN
1	B	129	LEU
1	B	162	GLU
1	B	185	LEU
1	B	192	LYS
1	B	193	ASP
1	B	196	LYS
1	B	203	THR
1	B	212	GLN
1	C	74	LYS
1	C	111	PHE
1	C	115	TYR
1	C	122	LEU
1	C	170	LYS
1	C	185	LEU
1	C	192	LYS
1	C	193	ASP
1	C	196	LYS
1	C	203	THR
1	C	212	GLN
1	D	39	MET
1	D	74	LYS
1	D	94	GLN
1	D	111	PHE
1	D	115	TYR
1	D	122	LEU
1	D	126	GLN
1	D	185	LEU
1	D	192	LYS
1	D	193	ASP
1	D	196	LYS
1	D	203	THR
1	D	213	ASP
1	E	42	LYS
1	E	74	LYS
1	E	94	GLN
1	E	111	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	115	TYR
1	E	122	LEU
1	E	126	GLN
1	E	185	LEU
1	E	192	LYS
1	E	196	LYS
1	E	203	THR
1	F	74	LYS
1	F	94	GLN
1	F	105	LYS
1	F	111	PHE
1	F	115	TYR
1	F	122	LEU
1	F	126	GLN
1	F	166	GLU
1	F	170	LYS
1	F	185	LEU
1	F	192	LYS
1	F	193	ASP
1	F	196	LYS
1	F	203	THR
1	F	215	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	89	ASN
1	A	126	GLN
1	B	51	GLN
1	B	89	ASN
1	B	126	GLN
1	C	51	GLN
1	C	89	ASN
1	C	126	GLN
1	C	183	GLN
1	D	51	GLN
1	D	89	ASN
1	D	183	GLN
1	D	212	GLN
1	E	51	GLN
1	E	89	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	183	GLN
1	F	51	GLN
1	F	89	ASN
1	F	183	GLN
1	F	212	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	177/202 (87%)	0.22	1 (0%) 89 90	41, 56, 91, 124	1 (0%)
1	B	175/202 (86%)	0.15	0 100 100	42, 58, 91, 123	1 (0%)
1	C	175/202 (86%)	0.22	0 100 100	48, 65, 88, 103	0
1	D	176/202 (87%)	0.12	0 100 100	57, 73, 94, 115	0
1	E	177/202 (87%)	0.27	4 (2%) 61 62	48, 67, 107, 134	0
1	F	178/202 (88%)	0.24	2 (1%) 80 82	57, 72, 97, 124	0
All	All	1058/1212 (87%)	0.20	7 (0%) 87 90	41, 67, 95, 134	2 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	215	ASP	4.9
1	F	214	SER	3.5
1	E	213	ASP	2.4
1	E	193	ASP	2.4
1	A	214	SER	2.3
1	E	214	SER	2.1
1	E	208	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CL	C	301	1/1	0.94	0.36	2.42	59,59,59,59	0
2	CL	B	400	1/1	0.93	0.24	-0.53	59,59,59,59	0
2	CL	C	302	1/1	0.66	0.26	-0.64	59,59,59,59	0
2	CL	A	400	1/1	0.92	0.23	-0.68	59,59,59,59	0
2	CL	E	400	1/1	0.80	0.23	-0.84	59,59,59,59	0
2	CL	D	400	1/1	0.90	0.19	-1.45	59,59,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.